

# Flavio Kapczinski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1791445/publications.pdf>

Version: 2024-02-01

569  
papers

32,141  
citations

3334

91  
h-index

7518

151  
g-index

601  
all docs

601  
docs citations

601  
times ranked

23489  
citing authors

#	ARTICLE	IF	CITATIONS
1	Canadian Network for Mood and Anxiety Treatments (<scp>CANMAT</scp>) and International Society for Bipolar Disorders (<scp>ISBD</scp>) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 97-170.	1.9	1,079
2	Pathways underlying neuroprogression in bipolar disorder: Focus on inflammation, oxidative stress and neurotrophic factors. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 804-817.	6.1	1,007
3	Validity and reliability of the Functioning Assessment Short Test (FAST) in bipolar disorder. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 5.	1.2	605
4	Cannabidiol Reduces the Anxiety Induced by Simulated Public Speaking in Treatment-Naïve Social Phobia Patients. <i>Neuropsychopharmacology</i> , 2011, 36, 1219-1226.	5.4	585
5	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	7.2	579
6	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) collaborative update of CANMAT guidelines for the management of patients with bipolar disorder: update 2009. <i>Bipolar Disorders</i> , 2009, 11, 225-255.	1.9	545
7	Inflammatory markers in post-traumatic stress disorder: a systematic review, meta-analysis, and meta-regression. <i>Lancet Psychiatry</i> , 2015, 2, 1002-1012.	7.4	520
8	The role of inflammation and microglial activation in the pathophysiology of psychiatric disorders. <i>Neuroscience</i> , 2015, 300, 141-154.	2.3	496
9	Oxidative stress markers in bipolar disorder: A meta-analysis. <i>Journal of Affective Disorders</i> , 2008, 111, 135-144.	4.1	442
10	Allostatic load in bipolar disorder: Implications for pathophysiology and treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2008, 32, 675-692.	6.1	416
11	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009, 11, 453-473.	1.9	401
12	Acute administration of ketamine induces antidepressant-like effects in the forced swimming test and increases BDNF levels in the rat hippocampus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 140-144.	4.8	377
13	Comparison of cytokine levels in depressed, manic and euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2009, 116, 214-217.	4.1	376
14	Brain-derived neurotrophic factor as a state-marker of mood episodes in bipolar disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2011, 45, 995-1004.	3.1	349
15	Serum brain-derived neurotrophic factor is decreased in bipolar disorder during depressive and manic episodes. <i>Neuroscience Letters</i> , 2006, 398, 215-219.	2.1	343
16	Brain-derived neurotrophic factor and inflammatory markers in patients with early- vs. late-stage bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 447.	2.1	343
17	Dopamine dysregulation syndrome: implications for a dopamine hypothesis of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 41-49.	4.5	317
18	Comparison between proliferative and neuron-like SH-SY5Y cells as an in vitro model for Parkinson disease studies. <i>Brain Research</i> , 2010, 1337, 85-94.	2.2	317

#	ARTICLE	IF	CITATIONS
19	Oxidative stress parameters in unmedicated and treated bipolar subjects during initial manic episode: A possible role for lithium antioxidant effects. <i>Neuroscience Letters</i> , 2007, 421, 33-36.	2.1	281
20	Serum S100B and antioxidant enzymes in bipolar patients. <i>Journal of Psychiatric Research</i> , 2007, 41, 523-529.	3.1	269
21	Ketamine treatment reverses behavioral and physiological alterations induced by chronic mild stress in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 450-455.	4.8	214
22	Clinical implications of a staging model for bipolar disorders. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 957-966.	2.8	214
23	Effects of mood stabilizers on hippocampus BDNF levels in an animal model of mania. <i>Life Sciences</i> , 2006, 79, 281-286.	4.3	211
24	Peripheral biomarkers and illness activity in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2011, 45, 156-161.	3.1	208
25	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. <i>British Journal of Psychiatry</i> , 2013, 202, 243-245.	2.8	204
26	Biomarkers in bipolar disorder: A positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 321-332.	2.3	193
27	Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in different phases of bipolar disorder and in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1677-1681.	4.8	188
28	Decreased Plasma Brain Derived Neurotrophic Factor Levels in Unmedicated Bipolar Patients During Manic Episode. <i>Biological Psychiatry</i> , 2007, 61, 142-144.	1.3	187
29	Lifestyle behaviours during the COVID-19 "time to connect". <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 399-400.	4.5	183
30	Effects of lithium and valproate on amphetamine-induced oxidative stress generation in an animal model of mania. <i>Journal of Psychiatry and Neuroscience</i> , 2006, 31, 326-32.	2.4	176
31	Staging systems in bipolar disorder: an international society for bipolar disorders task force report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	4.5	175
32	Areas of controversy in neuroprogression in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 91-103.	4.5	173
33	Bipolar disorder prevalence: a systematic review and meta-analysis of the literature. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 155-161.	1.7	163
34	The efficacy of N-acetylcysteine as an adjunctive treatment in bipolar depression: An open label trial. <i>Journal of Affective Disorders</i> , 2011, 135, 389-394.	4.1	162
35	Functional Impairment and Disability across Mood States in Bipolar Disorder. <i>Value in Health</i> , 2010, 13, 984-988.	0.3	161
36	Is bipolar disorder an inflammatory condition? The relevance of microglial activation. <i>Current Opinion in Psychiatry</i> , 2013, 26, 19-26.	6.3	160

#	ARTICLE	IF	CITATIONS
37	Clinical predictors of functional outcome of bipolar patients in remission. <i>Bipolar Disorders</i> , 2009, 11, 401-409.	1.9	156
38	Identifying a clinical signature of suicidality among patients with mood disorders: A pilot study using a machine learning approach. <i>Journal of Affective Disorders</i> , 2016, 193, 109-116.	4.1	152
39	The role of hippocampus in the pathophysiology of bipolar disorder. <i>Behavioural Pharmacology</i> , 2007, 18, 419-430.	1.7	149
40	Brain-derived neurotrophic factor and neuroplasticity in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 1101-1113.	2.8	146
41	The impact of machine learning techniques in the study of bipolar disorder: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 80, 538-554.	6.1	146
42	DNA damage in bipolar disorder. <i>Psychiatry Research</i> , 2007, 153, 27-32.	3.3	145
43	Perspectives for the development of animal models of bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 209-224.	4.8	140
44	TNF- $\alpha$ as a molecular target in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1355-1361.	4.8	140
45	Effectiveness and tolerance of anti-inflammatory drugs' addition therapy in major mental disorders: a systematic qualitative review. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 163-179.	4.5	140
46	3-Nitrotyrosine and glutathione antioxidant system in patients in the early and late stages of bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 263-71.	2.4	140
47	The potential use of biomarkers as an adjunctive tool for staging bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1366-1371.	4.8	139
48	C-Reactive Protein Alterations in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 142-150.	2.2	136
49	Serum levels of brain-derived neurotrophic factor in patients with schizophrenia and bipolar disorder. <i>Neuroscience Letters</i> , 2007, 420, 45-48.	2.1	135
50	Cognitive-Behavioral Group Therapy in Obsessive-Compulsive Disorder: A Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 211-216.	8.8	133
51	Serum levels of IL-6, IL-10 and TNF- $\alpha$ in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 268-274.	1.7	131
52	Similarities in serum oxidative stress markers and inflammatory cytokines in patients with overt schizophrenia at early and late stages of chronicity. <i>Journal of Psychiatric Research</i> , 2012, 46, 819-824.	3.1	130
53	Increased oxidative stress as a mechanism for decreased BDNF levels in acute manic episodes. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 243-245.	1.7	129
54	Traumatic life events in bipolar disorder: impact on BDNF levels and psychopathology. <i>Bipolar Disorders</i> , 2007, 9, 128-135.	1.9	128

#	ARTICLE	IF	CITATIONS
55	Clinical Staging in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e450-e456.	2.2	125
56	The Role of BDNF as a Mediator of Neuroplasticity in Bipolar Disorder. <i>Psychiatry Investigation</i> , 2010, 7, 243.	1.6	124
57	Neurobiological correlates of illness progression in the recurrent affective disorders. <i>Journal of Psychiatric Research</i> , 2012, 46, 561-573.	3.1	124
58	Abnormalities in serum chemokine levels in euthymic patients with Bipolar Disorder. <i>Brain, Behavior, and Immunity</i> , 2009, 23, 1079-1082.	4.1	119
59	The Clinical Implications Of Cognitive Impairment and Allostatic Load in Bipolar Disorder. <i>European Psychiatry</i> , 2013, 28, 21-29.	0.2	119
60	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017, 7, e015462.	1.9	119
61	Risk Factors for Suicidality in Patients With Schizophrenia: A Systematic Review, Meta-analysis, and Meta-regression of 96 Studies. <i>Schizophrenia Bulletin</i> , 2018, 44, 787-797.	4.3	118
62	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021, 14, 16-26.	1.8	118
63	Development and use of a biological rhythm interview. <i>Journal of Affective Disorders</i> , 2009, 118, 161-165.	4.1	117
64	Brain-derived neurotrophic factor serum levels before and after treatment for acute mania. <i>Neuroscience Letters</i> , 2009, 452, 111-113.	2.1	117
65	Validity and reliability of a rating scale on subjective cognitive deficits in bipolar disorder (COBRA). <i>Journal of Affective Disorders</i> , 2013, 150, 29-36.	4.1	116
66	Ketamine impairs recognition memory consolidation and prevents learning-induced increase in hippocampal brain-derived neurotrophic factor levels. <i>Neuroscience</i> , 2010, 167, 969-973.	2.3	115
67	Neuroprogression and Cognitive Functioning in Bipolar Disorder: A Systematic Review. <i>Current Psychiatry Reports</i> , 2015, 17, 75.	4.5	115
68	Serum brain-derived neurotrophic factor in bipolar and unipolar depression: A potential adjunctive tool for differential diagnosis. <i>Journal of Psychiatric Research</i> , 2009, 43, 1200-1204.	3.1	111
69	A Double-Blind, Randomized, Placebo-Controlled 4-Week Study on the Efficacy and Safety of the Purinergic Agents Allopurinol and Dipyridamole Adjunctive to Lithium in Acute Bipolar Mania. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1237-1245.	2.2	111
70	Big data analytics and machine learning: 2015 and beyond. <i>Lancet Psychiatry</i> , 2016, 3, 13-15.	7.4	110
71	Investigation of serum high-sensitive C-reactive protein levels across all mood states in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 300-304.	3.2	109
72	Acute harmine administration induces antidepressive-like effects and increases BDNF levels in the rat hippocampus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1425-1430.	4.8	109

#	ARTICLE	IF	CITATIONS
73	Abnormal cellular energy and phospholipid metabolism in the left dorsolateral prefrontal cortex of medication-free individuals with bipolar disorder: an in vivo 1H MRS study. <i>Bipolar Disorders</i> , 2007, 9, 119-127.	1.9	107
74	Resting-state functional connectivity in individuals with bipolar disorder during clinical remission: a systematic review. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 298-316.	2.4	106
75	A systemic toxicity index developed to assess peripheral changes in mood episodes. <i>Molecular Psychiatry</i> , 2010, 15, 784-786.	7.9	105
76	Increased oxidative stress and DNA damage in bipolar disorder: A twin-case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 283-285.	4.8	104
77	Serum levels of IL-6, IL-10 and TNF- $\alpha$ ; in patients with bipolar disorder and schizophrenia: differences in pro- and anti-inflammatory balance. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 268-274.	1.7	102
78	Elevated serum superoxide dismutase and thiobarbituric acid reactive substances in schizophrenia: A study of patients treated with haloperidol or clozapine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 512-515.	4.8	101
79	Chronic Administration of Ketamine Elicits Antidepressant-Like Effects in Rats without Affecting Hippocampal Brain-Derived Neurotrophic Factor Protein Levels. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 103, 502-506.	2.5	101
80	Decreased brain-derived neurotrophic factor in medicated and drug-free bipolar patients. <i>Journal of Psychiatric Research</i> , 2009, 43, 1171-1174.	3.1	101
81	Effects of mood stabilizers on mitochondrial respiratory chain activity in brain of rats treated with d-amphetamine. <i>Journal of Psychiatric Research</i> , 2010, 44, 903-909.	3.1	101
82	The impact of staging bipolar disorder on treatment outcome of family psychoeducation. <i>Journal of Affective Disorders</i> , 2010, 123, 81-86.	4.1	101
83	Staging and Neuroprogression in Bipolar Disorder. <i>Current Psychiatry Reports</i> , 2012, 14, 667-675.	4.5	101
84	Mediators of allostasis and systemic toxicity in bipolar disorder. <i>Physiology and Behavior</i> , 2012, 106, 46-50.	2.1	100
85	Neuroprogression and illness trajectories in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 277-285.	2.8	99
86	Predominant polarity in bipolar disorder: Diagnostic implications. <i>Journal of Affective Disorders</i> , 2008, 107, 45-51.	4.1	98
87	Neurochemical and behavioural effects of acute and chronic memantine administration in rats: Further support for NMDA as a new pharmacological target for the treatment of depression?. <i>Brain Research Bulletin</i> , 2010, 81, 585-589.	3.0	97
88	Staging and Neuroprogression in Bipolar Disorder: A Systematic Review of the Literature. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 70-74.	1.7	97
89	Inflammatory mediators of cognitive impairment in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2014, 56, 18-27.	3.1	96
90	Increased oxidative stress after repeated amphetamine exposure: possible relevance as a model of mania. <i>Bipolar Disorders</i> , 2006, 8, 275-280.	1.9	95

#	ARTICLE	IF	CITATIONS
91	Circadian preference in bipolar disorder. <i>Sleep and Breathing</i> , 2010, 14, 153-155.	1.7	95
92	Hippocampal volume and verbal memory performance in late-stage bipolar disorder. <i>Journal of Psychiatric Research</i> , 2016, 73, 102-107.	3.1	95
93	Mitochondrial activity and oxidative stress markers in peripheral blood mononuclear cells of patients with bipolar disorder, schizophrenia, and healthy subjects. <i>Journal of Psychiatric Research</i> , 2013, 47, 1396-1402.	3.1	92
94	Changes in Antioxidant Defense Enzymes after d-amphetamine Exposure: Implications as an Animal Model of Mania. <i>Neurochemical Research</i> , 2006, 31, 699-703.	3.3	90
95	Current understandings of the trajectory and emerging correlates of cognitive impairment in bipolar disorder: An overview of evidence. <i>Bipolar Disorders</i> , 2020, 22, 13-27.	1.9	89
96	Effects of mood stabilizers on hippocampus and amygdala BDNF levels in an animal model of mania induced by ouabain. <i>Journal of Psychiatric Research</i> , 2010, 44, 506-510.	3.1	88
97	Therapeutic use of omega-3 fatty acids in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1029-1047.	2.8	87
98	Maternal Deprivation Induces Depressive-like Behaviour and Alters Neurotrophin Levels in the Rat Brain. <i>Neurochemical Research</i> , 2011, 36, 460-466.	3.3	87
99	Cognitive impairment in school-aged children with early trauma. <i>Comprehensive Psychiatry</i> , 2012, 53, 758-764.	3.1	86
100	Comparative pharmacological study of hydroethanol extracts of <i>Passiflora alata</i> and <i>Passiflora edulis</i> leaves. <i>Phytotherapy Research</i> , 2001, 15, 162-164.	5.8	85
101	Chronic administration of harmine elicits antidepressant-like effects and increases BDNF levels in rat hippocampus. <i>Journal of Neural Transmission</i> , 2010, 117, 1131-1137.	2.8	85
102	Towards a multifactorial approach for prediction of bipolar disorder in at risk populations. <i>Journal of Affective Disorders</i> , 2012, 140, 82-91.	4.1	85
103	Increased serum glial cell line-derived neurotrophic factor immunocontent during manic and depressive episodes in individuals with bipolar disorder. <i>Neuroscience Letters</i> , 2006, 407, 146-150.	2.1	84
104	Effects of $\alpha$ -2-carboline harmine on behavioral and physiological parameters observed in the chronic mild stress model: Further evidence of antidepressant properties. <i>Brain Research Bulletin</i> , 2010, 81, 491-496.	3.0	84
105	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. <i>Comprehensive Psychiatry</i> , 2014, 55, 1369-1376.	3.1	84
106	Staging bipolar disorder: clinical, biochemical, and functional correlates. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 437-444.	4.5	84
107	The impact of co-morbid alcohol use disorder in bipolar patients. <i>Alcohol</i> , 2008, 42, 451-457.	1.7	82
108	Insight, quality of life and cognitive functioning in euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2008, 110, 75-83.	4.1	82

#	ARTICLE	IF	CITATIONS
109	Maintenance N-acetyl cysteine treatment for bipolar disorder: A double-blind randomized placebo controlled trial. <i>BMC Medicine</i> , 2012, 10, 91.	5.5	81
110	Correlation between drug treatment adherence and lithium treatment attitudes and knowledge by bipolar patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 217-224.	4.8	80
111	Cognitive function and serum levels of brain-derived neurotrophic factor in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 663-671.	1.9	80
112	Associations between parenting behavior and anxiety in a rodent model and a clinical sample: relationship to peripheral BDNF levels. <i>Translational Psychiatry</i> , 2012, 2, e195-e195.	4.8	80
113	Reduced hippocampus volume and memory performance in bipolar disorder patients carrying the BDNF val66met met allele. <i>Journal of Affective Disorders</i> , 2016, 198, 198-205.	4.1	80
114	Risk of dementia in bipolar disorder and the interplay of lithium: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 510-521.	4.5	80
115	Purinergic dysfunction in mania: an integrative model. <i>Medical Hypotheses</i> , 2002, 58, 297-304.	1.5	79
116	Toward Precision Psychiatry in Bipolar Disorder: Staging 2.0. <i>Frontiers in Psychiatry</i> , 2018, 9, 641.	2.6	79
117	Illness burden and medical comorbidity in the Systematic Treatment Enhancement Program for Bipolar Disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 303-308.	4.5	78
118	Differential effects of emotional arousal in short- and long-term memory in healthy adults. <i>Neurobiology of Learning and Memory</i> , 2003, 79, 132-135.	1.9	76
119	Cognitive Performance and Quality of Life in Bipolar Disorder. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 517-524.	1.9	76
120	Azapirones for generalized anxiety disorder. <i>The Cochrane Library</i> , 2006, , CD006115.	2.8	75
121	Increased oxidative stress in submitochondrial particles after chronic amphetamine exposure. <i>Brain Research</i> , 2006, 1097, 224-229.	2.2	75
122	Early intervention in bipolar disorders: Clinical, biochemical and neuroimaging imperatives. <i>Journal of Affective Disorders</i> , 2009, 114, 1-13.	4.1	75
123	Childhood trauma, family history, and their association with mood disorders in early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 281-286.	4.5	75
124	Memantine treatment reverses anhedonia, normalizes corticosterone levels and increases BDNF levels in the prefrontal cortex induced by chronic mild stress in rats. <i>Metabolic Brain Disease</i> , 2012, 27, 175-182.	2.9	74
125	Machine learning and big data analytics in bipolar disorder: A position paper from the International Society for Bipolar Disorders Big Data Task Force. <i>Bipolar Disorders</i> , 2019, 21, 582-594.	1.9	74
126	Mirtazapine versus fluoxetine in the treatment of panic disorder. <i>Brazilian Journal of Medical and Biological Research</i> , 2001, 34, 1303-1307.	1.5	72



#	ARTICLE	IF	CITATIONS
127	Serum brain-derived neurotrophic factor (BDNF) is not associated with response to electroconvulsive therapy (ECT): A pilot study in drug resistant depressed patients. <i>Neuroscience Letters</i> , 2009, 453, 195-198.	2.1	72
128	Increased levels of adipokines in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 389-393.	3.1	72
129	Functional impact of biological rhythm disturbance in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2010, 44, 220-223.	3.1	70
130	Stigma and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 130, 323-327.	4.1	70
131	Brain-derived neurotrophic factor and neuron-specific enolase, but not S100 $\beta$ , levels are associated to the occurrence of delirium in intensive care unit patients. <i>Journal of Critical Care</i> , 2011, 26, 133-137.	2.2	69
132	Functional Impairment in Patients with Remitted Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 390-392.	8.8	68
133	From neuroprogression to neuroprotection: implications for clinical care. <i>Medical Journal of Australia</i> , 2010, 193, S36-40.	1.7	68
134	Differential involvement of hippocampal and amygdalar NMDA receptors in contextual and aversive aspects of inhibitory avoidance memory in rats. <i>Brain Research</i> , 2003, 975, 207-213.	2.2	67
135	Anxiety Comorbidity and Quality of Life in Bipolar Disorder Patients. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 175-181.	1.9	67
136	Serum brain-derived neurotrophic factor in patients with trauma psychopathology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 459-462.	4.8	67
137	Six-month functional outcome of a bipolar disorder cohort in the context of a specialized care program. <i>Bipolar Disorders</i> , 2011, 13, 679-686.	1.9	67
138	Telomere Length, Oxidative Stress, Inflammation and BDNF Levels in Siblings of Patients with Bipolar Disorder: Implications for Accelerated Cellular Aging. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 445-454.	2.1	67
139	Effects of cannabidiol on amphetamine-induced oxidative stress generation in an animal model of mania. <i>Journal of Psychopharmacology</i> , 2011, 25, 274-280.	4.0	66
140	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multicenter study. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 102-108.	4.5	66
141	Immunoassay for glial fibrillary acidic protein: Antigen recognition is affected by its phosphorylation state. <i>Journal of Neuroscience Methods</i> , 2007, 162, 282-286.	2.5	65
142	Validity of a Short Functioning Test (FAST) in Brazilian Outpatients with Bipolar Disorder. <i>Value in Health</i> , 2009, 12, 624-627.	0.3	65
143	Behavioral and neurochemical effects of sodium butyrate in an animal model of mania. <i>Behavioural Pharmacology</i> , 2011, 22, 766-772.	1.7	65
144	DNA damage in rats after treatment with methylphenidate. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1282-1288.	4.8	64

#	ARTICLE	IF	CITATIONS
145	Ketamine and imipramine in the nucleus accumbens regulate histone deacetylation induced by maternal deprivation and are critical for associated behaviors. <i>Behavioural Brain Research</i> , 2013, 256, 451-456.	2.2	63
146	Imipramine reverses alterations in cytokines and BDNF levels induced by maternal deprivation in adult rats. <i>Behavioural Brain Research</i> , 2013, 242, 40-46.	2.2	63
147	The impact of comorbid posttraumatic stress disorder on bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2010, 123, 71-76.	4.1	62
148	Administration of cannabidiol and imipramine induces antidepressant-like effects in the forced swimming test and increases brain-derived neurotrophic factor levels in the rat amygdala. <i>Acta Neuropsychiatrica</i> , 2011, 23, 241-248.	2.1	62
149	Effects of mood stabilizers on DNA damage in an animal model of mania. <i>Journal of Psychiatry and Neuroscience</i> , 2008, 33, 516-24.	2.4	62
150	Elevated serum S100B protein in drug-free bipolar patients during first manic episode: a pilot study. <i>European Neuropsychopharmacology</i> , 2002, 12, 269-272.	0.7	61
151	Hypothalamic-Pituitary-Adrenal Axis Dysfunction and Illness Progression in Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu043-pyu043.	2.1	61
152	Serum brain-derived neurotrophic factor and clozapine daily dose in patients with schizophrenia: A positive correlation. <i>Neuroscience Letters</i> , 2011, 491, 207-210.	2.1	59
153	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study. <i>Journal of Psychiatric Research</i> , 2017, 92, 119-123.	3.1	59
154	Flumazenil has an anxiolytic effect in simulated stress. <i>Psychopharmacology</i> , 1994, 114, 187-189.	3.1	58
155	Serum neurotrophin-3 is increased during manic and depressive episodes in bipolar disorder. <i>Neuroscience Letters</i> , 2007, 415, 87-89.	2.1	58
156	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1043-1050.	2.1	58
157	Impaired endoplasmic reticulum stress response in bipolar disorder: cellular evidence of illness progression. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1453-1463.	2.1	58
158	Changes in the corpus callosum in women with late-stage bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 458-464.	4.5	58
159	Biological rhythms in bipolar and depressive disorders: A community study with drug-naïve young adults. <i>Journal of Affective Disorders</i> , 2015, 186, 145-148.	4.1	58
160	Individualized Prediction and Clinical Staging of Bipolar Disorders Using Neuroanatomical Biomarkers. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 186-194.	1.5	58
161	Childhood trauma, impulsivity, and executive functioning in crack cocaine users. <i>Comprehensive Psychiatry</i> , 2012, 53, 238-244.	3.1	57
162	Social phobia in Brazilian university students: Prevalence, under-recognition and academic impairment in women. <i>Journal of Affective Disorders</i> , 2012, 136, 857-861.	4.1	57

#	ARTICLE	IF	CITATIONS
163	Neurotrophins, inflammation and oxidative stress as illness activity biomarkers in bipolar disorder. Expert Review of Neurotherapeutics, 2013, 13, 827-842.	2.8	57
164	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic. Journal of Medical Internet Research, 2020, 22, e22835.	4.3	56
165	Downhill training upregulates mice hippocampal and striatal brain-derived neurotrophic factor levels. Journal of Neural Transmission, 2008, 115, 1251-1255.	2.8	55
166	Correlates and impact of obsessive-compulsive comorbidity in bipolar disorder. Comprehensive Psychiatry, 2010, 51, 353-356.	3.1	55
167	The acute effect of methylphenidate on cerebral blood flow in boys with attention-deficit/hyperactivity disorder. European Journal of Nuclear Medicine and Molecular Imaging, 2003, 30, 423-426.	6.4	54
168	Insulin dysfunction and allostatic load in bipolar disorder. Expert Review of Neurotherapeutics, 2011, 11, 1017-1028.	2.8	54
169	Psychophysiological correlates of cognitive deficits in family caregivers of patients with Alzheimer Disease. Neuroscience, 2015, 286, 371-382.	2.3	53
170	Mood disorders and biological rhythms in young adults: A large population-based study. Journal of Psychiatric Research, 2017, 84, 98-104.	3.1	53
171	Brain creatine kinase activity in an animal model of mania. Life Sciences, 2008, 82, 424-429.	4.3	52
172	Val66met polymorphism and serum brain-derived neurotrophic factor levels in bipolar disorder. Molecular Psychiatry, 2007, 12, 230-231.	7.9	51
173	Effects of lithium and valproate on serum and hippocampal neurotrophin-3 levels in an animal model of mania. Journal of Psychiatric Research, 2008, 42, 416-421.	3.1	51
174	Peripheral toxicity in crack cocaine use disorders. Neuroscience Letters, 2013, 544, 80-84.	2.1	51
175	Role of P2X7 Receptor in an Animal Model of Mania Induced by D-Amphetamine. Molecular Neurobiology, 2016, 53, 611-620.	4.0	51
176	BDNF/TrkB Content and Interaction with Gastrin-Releasing Peptide Receptor Blockade in Colorectal Cancer. Oncology, 2010, 79, 430-439.	1.9	50
177	Oxidative stress and BDNF as possible markers for the severity of crack cocaine use in early withdrawal. Psychopharmacology, 2014, 231, 4031-4039.	3.1	50
178	Evaluation of cytokines, oxidative stress markers and brain-derived neurotrophic factor in patients with fibromyalgia – A controlled cross-sectional study. Cytokine, 2016, 84, 25-28.	3.2	50
179	Mismatch between self-reported quality of life and functional assessment in acute mania: A matter of unawareness of illness?. Journal of Affective Disorders, 2007, 103, 247-252.	4.1	49
180	Long-lasting recognition memory impairment and alterations in brain levels of cytokines and BDNF induced by maternal deprivation: effects of valproic acid and topiramate. Journal of Neural Transmission, 2015, 122, 709-719.	2.8	49

#	ARTICLE	IF	CITATIONS
181	Antioxidant treatments for schizophrenia. The Cochrane Library, 2016, 2016, CD008919.	2.8	49
182	Mania Associated with an Energy Drink: The Possible Role of Caffeine, Taurine, and Inositol. Canadian Journal of Psychiatry, 2001, 46, 454-455.	1.9	48
183	Impairment of the mitochondrial electron transport chain due to sleep deprivation in mice. Journal of Psychiatric Research, 2010, 44, 775-780.	3.1	48
184	Volumetric brain magnetic resonance imaging predicts functioning in bipolar disorder: A machine learning approach. Journal of Psychiatric Research, 2018, 103, 237-243.	3.1	47
185	Efficacy and Safety of Cannabidiol Plus Standard Care vs Standard Care Alone for the Treatment of Emotional Exhaustion and Burnout Among Frontline Health Care Workers During the COVID-19 Pandemic. JAMA Network Open, 2021, 4, e2120603.	5.9	47
186	Increased serum neurotrophin-4/5 levels in bipolar disorder. Journal of Psychiatric Research, 2009, 43, 721-723.	3.1	46
187	Accelerated age-related decrease in brain-derived neurotrophic factor levels in bipolar disorder. International Journal of Neuropsychopharmacology, 2009, 12, 137.	2.1	46
188	Risk of suicide and mixed episode in men in the postpartum period. Journal of Affective Disorders, 2011, 132, 243-246.	4.1	46
189	Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. European Psychiatry, 2014, 29, 58-63.	0.2	46
190	Sensitization and cross-sensitization after chronic treatment with methylphenidate in adolescent Wistar rats. Behavioural Pharmacology, 2007, 18, 205-212.	1.7	45
191	Chronic Mild Stress Paradigm Reduces Sweet Food Intake in Rats without Affecting Brain Derived Neurotrophic Factor Protein Levels. Current Neurovascular Research, 2008, 5, 207-213.	1.1	45
192	Oxidative stress markers imbalance in late-life depression. Journal of Psychiatric Research, 2018, 102, 29-33.	3.1	45
193	Neuron-glia Interaction as a Possible Pathophysiological Mechanism of Bipolar Disorder. Current Neuropharmacology, 2018, 16, 519-532.	2.9	45
194	Increased neurotrophin-3 in drug-free subjects with bipolar disorder during manic and depressive episodes. Journal of Psychiatric Research, 2010, 44, 561-565.	3.1	44
195	Therapeutic Efficacy of Allopurinol in Mania Associated With Hyperuricemia. Journal of Clinical Psychopharmacology, 2001, 21, 621-622.	1.4	44
196	Effects of lithium and valproate on hippocampus citrate synthase activity in an animal model of mania. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 887-891.	4.8	43
197	Intense Exercise Induces Mitochondrial Dysfunction in Mice Brain. Neurochemical Research, 2008, 33, 51-58.	3.3	43
198	Sleep in bipolar patients. Sleep and Breathing, 2009, 13, 169-173.	1.7	43

#	ARTICLE	IF	CITATIONS
199	Biological rhythm disturbance in remitted bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 6.	2.2	43
200	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	4.1	43
201	Shortened telomere length in bipolar disorder: a comparison of the early and late stages of disease. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 281-286.	1.7	43
202	Clinical impact of late diagnose of bipolar disorder. <i>Journal of Affective Disorders</i> , 2005, 86, 313-316.	4.1	42
203	Is bipolar disorder associated with accelerating aging? A meta-analysis of telomere length studies. <i>Journal of Affective Disorders</i> , 2015, 186, 241-248.	4.1	42
204	Predictors of psychiatric readmission among patients with bipolar disorder at an academic safety-net hospital. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 584-593.	2.3	42
205	Optimal duration of risperidone or olanzapine adjunctive therapy to mood stabilizer following remission of a manic episode: A CANMAT randomized double-blind trial. <i>Molecular Psychiatry</i> , 2016, 21, 1050-1056.	7.9	42
206	Functional and cognitive impairment in the first episode of depression: A systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 156-185.	4.5	42
207	Lithium increases nerve growth factor levels in the rat hippocampus in an animal model of mania. <i>Behavioural Pharmacology</i> , 2006, 17, 311-318.	1.7	41
208	Effect of N-acetylcysteine and/or deferoxamine on oxidative stress and hyperactivity in an animal model of mania. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1064-1068.	4.8	41
209	Neuroanatomical Profile of Antimaniac Effects of Histone Deacetylases Inhibitors. <i>Molecular Neurobiology</i> , 2011, 43, 207-214.	4.0	41
210	Damage-associated molecular patterns and immune activation in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 211-217.	4.5	41
211	Brain-derived neurotrophic factor and inflammatory markers in school-aged children with early trauma. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 360-368.	4.5	41
212	The anticonvulsant compound gabapentin possesses anxiolytic but not amnesic effects in rats. <i>Behavioural Pharmacology</i> , 2000, 11, 169-173.	1.7	40
213	Effects of Gabapentin on Anxiety Induced by Simulated Public Speaking. <i>Journal of Psychopharmacology</i> , 2003, 17, 184-188.	4.0	40
214	Early life stress decreases hippocampal BDNF content and exacerbates recognition memory deficits induced by repeated d-amphetamine exposure. <i>Behavioural Brain Research</i> , 2011, 224, 100-106.	2.2	40
215	Increase in brain-derived neurotrophic factor expression in early crack cocaine withdrawal. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 33-40.	2.1	40
216	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 654-663.	1.9	39

#	ARTICLE	IF	CITATIONS
217	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	3.1	39
218	Individualized identification of euthymic bipolar disorder using the Cambridge Neuropsychological Test Automated Battery (CANTAB) and machine learning. <i>Journal of Affective Disorders</i> , 2016, 192, 219-225.	4.1	39
219	Obesity is associated with previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2010, 22, 63-67.	2.1	38
220	The serum S100B concentration is age dependent. <i>Clinical Chemistry</i> , 2002, 48, 950-2.	3.2	38
221	Early functional impairment in bipolar youth: A nested population-based case-control study. <i>Journal of Affective Disorders</i> , 2012, 142, 208-212.	4.1	37
222	Clinical staging and serum cytokines in bipolar patients during euthymia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 77, 194-201.	4.8	37
223	Increased serum levels of C3 and C4 in patients with schizophrenia compared to euthymic patients with bipolar disorder and healthy. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 119-120.	1.7	37
224	Ketamine alters behavior and decreases BDNF levels in the rat brain as a function of time after drug administration. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 262-266.	1.7	36
225	Manic symptoms and quality of life in bipolar disorder. <i>Psychiatry Research</i> , 2007, 153, 33-38.	3.3	35
226	Effects of moderate exercise on cigarette smoke exposure-induced hippocampal oxidative stress values and neurological behaviors in mice. <i>Neuroscience Letters</i> , 2010, 475, 16-19.	2.1	35
227	Refractory bipolar disorder and neuroprogression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 70, 103-110.	4.8	35
228	Acute and chronic electroconvulsive shock in rats: Effects on peripheral markers of neuronal injury and glial activity. <i>Life Sciences</i> , 2006, 78, 3013-3017.	4.3	34
229	Elevated serum thiobarbituric acid reactive substances in clinically symptomatic schizophrenic males. <i>Neuroscience Letters</i> , 2008, 433, 270-273.	2.1	34
230	BDNF and PDE4, but not the GRPR, Regulate Viability of Human Medulloblastoma Cells. <i>Journal of Molecular Neuroscience</i> , 2010, 40, 303-310.	2.3	34
231	Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. <i>BMC Psychiatry</i> , 2013, 13, 27.	2.6	34
232	Correlation of Acute Phase Inflammatory and Oxidative Markers With Long-term Cognitive Impairment in Sepsis Survivors Rats. <i>Shock</i> , 2013, 40, 45-48.	2.1	34
233	Intracerebral Administration of BDNF Protects Rat Brain Against Oxidative Stress Induced by Ouabain in an Animal Model of Mania. <i>Molecular Neurobiology</i> , 2015, 52, 353-362.	4.0	34
234	Early Life Stress Interacts with the Diet Deficiency of Omega-3 Fatty Acids during the Life Course Increasing the Metabolic Vulnerability in Adult Rats. <i>PLoS ONE</i> , 2013, 8, e62031.	2.5	34

#	ARTICLE	IF	CITATIONS
235	Tianeptine exerts neuroprotective effects in the brain tissue of rats exposed to the chronic stress model. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 395-402.	2.9	33
236	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1249-1255.	3.1	33
237	Prevalence and clinical correlates of alcohol use disorders among bipolar disorder patients: Results from the Brazilian Bipolar Research Network. <i>Comprehensive Psychiatry</i> , 2014, 55, 1116-1121.	3.1	33
238	Pharmacokinetics of radiotracers in human plasma during positron emission tomography. , 1999, 34, 124-134.		32
239	Behavioural effects of acute tryptophan depletion in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2000, 14, 157-163.	4.0	32
240	USE AND MISUSE OF BENZODIAZEPINES IN BRAZIL: A REVIEW. <i>Substance Use and Misuse</i> , 2001, 36, 1053-1069.	1.4	32
241	Serum levels of brain-derived neurotrophic factor in schizophrenia on a hypocaloric diet. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1595-1598.	4.8	32
242	Correlation between behavioral deficits and decreased brain-derived neurotrophic factor in neonatal meningitis. <i>Journal of Neuroimmunology</i> , 2010, 223, 73-76.	2.3	32
243	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: An open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1511-1514.	3.1	32
244	Histone deacetylase activity and brain-derived neurotrophic factor (BDNF) levels in a pharmacological model of mania. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 39-46.	1.7	32
245	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021, 295, 173-182.	4.1	32
246	Canadian Network for Mood and Anxiety Treatments (CANMAT) and International Society for Bipolar Disorders (ISBD) recommendations for the management of patients with bipolar disorder with mixed presentations. <i>Bipolar Disorders</i> , 2021, 23, 767-788.	1.9	32
247	Cardiovascular risk factors in outpatients with bipolar disorder: a report from the Brazilian Research Network in Bipolar Disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 126-130.	1.7	31
248	Verbal episodic memory along the course of schizophrenia and bipolar disorder: A new perspective. <i>European Neuropsychopharmacology</i> , 2015, 25, 169-175.	0.7	31
249	Metabolic syndrome, depression and anhedonia among young adults. <i>Psychiatry Research</i> , 2019, 271, 306-310.	3.3	31
250	Clozapine in bipolar disorder: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2020, 125, 21-27.	3.1	31
251	Increased cerebrospinal fluid levels of S100B protein in rat model of mania induced by ouabain. <i>Life Sciences</i> , 2004, 76, 805-811.	4.3	30
252	Epidemiology and Management of Anxiety in Patients with Bipolar Disorder. <i>CNS Drugs</i> , 2009, 23, 953-964.	5.9	30

#	ARTICLE	IF	CITATIONS
253	Cannabidiol Exposure During Neuronal Differentiation Sensitizes Cells Against Redox-Active Neurotoxins. <i>Molecular Neurobiology</i> , 2015, 52, 26-37.	4.0	30
254	Validation of the Italian Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry (BRIAN): Some Considerations on its Screening Usefulness. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 48-52.	1.2	30
255	Use of contraceptive methods among women treated for bipolar disorder. <i>Archives of Women's Mental Health</i> , 2009, 12, 183-185.	2.6	29
256	The concept of staging in bipolar disorder: the role of BDNF and TNF-alpha as biomarkers. <i>Acta Neuropsychiatrica</i> , 2009, 21, 272-274.	2.1	29
257	Psychometric properties of the Parkinson's Disease Sleep Scale " Brazilian version. <i>Parkinsonism and Related Disorders</i> , 2009, 15, 495-499.	2.2	29
258	The impact of a history of psychotic symptoms on cognitive function in euthymic bipolar patients: a comparison with schizophrenic patients and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 353-361.	1.7	29
259	Tamoxifen effects on respiratory chain complexes and creatine kinase activities in an animal model of mania. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 304-310.	2.9	29
260	Glucocorticoid Receptors, Brain-Derived Neurotrophic Factor, Serotonin and Dopamine Neurotransmission are Associated with Interferon-Induced Depression. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv135.	2.1	29
261	Serum levels of brain-derived neurotrophic factor and thiobarbituric acid reactive substances in chronically medicated schizophrenic patients: a positive correlation. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 337-340.	1.7	28
262	Depressive-Like Parameters in Sepsis Survivor Rats. <i>Neurotoxicity Research</i> , 2010, 17, 279-286.	2.7	28
263	Common biological mechanisms between bipolar disorder and type 2 diabetes: Focus on inflammation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 289-298.	4.8	28
264	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , 2015, 30, 99-105.	0.2	28
265	Effects of sodium butyrate on aversive memory in rats submitted to sepsis. <i>Neuroscience Letters</i> , 2015, 595, 134-138.	2.1	28
266	Differential expression of transcriptional regulatory units in the prefrontal cortex of patients with bipolar disorder: potential role of early growth response gene 3. <i>Translational Psychiatry</i> , 2016, 6, e805-e805.	4.8	28
267	The role of macrophage polarization on bipolar disorder: Identifying new therapeutic targets. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 618-630.	2.3	28
268	Peripheral adenosine levels in euthymic patients with bipolar disorder. <i>Psychiatry Research</i> , 2016, 246, 421-426.	3.3	28
269	Rapid infusion of esketamine for unipolar and bipolar depression: a retrospective chart review. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1627-1632.	2.2	28
270	Behavioural effects of acute phenylalanine and tyrosine depletion in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2002, 16, 51-55.	4.0	27



#	ARTICLE	IF	CITATIONS
271	Changes in S100B cerebrospinal fluid levels of rats subjected to predator stress. <i>Brain Research</i> , 2004, 1028, 213-218.	2.2	27
272	Bipolar depression: the importance of being on remission. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, 93-96.	1.7	27
273	Imipramine treatment reverses depressive-like behavior in alloxan-diabetic rats. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 139-144.	4.0	27
274	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. <i>Journal of Psychiatric Research</i> , 2014, 48, 13-15.	3.1	27
275	Mesenchymal stem cells for the treatment of neurodegenerative and psychiatric disorders. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1435-1449.	0.8	27
276	Is religiosity a protective factor against suicidal behavior in bipolar I outpatients?. <i>Journal of Affective Disorders</i> , 2015, 186, 156-161.	4.1	27
277	Effects of a single bout of maximal aerobic exercise on BDNF in bipolar disorder: A gender-based response. <i>Psychiatry Research</i> , 2015, 229, 57-62.	3.3	27
278	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. <i>Journal of Neuroimmunology</i> , 2016, 301, 23-29.	2.3	27
279	Differential biomarker signatures in unipolar and bipolar depression: A machine learning approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 393-401.	2.3	27
280	The Early Burden of Disability in Individuals With Mood and Other Common Mental Disorders in Ontario, Canada. <i>JAMA Network Open</i> , 2020, 3, e2020213.	5.9	27
281	Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. <i>Bipolar Disorders</i> , 2021, 23, 659-678.	1.9	27
282	Cognitive-behavioral group therapy in obsessive-compulsive disorder: a clinical trial. <i>Revista Brasileira De Psiquiatria</i> , 2002, 24, 113-120.	1.7	26
283	Emotional memory in bipolar disorder. <i>British Journal of Psychiatry</i> , 2008, 192, 458-463.	2.8	26
284	Is there an association between suicide attempt and delay of initiation of mood stabilizers in bipolar I disorder?. <i>Journal of Affective Disorders</i> , 2012, 136, 1082-1087.	4.1	26
285	Early apoptosis in peripheral blood mononuclear cells from patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 152-154, 474-477.	4.1	26
286	Resilience as a mediator factor in the relationship between childhood trauma and mood disorder: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020, 274, 48-53.	4.1	26
287	Serum homocysteine levels and cognitive functioning in euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2009, 113, 285-290.	4.1	25
288	Protein Kinase C and Oxidative Stress in an Animal Model of Mania. <i>Current Neurovascular Research</i> , 2012, 9, 47-57.	1.1	25

#	ARTICLE	IF	CITATIONS
289	Impact of comorbid migraine on the clinical course of bipolar disorder. <i>Comprehensive Psychiatry</i> , 2012, 53, 809-812.	3.1	25
290	Progesterone and its metabolites as therapeutic targets in psychiatric disorders. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 679-690.	3.4	25
291	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	3.1	25
292	Metabolic syndrome and psychiatric disorders: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 38-43.	1.7	25
293	Memory modulation by post-training intraperitoneal, but not intracerebroventricular, administration of ACTH or epinephrine. <i>Behavioral and Neural Biology</i> , 1983, 39, 277-283.	2.2	24
294	A proton magnetic resonance spectroscopy investigation of the dorsolateral prefrontal cortex in acute mania. <i>Human Psychopharmacology</i> , 2005, 20, 133-139.	1.5	24
295	Mitochondrial IV complex and brain neurotrophic derived factor responses of mice brain cortex after downhill training. <i>Neuroscience Letters</i> , 2007, 426, 171-174.	2.1	24
296	Effects of increased opportunity for physical exercise and learning experiences on recognition memory and brain-derived neurotrophic factor levels in brain and serum of rats. <i>Neuroscience</i> , 2011, 199, 284-291.	2.3	24
297	Stigma experiences in bipolar patients: the impact upon functioning. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2012, 19, 665-671.	2.1	24
298	Vulnerability to dietary n-3 polyunsaturated fatty acid deficiency after exposure to early stress in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2013, 107, 11-19.	2.9	24
299	Correlation between n-3 polyunsaturated fatty acids consumption and BDNF peripheral levels in adolescents. <i>Lipids in Health and Disease</i> , 2014, 13, 44.	3.0	24
300	Ethanol during adolescence decreased the BDNF levels in the hippocampus in adult male Wistar rats, but did not alter aggressive and anxiety-like behaviors. <i>Trends in Psychiatry and Psychotherapy</i> , 2015, 37, 143-151.	0.8	24
301	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 571-582.	4.5	24
302	Oxidative stress may be a common mechanism linking major depression and osteoporosis. <i>Acta Neuropsychiatrica</i> , 2008, 20, 112-116.	2.1	23
303	Total and Mitochondrial Nitrosative Stress, Decreased Brain-Derived Neurotrophic Factor (BDNF) Levels and Glutamate Uptake, and Evidence of Endoplasmic Reticulum Stress in the Hippocampus of Vitamin A-Treated Rats. <i>Neurochemical Research</i> , 2011, 36, 506-517.	3.3	23
304	Val66Met polymorphism and serum brain-derived neurotrophic factor in bipolar disorder: an open-label trial. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 393-400.	4.5	23
305	Memory and brain-derived neurotrophic factor after subchronic or chronic amphetamine treatment in an animal model of mania. <i>Journal of Psychiatric Research</i> , 2015, 68, 329-336.	3.1	23
306	Depression and Mania Induce Pro-inflammatory Activation of Macrophages Following Application of Serum from Individuals with Bipolar Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2018, 16, 103-108.	2.0	23

#	ARTICLE	IF	CITATIONS
307	Inflammatory and oxidative stress markers in post-traumatic stress disorder: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 3150-3163.	7.9	23
308	Decreased serum neurotrophin 3 in chronically medicated schizophrenic males. <i>Neuroscience Letters</i> , 2008, 440, 197-201.	2.1	22
309	Cognitive abilities and clinical variables in bipolar I depressed and euthymic patients and controls. <i>Journal of Psychiatric Research</i> , 2011, 45, 495-504.	3.1	22
310	Symptom Dimensional Approach and BDNF in Unmedicated Obsessive-Compulsive Patients: <i>An Exploratory Study</i>. <i>CNS Spectrums</i> , 2011, 16, 179-189.	1.2	22
311	Effects of experimental cerebral malaria in memory, brain-derived neurotrophic factor and acetylcholinesterase activity in the hippocampus of survivor mice. <i>Neuroscience Letters</i> , 2012, 523, 104-107.	2.1	22
312	Modafinil ameliorates cognitive deficits induced by maternal separation and sleep deprivation. <i>Behavioural Brain Research</i> , 2013, 253, 274-279.	2.2	22
313	Peripheral biomarker signatures of bipolar disorder and schizophrenia: A machine learning approach. <i>Schizophrenia Research</i> , 2017, 188, 182-184.	2.0	22
314	Differences in biomarkers of crack-cocaine adolescent users before/after abstinence. <i>Drug and Alcohol Dependence</i> , 2017, 177, 207-213.	3.2	22
315	Inflammation and internalizing disorders in adolescents. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 77, 133-137.	4.8	22
316	Cytokine Levels in Panic Disorder: Evidence for a Dose-Response Relationship. <i>Psychosomatic Medicine</i> , 2017, 79, 126-132.	2.0	22
317	Cannabidiol for COVID-19 Patients with Mild to Moderate Symptoms (CANDIDATE Study): A Randomized, Double-Blind, Placebo-Controlled Clinical Trial. <i>Cannabis and Cannabinoid Research</i> , 2022, 7, 658-669.	2.9	22
318	Staging, Neurocognition and Social Functioning in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 709.	2.6	21
319	Subjective neurocognition and quality of life in patients with bipolar disorder and siblings. <i>Journal of Affective Disorders</i> , 2019, 245, 283-288.	4.1	21
320	Brain-derived neurotrophic factor gene val66met polymorphism and executive functioning in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 136-140.	1.7	20
321	Effects of Mood Stabilizers on Brain Energy Metabolism in Mice Submitted to an Animal Model of Mania Induced by Paradoxical Sleep Deprivation. <i>Neurochemical Research</i> , 2015, 40, 1144-1152.	3.3	20
322	Brain-derived neurotrophic factor, impaired glucose metabolism, and bipolar disorder course. <i>Bipolar Disorders</i> , 2016, 18, 373-378.	1.9	20
323	EGR3 Immediate Early Gene and the Brain-Derived Neurotrophic Factor in Bipolar Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 15.	2.0	20
324	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. <i>Psychiatry Research</i> , 2019, 275, 228-232.	3.3	20

#	ARTICLE	IF	CITATIONS
325	Differences between unipolar mania and bipolar disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019, 21, 437-448.	1.9	20
326	Predicting offenses among individuals with psychiatric disorders - A machine learning approach. <i>Journal of Psychiatric Research</i> , 2021, 138, 146-154.	3.1	20
327	Acute low dose of MK-801 prevents memory deficits without altering hippocampal DARPP-32 expression and BDNF levels in sepsis survivor rats. <i>Journal of Neuroimmunology</i> , 2011, 230, 48-51.	2.3	19
328	Prevalence and clinical impact of eating disorders in bipolar patients. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 66-70.	1.7	19
329	Shared clinical associations between obesity and impulsivity in rapid cycling bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2014, 168, 306-313.	4.1	19
330	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 211-218.	1.7	19
331	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 296-302.	1.7	19
332	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. <i>Journal of Neuroimmunology</i> , 2017, 307, 33-36.	2.3	19
333	Emotional hyperreactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 348-359.	4.5	19
334	Risk factors for suicidality in patients with panic disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 105, 34-38.	6.1	19
335	A gastrin-releasing peptide receptor antagonist blocks d-amphetamine-induced hyperlocomotion and increases hippocampal NGF and BDNF levels in rats. <i>Peptides</i> , 2007, 28, 1447-1452.	2.4	18
336	Bipolar disorder and age-related functional impairment. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 354-357.	1.7	18
337	Neurocognitive Functioning in Overweight and Obese Patients with Bipolar Disorder: Data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). <i>Canadian Journal of Psychiatry</i> , 2014, 59, 639-648.	1.9	18
338	Differential effects of flumazenil in alcoholic and nonalcoholic cirrhotic patients. <i>Psychopharmacology</i> , 1995, 120, 220-226.	3.1	17
339	Birth cohort and dual diagnosis effects on age at onset in Brazilian patients with bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 492-495.	4.5	17
340	Association of polymorphisms of the tryptophan hydroxylase 2 gene with risk for bipolar disorder or suicidal behavior. <i>Journal of Psychiatric Research</i> , 2010, 44, 271-274.	3.1	17
341	Association study of tryptophan hydroxylase 2 gene polymorphisms in bipolar disorder patients with panic disorder comorbidity. <i>Psychiatric Genetics</i> , 2011, 21, 106-111.	1.1	17
342	The identification of unipolar mania subtype based on anxiety comorbidity. <i>Journal of Affective Disorders</i> , 2011, 132, 356-359.	4.1	17

#	ARTICLE	IF	CITATIONS
343	Homocysteine and other markers of cardiovascular risk during a manic episode in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 157-160.	1.7	17
344	Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. <i>International Journal of Social Psychiatry</i> , 2014, 60, 396-402.	3.1	17
345	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , 2015, 5, 16301.	3.3	17
346	Psychiatric and clinical correlates of rapid cycling bipolar disorder: a cross-sectional study. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 270-274.	1.7	17
347	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. <i>Psychoneuroendocrinology</i> , 2016, 72, 34-39.	2.7	17
348	Bipolar disorder and tobacco smoking: Categorical and dimensional clinical correlates in subjects from the Brazilian bipolar research network. <i>Comprehensive Psychiatry</i> , 2018, 82, 14-21.	3.1	17
349	The differential association between history of childhood sexual abuse and body mass index in early and late stages of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 214-218.	4.1	17
350	Olanzapine plus fluoxetine treatment increases Nt-3 protein levels in the rat prefrontal cortex. <i>Neuroscience Letters</i> , 2011, 497, 99-103.	2.1	16
351	Systemic toxicity in early-stage mood disorders. <i>Journal of Psychiatric Research</i> , 2011, 45, 1407-1409.	3.1	16
352	Daytime sleepiness, sleep disturbance and functioning impairment in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2013, 25, 101-104.	2.1	16
353	Serum concentrations of brain-derived neurotrophic factor in patients with gender identity disorder. <i>Journal of Psychiatric Research</i> , 2013, 47, 1546-1548.	3.1	16
354	Mediator effects of parameters of inflammation and neurogenesis from a N-acetyl cysteine clinical-trial for bipolar depression. <i>Acta Neuropsychiatrica</i> , 2018, 30, 334-341.	2.1	16
355	Attenuated inflammatory response of monocyte-derived macrophage from patients with BD: a preliminary report. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 13.	2.2	16
356	Early identification of bipolar disorder among young adults – a 22-year community birth cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 476-485.	4.5	16
357	Ketamine and Esketamine augmentation for suicidal ideation: A randomized, double-blinded clinical trial. <i>General Hospital Psychiatry</i> , 2021, 68, 97-99.	2.4	16
358	Prediction of suicide attempts in a prospective cohort study with a nationally representative sample of the US population. <i>Psychological Medicine</i> , 2022, 52, 2985-2996.	4.5	16
359	Precision Psychiatry: The Future Is Now. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 21-25.	1.9	16
360	An Open Trial of Reboxetine in HIV-Seropositive Outpatients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 421-424.	2.2	16

#	ARTICLE	IF	CITATIONS
361	An Open Trial of Adjunctive Escitalopram in Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 81-86.	2.2	16
362	Evidence of astrogliosis in rat hippocampus after d-amphetamine exposure. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1231-1234.	4.8	15
363	Lack of effect of antipsychotics on BDNF and NGF levels in hippocampus of Wistar rats. <i>Metabolic Brain Disease</i> , 2008, 23, 213-219.	2.9	15
364	Lower rates of comorbidities in euthymic bipolar patients. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 474-479.	2.6	15
365	Association between family history of mood disorders and clinical characteristics of bipolar disorder: Results from the Brazilian bipolar research network. <i>Journal of Affective Disorders</i> , 2014, 161, 104-108.	4.1	15
366	Vitamin B6 prevents cognitive impairment in experimental pneumococcal meningitis. <i>Experimental Biology and Medicine</i> , 2014, 239, 1360-1365.	2.4	15
367	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. <i>Journal of Affective Disorders</i> , 2015, 187, 179-182.	4.1	15
368	<i>BDNF Val66Met</i> polymorphism and peripheral protein levels in pediatric bipolar disorder and attention-deficit/hyperactivity disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 268-274.	4.5	15
369	Potential use of text classification tools as signatures of suicidal behavior: A proof-of-concept study using Virginia Woolf's personal writings. <i>PLoS ONE</i> , 2018, 13, e0204820.	2.5	15
370	Anxiety disorders in childhood are associated with youth IL-6 levels: A mediation study including metabolic stress and childhood traumatic events. <i>Journal of Psychiatric Research</i> , 2019, 115, 43-50.	3.1	15
371	Substance use as a risk factor for bipolar disorder: A systematic review. <i>Journal of Psychiatric Research</i> , 2021, 144, 285-295.	3.1	15
372	Clozapine-induced neuroleptic malignant syndrome: an interaction between dopaminergic and purinergic systems?. <i>Journal of Psychopharmacology</i> , 1999, 13, 318-319.	4.0	14
373	Functional impairment and previous suicide attempts in bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2008, 20, 300-306.	2.1	14
374	Creatine kinase levels in patients with bipolar disorder: depressive, manic, and euthymic phases. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 171-175.	1.7	14
375	Concurrent Validity and Reliability of the Brazilian Version of the Functioning Assessment Short Test in Patients with Schizophrenia. <i>Value in Health Regional Issues</i> , 2012, 1, 244-247.	1.2	14
376	Marcadores periféricos e a fisiopatologia do transtorno bipolar. <i>Revista De Psiquiatria Clinica</i> , 2012, 39, 60-67.	0.6	14
377	Folic acid prevented cognitive impairment in experimental pneumococcal meningitis. <i>Journal of Neural Transmission</i> , 2015, 122, 643-651.	2.8	14
378	Changing the bipolar illness trajectory. <i>Lancet Psychiatry</i> , 2017, 4, 11-13.	7.4	14

#	ARTICLE	IF	CITATIONS
379	Mood disorders and prospective suicidality in young adults: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 109-115.	4.5	14
380	Impact of resilience on the improvement of depressive symptoms after cognitive therapies for depression in a sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 226-231.	0.8	14
381	Ndel1 oligopeptidase activity as a potential biomarker of early stages of schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 202-208.	2.0	14
382	Age-related deficits in intracortical myelination in young adults with bipolar disorder type I. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 79-88.	2.4	14
383	Polypharmacy and suicide attempts in bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 35-38.	1.7	14
384	Validation of the Korean Version of the Biological Rhythms Interview of Assessment in Neuropsychiatry. <i>Psychiatry Investigation</i> , 2018, 15, 1115-1120.	1.6	14
385	Peripheral nucleotide hydrolysis in rats submitted to a model of electroconvulsive therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1829-1833.	4.8	13
386	Screening for bipolar disorder in the primary care: A Brazilian survey. <i>Journal of Affective Disorders</i> , 2012, 143, 118-124.	4.1	13
387	Neurotrophins, cytokines, oxidative parameters and functionality in Progressive Muscular Dystrophies. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1809-1818.	0.8	13
388	Clinical Outcomes Associated With Comorbid Posttraumatic Stress Disorder Among Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e555-e560.	2.2	13
389	A Study of Biological Rhythm Disturbances in Polish Remitted Bipolar Patients using the BRIAN, CSM, and SWPAQ Scales. <i>Neuropsychobiology</i> , 2016, 74, 125-130.	1.9	13
390	High levels of brain-derived neurotrophic factor are associated with treatment adherence among crack-cocaine users. <i>Neuroscience Letters</i> , 2016, 630, 169-175.	2.1	13
391	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. <i>Psychiatry Research</i> , 2017, 251, 85-89.	3.3	13
392	Association of intracortical myelin and cognitive function in bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 62-72.	4.5	13
393	Intracellular Pathogen Infections and Immune Response in Autism. <i>NeuroImmunoModulation</i> , 2018, 25, 271-279.	1.8	13
394	Instituto Nacional de Ciência e Tecnologia em Medicina Translacional (INCT-TM): abordagens metodológicas. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 83-90.	1.7	13
395	N-acetylcysteine as a mitochondrial enhancer: a new class of psychoactive drugs?. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 321-322.	1.7	13
396	Clinical predictors of depressive symptom remission and response after racemic ketamine and esketamine infusion in treatment-resistant depression. <i>Human Psychopharmacology</i> , 2022, 37, e2836.	1.5	13

#	ARTICLE	IF	CITATIONS
397	Dopamine sudden depletion as a model for mixed depression. <i>Medical Hypotheses</i> , 2012, 78, 107-112.	1.5	12
398	Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. <i>Journal of Psychiatric Research</i> , 2014, 59, 8-13.	3.1	12
399	Cognitive performance and psychosocial functioning in patients with bipolar disorder, unaffected siblings, and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 275-280.	1.7	12
400	Explicit emotional memory biases in mood disorders: A systematic review. <i>Psychiatry Research</i> , 2019, 278, 162-172.	3.3	12
401	Adjunctive tianeptine treatment for bipolar disorder: A 24-week randomized, placebo-controlled, maintenance trial. <i>Journal of Psychopharmacology</i> , 2019, 33, 502-510.	4.0	12
402	Biological Pathways Associated with Neuroprogression in Bipolar Disorder. <i>Brain Sciences</i> , 2021, 11, 228.	2.3	12
403	Translating science into policy: mental health challenges during the COVID-19 pandemic. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 638-649.	1.7	12
404	Staging model raises fundamental questions about the nature of bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 291-293.	2.4	12
405	Neuroprogression and staging in psychiatry: historical considerations. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 187-188.	1.7	12
406	Observing Countertransference in Brief Dynamic Psychotherapy. <i>Psychotherapy and Psychosomatics</i> , 1991, 56, 174-181.	8.8	11
407	Electrophysiological correlates of sleep disturbance induced by acute and chronic administration of d-amphetamine. <i>Brain Research</i> , 2009, 1249, 162-172.	2.2	11
408	Brain-derived neurotrophic factor in bipolar disorder: beyond <i>trait</i> and <i>state</i> : comment on "Decreased levels of serum brain-derived neurotrophic factor in both depressed and euthymic patients with unipolar depression and in euthymic patients with bipolar I and II disorders". <i>Bipolar Disorders</i> , 2009, 11, 221-222.	1.9	11
409	Improvement of schizophrenia with electroconvulsive therapy and serum brain-derived neurotrophic factor levels: Lack of association in a pilot study. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 663-665.	1.8	11
410	Bipolar Disorder Affects Behavior and Social Skills on the Internet. <i>PLoS ONE</i> , 2013, 8, e79673.	2.5	11
411	Treatment delay is associated with more episodes and more severe illness staging progression in patients with bipolar disorder. <i>Psychiatry Research</i> , 2015, 227, 372-373.	3.3	11
412	Construction of a biological rhythm assessment scale for children. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 53-60.	0.8	11
413	History of suicide attempts in patients with bipolar disorder type I: socio-demographic and clinical factors, quality of life and functioning. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 306-313.	1.3	11
414	Genetic basis of cannabis use: a systematic review. <i>BMC Medical Genomics</i> , 2021, 14, 203.	1.5	11



#	ARTICLE	IF	CITATIONS
415	5-year incidence of suicide-risk in youth: A gradient tree boosting and SHAP study. <i>Journal of Affective Disorders</i> , 2021, 295, 1049-1056.	4.1	11
416	Cognitive impairments of alcoholic cirrhotic patients: correlation with endogenous benzodiazepine receptor ligands and increased affinity of platelet receptors.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996, 60, 676-680.	1.9	10
417	When illness does not get better: do we need a palliative psychiatry?. <i>Acta Neuropsychiatrica</i> , 2008, 20, 165-166.	2.1	10
418	Mitochondrial and Oxidative Stress Aspects in Hippocampus of Rats Submitted to Dietary n-3 Polyunsaturated Fatty Acid Deficiency After Exposure to Early Stress. <i>Neurochemical Research</i> , 2015, 40, 1870-1881.	3.3	10
419	Wet minds, dry minds, and the future of psychiatry as a science. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 7-8.	4.5	10
420	Challenges and developments in research of the early stages of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 329-337.	1.7	10
421	The Biological Rhythms Interview of Assessment in Neuropsychiatry in patients with bipolar disorder: correlation with affective temperaments and schizotypy. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 325-328.	1.7	10
422	“Why throw away something useful?” Attitudes and opinions of people treated for bipolar disorder and their relatives on organ and tissue donation. <i>Cell and Tissue Banking</i> , 2017, 18, 105-117.	1.1	10
423	Cognitive impairment in a Brazilian sample of patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 209-214.	1.7	9
424	Striatum brain-derived neurotrophic factor levels are decreased in dystrophin-deficient mice. <i>Neuroscience Letters</i> , 2009, 459, 66-68.	2.1	9
425	Association of serum brain-derived neurotrophic factor (BDNF) and tumor necrosis factor-alpha (TNF- $\alpha$ ) with diagnosis of delirium in oncology inpatients. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 197-202.	1.7	9
426	Hippocampal neurochemical markers in bipolar disorder patients following the first-manic episode: A prospective 12-month proton magnetic resonance spectroscopy study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 65-74.	2.3	9
427	White matter volume is decreased in bipolar disorder at early and late stages. <i>Trends in Psychiatry and Psychotherapy</i> , 2018, 40, 277-284.	0.8	9
428	Agmatine as a potential therapeutic intervention in bipolar depression: the preclinical landscape. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 327-339.	3.4	9
429	Structural and Functional Brain Correlates of Neuroprogression in Bipolar Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2020, 48, 197-213.	1.7	9
430	Lifetime cocaine use is a potential predictor for conversion from major depressive disorder to bipolar disorder: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 418-423.	1.8	9
431	Clozapine for bipolar disorder: What do we know so far and what next?. <i>Bipolar Disorders</i> , 2021, 23, 115-116.	1.9	9
432	Bipolar disorder and frontotemporal dementia: A systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 433-447.	4.5	9

#	ARTICLE	IF	CITATIONS
433	Peripheral Oxidative Stress Markers in Patients with Bipolar Disorder during Euthymia and in Siblings. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020, 20, 77-86.	1.2	9
434	Sleep and Circadian Rhythm Disturbances in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 724.	2.2	9
435	Biomarkers of neuroprogression and late staging in bipolar disorder: A systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 328-343.	2.3	9
436	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.	0.7	9
437	Dose-related effects of propericiazine in rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2003, 36, 227-231.	1.5	8
438	Basic Fibroblast Growth Factor Prevents the Memory Impairment Induced by Gastrin-Releasing Peptide Receptor Antagonism in Area CA1 of the Rat Hippocampus. <i>Neurochemical Research</i> , 2007, 32, 1381-1386.	3.3	8
439	Reduced NGF Secretion by HT-29 Human Colon Cancer Cells Treated with a GRPR Antagonist. <i>Protein and Peptide Letters</i> , 2009, 16, 650-652.	0.9	8
440	Early life stress exacerbates cognitive dysfunction induced by d-amphetamine: amelioration by valproic acid. <i>Journal of Neural Transmission</i> , 2012, 119, 627-637.	2.8	8
441	Should bipolar disorder treatment be modified depending on staging?. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 93-95.	2.8	8
442	Big Data and Machine Learning Meet the Health Sciences. , 2019, , 1-13.		8
443	Evaluation of BDNF as a Biomarker for Impulsivity in a Psychiatric Population. <i>Diagnostics</i> , 2020, 10, 419.	2.6	8
444	The cumulative effect of multiple dimensions of lifestyle on risky drinking during the Covid-19 pandemic. <i>Preventive Medicine</i> , 2021, 150, 106718.	3.4	8
445	What not to use in bipolar disorders: A systematic review of non-recommended treatments in clinical practice guidelines. <i>Journal of Affective Disorders</i> , 2022, 298, 565-576.	4.1	8
446	Interaction between midazolam-induced anterograde amnesia and memory enhancement by treatments given immediately after training on an inhibitory avoidance task in rats. <i>Behavioural Pharmacology</i> , 2002, 13, 319-322.	1.7	7
447	Oxidative Stress and S100B Protein in Cirrhotic Children. <i>Neurochemical Research</i> , 2007, 32, 1600-1603.	3.3	7
448	Effects of a gastrin-releasing peptide receptor antagonist on d-amphetamine-induced oxidative stress in the rat brain. <i>Journal of Neural Transmission</i> , 2010, 117, 309-316.	2.8	7
449	Correlation between Peripheral Levels of Brain-Derived Neurotrophic Factor and Hippocampal Volume in Children and Adolescents with Bipolar Disorder. <i>Neural Plasticity</i> , 2015, 2015, 1-7.	2.2	7
450	Differences in parental bonding between schizophrenia and bipolar disorder: Evidence of prodromal symptoms?. <i>Schizophrenia Research</i> , 2015, 165, 134-137.	2.0	7

#	ARTICLE	IF	CITATIONS
451	Serum BDNF levels in unaffected first-degree relatives of patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 197-200.	1.7	7
452	Reduced Neurite Density in Neuronal Cell Cultures Exposed to Serum of Patients with Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw051.	2.1	7
453	Cardiovascular risk and bipolar disorder: factors associated with a positive coronary calcium score in patients with bipolar disorder type 1. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 163-168.	1.7	7
454	Bipolar disorder and 1513A>C P2RX7 polymorphism frequency. <i>Neuroscience Letters</i> , 2019, 694, 143-147.	2.1	7
455	Data-driven cognitive phenotypes in subjects with bipolar disorder and their clinical markers of severity. <i>Psychological Medicine</i> , 2022, 52, 1728-1735.	4.5	7
456	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8133.	2.6	7
457	Seasonal distribution and demographical characteristics of carpal tunnel syndrome in 1039 patients. <i>Arquivos De Neuro-Psiquiatria</i> , 2004, 62, 596-599.	0.8	7
458	Glial fibrillary acidic protein expression after electroconvulsive shocks in rat brain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 663-667.	4.8	6
459	Late-Onset Neuroleptic Malignant Syndrome in a Patient Using Olanzapine. <i>Journal of Clinical Psychopharmacology</i> , 2007, 27, 303-304.	1.4	6
460	Rapid cycling bipolar disorder is associated with a higher lifetime prevalence of migraine. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 308-309.	4.5	6
461	Developmental staging models in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2015, 3, 33.	2.2	6
462	The role of encoding strategies in contextual memory deficits in patients with bipolar disorder. <i>Neuropsychological Rehabilitation</i> , 2015, 25, 122-136.	1.6	6
463	Emotional memory in bipolar disorder: Impact of multiple episodes and childhood trauma. <i>Journal of Affective Disorders</i> , 2020, 260, 206-213.	4.1	6
464	P2X7 Purinergic Receptor Is Involved in the Pathophysiology of Mania: a Preclinical Study. <i>Molecular Neurobiology</i> , 2020, 57, 1347-1360.	4.0	6
465	Gene Regulatory Network of Dorsolateral Prefrontal Cortex: a Master Regulator Analysis of Major Psychiatric Disorders. <i>Molecular Neurobiology</i> , 2020, 57, 1305-1316.	4.0	6
466	Mixed episodes and suicide risk: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020, 266, 252-257.	4.1	6
467	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	2.2	6
468	CANMAT guidelines for bipolar disorder: a commentary from South America. <i>Bipolar Disorders</i> , 2005, 7, 87-88.	1.9	5

#	ARTICLE	IF	CITATIONS
469	Validation of the Portuguese version of the Lithium Attitudes Questionnaire (LAQ) in bipolar patients treated with lithium: cross-over study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 32.	1.2	5
470	Expression of matrix metalloproteinases in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 375-379.	1.7	5
471	Socio-demographic and clinical characteristics of pregnant and puerperal crack-cocaine using women: preliminary data. <i>Revista De Psiquiatria Clinica</i> , 2014, 41, 121-123.	0.6	5
472	Staging Models and Functional Outcomes in Bipolar Disorder: Clinical Implications. <i>Current Treatment Options in Psychiatry</i> , 2015, 2, 205-217.	1.9	5
473	Virginia Woolf, neuroprogression, and bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 69-71.	1.7	5
474	Frequency of brain tissue donation for research after suicide. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 180-182.	1.7	5
475	The impact of body mass index in gene expression of reelin pathway mediators in individuals with schizophrenia and mood disorders: A post-mortem study. <i>Journal of Psychiatric Research</i> , 2018, 102, 186-191.	3.1	5
476	Lithium-induced neuroprotective activity in neuronal and microglial cells: A purinergic perspective. <i>Psychiatry Research</i> , 2021, 295, 113562.	3.3	5
477	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2021, 14, 16-26.	0.3	5
478	Effects of depression and excess body weight on cognition and functioning in young adults: A population-based study. <i>Journal of Affective Disorders</i> , 2021, 282, 401-406.	4.1	5
479	Effects of childhood trauma on BDNF and TBARS during crack-cocaine withdrawal. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 214-217.	1.7	5
480	Physician suicide demographics and the COVID-19 pandemic. <i>Revista Brasileira De Psiquiatria</i> , 2022, 44, 124-135.	1.7	5
481	The impact of substance use disorder comorbidity on cognition of individuals with bipolar disorder: A systematic review. <i>Psychiatry Research</i> , 2022, 311, 114525.	3.3	5
482	Central benzodiazepine receptor imaging and quantitation with single photon emission computerised tomography: SPECT. <i>Journal of Psychopharmacology</i> , 1995, 9, 369-380.	4.0	4
483	Evoked Potentials for the Evaluation of Latent Hepatic Encephalopathy in Pediatric Liver Transplant Candidates. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000, 31, 371-376.	1.8	4
484	Memory mood congruency phenomenon in bipolar I disorder and major depression disorder patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 856-861.	1.5	4
485	BDNF: A biomarker for social vulnerability in individuals diagnosed with gender dysphoria. <i>Journal of Psychiatric Research</i> , 2014, 50, 16-17.	3.1	4
486	Genetic determinants of cannabis use: a systematic review protocol. <i>Systematic Reviews</i> , 2020, 9, 190.	5.3	4

#	ARTICLE	IF	CITATIONS
487	Neuroprogression in post-traumatic stress disorder: a systematic review. Trends in Psychiatry and Psychotherapy, 2021, 43, 167-176.	0.8	4
488	Cognitive complaints in individuals recently diagnosed with bipolar disorder: A cross-sectional study. Psychiatry Research, 2021, 300, 113894.	3.3	4
489	Is bipolar disorder associated with premature aging?. Trends in Psychiatry and Psychotherapy, 2019, 41, 315-317.	0.8	4
490	Brazil launches an innovative program to develop the National Institutes for Science and Technology (INCTs): the INCT for Translational Medicine. Revista Brasileira De Psiquiatria, 2009, 31, 197-199.	1.7	4
491	Brain-derived neurotrophic factor serum levels following ketamine and esketamine intervention for treatment-resistant depression: secondary analysis from a randomized trial. Trends in Psychiatry and Psychotherapy, 2021, , .	0.8	4
492	Adaptation and validation of the Portuguese version of the Lithium Knowledge Test (LKT) of bipolar patients treated with lithium: cross-over study. Clinical Practice and Epidemiology in Mental Health, 2006, 2, 34.	1.2	3
493	Should bipolar disorder be considered a systemic illness?. Neuropsychiatry, 2011, 1, 45-54.	0.4	3
494	Decreased BDNF levels in amygdala and hippocampus after intracerebroventricular administration of ouabain. Revista De Psiquiatria Clinica, 2012, 39, 157-160.	0.6	3
495	The quest for better diagnosis: DSM-5 or RDoC?. Revista Brasileira De Psiquiatria, 2013, 35, 109-110.	1.7	3
496	Resistência à insulina e síndrome metabólica em pacientes ambulatoriais com transtorno do humor bipolar. Revista De Psiquiatria Clinica, 2010, 37, 81-84.	0.6	3
497	Differential power of placebo across major psychiatric disorders: a preliminary meta-analysis and machine learning study. Scientific Reports, 2021, 11, 21301.	3.3	3
498	Suicide attempt, impulsivity, and exposure to trauma in college students. Revista Brasileira De Psiquiatria, 2022, , .	1.7	3
499	Underage drinking in Brazil: findings from a community household survey. Revista Brasileira De Psiquiatria, 2022, 44, 257-263.	1.7	3
500	<i>Letter to the Editor:</i> Antidepressant and Antisuicidal Effects of Esketamine in Adolescents with Major Depressive Disorder and Suicidal Ideation: A Case Series. Journal of Child and Adolescent Psychopharmacology, 2022, 32, 366-367.	1.3	3
501	Drugs acting at the glycine site on the NMDA receptor as cognitive enhancers in patients with Alzheimer's disease. Neurology, 1998, 50, 1195-1195.	1.1	2
502	Pilot-project of implantation of pharmaceutical care close to the program of bipolar mood disorder of the Hospital of Clinics of Porto Alegre. Brazilian Journal of Pharmaceutical Sciences, 2009, 45, 249-256.	1.2	2
503	Validity of the Portuguese version of the Bipolar Depression Rating Scale. Acta Neuropsychiatrica, 2010, 22, 100-101.	2.1	2
504	Assessment of Executive Functions in a Brazilian Sample of Bipolar Subjects. Spanish Journal of Psychology, 2011, 14, 859-868.	2.1	2

#	ARTICLE	IF	CITATIONS
505	Improvement of behavioural and manic-like symptoms secondary to herpes simplex virus encephalitis with mood stabilizers: a case report. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 718-720.	2.1	2
506	Anatomical faces of neuroprogression in bipolar disorder. <i>Neuropsychiatry</i> , 2012, 2, 279-280.	0.4	2
507	A Bidimensional Solution for Outcomes in Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 180-182.	1.0	2
508	Increased serum levels of C3 and C4 in patients with schizophrenia compared to eutymic patients with bipolar disorder and healthy. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 119-120.	1.7	2
509	Sudden unexpected death in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 223, 8-9.	4.1	2
510	Cell therapy in the treatment of bipolar mania in an animal model: a proof of concept study. <i>Trends in Psychiatry and Psychotherapy</i> , 2017, 39, 196-201.	0.8	2
511	Cognitive impairment in bipolar disorder in comparison to mild cognitive impairment and dementia: a systematic review. <i>Trends in Psychiatry and Psychotherapy</i> , 2022, , .	0.8	2
512	Lifestyle predictors of depression and anxiety during COVID-19: a machine learning approach. <i>Trends in Psychiatry and Psychotherapy</i> , 2022, , .	0.8	2
513	Cognitive and psychosocial impairment in remitted bipolar patients. <i>Psicodebate</i> , 2015, 14, 25.	0.4	2
514	Investigating biological rhythms disruptions across the menstrual cycle in women with comorbid bipolar disorder and premenstrual dysphoric disorder. <i>Archives of Women's Mental Health</i> , 2022, 25, 345-353.	2.6	2
515	Brain uptake of iomazenil in cirrhotic patients: a single photon emission tomography study. <i>Journal of Psychopharmacology</i> , 1999, 13, 219-225.	4.0	1
516	Problems with single-factor solutions in factor analyses of low-end scores. <i>Bipolar Disorders</i> , 2009, 11, 900-900.	1.9	1
517	Increased Serum Neurotrophin-4/5 Levels in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.2	1
518	Development and use of a Biological Rhythm Interview. <i>European Psychiatry</i> , 2009, 24, .	0.2	1
519	Antidepressants for generalised anxiety disorder (GAD). <i>The Cochrane Library</i> , 2016, 2016, CD003592.	2.8	1
520	Post-traumatic stress disorder and interleukin 6 – Authors' reply. <i>Lancet Psychiatry</i> , 2016, 3, 202.	7.4	1
521	Case series of diagnostic shift from bipolar disorder to schizoaffective disorder. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 232-235.	1.3	1
522	CCL11 levels in drug-naive bipolar patients: The role of sex and smoking status. <i>Journal of Affective Disorders Reports</i> , 2020, 1, 100002.	1.7	1

#	ARTICLE	IF	CITATIONS
523	GWAS-identified genetic variants associated with medication-assisted treatment outcomes in patients with opioid use disorder: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2020, 9, 200.	5.3	1
524	Emotional reactivity and explicit emotional memory biases in major depressive disorder during euthymia. <i>Psychiatry Research</i> , 2020, 285, 112847.	3.3	1
525	Increase in serum brain-derived neurotrophic factor levels during early withdrawal in severe alcohol users. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.8	1
526	Sleep alterations in individuals recently diagnosed with bipolar disorder across different mood stages. <i>Psychiatry Research</i> , 2021, 299, 113824.	3.3	1
527	Intranasal esketamine and the dawn of precision psychiatry. <i>Revista Brasileira De Psiquiatria</i> , 2021, , .	1.7	1
528	Concepts and misconceptions regarding clinical staging models – Author response. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, E84-E85.	2.4	1
529	RBP and Brazilian science. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 337-337.	1.7	1
530	Analyzing leukocyte telomere length in bipolar disorder: Authors’™ reply. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 275-276.	1.7	1
531	Quality of Life in Bipolar Disorder. , 2010, , 3591-3606.		1
532	Soft Bipolar Spectrum and Staging in Bipolar Disorder. <i>Current Psychiatry Reviews</i> , 2013, 9, 33-40.	0.9	1
533	Differentiating irritable mood and disruptive behavior in adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2020, 42, 375-386.	0.8	1
534	Network properties of intracortical myelin associated with psychosocial functioning in bipolar I disorder. <i>Bipolar Disorders</i> , 2022, , .	1.9	1
535	Conversion to major neurocognitive disorder after COVID-19 in a woman with bipolar disorder: A 6-year longitudinal case report. <i>Bipolar Disorders</i> , 2022, 24, 451-456.	1.9	1
536	A qualitative study exploring the process of postmortem brain tissue donation after suicide. <i>Scientific Reports</i> , 2022, 12, 4710.	3.3	1
537	Investigation of blood-brain barrier disruption in an animal model of mania induced by D-amphetamine. <i>Journal of Affective Disorders Reports</i> , 2022, 9, 100368.	1.7	1
538	Obesity and mixed features in bipolar disorder: A systematic review. <i>Psychiatry Research Communications</i> , 2022, 2, 100062.	1.0	1
539	Flumazenil and hepatic encephalopathy. <i>Hepatology</i> , 1999, 29, 1338a-1339.	7.3	0
540	Marcadores de estrés oxidativo en el trastorno bipolar: un metaanálisis. <i>Psiquiatria Biologica</i> , 2009, 16, 60-69.	0.1	0

#	ARTICLE	IF	CITATIONS
541	Advances in the Pathophysiology of Episode-Related Cognitive Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
542	Waist Circumference as a Simple and Meaningful Means to Assess Insulin Resistance Among Outpatients with Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
543	Clinical Factors as Predictors on Functional Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
544	Plasma Brain-Derived-Neurotrophic Factor levels and cognitive function in euthymic bipolar type I patients. <i>Annals of General Psychiatry</i> , 2010, 9, .	2.7	0
545	Adjunctive antioxidants for bipolar disorder. <i>The Cochrane Library</i> , 0, , .	2.8	0
546	P.2.e.027 Interleukin-6 as a biomarker of the model of staging in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2012, 22, S291-S292.	0.7	0
547	The Relevance of Neuroscience Research Networks for Brazilian Science. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 119-120.	1.7	0
548	Soft Bipolar Spectrum and Staging in Bipolar Disorder. <i>Current Psychiatry Reviews</i> , 2013, 9, 33-40.	0.9	0
549	P.2.d.033 Staging bipolar disorder: biological, clinical and functional correlates. <i>European Neuropsychopharmacology</i> , 2014, 24, S432-S433.	0.7	0
550	P.2.c.005 Use of mesenchymal stem cells as a novel treatment for bipolar disorder: preliminary results of an in vitro study. <i>European Neuropsychopharmacology</i> , 2014, 24, S410.	0.7	0
551	P.2.c.009 Epigenetically-induced modulation of the stress axis associated with the progression of bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014, 24, S412-S413.	0.7	0
552	Immune activation as a mediator of the gut-brain axis in manic episodes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1223-1223.	2.3	0
553	Oxidative stress and neuronal resilience – implications for the pathophysiology of bipolar disorder. , 0, , 61-69.		0
554	509. EGR3 in Bipolar Disorder: Preliminary Results of an in Vitro Study for Validation of Bioinformatics Findings. <i>Biological Psychiatry</i> , 2017, 81, S207.	1.3	0
555	Serum of Bipolar Patients Induces Pro-inflammatory Activation of Macrophages. <i>European Psychiatry</i> , 2017, 41, S114-S114.	0.2	0
556	S149. Gene Expression in Dorsolateral Prefrontal Cortex: A Master Regulator Analysis of Major Psychiatric Disorders. <i>Biological Psychiatry</i> , 2019, 85, S354.	1.3	0
557	Clinical correlates of high burden of general medical comorbidities in patients with bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2020, 1, 100001.	1.7	0
558	Association between vaping and health outcomes in patients with opioid use disorder: a systematic review protocol. <i>BMJ Open</i> , 2021, 11, e040349.	1.9	0



#	ARTICLE	IF	CITATIONS
559	Unveiling the neurobiology of learning and memory: the lifetime accomplishments of Ivan Izquierdo (1937-2021). <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 353-354.	1.7	0
560	Early illness progression in mood disorders: a population-based longitudinal study. <i>Psychiatry Research</i> , 2021, 306, 114225.	3.3	0
561	Stigmatized individuals: a case for precision ethics. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.8	0
562	Bipolar disorder: building the path of return to the ideas of Kraepelin. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, 82-82.	1.7	0
563	The Gastrin-Releasing Peptide Receptor as a Therapeutic Target in CNS Disorders. , 2010, , 390-399.		0
564	Longitudinal course of bipolar disorder. <i>Revista Debates Em Psiquiatria</i> , 0, Ano 6, 6-8.	0.3	0
565	Adding science to the art of suicide prevention. <i>Jornal Brasileiro De Psiquiatria</i> , 2021, 70, 191-192.	0.7	0
566	Bipolar disorder triggered by Covid-19 infection. <i>Trends in Psychiatry and Psychotherapy</i> , 2023, , .	0.8	0
567	Identifying patient-important outcomes for treatment of bipolar disorder: a systematic review protocol. <i>BMJ Open</i> , 2021, 11, e050453.	1.9	0
568	Lifestyle Behaviors, Depression, and Anxiety Among Individuals Living in Canada During the COVID-19 Pandemic. <i>American Journal of Lifestyle Medicine</i> , 0, , 155982762211020.	1.9	0
569	Biological underpinnings for the association between substance use and bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 227-228.	1.9	0