

VÃ-t Vorobel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1800222/publications.pdf>

Version: 2024-02-01

560
papers

31,519
citations

5574
82
h-index

9103
144
g-index

588
all docs

588
docs citations

588
times ranked

11814
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of Electron-Antineutrino Disappearance at Daya Bay. <i>Physical Review Letters</i> , 2012, 108, 171803.	7.8	1,751
2	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , 2010, 70, 823-874.	3.9	1,187
3	Neutrino physics with JUNO. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2016, 43, 030401.	3.6	750
4	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
5	Muon reconstruction performance of the ATLAS detector in protonâ€“proton collision data at $\sqrt{s} = 13\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
6	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2518.	3.9	362
7	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.	3.9	325
8	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
9	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
10	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{TeV}$ and 8TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274
11	Jet energy measurement and its systematic uncertainty in protonâ€“proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 17.	3.9	268
12	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	259
13	Improved measurement of electron antineutrino disappearance at Daya Bay. <i>Chinese Physics C</i> , 2013, 37, 011001.	3.7	253
14	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	248
15	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	3.9	238
16			

#	ARTICLE	IF	CITATIONS
19	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
20	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
21	Jet energy resolution in proton-proton collisions at $\sqrt{\text{mathrm{s}}} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
22	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
23	First Results of the Search for Neutrinoless Double-Beta Decay with the NEMO 3 Detector. Physical Review Letters, 2005, 95, 182302.	7.8	199
24	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
25	Luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
26	New Measurement of Antineutrino Oscillation with the Full Detector Configuration at Daya Bay. Physical Review Letters, 2015, 115, 111802.	7.8	176
27	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{\{s_{\text{NN}}\}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
28	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
29	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
30	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
31	Measurement of the Electron Antineutrino Oscillation with 1958 Days of Operation at Daya Bay. Physical Review Letters, 2018, 121, 241805.	7.8	168
32	Measurement of the Reactor Antineutrino Flux and Spectrum at Daya Bay. Physical Review Letters, 2016, 116, 061801.	7.8	161
33	Measurement of the transverse momentum and $\phi^* \cdot \eta \cdot \hat{\ell} \cdot \hat{\ell}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
34	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	146
35	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
36	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145

#	ARTICLE		IF	CITATIONS
37	Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367.		3.9	145
38	Measurement of the $t\bar{t}$ production cross-section using $e\gamma$ events with b -tagged jets in $p\bar{p}$ collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.		3.9	143
39	Technical design and performance of the NEMO 3 detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 536, 79-122.		1.6	138
40	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.		4.7	137
41	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.		4.7	136
42	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.		3.9	132
43	Measurement of the Z/γ^* boson transverse momentum distribution in $p\bar{p}$ collisions at $s = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.		4.7	131
44	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.		3.9	130
45	Evolution of the Reactor Antineutrino Flux and Spectrum at Daya Bay. Physical Review Letters, 2017, 118, 251801.		7.8	129
46	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.		4.7	128
47	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ events using $p\bar{p}$ collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.		4.7	126
48	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.		3.9	125
49	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $p\bar{p}$ collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.		3.9	124
50	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $p\bar{p}$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.		3.9	123
51	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.		3.9	121

#	ARTICLE	IF	CITATIONS
55	Measurement of electron antineutrino oscillation based on 1230 days of operation of the Daya Bay experiment. Physical Review D, 2017, 95, .	4.7	118
56	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	116
57	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb ⁻¹ of pp collisions at s = 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
58	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	3.9	115
59	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	114
60			

#	ARTICLE	IF	CITATIONS
73	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
74	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
75	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
76	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
77	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
78	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
79	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
80	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
81	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
82	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
83	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
84	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82
85	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
86	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
87	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
88	The barrel modules of the ATLAS semiconductor tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 568, 642-671.	1.6	79
89	Search for a Light Sterile Neutrino at Daya Bay. Physical Review Letters, 2014, 113, 141802.	7.8	79
90	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79

#	ARTICLE	IF	CITATIONS
91	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
92	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ“proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
93	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
94	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
95	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
96	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ“proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	77
97	Angular analysis of $B^0 \rightarrow K^- \pi^+ \pi^+ \pi^-$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
98	The detector system of the Daya Bay reactor neutrino experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 811, 133-161.	1.6	75
99	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
100	Measurement of quarkonium production in protonâ“lead and protonâ“proton collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
101	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
102	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
103	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
104	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
105	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
106	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
107	Limits on different majoron decay modes of ^{100}Mo and ^{82}Se for neutrinoless double beta decays in the NEMO-3 experiment. Nuclear Physics A, 2006, 765, 483-494.	1.5	71
108	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71

#	ARTICLE	IF	CITATIONS
109	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
110	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
111	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
112	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 303.	3.9	70
113	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	70
114	Search for charged Higgs bosons decaying via $H \rightarrow \tilde{t} \bar{\tilde{t}}, \tilde{b} \bar{\tilde{b}}$ in fully hadronic final states using pp collision data at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	69
115	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
116	Search for new resonances in mass distributions of jet pairs using 139 fb $^{-1}$ of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. Measurement of the decay half-life of $\Lambda_c^0 \rightarrow p K^- \pi^+$ with the ATLAS detector. <i>Physical Review Letters</i> , 2011, 107, 062504.	4.7	68
117	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	7.8	67
118	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
120	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
121	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
122	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
123	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
124	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	65
125	Improved Search for a Light Sterile Neutrino with the Full Configuration of the Daya Bay Experiment. <i>Physical Review Letters</i> , 2016, 117, 151802.	7.8	65
126	Measurement of the $W \rightarrow l^+ l^-$ and $Z \rightarrow l^+ l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	64

#	ARTICLE	IF	CITATIONS
127	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	64
128	Observation and measurements of the production of prompt and non-prompt $\pi^+ \pi^-$ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	3.9	64
129	Evidence for the $H \rightarrow b \bar{b} \rightarrow b \bar{b} H \rightarrow b \bar{b} \ell^+ \ell^-$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
130	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. <i>Measurement of the double-beta decay half-life and search for the neutrinoless double beta decay of Ca^{48} with the ATLAS experiment</i>	3.9	64
131	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s}=7$ and 8TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
132	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62
133	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
134	Measurement of ZZ production in pp collisions at $\sqrt{s}=7\text{TeV}$ and limits on anomalous ZZZ and $ZZ\gamma$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	61
135	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	61
136	Charged-particle distributions at low transverse momentum in $\sqrt{s}=13\text{TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
137	Performance of algorithms that reconstruct missing transverse momentum in proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 241.	3.9	61
138	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
139	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
140	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	60
141	Summary of the searches for squarks and gluinos using $s=8\text{TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
142	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s=8\text{TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
143	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell^+ \ell^- \nu \nu$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263.	3.9	60

#	ARTICLE	IF	CITATIONS
145	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
146	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
147	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
148	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
149	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
150	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
151	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ and 5.0. European Physical Journal C, 2018, 78, 142.	3.9	59
152	Search for charged Higgs bosons decaying via $H \rightarrow l^{\pm} \bar{l}^{\mp}, \tilde{l}^{\pm} \tilde{l}^{\mp}$, in the $l^{\pm} + \text{jets}$ and $l^{\pm} + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
153	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
154	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
155	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
156	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
157	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
158	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
159	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
160	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
161	Measurement of the mml:math $\frac{1}{2} \ln \left(\frac{1}{2} \sqrt{1 + \frac{4 M_{\text{miss}}^2}{M_{\text{Z}}^2}} - 1 \right)$ half-life of $Z \rightarrow b\bar{b}$ in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	4.7	55
162	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55

#	ARTICLE	IF	CITATIONS
163	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
164	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
165	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54
166	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
167	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
168	Search for Higgs boson pair production in the $\gamma\gamma WW^{\ast\ast} \rightarrow l^+l^-W\bar{W}$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
169	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
170	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
171	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
172	Measurement of the top quark mass in the $t\bar{t} \rightarrow l^+l^- + \text{jets}$ channel using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. <i>European Physical Journal C</i> , 2015, 75, 330.	3.9	52
173	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
174	Measurement of the top quark mass with the template method in the $t\bar{t} \rightarrow l^+l^- + \text{jets}$ channel using ATLAS data. <i>European Physical Journal C</i> , 2012, 72, 2046.	3.9	51
175	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the au au final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
176	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
177	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
178	Measurement of the azimuthal anisotropy of charged particles produced in NN $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	3.9	51
179	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	3.9	50
180	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50

#	ARTICLE	IF	CITATIONS
181	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
182	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
183	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
184	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
185	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
186	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
187	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
188	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
189	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
190	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361. Extraction of the $\langle \sin(\theta) \rangle$ from the ATLAS MathML code: $\langle \sin(\theta) \rangle = \frac{\sum_{i=1}^n \sin(\theta_i)}{n}$	3.9	47
191	$\langle \sin(\theta) \rangle = \frac{\sum_{i=1}^n \sin(\theta_i)}{n}$ where θ_i is the angle between the i -th jet and the Z boson direction. European Physical Journal C, 2018, 78, 323.	7.8	47
192	Measurement of the top quark mass in the $t\bar{t}$ channel. European Physical Journal C, 2019, 79, 1.	3.9	47
193	Measurement of distributions sensitive to the underlying event in inclusive Z -boson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
194	Study of the rare decays of $B^- \rightarrow \mu^- \nu \pi^+$ and $B^- \rightarrow \mu^- \nu K^+$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
195	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
196	Detailed studies of ^{100}Mo two-neutrino double beta decay in NEMO-3. European Physical Journal C, 2019, 79, 1.	3.9	46
197	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
198	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46

#	ARTICLE	IF	CITATIONS
199	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	45
200	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
201	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
202	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328.	3.9	45
203	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
204	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
205	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
206	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. Search for neutrinoless double-beta decay of kmn <code>xmlns:mml="http://www.w3.org/1998/Math/MathML"</code> <code>display="block">\langle mml:mrow>\langle mml:mmultiscripts>\langle mml:mrow>\langle mml:mi>Mo\langle /mml:mi>\langle /mml:mrow>\langle mml:mprescripts />\langle mml:mi>100\langle /mml:mi>\langle /mml:mrow>\langle /mml:mmultiscripts>\langle /mml:mrow>\langle /mml:math>with the NEMO-3 detector. <i>Physical Review D</i>, 2014, 89, .</code>	4.7	45
207	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
208	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
209	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	43
210	Search for charged Higgs bosons in the $H \rightarrow \tau^\pm tb$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
211	Search for single production of vector-like quarks decaying into Wb in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
212	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	3.9	43
213	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
214	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
215	Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466.	3.9	42

#	ARTICLE	IF	CITATIONS
217	Performance of top-quark and \varvec{W} W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
218	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7\text{-TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
219	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
220	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
221	Measurement of the $t\bar{t}\rightarrow Z$ and $t\bar{t}\rightarrow W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of $p\bar{p}$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
222	Measurement of W^{\pm} production cross sections and gauge boson polarisation in $p\bar{p}$ collisions at $\sqrt{s} = 13\text{-TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
223	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
224	Limits on the production of the standard model Higgs boson in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
225	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
226	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
227	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
228	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $p\bar{p}$ collisions at $\sqrt{s} = 7\text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
229	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^{*-}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
230	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13\text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
231	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
232	Improved Constraints on Sterile Neutrino Mixing from Disappearance Searches in the MINOS, Daya Bay, and Bugey-3 Experiments. Physical Review Letters, 2020, 125, 071801.	7.8	40
233	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+\ell^-\ell^+\ell^-$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
234	Measurement of the background in the NEMO 3 double beta decay experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 606, 449-465.	1.6	39

#	ARTICLE	IF	CITATIONS
235	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{-TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
236	Investigation of double beta decay of ^{100}Mo to excited states of ^{100}Ru . Nuclear Physics A, 2014, 925, 25-36.	1.5	39
237	Search for flavour-changing neutral current top-quark decays to $\varvec{q}Z$ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2016, 76, 12.	3.9	39
238	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p\bar{p}$ collision data at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2016, 76, 87. <small>Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p\bar{p}$ collision data at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2016, 76, 87.</small>	3.9	39
239	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p\bar{p}$ collision data at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2016, 76, 87. <small>Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $p\bar{p}$ collision data at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2016, 76, 87.</small>	3.9	39
240	Final results on ^{82}Se double beta decay to the ground state of ^{82}Kr from the NEMO-3 experiment. European Physical Journal C, 2018, 78, 1.	3.9	39
241	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
242	Calibration strategy of the JUNO experiment. Journal of High Energy Physics, 2021, 2021, 1.	4.7	39
243	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s}=8\text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
244	Measurement of the double-differential high-mass Drell-Yan cross section in $p\bar{p}$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
245	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s}=13\text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
246	Search for Higgs boson pair production in the $\gamma\gamma\gamma\gamma\gamma$ final state with 13 TeV $p\bar{p}$ collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
247	Measurements of WH and ZH production in the $H \rightarrow \gamma\gamma\gamma\gamma\gamma$ decay channel in $p\bar{p}$ collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
248	Search for second generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s}=7\text{-TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
249	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
250	Measurement of the W boson polarisation in $t\bar{t}\gamma$ events from $p\bar{p}$ collisions at $\sqrt{s}=8\text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
251	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
252	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37

#	ARTICLE	IF	CITATIONS
253	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37
254	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36
255	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	36
256	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36
257	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
258	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
259	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
260	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
261	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
262	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
263	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
264	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
265	Measurement of the production cross section of prompt J/ψ mesons in association with a W ± boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
266	Search for $W \rightarrow tb \rightarrow q\bar{q}b\bar{b}$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
267	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
268	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
269	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
270	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34

#	ARTICLE	IF	CITATIONS
271	Measurements of top-quark pair differential and double-differential cross-sections in the \$ell \$>+jets channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
272	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
273	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
274	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
275	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
276	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
277	The muon system of the Daya Bay Reactor antineutrino experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 773, 8-20.	1.6	33
278	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
279	Measurements of $t\bar{t}(2S)$ and $X(3872) \rightarrow J/\psi + \psi$ production in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
280	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
281	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
282	Measurement of c_1 and c_2 production with $s = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
283	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
284	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ell decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
285	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900$ GeV and $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
286	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
287	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
288	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31

#	ARTICLE	IF	CITATIONS
289	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
290	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
291	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
292	Search for WW/WZ resonance production in $\tilde{\chi}_1^0 \chi_1^0$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
293	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
294	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	3.9	30
295	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
296	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
297	Charged-particle distributions in pp interactions at $\sqrt{s}=8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
298	Searches for the $Z\tilde{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
299	Study of $WW\gamma$ and $WZ\gamma$ production. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
300	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
301	Searches for third-generation scalar leptoquarks in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
302	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
303	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	29
304	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
305	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
306	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29

#	ARTICLE	IF	CITATIONS
307	Searches for heavy ZZ and ZW resonances in the $\bar{q}q$, $\bar{q}\bar{q}$ and $\bar{q}\bar{q}$ / $\bar{q}\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
308	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
309	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
310	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
311	Measurement of $WW/WZ \rightarrow e\ell u q q' \rightarrow WW/WZ \rightarrow \ell\ell q\bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
312	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
313	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
314	Search for long-lived neutral particles in pp collisions at $\sqrt{s}=13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
315	Improved measurement of the reactor antineutrino flux at Daya Bay. Physical Review D, 2019, 100, .	4.7	28
316	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
317	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
318	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
319	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
320	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
321	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
322	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
323	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
324	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27

#	ARTICLE	IF	CITATIONS
325	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
326	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l}_{μ} -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
327	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.	3.9	26
328	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $t\bar{t}$ and $b\bar{b}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
329	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
330	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	25
331	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
332	Determination of the top-quark pole mass using $t\bar{t}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
333	Searches for heavy diboson resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
334	Search for triboson $WW^{\pm}W^{\pm}$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
335	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
336	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
337	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
338	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \varvec{s} $\hat{=} 13$ TeV \varvec{pp} . <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
339	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
340	Measurement of fiducial and differential WW^{\pm} production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
341	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
342	A measurement of the ratio of the production cross sections for WW and ZZ bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	3.9	23

#	ARTICLE	IF	CITATIONS
343	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
344	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}, \tilde{\chi}^0$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
345	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
346	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
347	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
348	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
349	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
350	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
351	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
352	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
353	Measurement of the $t\bar{t} \rightarrow W\bar{W}$ and $t\bar{t} \rightarrow Z\bar{Z}$ production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
354	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow l\bar{l}$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
355	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
356	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
357	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
358	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
359	Measurement of \tilde{l} polarization in $W \rightarrow l\tilde{l}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 2062.	3.9	21
360	Measurement of the production cross-section of $\tilde{l}(2S) \rightarrow J/\psi (\ell^+\ell^- + \ell^+\ell^-)$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21

#	ARTICLE	IF	CITATIONS
361	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu\mu\mu$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
362	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
363	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
364	Search for Higgs boson pair production in the $WW(*)WW(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
365	A high precision calibration of the nonlinear energy response at Daya Bay. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 940, 230-242.	1.6	21
366	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV. European Physical Journal C, 2019, 79, .	3.9	21
367	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
368	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
369	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
370	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
371	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
372	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
373	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
374	Measurement of k T splitting scales in $W\rightarrow t\bar{t}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
375	Search for flavour-changing neutral current top quark decays $t\rightarrow Hq$ in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
376	Addendum to "Measurement of the $t\bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
377	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
378	Probing lepton flavour violation via neutrinoless $\nu_\mu \rightarrow \nu_e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19

#	ARTICLE	IF	CITATIONS
379	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
380	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
381	Search for top-quark decays $t \rightarrow b\bar{b}$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
382	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
383	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
384	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
385	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
386	Search for top quark decays $t \rightarrow b\bar{b}$, with $H \rightarrow b\bar{b}$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
387	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
388	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
389	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
390	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
391	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
392	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
393	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
394	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2015, 75, 158.	3.9	17
395	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
396	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
397	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
398	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
399	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
400	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
401	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
402	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ s = 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
403	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
404	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
405	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
406	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
407	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	16
408	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
409	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
410	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}$ decay channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
411	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
412	Search for exclusive Higgs and Z boson decays to $t\bar{t}$ and $b\bar{b}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
413	Measurement of differential cross sections and W^+/W^{γ} cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
414	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	15

#	ARTICLE	IF	CITATIONS
415	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
416	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	15
417	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
418	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
419	Search for WH production with a light Higgs boson decaying to prompt electron+jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
420	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
421	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+ e^- \mu^+ \mu^-$ with the ATLAS detector at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
422	Search for strong gravity in multijet final states produced in pp collisions at $s = 13$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
423	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
424	Search for scalar resonances decaying into $\tau^{\pm} \tau^{\mp}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
425	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
426	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
427	The design and sensitivity of JUNO's scintillator radiopurity pre-detector OSIRIS. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
428	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb $^{-1}$ of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14
429	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
430	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
431	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
432	Studies of $Z\gamma$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
433	Measurement of VH, $\mathcal{H} \rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
434	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
435	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
436	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
437	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
438	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
439	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
440	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14
441	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
442	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
443	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
444	Search for lepton flavour violation in the $e^{\pm}e^{\mp}$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. <i>European Physical Journal C</i> , 2012, 72, 2040.	3.9	13
445	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
446	Measurement of the CP-violating phase δ_s and the $B_s \rightarrow D_s^+ \bar{D}_s^-$ meson decay width difference with $B_s \rightarrow D_s^+ \bar{D}_s^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
447	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
448	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
449	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
450	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $s = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13

#	ARTICLE	IF	CITATIONS
451	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
452	Antineutrino Energy Spectrum Unfolding Based on the Daya Bay Measurement and Its Applications. Chinese Physics C, 0, .	3.7	13
453	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
454	Radioactivity control strategy for the JUNO detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	13
455	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
456	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
457	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670. Search for Neutrinoless Quadruple- $\langle \text{mml:mrow} \langle \text{mml:mi} \rangle^2 \rangle \langle \text{mml:math} \rangle \langle \text{mml:mrow} \langle \text{mml:mi} \rangle \text{Nd} \langle \text{mml:mi} \rangle \rangle \langle \text{mml:mrow} \langle \text{mml:mprescripts} / \rangle \langle \text{mml:none} \rangle \langle \text{mml:mrow} \langle \text{mml:mn} \rangle 150 \langle \text{mml:mrow} \langle \text{mml:mmultiscripts} \rangle \langle \text{mml:mrow} \langle \text{mml:math} \rangle \langle \text{mml:math} \rangle \rangle \rangle \rangle$ Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
458	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
460	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
461	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
462	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
463	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
464	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
465	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
466	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
467	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
469	termination of Reactor Antineutrino Spectra from U^{235} fission products. <i>Nucl. Phys. A</i> , 2003, 720, 1-12.	7.8	12
470	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7 \text{ TeV}$, 8 TeV and 13 TeV . <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	12
471	Beta-neutrino angular correlation in the decay of ^{14}O . <i>European Physical Journal A</i> , 2003, 16, 139-147.	2.5	11
472	Measurement of W^{\pm} and Z^{\pm} production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	11
473	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
474	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
475	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
476	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
477	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
478	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
479	JUNO sensitivity to low energy atmospheric neutrino spectra. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	11
480	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
481	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
482	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
483	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
484	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10
485	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^{\pm} and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
486	Measurement of J/ψ production in association with a W± boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
487	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
488	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	10
489	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
490	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238.	3.9	9
491	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
492	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
493	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ZZ $t\bar{t}$, $t\bar{t}\gamma$, $t\bar{t}Z$ and $Z Z$ $t\bar{t}$, $t\bar{t}\gamma$, $t\bar{t}Z$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
494	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
495	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
496	Measurement of the $Z(t\bar{t})$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
497	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
498	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
499	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
500	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
501	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
502	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
503	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
504	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
505	Measurements of $W + W \rightarrow l^+ l^-$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
506	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
507	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
508	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	8
509	Measurement of Z/γ polarization in $Z \rightarrow l^+ l^-$. <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
510	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
511	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
512	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
513	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	7
514	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
515	Measurement of ZZ production in the $\ell^+ \ell^- \ell^+ \ell^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
516	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
517	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
518	The BiPo-3 detector. <i>Applied Radiation and Isotopes</i> , 2017, 123, 54-59.	1.5	5
519	Development of methods for the preparation of radiopure ^{82}Se sources for the SuperNEMO neutrinoless double-beta decay experiment. <i>Radiochimica Acta</i> , 2020, 108, 87-97.	1.2	5
520	Search for the double-beta decay of ^{82}Se to the excited states of ^{82}Kr with NEMO-3. <i>Nuclear Physics A</i> , 2020, 996, 121701.	1.5	5
521	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13TeV . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
522	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5

#	ARTICLE	IF	CITATIONS
523	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
524	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
525	The ATLAS inner detector trigger performance in pp collisions at 13TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
526	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
527	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
528	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13 \text{ TeV}$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
529	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
530	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
531	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
532	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	4
533	Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
534	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
535	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
536	Measurement of the k t splitting scales in $Z \rightarrow \ell\ell$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
537	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
538	Scanning a Silicon Photomultiplier with a Laser Beam. Physics of Particles and Nuclei Letters, 2019, 16, 820-825.	0.4	3
539	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^3 production in the $e^{1/4}$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
540	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3

#	ARTICLE		IF	CITATIONS
541	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.		3.9	3
542	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7) \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.			3
543	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.		4.7	3
544	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.		2.9	2
545	Measurement of the ($t\bar{t}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.			2
546	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8\text{--})\text{TeV}$ with the ATLAS detector. , 2015, 75, 1.			2
547	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.		4.7	2
548	Measurement of the energy asymmetry in $t\bar{t}$ production at $13\text{--}\text{TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .		3.9	2
549	Search for electron-antineutrinos associated with gravitational-wave events GW150914, GW151012, GW151226, GW170104, GW170608, GW170814, and GW170817 at Daya Bay *. Chinese Physics C, 2021, 45, 055001.		3.7	1
550	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $(\sqrt{s}=13) \text{ TeV}$ pp collisions with the ATLAS detector. , 2018, 2018, 1.			1
551	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}=8) \text{ TeV}$ with the ATLAS detector. , 2015, 75, 1.			1
552	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8,\text{mathrm TeV})$ with the ATLAS detector. , 2016, 76, 1.			1
553	Measurement of the W -boson mass in pp collisions at $(\sqrt{s}=7, \text{ TeV})$ with the ATLAS detector. , 2018, 78, 1.			1
554	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s}=13,\text{ext TeV})$. , 2018, 78, 1.			1
555	Present status and future of the experiment TGV (measurement of double beta decay of ^{48}Ca). European Physical Journal D, 1998, 48, 165-166.		0.4	0
556	Investigation of ^{18}Ne Angular Correlation in the ^{18}Ne Decay of ^{18}Ne and ^{14}O . European Physical Journal D, 2002, 52, 547-556.		0.4	0
557	Neutrino Investigation in Daya Bay. Nuclear Physics News, 2012, 22, 25-28.		0.4	0
558	DEVELOPMENT OF A DETECTOR (ALFA) TO MEASURE THE ABSOLUTE LHC LUMINOSITY AT ATLAS. , 2008, , .			0

#	ARTICLE	IF	CITATIONS
559	Latest Results from Neutrino Oscillation Experiment Daya Bay. Ukrainian Journal of Physics, 2019, 64, 653. Search for periodic modulations of the rate of double- Mo^{100} decay of in the NEMO-3 detector.	0.2	0
560	xml�:math="http://www.w3.org/1998/Math/MathML"><mml:mi> \hat{I}^2 </mml:mi></mml:math> <mml:math>	2.9	0