Aaron Isaacs

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/18022/publications.pdf

Version: 2024-02-01

71 papers 18,664 citations

40 h-index

76326

71 g-index

80 all docs 80 docs citations

80 times ranked 29131 citing authors

#	Article	IF	CITATIONS
1	Low Density Lipoprotein Exposure of Plasmacytoid Dendritic Cells Blunts Toll-like Receptor 7/9 Signaling via NUR77. Biomedicines, 2022, 10, 1152.	3.2	1
2	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. Nature Communications, 2021, 12, 24.	12.8	87
3	DNA methylation signatures of aggression and closely related constructs: A meta-analysis of epigenome-wide studies across the lifespan. Molecular Psychiatry, 2021, 26, 2148-2162.	7.9	21
4	Leukocyte gene expression in post-thrombotic syndrome. Thrombosis Research, 2021, 202, 40-42.	1.7	1
5	Clinical and electrophysiological predictors of device-detected new-onset atrial fibrillation during 3 years after cardiac surgery. Europace, 2021, 23, 1922-1930.	1.7	12
6	Dynamic risk assessment to improve quality of care in patients with atrial fibrillation: the 7th AFNET/EHRA Consensus Conference. Europace, 2021, 23, 329-344.	1.7	38
7	Considerations for the Assessment of Substrates, Genetics and Risk Factors in Patients with Atrial Fibrillation. Arrhythmia and Electrophysiology Review, 2021, 10, 132-139.	2.4	1
8	New-onset perioperative atrial fibrillation in cardiac surgery patients: transient trouble or persistent problem?—Authors' reply. Europace, 2021, , .	1.7	0
9	Genome-wide identification of genes regulating DNA methylation using genetic anchors for causal inference. Genome Biology, 2020, 21, 220.	8.8	27
10	Genetic Determinants of Electrocardiographic P-Wave Duration and Relation to Atrial Fibrillation. Circulation Genomic and Precision Medicine, 2020, 13, 387-395.	3.6	16
11	Multi-ancestry GWAS of the electrocardiographic PR interval identifies 202 loci underlying cardiac conduction. Nature Communications, 2020, 11, 2542.	12.8	59
12	Metabolomics reveals a link between homocysteine and lipid metabolism and leukocyte telomere length: the ENGAGE consortium. Scientific Reports, 2019, 9, 11623.	3.3	13
13	Genome-wide Association Study of Change in Fasting Glucose over time in 13,807 non-diabetic European Ancestry Individuals. Scientific Reports, 2019, 9, 9439.	3.3	5
14	Genome-wide association meta-analysis of 30,000 samples identifies seven novel loci for quantitative ECG traits. European Journal of Human Genetics, 2019, 27, 952-962.	2.8	29
15	An integrative cross-omics analysis of DNA methylation sites of glucose and insulin homeostasis. Nature Communications, 2019, 10, 2581.	12.8	62
16	GWAS and colocalization analyses implicate carotid intima-media thickness and carotid plaque loci in cardiovascular outcomes. Nature Communications, 2018, 9, 5141.	12.8	119
17	Common and Rare Coding Genetic Variation Underlying the Electrocardiographic PR Interval. Circulation Genomic and Precision Medicine, 2018, 11, e002037.	3.6	19
18	PR interval genome-wide association meta-analysis identifies 50 loci associated with atrial and atrioventricular electrical activity. Nature Communications, 2018, 9, 2904.	12.8	71

#	Article	IF	Citations
19	Exome-chip meta-analysis identifies novel loci associated with cardiac conduction, including ADAMTS6. Genome Biology, 2018, 19, 87.	8.8	47
20	A combined linkage, microarray and exome analysis suggests MAP3K11 as a candidate gene for left ventricular hypertrophy. BMC Medical Genomics, 2018, 11, 22.	1.5	4
21	A systematic SNP selection approach to identify mechanisms underlying disease aetiology: linking height to post-menopausal breast and colorectal cancer risk. Scientific Reports, 2017, 7, 41034.	3.3	10
22	PNPLA3, TM6SF2, and MBOAT7 Genotypes and Coronary Artery Disease. Gastroenterology, 2017, 152, 912-913.	1.3	72
23	Discovery of novel heart rate-associated loci using the Exome Chip. Human Molecular Genetics, 2017, 26, 2346-2363.	2.9	29
24	Disease variants alter transcription factor levels and methylation of their binding sites. Nature Genetics, 2017, 49, 131-138.	21.4	390
25	Identification of context-dependent expression quantitative trait loci in whole blood. Nature Genetics, 2017, 49, 139-145.	21.4	363
26	Epigenome-wide association study of body mass index, and the adverse outcomes of adiposity. Nature, 2017, 541, 81-86.	27.8	743
27	Heritability in a SCN5A -mutation founder population with increased female susceptibility to non-nocturnal ventricular tachyarrhythmia and sudden cardiac death. Heart Rhythm, 2017, 14, 1873-1881.	0.7	23
28	Fifteen Genetic Loci Associated With the Electrocardiographic P Wave. Circulation: Cardiovascular Genetics, 2017, 10, .	5.1	38
29	A Combined Linkage and Exome Sequencing Analysis for Electrocardiogram Parameters in the Erasmus Rucphen Family Study. Frontiers in Genetics, 2016, 7, 190.	2.3	5
30	Meta-analysis of 49â€549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in <i>ANGPTL4</i> determining fasting TG levels. Journal of Medical Genetics, 2016, 53, 441-449.	3.2	34
31	Fine-mapping, novel loci identification, and SNP association transferability in a genome-wide association study of QRS duration in African Americans. Human Molecular Genetics, 2016, 25, 4350-4368.	2.9	37
32	Genomewide metaâ€analysis identifies loci associated with <scp>IGF</scp> â€l and <scp>IGFBP</scp> â€3 levels with impact on ageâ€related traits. Aging Cell, 2016, 15, 811-824.	6.7	83
33	Multiethnic Exome-Wide Association Study of Subclinical Atherosclerosis. Circulation: Cardiovascular Genetics, 2016, 9, 511-520.	5.1	54
34	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. Nature Communications, 2016, 7, 13357.	12.8	74
35	52 Genetic Loci Influencing MyocardialÂMass. Journal of the American College of Cardiology, 2016, 68, 1435-1448.	2.8	113
36	Twenty-eight genetic loci associated with ST-T-wave amplitudes of the electrocardiogram. Human Molecular Genetics, 2016, 25, 2093-2103.	2.9	24

#	Article	IF	Citations
37	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. Nature Communications, 2016, 7, 10494.	12.8	153
38	Association of the IGF1 gene with fasting insulin levels. European Journal of Human Genetics, 2016, 24, 1337-1343.	2.8	5
39	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. Nature Communications, 2016, 7, 10023.	12.8	412
40	Fine mapping the CETP region reveals a common intronic insertion associated to HDL-C. Npj Aging and Mechanisms of Disease, 2015, 1, 15011.	4.5	8
41	Heritabilities, proportions of heritabilities explained by GWAS findings, and implications of cross-phenotype effects on PR interval. Human Genetics, 2015, 134, 1211-1219.	3.8	20
42	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. PLoS Genetics, 2015, 11, e1005230.	3.5	77
43	Genome-wide association study identifies novel genetic variants contributing to variation in blood metabolite levels. Nature Communications, 2015, 6, 7208.	12.8	178
44	New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196.	27.8	1,328
45	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. Nature Communications, 2015, 6, 5897.	12.8	173
46	The impact of low-frequency and rare variants on lipid levels. Nature Genetics, 2015, 47, 589-597.	21.4	310
47	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. Nature Genetics, 2015, 47, 1282-1293.	21.4	294
48	Genome of the Netherlands population-specific imputations identify an ABCA6 variant associated with cholesterol levels. Nature Communications, 2015, 6, 6065.	12.8	45
49	Gene-centric Meta-analysis in 87,736 Individuals of European Ancestry Identifies Multiple Blood-Pressure-Related Loci. American Journal of Human Genetics, 2014, 94, 349-360.	6.2	158
50	A metabolomic profile is associated with the risk of incident coronary heart disease. American Heart Journal, 2014, 168, 45-52.e7.	2.7	74
51	Association of Low-Frequency and Rare Coding-Sequence Variants with Blood Lipids and Coronary Heart Disease in 56,000 Whites and Blacks. American Journal of Human Genetics, 2014, 94, 223-232.	6.2	287
52	Whole-Exome Sequencing Identifies Rare and Low-Frequency Coding Variants Associated with LDL Cholesterol. American Journal of Human Genetics, 2014, 94, 233-245.	6.2	193
53	Novel loci affecting iron homeostasis and their effects in individuals at risk for hemochromatosis. Nature Communications, 2014, 5, 4926.	12.8	192
54	Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186.	21.4	1,818

#	Article	IF	CITATIONS
55	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. Nature Genetics, 2014, 46, 826-836.	21.4	281
56	The Challenges of Genome-Wide Interaction Studies: Lessons to Learn from the Analysis of HDL Blood Levels. PLoS ONE, 2014, 9, e109290.	2.5	13
57	Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283.	21.4	2,641
58	Identification of heart rate–associated loci and their effects on cardiac conduction and rhythm disorders. Nature Genetics, 2013, 45, 621-631.	21.4	282
59	Meta-analysis of telomere length in 19 713 subjects reveals high heritability, stronger maternal inheritance and a paternal age effect. European Journal of Human Genetics, 2013, 21, 1163-1168.	2.8	380
60	Risk Scores of Common Genetic Variants for Lipid Levels Influence Atherosclerosis and Incident Coronary Heart Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 2233-2239.	2.4	44
61	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. Nature Genetics, 2012, 44, 991-1005.	21.4	746
62	Meta-analysis of genome-wide association studies from the CHARGE consortium identifies common variants associated with carotid intima media thickness and plaque. Nature Genetics, 2011, 43, 940-947.	21.4	191
63	Biological, clinical and population relevance of 95 loci for blood lipids. Nature, 2010, 466, 707-713.	27.8	3,249
64	Common variants in 22 loci are associated with QRS duration and cardiac ventricular conduction. Nature Genetics, 2010, 42, 1068-1076.	21.4	308
65	Genome-wide association analysis identifies multiple loci related to resting heart rate. Human Molecular Genetics, 2010, 19, 3885-3894.	2.9	133
66	A Genome-Wide Association Scan of RR and QT Interval Duration in 3 European Genetically Isolated Populations. Circulation: Cardiovascular Genetics, 2009, 2, 322-328.	5.1	67
67	Epistatic Effect of Cholesteryl Ester Transfer Protein and Hepatic Lipase on Serum High-Density Lipoprotein Cholesterol Levels. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 2680-2687.	3.6	25
68	The cholesteryl ester transfer protein I405V polymorphism is associated with increased high-density lipoprotein levels and decreased risk of myocardial infarction: the Rotterdam Study. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 419-421.	2.8	19
69	GenABEL: an R library for genome-wide association analysis. Bioinformatics, 2007, 23, 1294-1296.	4.1	1,711
70	Heritabilities, apolipoprotein E, and effects of inbreeding on plasma lipids in a genetically isolated population: The Erasmus Rucphen Family Study. European Journal of Epidemiology, 2007, 22, 99-105.	5.7	25
71	The â^'514 C→T Hepatic Lipase Promoter Region Polymorphism and Plasma Lipids: A Meta-Analysis. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 3858-3863.	3.6	89