
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1809064/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Training a Quantum Annealing Based Restricted Boltzmann Machine on Cybersecurity Data. IEEE Transactions on Emerging Topics in Computational Intelligence, 2022, 6, 417-428.	4.9	18
2	Steady-State and Transient Performance of Ion-Sensitive Electrodes Suitable for Wearable and Implantable Electro-Chemical Sensing. IEEE Transactions on Biomedical Engineering, 2022, 69, 96-107.	4.2	11
3	Light-activated interlayer contraction in two-dimensional perovskites for high-efficiency solar cells. Nature Nanotechnology, 2022, 17, 45-52.	31.5	52
4	Positive Bias Temperature Instability and Hot Carrier Degradation of Back-End-of-Line, nm-Thick, In ₂ O ₃ Thin-Film Transistors. IEEE Electron Device Letters, 2022, 43, 232-235.	3.9	10
5	Crop-Specific Optimization of Bifacial PV Arrays for Agrivoltaic Food-Energy Production: The Light-Productivity-Factor Approach. IEEE Journal of Photovoltaics, 2022, 12, 572-580.	2.5	25
6	Worldwide Physics-Based Lifetime Prediction of c-Si Modules Due to Solder-Bond Failure. IEEE Journal of Photovoltaics, 2022, 12, 533-539.	2.5	3
7	A Critical Analysis of Bifacial Solar Farm Configurations: Theory and Experiments. IEEE Access, 2022, 10, 47726-47740.	4.2	8
8	A Critical Examination of the TCAD Modeling of Hot Carrier Degradation for LDMOS Transistors. , 2022, , .		3
9	Correlated Effects of Radiation and Hot Carrier Degradation on the Performance of LDMOS Transistors. , 2022, , .		2
10	Reduced Relative Humidity (RH) Enhances the Corrosion-Limited Lifetime of Self-Heated IC: Peck's equation Generalized. , 2022, , .		3
11	Modeling Non-Equilibrium Ion-Transport in Ion-Selective-Membrane/Electrolyte Interfaces for Electrochemical Potentiometric Sensors. IEEE Sensors Journal, 2022, 22, 12987-12996.	4.7	3
12	Selectivity, Sensitivity and Detection Range in Ion-Selective Membrane-Based Electrochemical Potentiometric Sensors Analyzed With Poisson-Boltzmann Equilibrium Model. IEEE Sensors Journal, 2022, 22, 15010-15021.	4.7	3
13	Self-Heating and Reliability-Aware "Intrinsic―Safe Operating Area of Wide Bandgap Semiconductors—An Analytical Approach. IEEE Transactions on Device and Materials Reliability, 2021, 21, 518-527.	2.0	7
14	Super Single Pulse Charge Pumping Technique for Profiling Interfacial Defects. IEEE Transactions on Electron Devices, 2021, 68, 726-732.	3.0	7
15	Module Technology for Agrivoltaics: Vertical Bifacial Versus Tilted Monofacial Farms. IEEE Journal of Photovoltaics, 2021, 11, 469-477.	2.5	40
16	Quantifying Region-Specific Hot Carrier Degradation in LDMOS Transistors Using a Novel Charge Pumping Technique. , 2021, , .		6
17	Hot carrier Degradation in Classical and Emerging Logic and Power Electronic Devices: Rethinking Reliability for Next-Generation Electronics. , 2021, , .		8
18	Global analysis of next-generation utility-scale PV: Tracking bifacial solar farms. Applied Energy, 2021, 290, 116478	10.1	30

#	Article	IF	CITATIONS
19	A review of next generation bifacial solar farms: predictive modeling of energy yield, economics, and reliability. Journal Physics D: Applied Physics, 2021, 54, 323001.	2.8	24
20	Highly sensitive active pixel image sensor array driven by large-area bilayer MoS2 transistor circuitry. Nature Communications, 2021, 12, 3559.	12.8	94
21	Machine Learning allows Synthesis and Functional Interpolation of Computational and Field-Data for Worldwide Utility-Scale PV Systems. , 2021, , .		1
22	Worldwide Physics-Based Analysis of Solder Bond Failure in c-Si Modules for Lifetime Prediction. , 2021, , .		4
23	An Analytical Model of Hot Carrier Degradation in LDMOS Transistors: Rediscovery of Universal Scaling. IEEE Transactions on Electron Devices, 2021, 68, 3923-3929.	3.0	6
24	Three-point l–V spectroscopy deconvolves region-specific degradations in LDMOS transistors. Applied Physics Letters, 2021, 119, 122102.	3.3	3
25	Reliability physics of ferroelectric/negative capacitance transistors for memory/logic applications: An integrative perspective. Journal of Materials Research, 2021, 36, 4908-4918.	2.6	5
26	Space Charge Redistribution in Epoxy Mold Compounds of High-Voltage ICs at Dry and Wet Conditions: Theory and Experiment. IEEE Transactions on Dielectrics and Electrical Insulation, 2021, 28, 2043-2051.	2.9	4
27	Generalized Modeling Framework of Metal Oxide-Based Non-Enzymatic Glucose Sensors: Concepts, Methods, and Challenges. IEEE Transactions on Biomedical Engineering, 2020, 67, 679-687.	4.2	10
28	Short term effects of different green manure amendments on the composition of main microbial groups and microbial activity of a submerged rice cropping system. Applied Soil Ecology, 2020, 147, 103400.	4.3	41
29	A Closed-Form Transient Joule Heating Model for an Interconnect in an Integrated Circuit. IEEE Electron Device Letters, 2020, 41, 288-291.	3.9	1
30	A memory window expression to evaluate the endurance of ferroelectric FETs. Applied Physics Letters, 2020, 117, .	3.3	17
31	Fractal Web Design of a Hemispherical Photodetector Array with Organicâ€Ðyeâ€Sensitized Graphene Hybrid Composites. Advanced Materials, 2020, 32, e2004456.	21.0	25
32	Temperature-dependent energy gain of bifacial PV farms: A global perspective. Applied Energy, 2020, 276, 115405.	10.1	38
33	Printable Nonenzymatic Glucose Biosensors Using Carbon Nanotube-PtNP Nanocomposites Modified with AuRu for Improved Selectivity. ACS Biomaterials Science and Engineering, 2020, 6, 5315-5325.	5.2	27
34	Modeling, design guidelines, and detection limits of self-powered enzymatic biofuel cell-based sensors. Biosensors and Bioelectronics, 2020, 168, 112493.	10.1	27
35	Effects of Filler Configuration and Moisture on Dissipation Factor and Critical Electric Field of Epoxy Composites for HV-ICs Encapsulation. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2020, 10, 1534-1541.	2.5	10
36	Dark Lock-in Thermography Identifies Solder Bond Failure as the Root Cause of Series Resistance Increase in Fielded Solar Modules. IEEE Journal of Photovoltaics, 2020, 10, 1409-1416.	2.5	15

#	Article	IF	CITATIONS
37	Design Principles of Self-Compensated NBTI-Free Negative Capacitor FinFET. IEEE Transactions on Electron Devices, 2020, 67, 2238-2242.	3.0	2
38	A Novel â€~I-V Spectroscopy' Technique to Deconvolve Threshold Voltage and Mobility Degradation in LDMOS Transistors. , 2020, , .		9
39	Sustainable Photovoltaics. Lecture Notes in Energy, 2020, , 25-85.	0.3	0
40	Realâ€ŧime monitoring and diagnosis of photovoltaic system degradation only using maximum power point—the Sunsâ€Vmp method. Progress in Photovoltaics: Research and Applications, 2019, 27, 55-66.	8.1	37
41	Flexible electronic/optoelectronic microsystems with scalable designs for chronic biointegration. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 15398-15406.	7.1	66
42	Electrothermal performance limit of <i>β</i> -Ga2O3 field-effect transistors. Applied Physics Letters, 2019, 115, .	3.3	23
43	A Device-to-System Perspective Regarding Self-Heating Enhanced Hot Carrier Degradation in Modern Field-Effect Transistors: A Topical Review. IEEE Transactions on Electron Devices, 2019, 66, 4556-4565.	3.0	41
44	Source partitioning and emission factor of nitrous oxide during warm and cold cropping seasons from an upland soil in South Korea. Science of the Total Environment, 2019, 662, 591-599.	8.0	4
45	Two-dimensional MoS2 negative capacitor transistors for enhanced (super-Nernstian) signal-to-noise performance of next-generation nano biosensors. Applied Physics Letters, 2019, 114, 233102.	3.3	21
46	Electrical Signatures of Corrosion and Solder Bond Failure in c-Si Solar Cells and Modules. IEEE Journal of Photovoltaics, 2019, 9, 759-767.	2.5	39
47	A worldwide cost-based design and optimization of tilted bifacial solar farms. Applied Energy, 2019, 247, 467-479.	10.1	89
48	Ground sculpting to enhance energy yield of vertical bifacial solar farms. Applied Energy, 2019, 241, 592-598.	10.1	42
49	Tailoring interdigitated back contacts for high-performance bifacial silicon solar cells. Applied Physics Letters, 2019, 114, .	3.3	5
50	A critical review of recent progress on negative capacitance field-effect transistors. Applied Physics Letters, 2019, 114, .	3.3	157
51	Highly Stable Self-Aligned Ni-InGaAs and Non-Self-Aligned Mo Contact for Monolithic 3-D Integration of InGaAs MOSFETs. IEEE Journal of the Electron Devices Society, 2019, 7, 869-877.	2.1	19
52	Taxonomic and functional responses of soil microbial communities to slag-based fertilizer amendment in rice cropping systems. Environment International, 2019, 127, 531-539.	10.0	43
53	Implications of Seasonal and Spatial Albedo Variation on the Energy Output of Bifacial Solar Farms: A Global Perspective. , 2019, , .		4
54	Electrical Signatures of Contact Degradation for c-Si Solar Cells. , 2019, , .		0

#	Article	IF	CITATIONS
55	Is Damp Heat Degradation of c-Si Modules Essentially Universal?. , 2019, , .		2
56	LCOE*: Re-thinking LCOE for Photovoltaic Systems. , 2019, , .		4
57	A Generalized Analytic Model to Tailor Back Contact Design of Bifacial PERC-type Cu(In,Ga)Se2 solar cells. , 2019, , .		Ο
58	Shockley–Queisser triangle predicts the thermodynamic efficiency limits of arbitrarily complex multijunction bifacial solar cells. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 23966-23971.	7.1	15
59	Flexible submental sensor patch with remote monitoring controls for management of oropharyngeal swallowing disorders. Science Advances, 2019, 5, eaay3210.	10.3	61
60	A Closed Form Analytical Model of Back-Gated 2-D Semiconductor Negative Capacitance Field Effect Transistors. IEEE Journal of the Electron Devices Society, 2018, 6, 189-194.	2.1	35
61	Optimization and performance of bifacial solar modules: A global perspective. Applied Energy, 2018, 212, 1601-1610.	10.1	198
62	Analyzing Thermal Stability of Cell Membrane ofÂSalmonella Using Time-Multiplexed Impedance Sensing. Biophysical Journal, 2018, 114, 609-618.	0.5	35
63	Thermoreflectance imaging of electromigration evolution in asymmetric aluminum constrictions. Journal of Applied Physics, 2018, 123, 035107.	2.5	2
64	Steep-slope hysteresis-free negative capacitance MoS2 transistors. Nature Nanotechnology, 2018, 13, 24-28.	31.5	422
65	Device physics underlying silicon heterojunction and passivatingâ€contact solar cells: A topical review. Progress in Photovoltaics: Research and Applications, 2018, 26, 241-260.	8.1	70
66	On-chip microelectrode array and in situ transient calibration for measurement of transient concentration gradients near surfaces of 2D cell cultures. Sensors and Actuators B: Chemical, 2018, 260, 519-528.	7.8	8
67	Silicon Heterojunction System Field Performance. IEEE Journal of Photovoltaics, 2018, 8, 177-182.	2.5	53
68	Performance Potential of Ge CMOS Technology From a Material-Device-Circuit Perspective. IEEE Transactions on Electron Devices, 2018, 65, 1679-1684.	3.0	15
69	Transferred, Ultrathin Oxide Bilayers as Biofluid Barriers for Flexible Electronic Implants. Advanced Functional Materials, 2018, 28, 1702284.	14.9	49
70	Heat Shunting by Innovative Source/Drain Contact to Enable Monolithic 3D Integration of InGaAs MOSFETs. , 2018, , .		2
71	Shockley-Queisser Triangle: An Elegant Analytical Tool for Predicting the Thermodynamic Efficiency Limits of Multi-junction Tandem and Bifacial Cells with Arbitrary Concentration and Series Resistance. , 2018, , .		1
72	Ultrathin Trilayer Assemblies as Long-Lived Barriers against Water and Ion Penetration in Flexible Bioelectronic Systems. ACS Nano, 2018, 12, 10317-10326.	14.6	57

#	Article	IF	CITATIONS
73	Real-time characterization of uptake kinetics of glioblastoma vs. astrocytes in 2D cell culture using microelectrode array. Analyst, The, 2018, 143, 4954-4966.	3.5	4
74	Design principles for electronic charge transport in solution-processed vertically stacked 2D perovskite quantum wells. Nature Communications, 2018, 9, 2130.	12.8	153
75	A Self-Consistent, Semiclassical Electrothermal Modeling Framework for Mott Devices. IEEE Transactions on Electron Devices, 2018, 65, 1672-1678.	3.0	13
76	Steep-Slope WSe ₂ Negative Capacitance Field-Effect Transistor. Nano Letters, 2018, 18, 3682-3687.	9.1	97
77	Proton-doped strongly correlated perovskite nickelate memory devices. IEEE Electron Device Letters, 2018, , 1-1.	3.9	13
78	Thermodynamic Limit of Solar to Fuel Conversion for Generalized Photovoltaic–Electrochemical Systems. IEEE Journal of Photovoltaics, 2018, 8, 1082-1089.	2.5	6
79	Optics-Based Approach to Thermal Management of Photovoltaics: Selective-Spectral and Radiative Cooling. IEEE Journal of Photovoltaics, 2017, 7, 566-574.	2.5	102
80	The Impact of Self-Heating on HCI Reliability in High-Performance Digital Circuits. IEEE Electron Device Letters, 2017, 38, 430-433.	3.9	37
81	Role of the Insulating Fillers in the Encapsulation Material on the Lateral Charge Spreading in HV-ICs. IEEE Transactions on Electron Devices, 2017, 64, 1209-1216.	3.0	9
82	A Physics-Based (Verilog-A) Compact Model for DC, Quasi-Static Transient, Small-Signal, and Noise Analysis of MOSFET-Based pH Sensors. IEEE Transactions on Electron Devices, 2017, 64, 1285-1293.	3.0	10
83	Droplet-based non-faradaic impedance sensors for assessment of susceptibility of Escherichia coli to ampicillin in 60 min. Biomedical Microdevices, 2017, 19, 27.	2.8	8
84	A Generalized Theory Explains the Anomalous Suns– \$V_{{m{oc}}\$ Response of Si Heterojunction Solar Cells. IEEE Journal of Photovoltaics, 2017, 7, 169-176.	2.5	32
85	A Compact Quasi-Static Terminal Charge and Drain Current Model for Double-Gate Junctionless Transistors and Its Circuit Validation. IEEE Transactions on Electron Devices, 2017, , 1-8.	3.0	5
86	Vertical bifacial solar farms: Physics, design, and global optimization. Applied Energy, 2017, 206, 240-248.	10.1	83
87	A Predictive Model for IC Self-Heating Based on Effective Medium and Image Charge Theories and Its Implications for Interconnect and Transistor Reliability. IEEE Transactions on Electron Devices, 2017, 64, 3555-3562.	3.0	27
88	Radiative sky cooling: fundamental physics, materials, structures, and applications. Nanophotonics, 2017, 6, 997-1015.	6.0	164
89	Assessment of direct carbon dioxide emission factor from urea fertilizer in temperate upland soil during warm and cold cropping season. European Journal of Soil Biology, 2017, 83, 76-83.	3.2	10
90	Thin, Transferred Layers of Silicon Dioxide and Silicon Nitride as Water and Ion Barriers for Implantable Flexible Electronic Systems. Advanced Electronic Materials, 2017, 3, 1700077.	5.1	61

#	Article	IF	CITATIONS
91	Stability of MOSFET-Based Electronic Components in Wearable and Implantable Systems. IEEE Transactions on Electron Devices, 2017, 64, 3443-3451.	3.0	16
92	Anomalous bias temperature instability on accumulation-mode Ge and III-V MOSFETs. , 2017, , .		0
93	A new framework of physics-based compact model predicts reliability of self-heated modern ICs: FinFET, NWFET, NSHFET comparison. , 2017, , .		27
94	Modeling and designing multilayer 2D perovskite / silicon bifacial tandem photovoltaics for high efficiencies and long-term stability. Optics Express, 2017, 25, A311.	3.4	19
95	Unified self-heating effect model for advanced digital and analog technology and thermal-aware lifetime prediction methodology. , 2017, , .		6
96	Droplet-based Biosensing for Lab-on-a-Chip, Open Microfluidics Platforms. Biosensors, 2016, 6, 14.	4.7	44
97	Highâ€Mobility Transistors Based on Largeâ€Area and Highly Crystalline CVDâ€Grown MoSe ₂ Films on Insulating Substrates. Advanced Materials, 2016, 28, 2316-2321.	21.0	107
98	High-efficiency two-dimensional Ruddlesden–Popper perovskite solar cells. Nature, 2016, 536, 312-316.	27.8	2,767
99	Optimum filler geometry for suppression of moisture diffusion in molding compounds. , 2016, , .		4
100	Characterization of self-heating leads to universal scaling of HCI degradation of multi-fin SOI FinFETs. , 2016, , .		29
101	Physics-Based computational modeling of moisture ingress in solar modules: Location-specific corrosion and delamination. , 2016, , .		7
102	Spatio-temporal mapping of device temperature due to self-heating in Sub-22 nm transistors. , 2016, , .		7
103	Thermodynamic efficiency limits of classical and bifacial multi-junction tandem solar cells: An analytical approach. Applied Physics Letters, 2016, 109, .	3.3	24
104	Characterization and redesign of perovskite/silicon tandem cells. , 2016, , .		0
105	Substrate and layout engineering to suppress self-heating in floating body transistors. , 2016, , .		24
106	Transistors: Highâ€Mobility Transistors Based on Largeâ€Area and Highly Crystalline CVDâ€Grown MoSe ₂ Films on Insulating Substrates (Adv. Mater. 12/2016). Advanced Materials, 2016, 28, 2278-2278.	21.0	4
107	A Framework for Process-to-Module Modeling of a-Si/c-Si (HIT) Heterojunction Solar Cells to Investigate the Cell-to-Module Efficiency Gap. IEEE Journal of Photovoltaics, 2016, 6, 875-887.	2.5	12
108	Evidence of Universal Temperature Scaling in Self-Heated Percolating Networks. Nano Letters, 2016, 16, 3130-3136.	9.1	11

#	Article	IF	CITATIONS
109	Numerical and Analytical Modeling to Determine Performance Tradeoffs in Hydrogel-Based pH Sensors. IEEE Transactions on Electron Devices, 2016, 63, 2524-2530.	3.0	5
110	A Physics-Based Analytical Model for Perovskite Solar Cells [Sep 15 1389-1394]. IEEE Journal of Photovoltaics, 2016, 6, 1390-1390.	2.5	5
111	Generalized Compact Modeling of Nanoparticle-Based Amperometric Glucose Biosensors. IEEE Transactions on Electron Devices, 2016, 63, 4924-4932.	3.0	10
112	An Illumination- and Temperature-Dependent Analytical Model for Copper Indium Gallium Diselenide (CIGS) Solar Cells. IEEE Journal of Photovoltaics, 2016, 6, 1298-1307.	2.5	19
113	Light-activated photocurrent degradation and self-healing in perovskite solar cells. Nature Communications, 2016, 7, 11574.	12.8	584
114	Ultrathin, transferred layers of thermally grown silicon dioxide as biofluid barriers for biointegrated flexible electronic systems. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 11682-11687.	7.1	175
115	Switching Dynamics and Hot Atom Damage in Landau Switches. IEEE Electron Device Letters, 2016, , 1-1.	3.9	13
116	Copercolating Networks: An Approach for Realizing High-Performance Transparent Conductors using Multicomponent Nanostructured Networks. Nanophotonics, 2016, 5, 180-195.	6.0	11
117	Evaporation-induced stimulation of bacterial osmoregulation for electrical assessment of cell viability. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 7059-7064.	7.1	21
118	Thermodynamic limit of bifacial double-junction tandem solar cells. Applied Physics Letters, 2015, 107, .	3.3	21
119	Fundamental trade-off between short-channel control and hot carrier degradation in an extremely-thin silicon-on-insulator (ETSOI) technology. , 2015, , .		6
120	Recent Progress in Obtaining Semiconducting Singleâ€Walled Carbon Nanotubes for Transistor Applications. Advanced Materials, 2015, 27, 7908-7937.	21.0	67
121	The Role of Dielectric Heating and Effects of Ambient Humidity in the Electrical Breakdown of Polymer Dielectrics. IEEE Transactions on Device and Materials Reliability, 2015, 15, 308-318.	2.0	12
122	Low-Frequency Noise and Random Telegraph Noise on Near-Ballistic III-V MOSFETs. IEEE Transactions on Electron Devices, 2015, 62, 3508-3515.	3.0	40
123	The Frozen Potential Approach to Separate the Photocurrent and Diode Injection Current in Solar Cells. IEEE Journal of Photovoltaics, 2015, 5, 865-873.	2.5	11
124	Process-to-panel modeling of a-Si/c-Si heterojunction solar cells. , 2015, , .		0
125	Editorial IEEE Access Special Section Editorial: Nanobiosensors. IEEE Access, 2015, 3, 1477-1479.	4.2	1

126 On nanonet electronics, percolation doping, and the limits of ohm's law. , 2015, , .

0

#	Article	IF	CITATIONS
127	Incubation-free detection of bacteria cells by using droplet-based impedance sensing. , 2015, , .		1
128	Predictive model for hydrogel based wireless implantable bio-chemical sensors. , 2015, , .		2
129	Physics-based compact models for insulated-gate field-effect biosensors, landau-transistors, and thin-film solar cells. , 2015, , .		4
130	Electronic desalting for controlling the ionic environment in droplet-based biosensing platforms. Applied Physics Letters, 2015, 106, 053105.	3.3	7
131	High-efficiency solution-processed perovskite solar cells with millimeter-scale grains. Science, 2015, 347, 522-525.	12.6	2,978
132	Geometrical design of thin film photovoltaic modules for improved shade tolerance and performance. Progress in Photovoltaics: Research and Applications, 2015, 23, 170-181.	8.1	8
133	Bifacial Si heterojunction-perovskite organic-inorganic tandem to produce highly efficient (ηT* â^¼ 33%) solar cell. Applied Physics Letters, 2015, 106, .	3.3	82
134	Time-resolved PCA of â€~droplet impedance' identifies DNA hybridization at nM concentration. Sensors and Actuators B: Chemical, 2015, 215, 215-224.	7.8	7
135	Direct current injection and thermocapillary flow for purification of aligned arrays of single-walled carbon nanotubes. Journal of Applied Physics, 2015, 117, .	2.5	14
136	Multiprobe Characterization of Inversion Charge for Self-Consistent Parameterization of HIT Cells. IEEE Journal of Photovoltaics, 2015, 5, 725-735.	2.5	22
137	Thermal and Electrical Effects of Partial Shade in Monolithic Thin-Film Photovoltaic Modules. IEEE Journal of Photovoltaics, 2015, 5, 1742-1747.	2.5	45
138	Super-Joule heating in graphene and silver nanowire network. Applied Physics Letters, 2015, 106, .	3.3	42
139	An anti-ferroelectric gated Landau transistor to achieve sub-60 mV/dec switching at low voltage and high speed. Applied Physics Letters, 2015, 106, .	3.3	48
140	3D Modeling of Spatio-temporal Heat-transport in III-V Gate-all-around Transistors Allows Accurate Estimation and Optimization of Nanowire Temperature. IEEE Transactions on Electron Devices, 2015, 62, 3595-3604.	3.0	38
141	Single-Layer Graphene as a Barrier Layer for Intense UV Laser-Induced Damages for Silver Nanowire Network. ACS Nano, 2015, 9, 11121-11133.	14.6	59
142	Collection-limited theory interprets the extraordinary response of single semiconductor organic solar cells. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 11193-11198.	7.1	24
143	The role of substrate in the photoresponse of graphene transistors. , 2015, , .		0
144	A Physics-Based Analytical Model for Perovskite Solar Cells. IEEE Journal of Photovoltaics, 2015, 5, 1389-1394.	2.5	79

#	Article	IF	CITATIONS
145	Direct Observation of Self-Heating in III–V Gate-All-Around Nanowire MOSFETs. IEEE Transactions on Electron Devices, 2015, 62, 3516-3523.	3.0	46
146	Substrate-Induced Photofield Effect in Graphene Phototransistors. IEEE Transactions on Electron Devices, 2015, 62, 3734-3741.	3.0	6
147	Low-frequency noise and RTN on near-ballistic III–V GAA nanowire MOSFETs. , 2014, , .		12
148	Implications of Electrical Crosstalk for High Density Aligned Array of Single-Wall Carbon Nanotubes. IEEE Transactions on Electron Devices, 2014, 61, 4273-4281.	3.0	7
149	Quantification of the solid-state charge mobility in a model radical polymer. Applied Physics Letters, 2014, 104, .	3.3	31
150	Correlated Nonideal Effects of Dark and Light l–V Characteristics in a-Si/c-Si Heterojunction Solar Cells. IEEE Journal of Photovoltaics, 2014, 4, 763-771.	2.5	46
151	In-Line Post-Process Scribing for Reducing Cell to Module Efficiency Gap in Monolithic Thin-Film Photovoltaics. IEEE Journal of Photovoltaics, 2014, 4, 324-332.	2.5	8
152	Proposal of a Hysteresis-Free Zero Subthreshold Swing Field-Effect Transistor. IEEE Transactions on Electron Devices, 2014, 61, 3546-3552.	3.0	25
153	Direct observation of self-heating in III–V gate-all-around nanowire MOSFETs. , 2014, , .		16
154	Electrostatic desalting of micro-droplets to enable novel chemical/biosensing applications. , 2014, , .		1
155	Microwave purification of large-area horizontally aligned arrays of single-walled carbon nanotubes. Nature Communications, 2014, 5, 5332.	12.8	43
156	Electrostatic cross-talk to define the density limit of aligned-array phase-change-memory with carbon nanotube electrodes. , 2014, , .		1
157	Implications of Rough Dielectric Surfaces on Charging-Adjusted Actuation of RF-MEMS. IEEE Electron Device Letters, 2014, 35, 948-950.	3.9	11
158	From Process to Modules: End-to-End Modeling of CSS-Deposited CdTe Solar Cells. IEEE Journal of Photovoltaics, 2014, 4, 954-961.	2.5	17
159	Defect Characterization in Organic Semiconductors by Forward Bias Capacitance–Voltage (FB-CV) Analysis. Journal of Physical Chemistry C, 2014, 118, 17461-17466.	3.1	40
160	Nanostructured Electrodes Improve the Fill Factor of Organic Photovoltaics. IEEE Journal of Photovoltaics, 2014, 4, 1100-1106.	2.5	7
161	Intrinsic low pass filtering improves signal-to-noise ratio in critical-point flexure biosensors. Applied Physics Letters, 2014, 105, 084106.	3.3	5
162	Observation and Control of Hot Atom Damage in Ferroelectric Devices. IEEE Transactions on Electron Devices, 2014, 61, 3490-3498.	3.0	13

#	Article	IF	CITATIONS
163	Stability Constraints Define the Minimum Subthreshold Swing of a Negative Capacitance Field-Effect Transistor. IEEE Transactions on Electron Devices, 2014, 61, 2235-2242.	3.0	79
164	Non-faradaic impedance characterization of an evaporating droplet for microfluidic and biosensing applications. Lab on A Chip, 2014, 14, 2469-2479.	6.0	33
165	Correlation of Built-In Potential and <i>l–V</i> Crossover in Thin-Film Solar Cells. IEEE Journal of Photovoltaics, 2014, 4, 1138-1148.	2.5	45
166	Effective Nanometer Airgap of NEMS Devices Using Negative Capacitance of Ferroelectric Materials. Nano Letters, 2014, 14, 3160-3165.	9.1	30
167	Prospects of layer-split tandem cells for high-efficiency OPV. Solar Energy Materials and Solar Cells, 2014, 120, 716-723.	6.2	6
168	Two-dimensional Layered MoS2 Biosensors Enable Highly Sensitive Detection of Biomolecules. Scientific Reports, 2014, 4, 7352.	3.3	259
169	Design of GaAs Solar Cells Operating Close to the Shockley–Queisser Limit. IEEE Journal of Photovoltaics, 2013, 3, 737-744.	2.5	106
170	Electrostatic Dimension of Aligned-Array Carbon Nanotube Field-Effect Transistors. ACS Nano, 2013, 7, 1299-1308.	14.6	15
171	Nanotextured superhydrophobic electrodes enable detection of attomolar-scale DNA concentration within a droplet by non-faradaic impedance spectroscopy. Lab on A Chip, 2013, 13, 4248.	6.0	71
172	Fundamentals of PV efficiency interpreted by a two-level model. American Journal of Physics, 2013, 81, 655-662.	0.7	10
173	Performance and Reliability Implications of Two-Dimensional Shading in Monolithic Thin-Film Photovoltaic Modules. IEEE Journal of Photovoltaics, 2013, 3, 1367-1375.	2.5	42
174	A diagnostic tool for analyzing the current-voltage characteristics in a-Si/c-Si heterojunction solar cells. , 2013, , .		5
175	Is a heterojunction essential for high-efficiency organic solar cells?. , 2013, , .		0
176	Prospects of Hysteresis-Free Abrupt Switching (0 mV/decade) in Landau Switches. IEEE Transactions on Electron Devices, 2013, 60, 4269-4276.	3.0	41
177	Universal Resonant and Pull-in Characteristics of Tunable-Gap Electromechanical Actuators. IEEE Transactions on Electron Devices, 2013, 60, 4240-4247.	3.0	4
178	A compact analytical formalism for current transients in electrochemical systems. Analyst, The, 2013, 138, 525-538.	3.5	7
179	Role of atomic variability in dielectric charging: A first-principles-based multiscale modeling study. Physical Review B, 2013, 88, .	3.2	12
180	The essence and efficiency limits of bulk-heterostructure organic solar cells: A polymer-to-panel perspective. Journal of Materials Research, 2013, 28, 541-557.	2.6	25

#	Article	IF	CITATIONS
181	Universal statistics of parasitic shunt formation in solar cells, and its implications for cell to module efficiency gap. Energy and Environmental Science, 2013, 6, 782.	30.8	32
182	Using nanoscale thermocapillary flows to create arrays of purely semiconducting single-walled carbon nanotubes. Nature Nanotechnology, 2013, 8, 347-355.	31.5	167
183	Coâ€Percolating Grapheneâ€Wrapped Silver Nanowire Network for High Performance, Highly Stable, Transparent Conducting Electrodes. Advanced Functional Materials, 2013, 23, 5150-5158.	14.9	223
184	Achieving Fill Factor Above 80% in Organic Solar Cells by Charged Interface. IEEE Journal of Photovoltaics, 2013, 3, 310-317.	2.5	21
185	Nanostructured Electrodes for Organic Solar Cells: Analysis and Design Fundamentals. IEEE Journal of Photovoltaics, 2013, 3, 318-329.	2.5	33
186	The future scalability of pH-based genome sequencers: A theoretical perspective. Journal of Applied Physics, 2013, 114, 164311.	2.5	8
187	Extending and Tuning the Travel Range of Microelectromechanical Actuators Using Electrically Reconfigurable Nano-Structured Electrodes. Journal of Microelectromechanical Systems, 2013, 22, 1001-1003.	2.5	8
188	Bridging the Gap: Modeling the variation due to grain size distribution in CdTe solar cells. , 2013, , .		4
189	Role of charged defects on organic solar cell performance: Prospect of heterojunction-free device design. , 2013, , .		1
190	Thermodynamic limits of solar cells with non-ideal optical response. , 2013, , .		1
191	A Comparative Study of Different Physics-Based NBTI Models. IEEE Transactions on Electron Devices, 2013, 60, 901-916.	3.0	324
192	Evaporation-enhanced impedance sensing for highly-sensitive differentiation of dsDNA from ssDNA. , 2013, , .		2
193	Universal scaling and intrinsic classification of electro-mechanical actuators. Journal of Applied Physics, 2013, 113, 144906.	2.5	5
194	Achieving fill factor above 80% in organic solar cells by charged interface. , 2013, , .		0
195	Self-assembly of single dielectric nanoparticle layers and integration in polymer-based solar cells. Applied Physics Letters, 2012, 101, 063105.	3.3	16
196	Probing bulk defect energy bands using generalized charge pumping method. Journal of Applied Physics, 2012, 111, 074501.	2.5	7
197	Approaching the Shockley-Queisser limit in GaAs solar cells. , 2012, , .		1
198	Threshold of hierarchical percolating systems. Physical Review E, 2012, 85, 021109.	2.1	17

#	Article	IF	CITATIONS
199	The origin of broad distribution of breakdown times in polycrystalline thin film dielectrics. Applied Physics Letters, 2012, 101, .	3.3	22
200	A shade tolerant panel design for thin film photovoltaics. , 2012, , .		4
201	Theory of signal and noise in double-gated nanoscale electronic <i>p</i> H sensors. Journal of Applied Physics, 2012, 112, 34516.	2.5	62
202	A non-obtrusive technique to characterize dielectric charging in RF-MEMS capacitive switches. , 2012, ,		0
203	Wavelength-Dependent Absorption in Structurally Tailored Randomly Branched Vertical Arrays of InSb Nanowires. Nano Letters, 2012, 12, 6112-6118.	9.1	16
204	Achieving fill factor above 80% in organic solar cells by charged interface. , 2012, , .		0
205	Reverse stress metastability of shunt current in CIGS solar cells. , 2012, , .		4
206	A comprehensive and critical re-assessment of 2-stage energy level NBTI model. , 2012, , .		12
207	End to end modeling for variability and reliability analysis of thin film photovoltaics. , 2012, , .		12
208	Coupled Heterogeneous Nanowire–Nanoplate Planar Transistor Sensors for Giant (>10 V/pH) Nernst Response. ACS Nano, 2012, 6, 5972-5979.	14.6	35
209	Electroluminescence in Aligned Arrays of Single-Wall Carbon Nanotubes with Asymmetric Contacts. ACS Nano, 2012, 6, 7981-7988.	14.6	31
210	Flexure-FET biosensor to break the fundamental sensitivity limits of nanobiosensors using nonlinear electromechanical coupling. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9304-9308.	7.1	33
211	Silicon Nanowires with High-k Hafnium Oxide Dielectrics for Sensitive Detection of Small Nucleic Acid Oligomers. ACS Nano, 2012, 6, 6150-6164.	14.6	123
212	Can morphology tailoring improve the open circuit voltage of organic solar cells?. Applied Physics Letters, 2012, 100, .	3.3	43
213	Physics and scaling prospects of pH-based genome sequencers. , 2012, , .		0
214	Sources of Hysteresis in Carbon Nanotube Fieldâ€Effect Transistors and Their Elimination Via Methylsiloxane Encapsulants and Optimized Growth Procedures. Advanced Functional Materials, 2012, 22, 2276-2284.	14.9	103
215	Random vs regularized OPV: Limits of performance gain of organic bulk heterojunction solar cells by morphology engineering. Solar Energy Materials and Solar Cells, 2012, 99, 204-212.	6.2	96
216	A Physics-Based Predictive Modeling Framework for Dielectric Charging and Creep in RF MEMS Capacitive Switches and Varactors. Journal of Microelectromechanical Systems, 2012, 21, 420-430.	2.5	52

#	Article	IF	CITATIONS
217	Comparative study of immunochromatographic assay (IgM) and widal test for early diagnosis of typhoid fever. Mymensingh Medical Journal: MMJ, 2012, 21, 600-4.	0.0	1
218	Intrinsic Performance Variability in Aligned Array CNFETs. IEEE Nanotechnology Magazine, 2011, 10, 439-444.	2.0	18
219	The origin and consequences of push-pull breakdown in series connected dielectrics. Applied Physics Letters, 2011, 99, .	3.3	4
220	Characterization and modeling of NBTI stress, recovery, material dependence and AC degradation using R-D framework. , 2011, , .		7
221	Prospects for Nanowire-Doped Polycrystalline Graphene Films for Ultratransparent, Highly Conductive Electrodes. Nano Letters, 2011, 11, 5020-5025.	9.1	130
222	Identification, characterization, and implications of shadow degradation in thin film solar cells. , 2011, , .		17
223	A critical re-evaluation of the usefulness of R-D framework in predicting NBTI stress and recovery. , $2011,$, .		79
224	Self-consistent electrothermal analysis of nanotube network transistors. Journal of Applied Physics, 2011, 109, 014315.	2.5	15
225	Physics and Statistics of Non-Ohmic Shunt Conduction and Metastability in Amorphous Silicon p–i–n Solar Cells. IEEE Journal of Photovoltaics, 2011, 1, 111-117.	2.5	11
226	Annealing dependent performance of organic bulk-heterojunction solar cells: A theoretical perspective. Solar Energy Materials and Solar Cells, 2011, 95, 3287-3294.	6.2	83
227	Analyzing the distribution of threshold voltage degradation in nanoscale transistors by using reaction-diffusion and percolation theory. Journal of Computational Electronics, 2011, 10, 341-351.	2.5	11
228	High-k dielectric Al2O3 nanowire and nanoplate field effect sensors for improved pH sensing. Biomedical Microdevices, 2011, 13, 335-344.	2.8	67
229	A self-consistent algorithm to extract interface trap states of MOS devices on alternative high-mobility substrates. Solid-State Electronics, 2011, 56, 141-147.	1.4	9
230	A compact physical model for morphology induced intrinsic degradation of organic bulk heterojunction solar cell. Applied Physics Letters, 2011, 99, .	3.3	42
231	Untangling the essence of bulk heterostructure organic solar cells: Why complex need not be complicated. , 2011, , .		0
232	Strategies for dynamic soft-landing in capacitive microelectromechanical switches. Applied Physics Letters, 2011, 98, .	3.3	13
233	Morphology dependent short circuit current in bulk heterojunction solar cell. , 2010, , .		2
234	Bipolar Mode Operation and Scalability of Double-Gate Capacitorless 1T-DRAM Cells. IEEE Transactions on Electron Devices, 2010, 57, 1743-1750.	3.0	33

#	Article	IF	CITATIONS
235	on-State Hot Carrier Degradation in Drain-Extended NMOS Transistors. IEEE Transactions on Electron Devices, 2010, 57, 2704-2710.	3.0	87
236	Performance Improvement of Polymer Based Solar Cell by Ordered Nano-Morphology. , 2010, , .		0
237	Theory of "Selectivity―of label-free nanobiosensors: A geometro-physical perspective. Journal of Applied Physics, 2010, 107, 64701.	2.5	47
238	KINETIC RESPONSE OF SURFACES DEFINED BY FINITE FRACTALS. Fractals, 2010, 18, 461-476.	3.7	5
239	On randomness and reliability of electronic devices: A case-study of thick dielectrics. , 2010, , .		Ο
240	Mobility enhancement due to charge trapping & defect generation: Physics of self-compensated BTI. , 2010, , .		5
241	Effect of Fluid Gate on the Electrostatics of ISFET-Based pH Sensors. , 2010, , .		1
242	Scaling Properties in Transistors That Use Aligned Arrays of Single-Walled Carbon Nanotubes. Nano Letters, 2010, 10, 499-503.	9.1	30
243	Universality of non-Ohmic shunt leakage in thin-film solar cells. Journal of Applied Physics, 2010, 108, .	2.5	180
244	A generalized, I <inf>B</inf> -independent, physical HCI lifetime projection methodology based on universality of hot-carrier degradation. , 2010, , .		14
245	Theoretical detection limits of magnetic biobarcode sensors and the phase space of nanobiosensing. Analyst, The, 2010, 135, 2798.	3.5	11
246	Temperature Measurement in Fluid Directly at the Surface with High Spatial Resolution Using a Covalently Attached Fluorescent Dye. , 2010, , .		0
247	On the universality of negative bias temperature degradation. , 2010, , .		1
248	Intrinisic reliability of amorphous silicon thin film solar cells. , 2010, , .		6
249	Device considerations for development of conductance-based biosensors. Journal of Applied Physics, 2009, 105, 102046.	2.5	47
250	Statistical interpretation of "femtomolar―detection. Applied Physics Letters, 2009, 95, 033110.	3.3	17
251	Material Dependence of Negative Bias Temperature Instability (NBTI) Stress and Recovery in SiON p-MOSFETs. ECS Transactions, 2009, 19, 243-263.	0.5	3
252	Isolation of NBTI Stress Generated Interface Trap and Hole-Trapping Components in PNO p-MOSFETs. IEEE Transactions on Electron Devices, 2009, 56, 236-242.	3.0	125

#	Article	IF	CITATIONS
253	Theory and practice of "Striping―for improved ON/OFF Ratio in carbon nanonet thin film transistors. Nano Research, 2009, 2, 167-175.	10.4	38
254	A Common Framework of NBTI Generation and Recovery in Plasma-Nitrided SiON p-MOSFETs. IEEE Electron Device Letters, 2009, 30, 978-980.	3.9	13
255	Charge Pumping as a Monitor of off-State TDDB in Asymmetrically Stressed Transistors. IEEE Electron Device Letters, 2009, 30, 972-974.	3.9	6
256	SOI Nanofet Devices For Ultra-Sensitive Detection of Biomolecules. Biophysical Journal, 2009, 96, 50a-51a.	0.5	0
257	Modeling and optimization of polymer based bulk heterojunction (BH) solar cell. , 2009, , .		7
258	Localized heating on silicon field effect transistors: Device fabrication and temperature measurements in fluid. Lab on A Chip, 2009, 9, 2789.	6.0	15
259	Reliability- and process-variation aware design of integrated circuits. Microelectronics Reliability, 2008, 48, 1114-1122.	1.7	106
260	Medium-scale carbon nanotube thin-film integrated circuits on flexible plastic substrates. Nature, 2008, 454, 495-500.	27.8	1,059
261	Theory of Breakdown Position Determination by Voltage- and Current-Ratio Methods. IEEE Transactions on Electron Devices, 2008, 55, 3150-3158.	3.0	31
262	Exploring the Capability of Multifrequency Charge Pumping in Resolving Location and Energy Levels of Traps Within Dielectric. IEEE Transactions on Electron Devices, 2008, 55, 3421-3431.	3.0	46
263	Optimization of Gate Leakage and NBTI for Plasma-Nitrided Gate Oxides by Numerical and Analytical Models. IEEE Transactions on Electron Devices, 2008, 55, 1143-1152.	3.0	7
264	Screening-Limited Response of NanoBiosensors. Nano Letters, 2008, 8, 1281-1285.	9.1	219
265	Defect Generation in p-MOSFETs Under Negative-Bias Stress: An Experimental Perspective. IEEE Transactions on Device and Materials Reliability, 2008, 8, 35-46.	2.0	47
266	A "Bottom-Up―Redefinition for Mobility and the Effect of Poor Tube–Tube Contact on the Performance of CNT Nanonet Thin-Film Transistors. IEEE Electron Device Letters, 2008, 29, 1037-1039.	3.9	16
267	The theory and practice of modern nanobiosensors. , 2008, , .		0
268	Subthreshold Characteristics of High-performance Inversion-type Enhancement-mode InGaAs NMOSFETs with ALD A1 <inf>2</inf> 0 <inf>3</inf> as Gate Dielectric. , 2008, , .		3
269	On the possibility of degradation-free field effect transistors. Applied Physics Letters, 2008, 92, .	3.3	16
270	Device optimization for organic photovoltaics with CNT networks as transparent electrode. Conference Record of the IEEE Photovoltaic Specialists Conference, 2008, , .	0.0	4

#	Article	IF	CITATIONS
271	Electrical detection of the biological interaction of a charged peptide via gallium arsenide junction-field-effect transistors. Journal of Applied Physics, 2008, 103, 114510.	2.5	6
272	Separation method of hole trapping and interface trap generation and their roles in NBTI reaction-diffusion model. , 2008, , .		32
273	Electrical and thermal transport in thin-film nanotube composites with applications to macroelectronics. International Journal of Nanomanufacturing, 2008, 2, 226.	0.3	10
274	Computational Model for Transport in Nanotube-Based Composites With Applications to Flexible Electronics. Journal of Heat Transfer, 2007, 129, 500-508.	2.1	26
275	Negative Bias Temperature Instability: Estimation and Design for Improved Reliability of Nanoscale Circuits. IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, 2007, 26, 743-751.	2.7	63
276	Experimental and Theoretical Studies of Transport through Large Scale, Partially Aligned Arrays of Single-Walled Carbon Nanotubes in Thin Film Type Transistors. Nano Letters, 2007, 7, 1195-1202.	9.1	267
277	Dimensionally Frustrated Diffusion towards Fractal Adsorbers. Physical Review Letters, 2007, 99, 256101.	7.8	47
278	Estimation of statistical variation in temporal NBTI degradation and its impact on lifetime circuit performance. IEEE/ACM International Conference on Computer-Aided Design, Digest of Technical Papers, 2007, , .	0.0	22
279	Soft Error Trends and New Physical Model for Ionizing Dose Effects in Double Gate Z-RAM Cell. IEEE Transactions on Nuclear Science, 2007, 54, 2363-2370.	2.0	4
280	Current–Voltage Characteristics of Long-Channel Nanobundle Thin-Film Transistors: A "Bottom-Up― Perspective. IEEE Electron Device Letters, 2007, 28, 157-160.	3.9	51
281	A`Bottom-up' Redefinition for Mobility and the Effect of Poor Tube-Tube Contact on the Performance of CNT Nanobundle Thin Film Transistors. Device Research Conference, IEEE Annual, 2007, , .	0.0	1
282	Effect of percolation on thermal transport in nanotube composites. Applied Physics Letters, 2007, 90, 104105.	3.3	92
283	Performance Limits of Nanocomposite Transistors & Nanobio Sensors: A Bottom-up Perspective. Device Research Conference, IEEE Annual, 2007, , .	0.0	0
284	N-Type Field-Effect Transistors Using Multiple Mg-Doped ZnO Nanorods. IEEE Nanotechnology Magazine, 2007, 6, 390-395.	2.0	23
285	High-performance electronics using dense, perfectly aligned arrays of single-walled carbon nanotubes. Nature Nanotechnology, 2007, 2, 230-236.	31.5	985
286	Performance Assessment of Subpercolating Nanobundle Network Thin-Film Transistors by an Analytical Model. IEEE Transactions on Electron Devices, 2007, 54, 637-644.	3.0	23
287	A Generalized Reaction–Diffusion Model With Explicit H– \$hbox{H}_{2}\$ Dynamics for Negative-Bias Temperature-Instability (NBTI) Degradation. IEEE Transactions on Electron Devices, 2007, 54, 1101-1107.	3.0	98
288	Simulation of Carbon Nanotube FETs Including Hot-Phonon and Self-Heating Effects. IEEE Transactions on Electron Devices, 2007, 54, 2352-2361.	3.0	33

#	Article	IF	CITATIONS
289	off-State Degradation in Drain-Extended NMOS Transistors: Interface Damage and Correlation to Dielectric Breakdown. IEEE Transactions on Electron Devices, 2007, 54, 2669-2678.	3.0	66
290	Design Considerations of Silicon Nanowire Biosensors. IEEE Transactions on Electron Devices, 2007, 54, 3400-3408.	3.0	279
291	Performance limits of nanobiosensors. Applied Physics Letters, 2006, 88, 233120.	3.3	299
292	A Review of New Characterization Methodologies of Gate Dielectric Breakdown and Negative Bias Temperature Instability. , 2006, , .		1
293	Gate Leakage vs. NBTI in Plasma Nitrided Oxides: Characterization, Physical Principles, and Optimization. , 2006, , .		41
294	Theory of transfer characteristics of nanotube network transistors. Applied Physics Letters, 2006, 88, 123505.	3.3	100
295	Theory of Nanocomposite Network Transistors for Macroelectronics Applications. MRS Bulletin, 2006, 31, 466-470.	3.5	43
296	Simulation of Silicon Nanowire Bio-sensors. , 2006, , .		3
297	Theoretical investigation on photoconductivity of single intrinsic carbon nanotubes. Applied Physics Letters, 2006, 88, 133111.	3.3	34
298	Performance of carbon nanotube-dispersed thin-film transistors. Applied Physics Letters, 2006, 89, 143501.	3.3	36
299	Simulation of Carbon nanotube FETs including hot-phonon and self-heating effects. , 2006, , .		4
300	Universality of Off-State Degradation in Drain Extended NMOS Transistors. , 2006, , .		15
301	Anomalous resonance in a nanomechanical biosensor. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 13362-13367.	7.1	149
302	Gate dielectric breakdown in the time-scale of ESD events. Microelectronics Reliability, 2005, 45, 427-436.	1.7	13
303	Carrier transport and light-spot movement in carbon-nanotube infrared emitters. Applied Physics Letters, 2005, 86, 023105.	3.3	35
304	Percolating Conduction in Finite Nanotube Networks. Physical Review Letters, 2005, 95, 066802.	7.8	209
305	A Computational Model of NBTI and Hot Carrier Injection Time-Exponents for MOSFET Reliability. Journal of Computational Electronics, 2004, 3, 165-169.	2.5	39
306	Monte Carlo Simulation of Carbon Nanotube Devices. Journal of Computational Electronics, 2004, 3, 333-336.	2.5	8

#	Article	IF	CITATIONS
307	DNA-Mediated Fluctuations in Ionic Current through Silicon Oxide Nanopore Channels. Nano Letters, 2004, 4, 1551-1556.	9.1	343
308	Mathematical description of atomic layer deposition and its application to the nucleation and growth of HfO2 gate dielectric layers. Journal of Applied Physics, 2003, 94, 3403-3413.	2.5	104
309	Uncorrelated breakdown of integrated circuits. Nature, 2002, 420, 378-378.	27.8	59
310	Photoemission study of Zr- and Hf-silicates for use as high-κ oxides: Role of second nearest neighbors and interface charge. Applied Physics Letters, 2002, 81, 1788-1790.	3.3	106
311	Gate oxide reliability projection to the sub-2 nm regime. Semiconductor Science and Technology, 2000, 15, 455-461.	2.0	77
312	Synchrotron x-ray microdiffraction diagnostics of multilayer optoelectronic devices. Applied Physics Letters, 1999, 75, 100-102.	3.3	45
313	Simulation and characterization of the selective area growth process. Applied Physics Letters, 1999, 74, 2617-2619.	3.3	48
314	Transition matrix approach for Monte Carlo simulation of coupled electron/phonon/photon dynamics. Applied Physics Letters, 1995, 67, 512-514.	3.3	7
315	Simulation of compound semiconductor devices using a scattering matrix approach. Semiconductor Science and Technology, 1994, 9, 862-864.	2.0	2
316	Scattering matrix formulation of electron transport in compound semiconductor devices. Solid-State Electronics, 1994, 37, 1509-1520.	1.4	4
317	Formulation of the Boltzmann equation in terms of scattering matrices. Solid-State Electronics, 1993, 36, 263-271.	1.4	40
318	A spectral flux method for solving the Boltzmann equation. Journal of Applied Physics, 1993, 73, 4998-5003.	2.5	5
319	Density of states, electron-transport mechanisms, and chemical potentials in the presence of inelastic processes. Physical Review B, 1992, 45, 8516-8525.	3.2	7
320	Selfâ€consistent analysis in the presence of phaseâ€randomizing processes for doubleâ€barrier structures. Journal of Applied Physics, 1992, 71, 3077-3090.	2.5	14
321	Are there extra scattering mechanisms in the well of a resonant-tunneling diode?. Physica B: Condensed Matter, 1992, 182, 61-63.	2.7	1
322	Büttiker-Landauer conductance formulas in the presence of inelastic scattering. Physical Review B, 1991, 44, 5444-5452.	3.2	24
323	An efficient selfâ€consistent model for resonant tunneling structures. Journal of Applied Physics, 1990, 68, 6501-6503.	2.5	12