

# Ravi Vij

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1818604/publications.pdf>

Version: 2024-02-01

324  
papers

10,906  
citations

50276

46  
h-index

37204

96  
g-index

326  
all docs

326  
docs citations

326  
times ranked

12968  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lenalidomide after Stem-Cell Transplantation for Multiple Myeloma. <i>New England Journal of Medicine</i> , 2012, 366, 1770-1781.	27.0	1,024
2	<i>TP53</i> and Decitabine in Acute Myeloid Leukemia and Myelodysplastic Syndromes. <i>New England Journal of Medicine</i> , 2016, 375, 2023-2036.	27.0	663
3	Haploidentical transplant with posttransplant cyclophosphamide vs matched unrelated donor transplant for acute myeloid leukemia. <i>Blood</i> , 2015, 126, 1033-1040.	1.4	565
4	Oral Selinexorâ€“Dexamethasone for Triple-Class Refractory Multiple Myeloma. <i>New England Journal of Medicine</i> , 2019, 381, 727-738.	27.0	460
5	Driver Fusions and Their Implications in the Development and Treatment of Human Cancers. <i>Cell Reports</i> , 2018, 23, 227-238.e3.	6.4	407
6	Efficacy of venetoclax as targeted therapy for relapsed/refractory t(11;14) multiple myeloma. <i>Blood</i> , 2017, 130, 2401-2409.	1.4	403
7	SciClone: Inferring Clonal Architecture and Tracking the Spatial and Temporal Patterns of Tumor Evolution. <i>PLoS Computational Biology</i> , 2014, 10, e1003665.	3.2	400
8	Outcomes of patients with multiple myeloma refractory to CD38-targeted monoclonal antibody therapy. <i>Leukemia</i> , 2019, 33, 2266-2275.	7.2	385
9	Impact of Mobilization and Remobilization Strategies on Achieving Sufficient Stem Cell Yields for Autologous Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1045-1056.	2.0	319
10	CD56bright NK cells exhibit potent antitumor responses following IL-15 priming. <i>Journal of Clinical Investigation</i> , 2017, 127, 4042-4058.	8.2	236
11	An open-label, single-arm, phase 2 (PX-171-004) study of single-agent carfilzomib in bortezomib-naïve patients with relapsed and/or refractory multiple myeloma. <i>Blood</i> , 2012, 119, 5661-5670.	1.4	235
12	An openâ€“label, singleâ€“arm, phase 2 study of singleâ€“agent carfilzomib in patients with relapsed and/or refractory multiple myeloma who have been previously treated with bortezomib. <i>British Journal of Haematology</i> , 2012, 158, 739-748.	2.5	157
13	A phase 1b study of isatuximab plus lenalidomide and dexamethasone for relapsed/refractory multiple myeloma. <i>Blood</i> , 2017, 129, 3294-3303.	1.4	155
14	Cellular stressors contribute to the expansion of hematopoietic clones of varying leukemic potential. <i>Nature Communications</i> , 2018, 9, 455.	12.8	150
15	Phase II Study of Allogeneic Transplantation for Older Patients With Acute Myeloid Leukemia in First Complete Remission Using a Reduced-Intensity Conditioning Regimen: Results From Cancer and Leukemia Group B 100103 (Alliance for Clinical Trials in Oncology)/Blood and Marrow Transplant Clinical Trial Network 0502. <i>Journal of Clinical Oncology</i> , 2015, 33, 4167-4175.	1.6	149
16	Maintenance Therapy with Decitabine after Allogeneic Stem Cell Transplantation for Acute Myelogenous Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1761-1769.	2.0	143
17	Elotuzumab in combination with lenalidomide and dexamethasone in patients with relapsed multiple myeloma: final phase 2 results from the randomised, open-label, phase 1bâ€“2 dose-escalation study. <i>Lancet Haematology</i> , 2015, 2, e516-e527.	4.6	140
18	Selective Inhibition of Nuclear Export With Oral Selinexor for Treatment of Relapsed or Refractory Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2018, 36, 859-866.	1.6	140

#	ARTICLE	IF	CITATIONS
19	Severe Cytokine-Release Syndrome after T Cellâ€“Replete Peripheral Blood Haploidentical Donor Transplantation Is Associated with Poor Survival and Antiâ€“IL-6 Therapy Is Safe and Well Tolerated. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1851-1860.	2.0	135
20	Updated analysis of CALGB (Alliance) 100104 assessing lenalidomide versus placebo maintenance after single autologous stem-cell transplantation for multiple myeloma: a randomised, double-blind, phase 3 trial. <i>Lancet Haematology</i> , 2017, 4, e431-e442.	4.6	132
21	3D tissue-engineered bone marrow as a novel model to study pathophysiology and drug resistance in multiple myeloma. <i>Biomaterials</i> , 2015, 73, 70-84.	11.4	120
22	Hematopoietic Stem Cell Transplantation for Multiple Myeloma: Guidelines from the American Society for Blood and Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1155-1166.	2.0	104
23	Proteasome inhibitor associated thrombotic microangiopathy. <i>American Journal of Hematology</i> , 2016, 91, E348-52.	4.1	95
24	An openâ€“label, phase 2 trial of denosumab in the treatment of relapsed or plateauâ€“phase multiple myeloma. <i>American Journal of Hematology</i> , 2009, 84, 650-656.	4.1	94
25	<sc>TAK</sc>â€“228 (formerly <sc>MLN</sc>0128), an investigational oral dual <sc>TORC</sc>1/2 inhibitor: A phase I dose escalation study in patients with relapsed or refractory multiple myeloma, nonâ€“Hodgkin lymphoma, or WaldenstrÃ“m's macroglobulinemia. <i>American Journal of Hematology</i> , 2016, 91, 400-405.	4.1	89
26	Protective Effect of Cytomegalovirus Reactivation on Relapse after Allogeneic Hematopoietic Cell Transplantation in Acute Myeloid Leukemia Patients Is Influenced by Conditioning Regimen. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 46-52.	2.0	86
27	Central nervous system involvement by multiple myeloma: A multiâ€“institutional retrospective study of 172 patients in daily clinical practice. <i>American Journal of Hematology</i> , 2016, 91, 575-580.	4.1	83
28	A Phase 1 First in Human (FIH) Study of AMG 701, an Anti-B-Cell Maturation Antigen (BCMA) Half-Life Extended (HLE) BiTEÃ“ (bispecific T-cell engager) Molecule, in Relapsed/Refractory (RR) Multiple Myeloma (MM). <i>Blood</i> , 2020, 136, 28-29.	1.4	83
29	LocoMMotion: a prospective, non-interventional, multinational study of real-life current standards of care in patients with relapsed and/or refractory multiple myeloma. <i>Leukemia</i> , 2022, 36, 1371-1376.	7.2	81
30	Improved survival after acute graft- <i>-host disease diagnosis in the modern era. <i>Haematologica</i> , 2017, 102, 958-966.	3.5	79
31	Effect of leukocyte compatibility on neutrophil increment after transfusion of granulocyte colony-stimulating factorâ€“mobilized prophylactic granulocyte transfusions and on clinical outcomes after stem cell transplantation. <i>Blood</i> , 2000, 95, 3605-3612.	1.4	69
32	Pharmacokinetics and Safety of Elotuzumab Combined With Lenalidomide and Dexamethasone in Patients With Multiple Myeloma and Various Levels of Renal Impairment: Results of a Phase Ib Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, 129-138.	0.4	68
33	Co-evolution of tumor and immune cells during progression of multiple myeloma. <i>Nature Communications</i> , 2021, 12, 2559.	12.8	68
34	Phase 1/2 study of cyclin-dependent kinase (CDK)4/6 inhibitor palbociclib (PD-0332991) with bortezomib and dexamethasone in relapsed/refractory multiple myeloma. <i>Leukemia and Lymphoma</i> , 2015, 56, 3320-3328.	1.3	67
35	Mobilization of allogeneic peripheral blood stem cell donors with intravenous plerixafor mobilizes a unique graft. <i>Blood</i> , 2017, 129, 2680-2692.	1.4	66
36	Impact of Pretransplant Therapy and Depth of Disease Response before Autologous Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 335-341.	2.0	64

#	ARTICLE	IF	CITATIONS
37	Autologous transplantation versus allogeneic transplantation in patients with follicular lymphoma experiencing early treatment failure. <i>Cancer</i> , 2018, 124, 2541-2551.	4.1	61
38	Phase 1b trial of pembrolizumab monotherapy for relapsed/refractory multiple myeloma: <sc>KEYNOTE</sc>®13. <i>British Journal of Haematology</i> , 2019, 186, e41-e44.	2.5	59
39	Carfilzomib, lenalidomide, and dexamethasone plus transplant in newly diagnosed multiple myeloma. <i>Blood</i> , 2020, 136, 2513-2523.	1.4	56
40	Reduced-Intensity Allografting as First Transplantation Approach in Relapsed/Refractory Grades One and Two Follicular Lymphoma Provides Improved Outcomes in Long-Term Survivors. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2091-2099.	2.0	55
41	Deep Sequencing Reveals Myeloma Cells in Peripheral Blood in Majority of Multiple Myeloma Patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, 131-139.e1.	0.4	54
42	Comparison of Autologous Hematopoietic Cell Transplant (autoHCT), Bortezomib, Lenalidomide (Len) and Dexamethasone (RVD) Consolidation with Len Maintenance (ACM), Tandem Autohct with Len Maintenance (TAM) and Autohct with Len Maintenance (AM) for up-Front Treatment of Patients with Multiple Myeloma (MM): Primary Results from the Randomized Phase III Trial of the Blood and Marrow Transplant Clinical Trials Network (BMT CTN 0702 - StaMINA Trial). <i>Blood</i> , 2016, 128, LBA-1-LBA-1.	1.4	52
43	Tumor microenvironment-targeted nanoparticles loaded with bortezomib and ROCK inhibitor improve efficacy in multiple myeloma. <i>Nature Communications</i> , 2020, 11, 6037.	12.8	51
44	Comparison of Outcomes after Peripheral Blood Haploidentical versus Matched Unrelated Donor Allogeneic Hematopoietic Cell Transplantation in Patients with Acute Myeloid Leukemia: A Retrospective Single-Center Review. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1696-1701.	2.0	50
45	Phase I/II study of the novel proteasome inhibitor delanzomib (CEP-18770) for relapsed and refractory multiple myeloma. <i>Leukemia and Lymphoma</i> , 2017, 58, 1872-1879.	1.3	50
46	Preclinical Development of CD38-Targeted [ <sup>89</sup> Zr]Zr-DFO-Daratumumab for Imaging Multiple Myeloma. <i>Journal of Nuclear Medicine</i> , 2018, 59, 216-222.	5.0	50
47	Alemtuzumab can be Incorporated Into Front-Line Therapy of Adult Acute Lymphoblastic Leukemia (ALL): Final Phase I Results of a Cancer and Leukemia Group B Study (CALGB 10102).. <i>Blood</i> , 2009, 114, 838-838.	1.4	50
48	Socioeconomic status is independently associated with overall survival in patients with multiple myeloma. <i>Leukemia and Lymphoma</i> , 2015, 56, 2643-2649.	1.3	47
49	IgM myeloma: A multicenter retrospective study of 134 patients. <i>American Journal of Hematology</i> , 2017, 92, 746-751.	4.1	45
50	Haploidentical Hematopoietic Cell Transplant with Post-Transplant Cyclophosphamide and Peripheral Blood Stem Cell Grafts in Older Adults with Acute Myeloid Leukemia or Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1736-1743.	2.0	44
51	Initial Results of a Phase I Study of TNB-383B, a BCMA x CD3 Bispecific T-Cell Redirecting Antibody, in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 43-44.	1.4	44
52	Geriatric Assessment in Older Adults with Multiple Myeloma. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 987-991.	2.6	42
53	A multiple myeloma-specific capture sequencing platform discovers novel translocations and frequent, risk-associated point mutations in IGLL5. <i>Blood Cancer Journal</i> , 2018, 8, 35.	6.2	41
54	Proteasome Inhibitors Evoke Latent Tumor Suppression Programs in Pro-B MLL Leukemias through MLL-AF4. <i>Cancer Cell</i> , 2014, 25, 530-542.	16.8	40

#	ARTICLE	IF	CITATIONS
55	Carfilzomib, lenalidomide, and low-dose dexamethasone in elderly patients with newly diagnosed multiple myeloma. <i>Haematologica</i> , 2014, 99, e162-e164.	3.5	39
56	New Approaches to Molecular Imaging of Multiple Myeloma. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1-4.	5.0	39
57	T Cell-Replete Peripheral Blood Haploidentical Hematopoietic Cell Transplantation with Post-Transplantation Cyclophosphamide Results in Outcomes Similar to Transplantation from Traditionally Matched Donors in Active Disease Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 648-653.	2.0	38
58	Final Results of a Phase 2 Trial of Extended Treatment (tx) with Carfilzomib (CFZ), Lenalidomide (LEN), and Dexamethasone (KRd) Plus Autologous Stem Cell Transplantation (ASCT) in Newly Diagnosed Multiple Myeloma (NDMM). <i>Blood</i> , 2016, 128, 675-675.	1.4	38
59	Allotransplantation for Patients Age $\geq 40$ Years with Non-Hodgkin Lymphoma: Encouraging Progression-Free Survival. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 960-968.	2.0	37
60	A dose-finding Phase 2 study of single agent isatuximab (anti-CD38 mAb) in relapsed/refractory multiple myeloma. <i>Leukemia</i> , 2020, 34, 3298-3309.	7.2	37
61	A Phase Ib/II Study of Oprozomib in Patients with Advanced Multiple Myeloma and Waldenström Macroglobulinemia. <i>Clinical Cancer Research</i> , 2019, 25, 4907-4916.	7.0	36
62	A Phase 1 First-in-Human Study of Tnb-383B, a BCMA x CD3 Bispecific T-Cell Redirecting Antibody, in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2021, 138, 900-900.	1.4	36
63	Chemotherapy versus Hypomethylating Agents for the Treatment of Relapsed Acute Myeloid Leukemia and Myelodysplastic Syndrome after Allogeneic Stem Cell Transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1324-1329.	2.0	35
64	Comparative Analysis of Calcineurin Inhibitor-Based Methotrexate and Mycophenolate Mofetil-Containing Regimens for Prevention of Graft-versus-Host Disease after Reduced-Intensity Conditioning Allogeneic Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 73-85.	2.0	35
65	Risk Factors for Graft-versus-Host Disease in Haploidentical Hematopoietic Cell Transplantation Using Post-Transplant Cyclophosphamide. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1459-1468.	2.0	35
66	Donor CMV serostatus has no impact on CMV viremia or disease when prophylactic granulocyte transfusions are given following allogeneic peripheral blood stem cell transplantation. <i>Blood</i> , 2003, 101, 2067-2069.	1.4	34
67	Long-Term Survival after Transplantation of Unrelated Donor Peripheral Blood or Bone Marrow Hematopoietic Cells for Hematologic Malignancy. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 55-59.	2.0	34
68	Interim Analysis Of The Mmrf Commpass Trial, a Longitudinal Study In Multiple Myeloma Relating Clinical Outcomes To Genomic and Immunophenotypic Profiles. <i>Blood</i> , 2013, 122, 532-532.	1.4	34
69	Effect of Postremission Therapy before Reduced-Intensity Conditioning Allogeneic Transplantation for Acute Myeloid Leukemia in First Complete Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 202-208.	2.0	33
70	Ibrutinib alone or with dexamethasone for relapsed or relapsed and refractory multiple myeloma: phase 2 trial results. <i>British Journal of Haematology</i> , 2018, 180, 821-830.	2.5	32
71	Relapse and Disease-Free Survival in Patients With Myelodysplastic Syndrome Undergoing Allogeneic Hematopoietic Cell Transplantation Using Older Matched Sibling Donors vs Younger Matched Unrelated Donors. <i>JAMA Oncology</i> , 2022, 8, 404.	7.1	32
72	Phase I study of azacitidine following donor lymphocyte infusion for relapsed acute myeloid leukemia post allogeneic stem cell transplantation. <i>Leukemia Research</i> , 2016, 49, 1-6.	0.8	31

#	ARTICLE	IF	CITATIONS
73	Evolution and structure of clinically relevant gene fusions in multiple myeloma. <i>Nature Communications</i> , 2020, 11, 2666.	12.8	31
74	Phase III Intergroup Study of Lenalidomide Versus Placebo Maintenance Therapy Following Single Autologous Hematopoietic Stem Cell Transplantation (AHSCT) for Multiple Myeloma: CALGB 100104. <i>Blood</i> , 2010, 116, 37-37.	1.4	31
75	Treating Multiple Myeloma Patients With Oral Therapies. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 243-251.	0.4	30
76	Bones in Multiple Myeloma: Imaging and Therapy. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2018, 38, 638-646.	3.8	30
77	Clinical activity of carfilzomib correlates with inhibition of multiple proteasome subunits: application of a novel pharmacodynamic assay. <i>British Journal of Haematology</i> , 2016, 173, 884-895.	2.5	29
78	Prognostic Validation of SKY92 and Its Combination With ISS in an Independent Cohort of Patients With Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 555-562.	0.4	28
79	Nanoparticle T-cell engagers as a modular platform for cancer immunotherapy. <i>Leukemia</i> , 2021, 35, 2346-2357.	7.2	28
80	Azacitidine in Lower-Risk Myelodysplastic Syndromes: A Meta-Analysis of Data from Prospective Studies. <i>Oncologist</i> , 2018, 23, 159-170.	3.7	27
81	Whole Genome Sequence of Multiple Myeloma-Prone C57BL/KaLwRij Mouse Strain Suggests the Origin of Disease Involves Multiple Cell Types. <i>PLoS ONE</i> , 2015, 10, e0127828.	2.5	26
82	A Phase II Multicenter Study of the Addition of Azacitidine to Reduced-Intensity Conditioning Allogeneic Transplant for High-Risk Myelodysplasia (and Older Patients with Acute Myeloid Leukemia): Results of CALGB 100801 (Alliance). <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1984-1992.	2.0	25
83	Treatment Advances for Multiple Myeloma Have Disproportionally Benefited Patients Who Are Young, White, and Have Higher Socioeconomic Status. <i>Blood</i> , 2014, 124, 555-555.	1.4	24
84	Personalization of cancer treatment using predictive simulation. <i>Journal of Translational Medicine</i> , 2015, 13, 43.	4.4	23
85	Secondary plasma cell leukemia: a multicenter retrospective study of 101 patients. <i>Leukemia and Lymphoma</i> , 2019, 60, 118-123.	1.3	23
86	Measuring cardiopulmonary complications of carfilzomib treatment and associated risk factors using the SEER Medicare database. <i>Cancer</i> , 2020, 126, 808-813.	4.1	23
87	Impact of cytogenetic abnormalities on outcomes of adult Philadelphia-negative acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation: a study by the Acute Leukemia Working Committee of the Center for International Blood and Marrow Transplant Research. <i>Haematologica</i> , 2020, 105, 1329-1338.	3.5	23
88	Clonal Evolution in Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, S130-S134.	0.4	21
89	Results from a Phase II Study of Isatuximab As a Single Agent and in Combination with Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2018, 132, 155-155.	1.4	21
90	Clinical Profile of Single-Agent Oprozomib in Patients (Pts) with Multiple Myeloma (MM): Updated Results from a Multicenter, Open-Label, Dose Escalation Phase 1b/2 Study. <i>Blood</i> , 2014, 124, 34-34.	1.4	21

#	ARTICLE	IF	CITATIONS
91	Selinexor and Low Dose Dexamethasone (Sd) in Patients with Lenalidomide, Pomalidomide, Bortezomib, Carfilzomib and Anti-CD38 Ab Refractory Multiple Myeloma (MM): STORM Study. <i>Blood</i> , 2016, 128, 491-491.	1.4	21
92	A <scp>CD</scp>138â€independent strategy to detect minimal residual disease and circulating tumour cells in multiple myeloma. <i>British Journal of Haematology</i> , 2016, 173, 70-81.	2.5	20
93	First-in-Human Phase I Study of ABBV-838, an Antibodyâ€Drug Conjugate Targeting SLAMF7/CS1 in Patients with Relapsed and Refractory Multiple Myeloma. <i>Clinical Cancer Research</i> , 2020, 26, 2308-2317.	7.0	20
94	Overall survival of patients with tripleâ€class refractory multiple myeloma treated with selinexor plus dexamethasone vs standard of care in <scp>MAMMOTH</scp>. <i>American Journal of Hematology</i> , 2021, 96, E5-E8.	4.1	20
95	Final Results from a Multicenter, Open-Label, Dose-Escalation Phase 1b/2 Study of Single-Agent Oprozomib in Patients with Hematologic Malignancies. <i>Blood</i> , 2016, 128, 2110-2110.	1.4	20
96	Results of a Prospective Randomized, Open-Label, Noninferiority Study of Tbo-Filgrastim (Granix) versus Filgrastim (Neupogen) in Combination with Plerixafor for Autologous Stem Cell Mobilization in Patients with Multiple Myeloma and Non-Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 2065-2069.	2.0	19
97	Maintenance versus Induction Therapy Choice on Outcomes after Autologous Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 269-277.	2.0	19
98	A Phase Ib Dose Escalation Trial of SAR650984 (Anti-CD-38 mAb) in Combination with Lenalidomide and Dexamethasone in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2014, 124, 83-83.	1.4	19
99	A Meta-analysis of Multiple Myeloma Risk Regions in African and European Ancestry Populations Identifies Putatively Functional Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1609-1618.	2.5	18
100	Randomized study of continuous high-dose lenalidomide, sequential azacitidine and lenalidomide, or azacitidine in persons 65 years and over with newly-diagnosed acute myeloid leukemia. <i>Haematologica</i> , 2018, 103, 101-106.	3.5	18
101	Next Generation Sequencing-based Validation of the Revised International Staging System for Multiple Myeloma: An Analysis of the MMRF CoMMpass Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 285-289.	0.4	17
102	VLA4-Targeted Nanoparticles Hijack Cell Adhesionâ€Mediated Drug Resistance to Target Refractory Myeloma Cells and Prolong Survival. <i>Clinical Cancer Research</i> , 2021, 27, 1974-1986.	7.0	17
103	Impact of elotuzumab treatment on pain and health-related quality of life in patients with relapsed or refractory multiple myeloma: results from the ELOQUENT-2 study. <i>Annals of Hematology</i> , 2018, 97, 2455-2463.	1.8	16
104	Selinexor combined with cladribine, cytarabine, and filgrastim in relapsed or refractory acute myeloid leukemia. <i>Haematologica</i> , 2020, 105, e404-e407.	3.5	16
105	PX-171-004, An Ongoing Open-Label, Phase II Study of Single-Agent Carfilzomib (CFZ) in Patients with Relapsed or Refractory Myeloma (MM); Updated Results From the Bortezomib-Treated Cohort.. <i>Blood</i> , 2009, 114, 303-303.	1.4	16
106	A Phase 2 Study of Elotuzumab (Elo) in Combination with Lenalidomide and Low-Dose Dexamethasone (Ld) in Patients (pts) with Relapsed/Refractory Multiple Myeloma (R/R MM): Updated Results. <i>Blood</i> , 2012, 120, 202-202.	1.4	16
107	A meta-analysis of genome-wide association studies of multiple myeloma among men and women of African ancestry. <i>Blood Advances</i> , 2020, 4, 181-190.	5.2	16
108	Racial Disparities in the Utilization of Novel Agents for Frontline Treatment of Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 647-651.	0.4	15

#	ARTICLE	IF	CITATIONS
109	African Americans with translocation t(11;14) have superior survival after autologous hematopoietic cell transplantation for multiple myeloma in comparison with Whites in the United States. <i>Cancer</i> , 2021, 127, 82-92.	4.1	15
110	Phase 3 randomized trial of chemotherapy with or without oblimersen in older AML patients: CALGB 10201 (Alliance). <i>Blood Advances</i> , 2021, 5, 2775-2787.	5.2	15
111	CS1 CAR-T targeting the distal domain of CS1 (SLAMF7) shows efficacy in high tumor burden myeloma model despite fratricide of CD8+CS1 expressing CAR-T cells. <i>Leukemia</i> , 2022, 36, 1625-1634.	7.2	15
112	Re: Disparities in Utilization of Autologous Hematopoietic Cell Transplantation for Treatment of Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1153-1154.	2.0	14
113	A phase I study of carfilzomib for relapsed or refractory acute myeloid and acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2016, 57, 728-730.	1.3	14
114	Impact of T Cell Dose on Outcome of T Cell-Replete HLA-Matched Allogeneic Peripheral Blood Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1875-1883.	2.0	14
115	A Phase I/II Trial of Carfilzomib, Pegylated Liposomal Doxorubicin, and Dexamethasone for the Treatment of Relapsed/Refractory Multiple Myeloma. <i>Clinical Cancer Research</i> , 2019, 25, 3776-3783.	7.0	14
116	A Personalized Prediction Model for Outcomes after Allogeneic Hematopoietic Cell Transplant in Patients with Myelodysplastic Syndromes. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 2139-2146.	2.0	14
117	Initial Results of PX-171-003, An Open-Label, Single-Arm, Phase II Study of Carfilzomib (CFZ) in Patients with Relapsed and Refractory Multiple Myeloma (MM). <i>Blood</i> , 2008, 112, 864-864.	1.4	14
118	Targeted treatments for multiple myeloma: specific role of carfilzomib. <i>Pharmacogenomics and Personalized Medicine</i> , 2015, 8, 23.	0.7	13
119	Multiple myeloma in patients up to 30 years of age: a multicenter retrospective study of 52 cases. <i>Leukemia and Lymphoma</i> , 2019, 60, 471-476.	1.3	13
120	The Role of Donor Lymphocyte Infusion (DLI) in Post-Hematopoietic Cell Transplant (HCT) Relapse for Chronic Myeloid Leukemia (CML) in the Tyrosine Kinase Inhibitor (TKI) Era. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1137-1143.	2.0	13
121	Integrated Safety From Phase 2 Studies of Monotherapy Carfilzomib in Patients with Relapsed and Refractory Multiple Myeloma (MM): An Updated Analysis. <i>Blood</i> , 2011, 118, 1876-1876.	1.4	13
122	Hematologic Recovery after Pretransplant Chemotherapy Does Not Influence Survival after Allogeneic Hematopoietic Cell Transplantation in Acute Myeloid Leukemia Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1425-1430.	2.0	12
123	Development of an Algorithm to Distinguish Smoldering Versus Symptomatic Multiple Myeloma in Claims-Based Data Sets. <i>JCO Clinical Cancer Informatics</i> , 2017, 1, 1-8.	2.1	12
124	The efficacy of salvage autologous stem cell transplant among patients with multiple myeloma who received maintenance therapy post initial transplant. <i>Bone Marrow Transplantation</i> , 2018, 53, 1483-1486.	2.4	12
125	The characteristics, treatment patterns, and outcomes of older adults aged 80 and over with multiple myeloma. <i>Journal of Geriatric Oncology</i> , 2020, 11, 1274-1278.	1.0	12
126	DCEP and bendamustine/prednisone as salvage therapy for quad- and penta-refractory multiple myeloma. <i>Annals of Hematology</i> , 2020, 99, 1041-1048.	1.8	12



#	ARTICLE	IF	CITATIONS
127	Initial Results of PX-171-004, An Open-Label, Single-Arm, Phase II Study of Carfilzomib (CFZ) in Patients with Relapsed Myeloma (MM). <i>Blood</i> , 2008, 112, 865-865.	1.4	12
128	Results of PX-171-003-A1, An Open-Label, Single-Arm, Phase 2 (Ph 2) Study of Carfilzomib (CFZ) In Patients (pts) with Relapsed and Refractory Multiple Myeloma (MM). <i>Blood</i> , 2010, 116, 985-985.	1.4	12
129	Predictors Of Treatment Outcome With The Combination Of Carfilzomib, Lenalidomide, and Low-Dose Dexamethasone (CRd) In Newly Diagnosed Multiple Myeloma (NDMM). <i>Blood</i> , 2013, 122, 3220-3220.	1.4	12
130	Molecular Predictors of Outcome and Drug Response in Multiple Myeloma: An Interim Analysis of the Mmrf CoMMpass Study. <i>Blood</i> , 2016, 128, 194-194.	1.4	12
131	Ablation of VLA4 in multiple myeloma cells redirects tumor spread and prolongs survival. <i>Scientific Reports</i> , 2022, 12, 30.	3.3	12
132	A study of high-dose lenalidomide induction and low-dose lenalidomide maintenance therapy for patients with hypomethylating agent refractory myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2016, 57, 2535-2540.	1.3	11
133	Propensity score matching analysis to evaluate the comparative effectiveness of daratumumab versus real-world standard of care therapies for patients with heavily pretreated and refractory multiple myeloma. <i>Leukemia and Lymphoma</i> , 2019, 60, 163-171.	1.3	11
134	Allogeneic transplantation in elderly patients ≥65 years with non-Hodgkin lymphoma: a time-trend analysis. <i>Blood Cancer Journal</i> , 2019, 9, 97.	6.2	11
135	Carfilzomib (CFZ), a Novel Proteasome Inhibitor for Relapsed or Refractory Multiple Myeloma, Is Associated with Minimal Peripheral Neuropathic Effects.. <i>Blood</i> , 2009, 114, 430-430.	1.4	11
136	Epoxyketone-Based Proteasome Inhibitors Carfilzomib and Orally Bioavailable ONX 0912 Have Anti-Resorptive and Bone-Anabolic Activity in Addition to Anti-Myeloma Effects. <i>Blood</i> , 2011, 118, 2906-2906.	1.4	11
137	Pomalidomide (POM) with Low-Dose Dexamethasone (LoDex) in Patients (Pts) with Relapsed and Refractory Multiple Myeloma Who Have Received Prior Therapy with Lenalidomide (LEN) and Bortezomib (BORT): Updated Phase 2 Results and Age Subgroup Analysis. <i>Blood</i> , 2012, 120, 450-450.	1.4	11
138	Ibrutinib, Single Agent or in Combination with Dexamethasone, in Patients with Relapsed or Relapsed/Refractory Multiple Myeloma (MM): Preliminary Phase 2 Results. <i>Blood</i> , 2014, 124, 31-31.	1.4	11
139	Safety and Efficacy of Venetoclax (ABT-199/GDC-0199) Monotherapy for Relapsed/Refractory Multiple Myeloma: Phase 1 Preliminary Results. <i>Blood</i> , 2015, 126, 4219-4219.	1.4	11
140	Pomalidomide (POM) with or without low-dose dexamethasone (LoDEX) in patients (pts) with relapsed/refractory multiple myeloma (RRMM): Outcomes in pts refractory to lenalidomide (LEN) and/or bortezomib (BORT).. <i>Journal of Clinical Oncology</i> , 2012, 30, 8016-8016.	1.6	11
141	POEMS Syndrome: Real World Experience in Diagnosis and Systemic Therapy - 108 Patients Multicenter Analysis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 297-304.	0.4	11
142	Population Pharmacokinetics and Exposure-Response Relationship of Carfilzomib in Patients With Multiple Myeloma. <i>Journal of Clinical Pharmacology</i> , 2017, 57, 663-677.	2.0	10
143	Subsequent Treatment Outcomes of Multiple Myeloma Refractory to CD38-Monoclonal Antibody Therapy. <i>Blood</i> , 2018, 132, 2015-2015.	1.4	10
144	Ixazomib or Lenalidomide Maintenance Following Autologous Stem Cell Transplantation and Ixazomib, Lenalidomide, and Dexamethasone (IRD) Consolidation in Patients with Newly Diagnosed Multiple Myeloma: Results from a Large Multi-Center Randomized Phase II Trial. <i>Blood</i> , 2019, 134, 602-602.	1.4	10

#	ARTICLE	IF	CITATIONS
145	Phase I Study of Panobinostat Plus Decitabine In Elderly Patients with Advanced MDS or AML. Blood, 2010, 116, 1060-1060.	1.4	10
146	Multivariate Modelling Reveals Evidence of a Dose-Response Relationship in Phase 2 Studies of Single-Agent Carfilzomib. Blood, 2011, 118, 1877-1877.	1.4	10
147	The mutational landscape in chronic myelomonocytic leukemia and its impact on allogeneic hematopoietic cell transplantation outcomes: a Center for Blood and Marrow Transplantation Research (CIBMTR) analysis. Haematologica, 2023, 108, 150-160.	3.5	10
148	Newly Diagnosed Myeloma in 2020. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2020, 40, e144-e158.	3.8	9
149	Randomized, Open Label Phase 1/2 Study of Pomalidomide (POM) Alone or in Combination with Low-Dose Dexamethasone (LoDex) in Patients (Pts) with Relapsed and Refractory Multiple Myeloma Who Have Received Prior Treatment That Includes Lenalidomide (LEN) and Bortezomib (BORT): Phase 2 Results. Blood, 2011, 118, 634-634.	1.4	9
150	Phase II Study of Propylene Glycol-Free Melphalan Combined with Carmustine, Etoposide, and Cytarabine for Myeloablative Conditioning in Lymphoma Patients Undergoing Autologous Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2016, 22, 2155-2158.	2.0	8
151	Variability in Cytogenetic Testing for Multiple Myeloma: A Comprehensive Analysis From Across the United States. JCO Oncology Practice, 2020, 16, e1169-e1180.	2.9	8
152	Quality of life analyses in patients with multiple myeloma: results from the Selinexor (KPT-330) Treatment of Refractory Myeloma (STORM) phase 2b study. BMC Cancer, 2021, 21, 993.	2.6	8
153	Mobilization and Chemosensitization of AML with the CXCR4 Antagonist Plerixafor (AMD3100): A Phase I/II Study of AMD3100+MEC in Patients with Relapsed or Refractory Disease.. Blood, 2008, 112, 1944-1944.	1.4	8
154	Phase 1/2 Study of Elotuzumab in Combination with Lenalidomide and Low Dose Dexamethasone in Relapsed or Refractory Multiple Myeloma: Interim Results.. Blood, 2009, 114, 432-432.	1.4	8
155	A Phase 2 Study of Elotuzumab in Combination with Lenalidomide and Low-Dose Dexamethasone in Patients with Relapsed/Refractory Multiple Myeloma. Blood, 2011, 118, 303-303.	1.4	8
156	Survival after T-Cell Replete Haplo-Identical Related Donor Transplant Using Post-Transplant Cyclophosphamide Compared with Matched Unrelated Donor Transplant for Acute Myeloid Leukemia. Blood, 2014, 124, 679-679.	1.4	8
157	Lack of a Prognostic Impact of the MyD88 L265P Mutation for Diffuse Large B Cell Lymphoma Patients Undergoing Autologous Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2017, 23, 2199-2204.	2.0	7
158	Similar survival outcomes in patients with biclonal versus monoclonal myeloma: a multi-institutional matched case-control study. Annals of Hematology, 2017, 96, 1693-1698.	1.8	7
159	EZH2 Overexpression in Multiple Myeloma: Prognostic Value, Correlation With Clinical Characteristics, and Possible Mechanisms. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, 744-750.	0.4	7
160	Health related quality of life for multiple myeloma patients according to treatment strategy after autologous stem cell transplant: a cross-sectional study using EORTC, EQ-5D and MY-20 scales. Leukemia and Lymphoma, 2019, 60, 1275-1282.	1.3	7
161	Cost differential associated with hospice use among older patients with multiple myeloma. Journal of Geriatric Oncology, 2020, 11, 88-92.	1.0	7
162	Renal failure among multiple myeloma patients utilizing carfilzomib and associated factors in the real world. Annals of Hematology, 2021, 100, 1261-1266.	1.8	7

#	ARTICLE	IF	CITATIONS
163	HLA-Matched Sibling Donor Stem Cell Mobilization Can Be Safely and Effectively Reduced from a Five Day to a One Day Process by a Direct Antagonist of the CXCR4/SDF-1 Interaction.. Blood, 2006, 108, 53-53.	1.4	7
164	Phase I venetoclax monotherapy for relapsed/refractory multiple myeloma.. Journal of Clinical Oncology, 2016, 34, 8032-8032.	1.6	7
165	Relationship Between Carfilzomib Dose and Efficacy Outcomes in Patients With Relapsed and/or Refractory Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 680-686.	0.4	6
166	A Phase I Study of the Safety and Feasibility of Bortezomib in Combination With G-CSF for Stem Cell Mobilization in Patients With Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e588-e593.	0.4	6
167	Primary refractory multiple myeloma: a real-world experience with 85 cases. Leukemia and Lymphoma, 2020, 61, 2868-2875.	1.3	6
168	LocoMMotion: A prospective, non-interventional, multinational study of real-life current standards of care in patients with relapsed/refractory multiple myeloma (RRMM) receiving $\geq 3$ prior lines of therapy.. Journal of Clinical Oncology, 2021, 39, 8041-8041.	1.6	6
169	A pilot study of 3D tissue-engineered bone marrow culture as a tool to predict patient response to therapy in multiple myeloma. Scientific Reports, 2021, 11, 19343.	3.3	6
170	Ixazomib-Lenalidomide-Dexamethasone (IRd) Consolidation Following Autologous Stem Cell Transplantation in Patients with Newly Diagnosed Multiple Myeloma: A Large Multi-Center Phase II Trial. Blood, 2018, 132, 123-123.	1.4	6
171	Bortezomib (Velcade) When Given Pretransplant and Once Weekly as Consolidation Therapy Following High Dose Chemotherapy (HDCT) Leads to High Rates of Reactivation of Varicella Zoster Virus (VZV).. Blood, 2005, 106, 3237-3237.	1.4	6
172	Updated Results of Bortezomib-Naïve Patients in PX-171-004, An Ongoing Open-Label, Phase II Study of Single-Agent Carfilzomib (CFZ) in Patients with Relapsed or Refractory Myeloma (MM).. Blood, 2009, 114, 302-302.	1.4	6
173	Phase I Study of Carfilzomib in Patients (Pts) with Relapsed and Refractory Multiple Myeloma (MM) and Varying Degrees of Renal Insufficiency.. Blood, 2009, 114, 3877-3877.	1.4	6
174	Pooled Safety Analysis From Phase (Ph) 1 and 2 Studies of Carfilzomib (CFZ) In Patients with Relapsed and/or Refractory Multiple Myeloma (MM). Blood, 2010, 116, 1954-1954.	1.4	6
175	Elotuzumab In Combination with Lenalidomide and Dexamethasone In Patients with Relapsed Multiple Myeloma: Interim Results of a Phase 2 Study. Blood, 2010, 116, 986-986.	1.4	6
176	The Speed of Response to Single-Agent Carfilzomib in Patients with Relapsed and/or Refractory Multiple Myeloma: An Exploratory Analysis of Results From 2 Multicenter Phase 2 Clinical Trials,. Blood, 2011, 118, 3969-3969.	1.4	6
177	Final Results of a Frontline Phase 1/2 Study of Carfilzomib, Lenalidomide, and Low-Dose Dexamethasone (CRd) in Multiple Myeloma (MM). Blood, 2011, 118, 631-631.	1.4	6
178	Prognostic and Predictive Gene Expression Profiling (GEP) Markers Confirmed in Carfilzomib, Lenalidomide, and Dexamethasone (KRd) Treated Newly Diagnosed Multiple Myeloma (NDMM) Patients (Pts). Blood, 2014, 124, 2141-2141.	1.4	6
179	CALGB 100801 (Alliance): A Phase II Multi-Center NCI Cooperative Group Study of the Addition of Azacitidine (AZA) to Reduced-Intensity Conditioning (RIC) Allogeneic Transplantation for High Risk Myelodysplasia (MDS) and Older Patients with Acute Myeloid Leukemia (AML): Results of a $\text{â€œtest doseâ€}$ Strategy to Target Busulfan Exposure. Blood, 2014, 124, 543-543.	1.4	6
180	Waldenstrom's Macroglobulinemia: A SEER Database Review From 1981-2005.. Blood, 2009, 114, 2926-2926.	1.4	6

#	ARTICLE	IF	CITATIONS
181	A Retrospective Review of Response to Donor Leukocyte Infusions In Adults with Acute Myeloid Leukemia After Reduced Intensity Conditioned Allogeneic Hematopoietic Cell Transplantation.. Blood, 2010, 116, 4512-4512.	1.4	6
182	Phase I/II Study of Intravenous Plerixafor Added to a Mobilization Regimen of Granulocyte Colony-Stimulating Factor in Lymphoma Patients Undergoing Autologous Stem Cell Collection. Biology of Blood and Marrow Transplantation, 2017, 23, 1282-1289.	2.0	5
183	Long-Term Follow-up of CALGB (Alliance) 100001: Autologous Followed by Nonmyeloablative Allogeneic Transplant for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2020, 26, 1414-1424.	2.0	5
184	A Phase I/II Study of Chemosensitization with the CXCR4 Antagonist Plerixafor in Relapsed or Refractory AML.. Blood, 2009, 114, 787-787.	1.4	5
185	Baseline Peripheral Neuropathy Does Not Impact the Efficacy and Tolerability of the Novel Proteasome Inhibitor Carfilzomib (CFZ): Results of a Subset Analysis of a Phase 2 Trial In Patients with Relapsed and Refractory Multiple Myeloma (R/R MM). Blood, 2010, 116, 3031-3031.	1.4	5
186	A Phase I Study of PD 0332991: Complete CDK4/6 Inhibition and Tumor Response In Sequential Combination with Bortezomib and Dexamethasone for Relapsed and Refractory Multiple Myeloma. Blood, 2010, 116, 860-860.	1.4	5
187	Carfilzomib, Lenalidomide, and Dexamethasone In Newly Diagnosed Multiple Myeloma: Initial Results of Phase I/II MMRC Trial. Blood, 2010, 116, 862-862.	1.4	5
188	Final Results of the Phase I/II Trial of Weekly Bortezomib In Combination with Temsirolimus (CCI-779) In Relapsed or Relapsed/Refractory Multiple Myeloma Specifically In Patients Refractory to Bortezomib. Blood, 2010, 116, 990-990.	1.4	5
189	An Ongoing, Observational Cohort Study in Multiple Myeloma (PREAMBLE): Preliminary Efficacy Analyses in Patients with 1 Line of Prior Therapy. Blood, 2016, 128, 2403-2403.	1.4	5
190	Multiple Myeloma Patients Ineligible for Randomized Controlled Trials Have Poorer Outcomes Irrespective of Treatment. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, e363-e364.	0.4	4
191	A Mixed-Methods Study of Stem Cell Transplantation Utilization for Newly Diagnosed Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e521-e525.	0.4	4
192	Impact of a 40-Gene Targeted Panel Test on Physician Decision Making for Patients With Acute Myeloid Leukemia. JCO Precision Oncology, 2021, 5, 191-203.	3.0	4
193	A Phase II Study of High Dose Lenalidomide as Initial Therapy for Acute Myeloid Leukemia in Patients > 60 Years Old.. Blood, 2009, 114, 842-842.	1.4	4
194	Long-Term Treatment and Tolerability of the Novel Proteasome Inhibitor Carfilzomib (CFZ) In Patients with Relapsed and/or Refractory Multiple Myeloma (R/R MM). Blood, 2010, 116, 1953-1953.	1.4	4
195	Final Results From the Bortezomib-naïve Group of PX-171-004, a Phase 2 Study of Single-Agent Carfilzomib in Patients with Relapsed and/or Refractory MM. Blood, 2011, 118, 813-813.	1.4	4
196	Updated Results from a Phase 2 Extension Study of Patients with Multiple Myeloma or Solid Tumors Previously Enrolled in Carfilzomib Company-Sponsored Phase 1 and 2 Clinical Trials (PX-171-010). Blood, 2014, 124, 2134-2134.	1.4	4
197	Carfilzomib: High Single Agent Response Rate with Minimal Neuropathy Even In High-Risk Patients. Blood, 2010, 116, 1938-1938.	1.4	4
198	A Study of High Dose Lenalidomide Induction and Low Dose Lenalidomide Maintenance for Patients with Hypomethylating Agent Refractory MDS. Blood, 2014, 124, 1931-1931.	1.4	4

#	ARTICLE	IF	CITATIONS
199	A Phase I Study of FT538, a First-of-Kind, Off-the-Shelf, Multiplexed Engineered, iPSC-Derived NK Cell Therapy As Monotherapy in Relapsed/Refractory Acute Myelogenous Leukemia and in Combination with Daratumumab or Elotuzumab in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 3-3.	1.4	4
200	Prophylaxis Against Cytomegalovirus Infections with Oral Maribavir in Allogeneic Stem Cell Transplant Recipients: Results of a Randomized, Double-Blind, Placebo-Controlled Trial.. <i>Blood</i> , 2006, 108, 593-593.	1.4	3
201	Alkaline Phosphatase (ALP) Variation During Carfilzomib Treatment Is Associated to Best Response in Multiple Myeloma.. <i>Blood</i> , 2009, 114, 2865-2865.	1.4	3
202	A Phase II Study Of V-BEAM (Bortezomib, Carmustine, Etoposide, Cytarabine, and Melphalan) As Conditioning Regimen Prior To Second Autologous Stem Cell Transplantation For Multiple Myeloma. <i>Blood</i> , 2013, 122, 5492-5492.	1.4	3
203	A Randomized Trial of Tbo-Filgrastim Versus Filgrastim for Autologous Stem Cell Mobilization in Patients with Multiple Myeloma or Non-Hodgkin Lymphoma. <i>Blood</i> , 2015, 126, 516-516.	1.4	3
204	A phase Ib study of atezolizumab (atezo) alone or in combination with lenalidomide or pomalidomide and/or daratumumab in patients (pts) with multiple myeloma (MM).. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS8053-TPS8053.	1.6	3
205	Inhibition of HIF-1a By PX-478 Normalizes Blood Vessels, Improves Drug Delivery and Suppresses Progression and Dissemination in Multiple Myeloma. <i>Blood</i> , 2020, 136, 3-3.	1.4	3
206	Myeloma developing regimens using genomics (MyDRUG) trial: Results from the RAS mutation targeting arm.. <i>Journal of Clinical Oncology</i> , 2022, 40, 8055-8055.	1.6	3
207	Serum free light chain reduction correlates with response and progression-free survival following carfilzomib therapy in relapsed/refractory multiple myeloma. <i>Leukemia and Lymphoma</i> , 2015, 56, 2959-2961.	1.3	2
208	A phase I trial evaluating the effects of plerixafor, G-CSF, and azacitidine for the treatment of myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2021, 62, 1441-1449.	1.3	2
209	Autologous stem cell transplant for patients with multiple myeloma between ages 75 and 78. <i>Bone Marrow Transplantation</i> , 2021, 56, 2016-2018.	2.4	2
210	Evolving Paradigms of Therapy for Multiple Myeloma: State of the Art and Future Directions. <i>JCO Oncology Practice</i> , 2021, 17, 415-418.	2.9	2
211	Kinetics of Autologous Stem Cell Mobilization Failure: Comparison of AMD3100/G-CSF, G-CSF, GM-/G-CSF, and Chemotherapy/G-CSF on Remobilization Success.. <i>Blood</i> , 2006, 108, 3380-3380.	1.4	2
212	Influence of Cytogenetics in Patients with Relapsed and Refractory Multiple Myeloma (MM) Treated with Carfilzomib (CFZ).. <i>Blood</i> , 2009, 114, 1827-1827.	1.4	2
213	Elotuzumab In Combination with Lenalidomide and Low-Dose Dexamethasone In Patients with Relapsed/Refractory Multiple Myeloma: Interim Results of a Phase 1 Study. <i>Blood</i> , 2010, 116, 1936-1936.	1.4	2
214	The Multiple Myeloma Research Consortium (MMRC) Model: Reduced Time to Trial Activation and Improved Accrual Metrics.. <i>Blood</i> , 2010, 116, 3803-3803.	1.4	2
215	Geriatric Assessment in Older Adults with Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2014, 124, 1286-1286.	1.4	2
216	Pharmacokinetics and Safety of Elotuzumab in Combination with Lenalidomide and Dexamethasone in Patients with Multiple Myeloma and Various Levels of Renal Function: Results of a Phase 1b Study. <i>Blood</i> , 2014, 124, 2119-2119.	1.4	2

#	ARTICLE	IF	CITATIONS
217	The Efficacy of Salvage Autologous Stem Cell Transplant for Patients with Multiple Myeloma Who Received Maintenance Therapy Following Initial Transplant. <i>Blood</i> , 2016, 128, 3563-3563.	1.4	2
218	A randomized phase II study of elotuzumab with lenalidomide and low-dose dexamethasone in patients with relapsed/refractory multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8020-8020.	1.6	2
219	Responses and Survival Are Not Affected by Cytogenetics In Patients with Relapsed and Refractory Multiple Myeloma (R/R MM) Treated with Single-Agent Carfilzomib. <i>Blood</i> , 2010, 116, 1942-1942.	1.4	2
220	Hypoxia Induces Drug Resistance In Multiple Myeloma. <i>Blood</i> , 2013, 122, 1852-1852.	1.4	2
221	Financial Toxicity Among Patients with Multiple Myeloma. <i>Blood</i> , 2021, 138, 4027-4027.	1.4	2
222	Integrated Cytof, Scrna-Seq and Cite-Seq Analysis of Bone Marrow Immune Microenvironment in the Mmrf Compass Study. <i>Blood</i> , 2020, 136, 28-29.	1.4	2
223	D-Dimer Improves Risk Prediction of Venous Thromboembolism in Patients with Multiple Myeloma. <i>Blood</i> , 2020, 136, 26-27.	1.4	2
224	Carfilzomib in multiple myeloma. <i>Clinical Advances in Hematology and Oncology</i> , 2012, 10, 591-3.	0.3	2
225	Donor body mass index does not predict graft versus host disease following hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2018, 53, 932-937.	2.4	1
226	Lenalidomide results in a durable complete remission in acute myeloid leukemia accompanied by persistence of somatic mutations and a T-cell infiltrate in the bone marrow. <i>Haematologica</i> , 2018, 103, e270-e273.	3.5	1
227	Maintenance therapy following salvage autologous stem cell transplant in patients with multiple myeloma. <i>Bone Marrow Transplantation</i> , 2020, 55, 1188-1190.	2.4	1
228	A single center retrospective study of daratumumab, pomalidomide, and dexamethasone as 2nd-line therapy in multiple myeloma. <i>Leukemia and Lymphoma</i> , 2021, 62, 3043-3046.	1.3	1
229	Treatment Sequencing in Patients with Relapsed/Refractory Multiple Myeloma after Daratumumab Treatment: Real-World Findings from a Pooled Data Analysis of Preamble and the Mckesson Electronic Medical Record Database. <i>Blood</i> , 2018, 132, 3284-3284.	1.4	1
230	Increasing Daratumumab Frequency As a Way to Restore Responses- a Retrospective Case Study. <i>Blood</i> , 2018, 132, 5666-5666.	1.4	1
231	Quality-of-Life Outcomes in Patients with Relapsed or Refractory Multiple Myeloma Treated with Elotuzumab Plus Lenalidomide/Dexamethasone or Lenalidomide/Dexamethasone: Final Analysis of the Phase 3 ELOQUENT-2 Study. <i>Blood</i> , 2019, 134, 2190-2190.	1.4	1
232	Dramatic Resolution of HLH after Treatment with the JAK 1/2 Inhibitor, Ruxolitinib. <i>Blood</i> , 2019, 134, 2325-2325.	1.4	1
233	FLAG-IM (Fludarabine, Ara-C, G-CSF, Idarubicin, Mylotarg) Is an Effective Salvage Regimen Producing High Rates of Remission (CR+CRi) in Relapsed/Refractory AML.. <i>Blood</i> , 2007, 110, 1855-1855.	1.4	1
234	Prognostic Significance of PET Imaging in Relapsed or Refractory Classical Hodgkin Lymphoma Treated with Salvage Chemotherapy and Autologous Stem Cell Transplantation.. <i>Blood</i> , 2009, 114, 3417-3417.	1.4	1

#	ARTICLE	IF	CITATIONS
235	Decitabine for Older AML Patients: An Effective Therapy Associated with Short Hospitalization and No Invasive Fungal Infection.. Blood, 2010, 116, 1063-1063.	1.4	1
236	A Phase I Dose-Escalation Study of Combination Decitabine, Arsenic Trioxide and Ascorbic Acid In Patients with MDS and AML. Blood, 2010, 116, 2148-2148.	1.4	1
237	Phase I Study of Intravenous Plerixafor Added to a Mobilization Regimen of G-CSF In Lymphoma Patients Undergoing Autologous Stem Cell Collection. Blood, 2010, 116, 823-823.	1.4	1
238	Comorbidities Influence Survival in Patients with Multiple Myeloma. Blood, 2011, 118, 3142-3142.	1.4	1
239	Elotuzumab in Combination with Lenalidomide and Low-Dose Dexamethasone in High-Risk and/or Stage 23 Relapsed and/or Refractory Multiple Myeloma: A Retrospective Subset Analysis of the Phase 2 Study,. Blood, 2011, 118, 3968-3968.	1.4	1
240	Phase I Study of Aurora Kinase Inhibitor MLN8237 and Bortezomib in Relapsed or Refractory Multiple Myeloma. Blood, 2012, 120, 1859-1859.	1.4	1
241	Pomalidomide (POM) with Low-Dose Dexamethasone (LoDEX) in Patients with Relapsed and Refractory Multiple Myeloma (RRMM): Outcomes Based on Prior Treatment Exposure. Blood, 2012, 120, 4070-4070.	1.4	1
242	Tumor Hypoxia Promotes Dissemination and Tumor Colonization In Waldenström Macroglobulinemia. Blood, 2013, 122, 3011-3011.	1.4	1
243	Therapy Personalization Using Predictive Simulation Approach with Ex-Vivo Clinical Validations. Blood, 2014, 124, 2232-2232.	1.4	1
244	Acute Myeloid Leukemia Patients with Pre-Transplant Ablated Marrows Have Similar Rates of Survival and Relapse Compared to Patients in Complete Remission after Allogeneic Hematopoietic Cell Transplantation. Blood, 2014, 124, 2557-2557.	1.4	1
245	An Ongoing Multinational Observational Study in Multiple Myeloma (PREAMBLE): Preliminary Report on Patient Survival. Blood, 2015, 126, 2093-2093.	1.4	1
246	HLA Haplotypes Are Associated with Multiple Myeloma Risk in the African American Multiple Myeloma Study (AAMMS). Blood, 2016, 128, 3250-3250.	1.4	1
247	Imaging of Plasma Cell Dyscrasias with FDG-PET/MRI: A Single-Center Experience. Blood, 2016, 128, 5611-5611.	1.4	1
248	Synchronous and metachronous second malignancies in multiple myeloma (MM).. Journal of Clinical Oncology, 2015, 33, e19535-e19535.	1.6	1
249	Health care resource utilization (HCRU) in relapsed/refractory multiple myeloma (RRMM): Results from PREAMBLE.. Journal of Clinical Oncology, 2016, 34, 6621-6621.	1.6	1
250	Once Weekly Bortezomib (Velcade) Preserves Bone Health by a Direct Effect on Osteoclast Function Independent of Its Effect on the Malignant Plasma Cells.. Blood, 2005, 106, 3458-3458.	1.4	1
251	A Phase II Study of Intravenous Azacitidine Alone in Patients with Myelodysplastic Syndromes NCT00384956.. Blood, 2007, 110, 1451-1451.	1.4	1
252	A Phase 1 Study of Concomitant High Dose Lenalidomide and 5-Azacitidine Induction in the Treatment of Acute Myeloid Leukemia,. Blood, 2011, 118, 3616-3616.	1.4	1

#	ARTICLE	IF	CITATIONS
253	Response rates to single-agent carfilzomib in patients refractory or intolerant to both bortezomib and immunomodulators in trial PX-171-003-A1.. Journal of Clinical Oncology, 2012, 30, 8035-8035.	1.6	1
254	A New Multinational Observational Study In Multiple Myeloma: Initial Report Of The PREAMBLE Study. Blood, 2013, 122, 1964-1964.	1.4	1
255	Donor-to-Recipient Weight Ratio Is Independently Associated with CD34+ Yield in Healthy Donors Undergoing Peripheral Blood Stem Cell Collection for Allogeneic Transplantation. Blood, 2014, 124, 2456-2456.	1.4	1
256	D.C.E.P. in Patients with Quad- or Penta-Refractory Multiple Myeloma. Blood, 2018, 132, 2021-2021.	1.4	1
257	Disparities in Healthcare Resource Utilization for Multiple Myeloma. Blood, 2018, 132, 4793-4793.	1.4	1
258	Bendamustine in Patients with Quad- and Penta-Refractory Multiple Myeloma. Blood, 2018, 132, 5627-5627.	1.4	1
259	Phase II Trial of Ixazomib and Dexamethasone Versus Ixazomib, Dexamethasone and Lenalidomide, Randomized with NFKB2 Rearrangement. (Proteasome Inhibitor NFKB2 Rearrangement Driven Trial,) Tj ETQq1 1 0.784314 rgBT /Over	1.4	1
260	LocoMMotion: A Prospective, Non-Interventional, Multinational Study of Real-Life Current Standards of Care in Patients With Relapsed/Refractory Multiple Myeloma Who Received ≥3 Prior Lines of Therapy. Blood, 2021, 138, 3057-3057.	1.4	1
261	Subgroup analyses in patients with relapsed/refractory multiple myeloma (RRMM) receiving real-life current standard of care (SOC) in the LocoMMotion study.. Journal of Clinical Oncology, 2022, 40, 8031-8031.	1.6	1
262	Clofarabine: a size that fits all, may not fit all. Leukemia and Lymphoma, 2009, 50, 309-310.	1.3	0
263	A step before the next leap?. Nature Reviews Clinical Oncology, 2013, 10, 610-612.	27.6	0
264	A phase I study of thymoglobulin for relapsed or refractory multiple myeloma. Leukemia and Lymphoma, 2016, 57, 453-455.	1.3	0
265	Reduced Intensity Allografts for Acute Myeloid Leukemia: Defining the Role of Conditioning and Donor Alloreactivity.. Blood, 2004, 104, 5191-5191.	1.4	0
266	Once Daily Ganciclovir (ODG) as Initial Pre-Emptive Therapy (PT) Delayed until Threshold Viral Load ≥10,000 Copies/ml: A Safe and Effective Strategy for Post-Allogeneic Stem Cell Transplant (ASCT) Patients.. Blood, 2004, 104, 3158-3158.	1.4	0
267	Impact of Disease and Mobilizing Agents on Initial and Remobilization Failure.. Blood, 2006, 108, 5222-5222.	1.4	0
268	Coordinate Interstitial Deletion of Retinoblastoma (RB1) and Neurobeachin (NBEA) Is a Recurring Event in Multiple Myeloma.. Blood, 2007, 110, 2480-2480.	1.4	0
269	A Single-Institution Randomized Prospective Trial of Pre-Emptive Therapy with Oral Valganciclovir Compared with IV Ganciclovir for Cytomegalovirus Infection after Allogeneic Hematopoietic Stem Cell Transplant (aHSCT), Delayed until Viral Load (VL) ≥10,000 Copies/ml or ≥5,000 Copies/ml X 2. Blood, 2008, 112, 4340-4340.	1.4	0
270	Prognostic Factors Influencing Survival in Solitary Plasmacytoma: A SEER Database Analysis.. Blood, 2008, 112, 1670-1670.	1.4	0



#	ARTICLE	IF	CITATIONS
271	Azacitidine-Induced Changes in the MDS Methylome Are Associated with Clinical Responses. <i>Blood</i> , 2008, 112, 2691-2691.	1.4	0
272	Allogeneic Stem Cell Transplantation Conditioning for MDS and AML with Clofarabine, Cytarabine and ATG. <i>Blood</i> , 2008, 112, 4427-4427.	1.4	0
273	Busulfan/Fludarabine/Thymoglobulin as a Reduced Intensity Conditioning Regimen for Lymphoid Malignancies.. <i>Blood</i> , 2009, 114, 3335-3335.	1.4	0
274	Germinal Center Specific Activation of K-Ras, Common In Multiple Myeloma, Is Selected Against and Is Not Sufficient to Initiate Plasma Cell Transformation In Mice. <i>Blood</i> , 2010, 116, 137-137.	1.4	0
275	Resequencing Analysis of the Human Candidate Ras and Receptor Tyrosine Kinase Gene Family In Multiple Myeloma. <i>Blood</i> , 2010, 116, 301-301.	1.4	0
276	Phase I Study of Oral Clofarabine Consolidation in Adults Aged 60 and Older with Acute Myeloid Leukemia,. <i>Blood</i> , 2011, 118, 3633-3633.	1.4	0
277	Genomic Landscape of Immunoglobulin Light Chain (AL) Amyloidosis and Comparative Analyses with Related Malignant Plasma Cell Disorder- Multiple Myeloma. <i>Blood</i> , 2011, 118, 809-809.	1.4	0
278	The Multiple Myeloma Research Consortium (MMRC): Accelerated Start up and Accrual Metrics Speeds Drug Development. <i>Blood</i> , 2011, 118, 1024-1024.	1.4	0
279	Phase I Study of Cladribine (2-chlorodeoxyadenosine), Cytarabine and G-CSF Based Induction Therapy (CLAG) with ATRA (All-trans retinoic acid) and Midostaurin for Relapsed/Refractory AML,. <i>Blood</i> , 2011, 118, 3609-3609.	1.4	0
280	High Throughput Digital Quantification of Genomic Copy Number Alterations in Multiple Myeloma. <i>Blood</i> , 2011, 118, 1830-1830.	1.4	0
281	Stringent complete response (sCR) in patients (pts) with newly diagnosed multiple myeloma (NDMM) treated with carfilzomib (CFZ), lenalidomide (LEN), and dexamethasone (DEX).. <i>Journal of Clinical Oncology</i> , 2012, 30, 8011-8011.	1.6	0
282	A phase II randomized study of bortezomib/dexamethasone (Bort/Dex) with or without elotuzumab (Elo) in patients (pts) with relapsed/refractory multiple myeloma (RR MM) (CA204-009).. <i>Journal of Clinical Oncology</i> , 2012, 30, TPS8114-TPS8114.	1.6	0
283	Autologous stem cell transplant in older patients with multiple myeloma (MM): Analysis of the nationwide inpatient sample (NIS).. <i>Journal of Clinical Oncology</i> , 2012, 30, e18551-e18551.	1.6	0
284	Pre-Transplant Salvage Therapy Prior to Autologous Transplant (AHCT) in Patients Not Responding to Initial Induction for Multiple Myeloma (MM). <i>Blood</i> , 2012, 120, 597-597.	1.4	0
285	Rb Protects B-Lineage Hematopoietic Progenitor Cells From Oxidative Stress and Exhaustion. <i>Blood</i> , 2012, 120, 1315-1315.	1.4	0
286	A Phase I Dose Escalation Study Of Oral Bexarotene In Combination With Intravenous Decitabine In Patients With AML. <i>Blood</i> , 2013, 122, 3931-3931.	1.4	0
287	Plerixafor, G-CSF and Azacitidine For The Treatment Of MDS: Results Of a Phase I Trial. <i>Blood</i> , 2013, 122, 2816-2816.	1.4	0
288	Efficacy and Safety Of Pomalidomide Plus Low-Dose Dexamethasone In Advanced Multiple Myeloma: Results Of Randomized Phase 2 and 3 Trials (MM-002/MM-003). <i>Blood</i> , 2013, 122, 3185-3185.	1.4	0

#	ARTICLE	IF	CITATIONS
289	Inherited Loss of Samsn1 Contributes to Increased Risk of MGUS and MM through Effects on Multiple Cell Types, Including B-Cells, Transformed Myeloma Cells, and Macrophages. Blood, 2014, 124, 2075-2075.	1.4	0
290	Patient-Derived 3D Tissue-Engineered Bone Marrow Cultures Support Primary MM Growth. Blood, 2014, 124, 4705-4705.	1.4	0
291	An Ongoing Multinational Observational Study in Multiple Myeloma (PREAMBLE): Initial Assessment of Treatment Patterns in Patients with ≥6 Months Follow-up. Blood, 2014, 124, 1297-1297.	1.4	0
292	CD138-Independent Strategy for Detecting Residual and Circulating Myeloma Plasma Cells. Blood, 2014, 124, 2077-2077.	1.4	0
293	3D Tissue-Engineered Bone Marrow Cultures Induce Drug Resistance, De-Differentiation and Cytokine Expression Changes in Multiple Myeloma. Blood, 2014, 124, 2069-2069.	1.4	0
294	Front-Line Radiotherapy Is Associated with Shortened Survival in Newly Diagnosed Multiple Myeloma Patients. Blood, 2014, 124, 5696-5696.	1.4	0
295	Impact of Remission Status on Outcomes in AML Patients ≥ 60 Years of Age after Allogeneic Stem Cell Transplantation. Blood, 2014, 124, 1263-1263.	1.4	0
296	Chemotherapy Versus Hypomethylating Agents for the Treatment of Relapsed Acute Myeloid Leukemia and Myelodysplastic Syndrome Following Allogeneic Stem Cell Transplant: A Retrospective Review. Blood, 2014, 124, 3944-3944.	1.4	0
297	A Phase I Study of Carfilzomib for Relapsed or Refractory Acute Myeloid and Acute Lymphoblastic Leukemia. Blood, 2014, 124, 5292-5292.	1.4	0
298	A Phase I Study of Carfilzomib and Pegylated Liposomal Doxorubicin for Relapsed or Refractory Multiple Myeloma. Blood, 2014, 124, 4731-4731.	1.4	0
299	Remobilization with G-CSF Is Less Effective Than the Initial Mobilization in Healthy Donors Undergoing Peripheral Blood Stem Cell Collection for Allogeneic Transplantation. Blood, 2014, 124, 850-850.	1.4	0
300	Whole Genome Sequence of Multiple Myeloma-Prone C57BL/KaLwRij Mouse Strain Suggests the Origin of Disease Involves Multiple Cell Types. FASEB Journal, 2015, 29, 926.9.	0.5	0
301	A Second Generation, Multiple Myeloma-Specific, Targeted Sequencing Platform for Detecting Translocations, Copy Number Alterations, and Single Nucleotide Variants. Blood, 2015, 126, 4207-4207.	1.4	0
302	Addition of Mycophenolate Mofetil to Methotrexate and Tacrolimus Does Not Improve Gvhd Outcomes in Reduced Intensity Allogeneic Hematopoietic Cell Transplantation. Blood, 2015, 126, 3144-3144.	1.4	0
303	Phase II Study of Propylene Glycol-Free Melphalan (Evomela) Combined with Carmustine, Etoposide, and Cytarabine (BEAM) for Myeloablative Conditioning in Lymphoma Patients Undergoing Autologous Stem Cell Transplantation. Blood, 2015, 126, 3196-3196.	1.4	0
304	Next Generation Sequencing Based Revised International Staging System (R-ISS) for Multiple Myeloma. Blood, 2016, 128, 2349-2349.	1.4	0
305	Haploidentical Transplant with Peripheral Blood Hematopoietic Cell Grafts in Older Adults with AML or MDS. Blood, 2016, 128, 4658-4658.	1.4	0
306	Race Is Associated with Bortezomib but Not Lenalidomide Utilization during First-Line Treatment of Multiple Myeloma. Blood, 2017, 130, 862-862.	1.4	0

#	ARTICLE	IF	CITATIONS
307	Elotuzumab Plus Pomalidomide and Dexamethasone for Relapsed/Refractory Multiple Myeloma: Initial Data from a Phase 2, Non-Comparative Study. <i>Blood</i> , 2018, 132, 1991-1991.	1.4	0
308	Survival in Patients with Relapsed/Refractory Multiple Myeloma: Outcomes after 4 Years of the Ongoing Multinational Observational Preamble Study. <i>Blood</i> , 2018, 132, 3285-3285.	1.4	0
309	The Characteristics, Treatment Patterns, and Outcomes of Older Adults with Multiple Myeloma. <i>Blood</i> , 2018, 132, 4463-4463.	1.4	0
310	3D-Tissue Engineered Bone Marrow (3DTEBM) Culture Retrospectively Predicts Treatment Clinical Outcomes of Multiple Myeloma Patients. <i>Blood</i> , 2018, 132, 1987-1987.	1.4	0
311	Characterization of Germline Variants in Multiple Myeloma. <i>Blood</i> , 2018, 132, 4499-4499.	1.4	0
312	The Effect of Maintenance Therapy Following Salvage Autologous Stem Cell Transplant in Multiple Myeloma Patients. <i>Blood</i> , 2018, 132, 3439-3439.	1.4	0
313	Comprehensive Multi-Omics Analysis of Gene Fusions in a Large Multiple Myeloma Cohort. <i>Blood</i> , 2018, 132, 1898-1898.	1.4	0
314	Single-Cell Pathway Enrichment and Regulatory Profiling of Multiple Myeloma across Disease Stages. <i>Blood</i> , 2019, 134, 364-364.	1.4	0
315	Utilization of Autologous Stem Cell Transplantation in Older Patients with Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2019, 134, 5701-5701.	1.4	0
316	Blocking JAK1/JAK2 While Sparing JAK3 Not Only Prevents GvHD but Also Promotes Damaged Tissue Repair. <i>Blood</i> , 2019, 134, 4420-4420.	1.4	0
317	3D Tissue-Engineered Bone Marrow Culture Predicts Patient Response to Drugs in Multiple Myeloma. <i>Blood</i> , 2021, 138, 2690-2690.	1.4	0
318	Single-Cell RNA-Seq Analysis of CD138-Depleted Bone Marrow Samples Reveals Genetic Alterations and Disease Progression Correlate with Tumor and Bone Marrow Immune Microenvironment in the Mmrf Compass Study. <i>Blood</i> , 2021, 138, 2691-2691.	1.4	0
319	Phase II Trial of Ixazomib and Dexamethasone Versus Ixazomib, Dexamethasone and Lenalidomide, Randomized with NFKB2 Rearrangement. (Proteasome Inhibitor NFKB2 Rearrangement Driven Trial,) Tj ETQq1 1 0.784314 rgBT /Over	1.4	0
320	Myeloma Cell Associated Therapeutic Protein Discovery Using Single Cell RNA-Seq Data. <i>Blood</i> , 2020, 136, 4-5.	1.4	0
321	A Single Center Retrospective Analysis of Daratumumab, Pomalidomide, and Dexamethasone As a Second Line Therapy for Multiple Myeloma. <i>Blood</i> , 2020, 136, 31-32.	1.4	0
322	A Preliminary Assessment of HeterozygousCFHR3-CFHR1Deletion As a Permissive Mutation in Carfilzomib-Induced Atypical Hemolytic Uremic Syndrome. <i>Blood</i> , 2020, 136, 8-9.	1.4	0
323	Identification and Validation of CD138- Multiple Myeloma Immune and Tumor Subpopulations Using Cross Center Scrna-Seq Data. <i>Blood</i> , 2020, 136, 15-15.	1.4	0
324	Characterization of Plasma and Immune Cells Molecular Landscape That Play a Role in Rapid Progression of Multiple Myeloma Using Cross Center Scrna-Seq Study. <i>Blood</i> , 2020, 136, 6-8.	1.4	0