

Sally Brabyn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/182136/publications.pdf>

Version: 2024-02-01

27
papers

1,269
citations

471509

17
h-index

526287

27
g-index

27
all docs

27
docs citations

27
times ranked

2120
citing authors

#	ARTICLE	IF	CITATIONS
1	Can We Prevent Depression in At-Risk Older Adults Using Self-Help? The UK SHARD Trial of Behavioral Activation. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 197-207.	1.2	10
2	Digital interventions in mental health: evidence syntheses and economic modelling. <i>Health Technology Assessment</i> , 2022, 26, 1-182.	2.8	12
3	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. <i>JAMA Psychiatry</i> , 2022, 79, 406.	11.0	30
4	Systematic Review and Critique of Methods for Economic Evaluation of Digital Mental Health Interventions. <i>Applied Health Economics and Health Policy</i> , 2021, 19, 17-27.	2.1	15
5	How can we estimate QALYs based on PHQ-9 scores? Equipercentile linking analysis of PHQ-9 and EQ-5D. <i>Evidence-Based Mental Health</i> , 2021, 24, 97-101.	4.5	11
6	The contribution of depressive disorder characteristics to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 1068-1081.	4.5	28
7	Assessment of cytokines, microRNA and patient related outcome measures in conversion disorder/functional neurological disorder (CD/FND): The CANDO clinical feasibility study. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 13, 100228.	2.5	10
8	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. <i>Lancet Psychiatry</i> , 2021, 8, 500-511.	7.4	105
9	Maintenance or Discontinuation of Antidepressants in Primary Care. <i>New England Journal of Medicine</i> , 2021, 385, 1257-1267.	27.0	75
10	Nature-based outdoor activities for mental and physical health: Systematic review and meta-analysis. <i>SSM - Population Health</i> , 2021, 16, 100934.	2.7	96
11	Antidepressant medication to prevent depression relapse in primary care: the ANTLER RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-62.	2.8	9
12	A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression. <i>Journal of Personalized Medicine</i> , 2021, 11, 1295.	2.5	10
13	The clinical effectiveness of sertraline in primary care and the role of depression severity and duration (PANDA): a pragmatic, double-blind, placebo-controlled randomised trial. <i>Lancet Psychiatry</i> , 2019, 6, 903-914.	7.4	78
14	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-108.	1.0	6
15	Telephone-supported computerised cognitive-behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 362-367.	2.8	94
16	Telephone interventions, delivered by healthcare professionals, for educating and psychosocially supporting informal caregivers of adults with diagnosed illnesses. <i>The Cochrane Library</i> , 2017, .	2.8	1
17	Smoking cessation in severe mental ill health: what works? an updated systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2017, 17, 252.	2.6	99
18	The Completeness of Intervention Descriptions in Randomised Trials of Supervised Exercise Training in Peripheral Arterial Disease. <i>PLoS ONE</i> , 2016, 11, e0150869.	2.5	37

#	ARTICLE	IF	CITATIONS
19	Varenicline for smoking cessation and reduction in people with severe mental illnesses: systematic review and meta-analysis. <i>Addiction</i> , 2016, 111, 1554-1567.	3.3	28
20	Text message reminders to improve questionnaire response rates. <i>Journal of Clinical Epidemiology</i> , 2016, 79, 90-95.	5.0	22
21	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-64.	2.8	31
22	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq0 0,0 rgBT /Overlock 10	6.0	313
23	The use of unequal randomisation in clinical trials â€” An update. <i>Contemporary Clinical Trials</i> , 2015, 45, 113-122.	1.8	38
24	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. <i>Health Technology Assessment</i> , 2015, 19, 1-174.	2.8	55
25	Short message service text messaging was feasible as a tool for data collection in a trial of treatment for irritable bowel syndrome. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 993-1000.	5.0	18
26	The 2 Ã— 2 cluster randomized controlled factorial trial design is mainly used for efficiency and to explore intervention interactions: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1083-1092.	5.0	20
27	A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1016-1024.	5.0	18