

Laura A Solt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1824151/publications.pdf>

Version: 2024-02-01

64
papers

5,296
citations

101543

36
h-index

128289

60
g-index

66
all docs

66
docs citations

66
times ranked

9204
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Regulation of circadian behaviour and metabolism by synthetic REV-ERB agonists. <i>Nature</i> , 2012, 485, 62-68. | 27.8 | 638 |
| 2 | Suppression of TH17 differentiation and autoimmunity by a synthetic ROR ligand. <i>Nature</i> , 2011, 472, 491-494. | 27.8 | 446 |
| 3 | Rev-erb- α modulates skeletal muscle oxidative capacity by regulating mitochondrial biogenesis and autophagy. <i>Nature Medicine</i> , 2013, 19, 1039-1046. | 30.7 | 361 |
| 4 | Hypomorphic nuclear factor- κ B essential modulator mutation database and reconstitution system identifies phenotypic and immunologic diversity. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 122, 1169-1177.e16. | 2.9 | 240 |
| 5 | The Benzenesulfoamide T0901317 [<i>N</i> -(2,2,2-Trifluoroethyl)- <i>N</i> -(4-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenyl)-benzenesulfonamide] Is a Novel Retinoic Acid Receptor-Related Orphan Receptor- α / β Inverse Agonist. <i>Molecular Pharmacology</i> , 2010, 77, 228-236. | 2.3 | 221 |
| 6 | The κ B kinase complex: master regulator of NF- κ B signaling. <i>Immunologic Research</i> , 2008, 42, 3-18. | 2.9 | 216 |
| 7 | Nuclear Receptors and Their Selective Pharmacologic Modulators. <i>Pharmacological Reviews</i> , 2013, 65, 710-778. | 16.0 | 207 |
| 8 | Modulation of Retinoic Acid Receptor-related Orphan Receptor α and β Activity by 7-Oxygenated Sterol Ligands. <i>Journal of Biological Chemistry</i> , 2010, 285, 5013-5025. | 3.4 | 180 |
| 9 | Action of RORs and their ligands in (patho)physiology. <i>Trends in Endocrinology and Metabolism</i> , 2012, 23, 619-627. | 7.1 | 173 |
| 10 | Broad Anti-tumor Activity of a Small Molecule that Selectively Targets the Warburg Effect and Lipogenesis. <i>Cancer Cell</i> , 2015, 28, 42-56. | 16.8 | 158 |
| 11 | The PP2A-Associated Protein λ 4 Is an Essential Inhibitor of Apoptosis. <i>Science</i> , 2004, 306, 695-698. | 12.6 | 142 |
| 12 | Perfect timing: circadian rhythms, sleep, and immunity – an NIH workshop summary. <i>JCI Insight</i> , 2020, 5, . | 5.0 | 136 |
| 13 | The REV-ERBs and RORs: molecular links between circadian rhythms and lipid homeostasis. <i>Future Medicinal Chemistry</i> , 2011, 3, 623-638. | 2.3 | 131 |
| 14 | Identification of SR2211: A Potent Synthetic ROR β -Selective Modulator. <i>ACS Chemical Biology</i> , 2012, 7, 672-677. | 3.4 | 126 |
| 15 | Regulation of Adipogenesis by Natural and Synthetic REV-ERB Ligands. <i>Endocrinology</i> , 2010, 151, 3015-3025. | 2.8 | 115 |
| 16 | Identification of SR3335 (ML-176): A Synthetic ROR α Selective Inverse Agonist. <i>ACS Chemical Biology</i> , 2011, 6, 218-222. | 3.4 | 114 |
| 17 | Regulation of FGF21 Expression and Secretion by Retinoic Acid Receptor-related Orphan Receptor α . <i>Journal of Biological Chemistry</i> , 2010, 285, 15668-15673. | 3.4 | 98 |
| 18 | Pharmacological targeting of the mammalian clock regulates sleep architecture and emotional behaviour. <i>Nature Communications</i> , 2014, 5, 5759. | 12.8 | 98 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | PGRMC2 is an intracellular haem chaperone critical for adipocyte function. <i>Nature</i> , 2019, 576, 138-142. | 27.8 | 96 |
| 20 | A Liver-Selective LXR Inverse Agonist That Suppresses Hepatic Steatosis. <i>ACS Chemical Biology</i> , 2013, 8, 559-567. | 3.4 | 92 |
| 21 | REV-ERB β Regulates TH17 Cell Development and Autoimmunity. <i>Cell Reports</i> , 2018, 25, 3733-3749.e8. | 6.4 | 78 |
| 22 | Interleukin-1-induced NF- κ B Activation Is NEMO-dependent but Does Not Require IKK β . <i>Journal of Biological Chemistry</i> , 2007, 282, 8724-8733. | 3.4 | 75 |
| 23 | Suppression of atherosclerosis by synthetic REV-ERB agonist. <i>Biochemical and Biophysical Research Communications</i> , 2015, 460, 566-571. | 2.1 | 73 |
| 24 | Identification of a Selective ROR γ Ligand That Suppresses T _H 17 Cells and Stimulates T Regulatory Cells. <i>ACS Chemical Biology</i> , 2012, 7, 1515-1519. | 3.4 | 67 |
| 25 | Circadian rhythm-dependent and circadian rhythm-independent impacts of the molecular clock on type 3 innate lymphoid cells. <i>Science Immunology</i> , 2019, 4, . | 11.9 | 65 |
| 26 | ROR Inverse Agonist Suppresses Insulinitis and Prevents Hyperglycemia in a Mouse Model of Type 1 Diabetes. <i>Endocrinology</i> , 2015, 156, 869-881. | 2.8 | 60 |
| 27 | The nuclear receptor REV-ERB β modulates Th17 cell-mediated autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18528-18536. | 7.1 | 60 |
| 28 | Identification of a Binding Site for Unsaturated Fatty Acids in the Orphan Nuclear Receptor Nurr1. <i>ACS Chemical Biology</i> , 2016, 11, 1795-1799. | 3.4 | 59 |
| 29 | Ligand regulation of retinoic acid receptor-related orphan receptors: implications for development of novel therapeutics. <i>Current Opinion in Lipidology</i> , 2010, 21, 204-211. | 2.7 | 55 |
| 30 | Nuclear receptor ROR γ regulates pathologic retinal angiogenesis by modulating SOCS3-dependent inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10401-10406. | 7.1 | 55 |
| 31 | Regulation of p53 Stability and Apoptosis by a ROR Agonist. <i>PLoS ONE</i> , 2012, 7, e34921. | 2.5 | 54 |
| 32 | Genetic Dissection of the Functions of the Melanocortin-3 Receptor, a Seven-transmembrane G-protein-coupled Receptor, Suggests Roles for Central and Peripheral Receptors in Energy Homeostasis. <i>Journal of Biological Chemistry</i> , 2011, 286, 40771-40781. | 3.4 | 53 |
| 33 | Noncanonical NF- κ B Signaling Is Limited by Classical NF- κ B Activity. <i>Science Signaling</i> , 2014, 7, ra13. | 3.6 | 49 |
| 34 | G Protein-Coupled Receptor Ca ²⁺ -Linked Mitochondrial Reactive Oxygen Species Are Essential for Endothelial/Leukocyte Adherence. <i>Molecular and Cellular Biology</i> , 2007, 27, 7582-7593. | 2.3 | 45 |
| 35 | A molecular switch regulating transcriptional repression and activation of PPAR γ . <i>Nature Communications</i> , 2020, 11, 956. | 12.8 | 45 |
| 36 | NEMO-binding Domains of Both IKK α and IKK β Regulate κ B Kinase Complex Assembly and Classical NF- κ B Activation. <i>Journal of Biological Chemistry</i> , 2009, 284, 27596-27608. | 3.4 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Splenic and Peritoneal B-1 Cells Differ in Terms of Transcriptional and Proliferative Features That Separate Peritoneal B-1 from Splenic B-2 Cells. <i>Cellular Immunology</i> , 2001, 213, 62-71. | 3.0 | 36 |
| 38 | CAR directs T cell adaptation to bile acids in the small intestine. <i>Nature</i> , 2021, 593, 147-151. | 27.8 | 36 |
| 39 | LXR-Mediated Inhibition of CD4+ T Helper Cells. <i>PLoS ONE</i> , 2012, 7, e46615. | 2.5 | 31 |
| 40 | Development of novel NEMO-binding domain mimetics for inhibiting IKK/NF- κ B activation. <i>PLoS Biology</i> , 2018, 16, e2004663. | 5.6 | 29 |
| 41 | Genetic and pharmacological inhibition of the nuclear receptor ROR γ regulates TH17 driven inflammatory disorders. <i>Nature Communications</i> , 2021, 12, 76. | 12.8 | 27 |
| 42 | Structure of REV-ERB β Ligand-binding Domain Bound to a Porphyrin Antagonist. <i>Journal of Biological Chemistry</i> , 2014, 289, 20054-20066. | 3.4 | 22 |
| 43 | Metabolism of murine T _H 17 cells: Impact on cell fate and function. <i>European Journal of Immunology</i> , 2016, 46, 807-816. | 2.9 | 22 |
| 44 | Pharmacological and Genetic Modulation of REV-ERB Activity and Expression Affects Orexigenic Gene Expression. <i>PLoS ONE</i> , 2016, 11, e0151014. | 2.5 | 20 |
| 45 | Pharmacological modulation and genetic deletion of REV-ERB α and REV-ERB β regulates dendritic cell development. <i>Biochemical and Biophysical Research Communications</i> , 2020, 527, 1000-1007. | 2.1 | 20 |
| 46 | ROR γ modulates semaphorin 3E transcription and neurovascular interaction in pathological retinal angiogenesis. <i>FASEB Journal</i> , 2017, 31, 4492-4502. | 0.5 | 18 |
| 47 | Distinct roles for REV-ERB α and REV-ERB β in oxidative capacity and mitochondrial biogenesis in skeletal muscle. <i>PLoS ONE</i> , 2018, 13, e0196787. | 2.5 | 18 |
| 48 | Pharmacological Targeting the REV-ERBs in Sleep/Wake Regulation. <i>PLoS ONE</i> , 2016, 11, e0162452. | 2.5 | 15 |
| 49 | Th17 cells in Type 1 diabetes: a future perspective. <i>Diabetes Management</i> , 2015, 5, 247-250. | 0.5 | 13 |
| 50 | Structural basis for heme-dependent NCoR binding to the transcriptional repressor REV-ERB β . <i>Science Advances</i> , 2021, 7, . | 10.3 | 13 |
| 51 | REV-ERB α regulates age-related and oxidative stress-induced degeneration in retinal pigment epithelium via NRF2. <i>Redox Biology</i> , 2022, 51, 102261. | 9.0 | 12 |
| 52 | REV-ERB β is required to maintain normal wakefulness and the wake-inducing effect of dual REV-ERB agonist SR9009. <i>Biochemical Pharmacology</i> , 2018, 150, 1-8. | 4.4 | 10 |
| 53 | Cutting Edge: Association with I κ B Kinase β Regulates the Subcellular Localization of Homer3. <i>Journal of Immunology</i> , 2010, 185, 2665-2669. | 0.8 | 7 |
| 54 | Structural and Biophysical Insights into the Ligand-Free Pitx2 Homeodomain and a Ring Dermoid of the Cornea Inducing Homeodomain Mutant. <i>Biochemistry</i> , 2012, 51, 665-676. | 2.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Targeting Nuclear Receptors for TH17-Mediated Inflammation: REV-ERBERations of Circadian Rhythm and Metabolism. Immunometabolism, 2022, 4, . | 1.6 | 5 |
| 56 | Identification of potent ROR β modulators: Scaffold variation. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 3210-3215. | 2.2 | 3 |
| 57 | Uncovering New Challenges in Targeting Glycolysis to Treat Th17 Cell-Mediated Autoimmunity. Immunometabolism, 2021, 3, . | 1.6 | 3 |
| 58 | High throughput screening for compounds to the orphan nuclear receptor NR2F6. SLAS Discovery, 2022, 27, 242-248. | 2.7 | 3 |
| 59 | Discovery and Optimization of a Series of Sulfonamide Inverse Agonists for the Retinoic Acid Receptor-Related Orphan Receptor- β . Medicinal Chemistry, 2019, 15, 676-684. | 1.5 | 2 |
| 60 | Biased Signaling and Conformational Dynamics in Nuclear Hormone Receptors. , 2014, , 103-135. | | 1 |
| 61 | OMRT-14. Small molecule circadian clock compounds exhibit potential as a novel therapy paradigm for glioblastoma. Neuro-Oncology Advances, 2021, 3, ii9-ii9. | 0.7 | 0 |
| 62 | Abstract 439: REV-ERB-Mediated Regulation of Cholesterol Biosynthesis and Atherosclerosis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2014, 34, . | 2.4 | 0 |
| 63 | A Compass to Guide Insights into TH17 Cellular Metabolism and Autoimmunity. Immunometabolism, 2022, 4, . | 1.6 | 0 |
| 64 | Abstract 545: Suppression of Atherosclerosis by Synthetic REV-ERB Agonist. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, . | 2.4 | 0 |