

Jean-Michel Nguyen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1828351/publications.pdf>

Version: 2024-02-01

78
papers

3,339
citations

172457

29
h-index

149698

56
g-index

83
all docs

83
docs citations

83
times ranked

5091
citing authors

#	ARTICLE	IF	CITATIONS
1	Change in lentigo maligna score assessed by inÂvivo reflectance confocal microscopy after 1Âmonth of imiquimod treatment for lentigo maligna management. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 1042-1048.	1.2	5
2	Random forest of perfect trees: concept, performance, applications and perspectives. <i>Bioinformatics</i> , 2021, 37, 2165-2174.	4.1	20
3	Cardiac adverse events associated with anti-PD-1 therapy in patients treated for advanced melanoma: relevance of dosing troponin T levels. <i>European Journal of Dermatology</i> , 2021, 31, 205-212.	0.6	3
4	Targeted screening for melanoma after a 5-year follow-up: Comparison of melanoma incidence and lesion thickness at diagnosis in screened (versus unscreened) patients. <i>La Presse MÃ©dicale Open</i> , 2021, 2, 100013.	0.4	0
5	Management of adjuvant settings for Stage III melanoma patients in France prior to checkpoint inhibitors: epidemiological data from the RIC-Mel database. <i>European Journal of Dermatology</i> , 2020, 30, 389-396.	0.6	1
6	Effect of Physician Notification Regarding Nonadherence to Colorectal Cancer Screening on Early Cancer Detection. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2429.	7.4	1
7	Tumor infiltrating lymphocytes as adjuvant treatment in stage III melanoma patients with only one invaded lymph node after complete resection: results from a multicentre, randomized clinical phase III trial. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1663-1672.	4.2	10
8	CICAFast: comparison of a biological dressing composed of fetal fibroblasts and keratinocytes on a split-thickness skin graft donor site versus a traditional dressing: a randomized controlled trial. <i>Trials</i> , 2019, 20, 612.	1.6	11
9	Adult acne in women is not associated with a specific type of <i>Cutibacterium acnes</i> . <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 851-852.	1.2	9
10	Efficacy and safety of nivolumab in metastatic melanoma: real-world practice. <i>European Journal of Dermatology</i> , 2019, 29, 315-321.	0.6	14
11	PD-1 expression by tumor cell lines: A predictive marker in melanoma. <i>Experimental Dermatology</i> , 2018, 27, 647-655.	2.9	9
12	Adoptive Cell Therapy with Tumor-Infiltrating Lymphocytes in Advanced Melanoma Patients. <i>Journal of Immunology Research</i> , 2018, 2018, 1-10.	2.2	23
13	Blood Predictive Biomarkers for Nivolumab in Advanced Melanoma. <i>Acta Dermato-Venereologica</i> , 2018, 98, 406-410.	1.3	31
14	Factors Related to Prostate-Specific Antigen-Based Prostate Cancer Screening in Primary Care: Retrospective Cohort Study of 120,587 French Men Over the Age of 50 Years. <i>JMIR Public Health and Surveillance</i> , 2018, 4, e10352.	2.6	2
15	Use of Smartphones for Early Detection of Melanoma: Systematic Review. <i>Journal of Medical Internet Research</i> , 2018, 20, e135.	4.3	84
16	Positive margins after surgical excision of locoregional cutaneous melanoma metastasis and their impact on patient outcome. <i>European Journal of Dermatology</i> , 2018, 28, 661-667.	0.6	3
17	Impact of the time interval between lymph node recurrence and lymphadenectomy on melanoma patient survival. <i>European Journal of Dermatology</i> , 2017, 27, 166-173.	0.6	3
18	Why We Should Focus on Melanoma-Targeted Screening Strategies. <i>Dermatology</i> , 2017, 233, 480-481.	2.1	2

#	ARTICLE	IF	CITATIONS
19	Prospective Evaluation of Magnetic Resonance Imaging and [¹⁸ F]Fluorodeoxyglucose Positron Emission Tomography-Computed Tomography at Diagnosis and Before Maintenance Therapy in Symptomatic Patients With Multiple Myeloma Included in the IFM/DFCI 2009 Trial: Results of the IMAIEM Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 2911-2918.	1.6	247
20	Clinical significance of BRAF mutation status in circulating tumor DNA of metastatic melanoma patients at baseline. <i>Experimental Dermatology</i> , 2016, 25, 783-788.	2.9	34
21	Immunohistochemical markers of advanced basal cell carcinoma: CD56 is associated with a lack of response to vismodegib. <i>European Journal of Dermatology</i> , 2016, 26, 452-459.	0.6	8
22	Randomized placebo-controlled trial of sodium valproate in progressive supranuclear palsy. <i>Clinical Neurology and Neurosurgery</i> , 2016, 146, 35-39.	1.4	41
23	Inclusion of populations at risk of advanced melanoma in an opportunistic targeted screening project involving general practitioners. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 286-294.	1.5	4
24	Different cutaneous innate immunity profiles in acne patients with and without atrophic scars. <i>European Journal of Dermatology</i> , 2016, 26, 68-74.	0.6	37
25	Long-term efficacy and tolerability of bilateral pallidal stimulation to treat tardive dyskinesia. <i>Neurology</i> , 2016, 86, 651-659.	1.1	61
26	Phototoxicity of B-RAF inhibitors: Exclusively due to UVA radiation and rapidly regressive. <i>European Journal of Dermatology</i> , 2015, 25, 452-456.	0.6	19
27	Proposal for an annual skin examination by a general practitioner for patients at high risk for melanoma: a French cohort study. <i>BMJ Open</i> , 2015, 5, e007471.	1.9	12
28	Adoptive T cell therapy combined with intralesional administrations of TG1042 (adenovirus expressing) Tj ETQq0 0 0 rgBT /Overlock 10 T	4.25	26
29	Prospective Evaluation of MRI and PET-CT at Diagnosis and before Maintenance Therapy in Symptomatic Patients with Multiple Myeloma Included in the IFM/DFCI 2009 Trial. <i>Blood</i> , 2015, 126, 395-395.	1.4	20
30	Younger age at the time of first metastasis in BRAF-mutated compared to BRAF wild-type melanoma patients. <i>Oncology Reports</i> , 2014, 32, 808-814.	2.6	6
31	Is a Single BRAF Wild-Type Test Sufficient to Exclude Melanoma Patients from Vemurafenib Therapy?. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1468-1470.	0.7	37
32	Assessing the extirpative quality of a radical prostatectomy technique: categorisation and mapping of technical errors. <i>BJU International</i> , 2014, 114, 522-531.	2.5	8
33	Efficacy of cetuximab in the treatment of squamous cell carcinoma. <i>Journal of Dermatological Treatment</i> , 2014, 25, 424-427.	2.2	54
34	Targeted Melanoma Prevention Intervention: A Cluster Randomized Controlled Trial. <i>Annals of Family Medicine</i> , 2014, 12, 21-28.	1.9	26
35	Adoptive TIL Transfer in the Adjuvant Setting for Melanoma: Long-Term Patient Survival. <i>Journal of Immunology Research</i> , 2014, 2014, 1-10.	2.2	25
36	Prospective Evaluation of MRI and PET-CT at Diagnosis and before Maintenance Therapy in Symptomatic Patients with Multiple Myeloma Included in the IFM/DFCI 2009 Trial. <i>Blood</i> , 2014, 124, 3359-3359.	1.4	8

#	ARTICLE	IF	CITATIONS
37	Detection of BRAF mutations in the plasma of melanoma patients as an early marker of treatment efficiency.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9069-9069.	1.6	0
38	Non-homogeneous effect of levodopa on inhibitory circuits in Parkinson's disease and dyskinesia. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 165-170.	2.2	26
39	A recall program for the outcome of conventional root canal treatment performed in a teaching hospital. <i>Acta Odontologica Scandinavica</i> , 2013, 71, 1399-1409.	1.6	8
40	Colonic inflammation in Parkinson's disease. <i>Neurobiology of Disease</i> , 2013, 50, 42-48.	4.4	482
41	Hypnotic prescription without face to face contact: A report from French family medicine. <i>European Journal of General Practice</i> , 2013, 19, 158-161.	2.0	7
42	Vemurafenib: an unusual <sc>UVA</sc>-induced photosensitivity. <i>Experimental Dermatology</i> , 2013, 22, 297-298.	2.9	76
43	CCL2, Galectin-3, and SMRP Combination Improves the Diagnosis of Mesothelioma in Pleural Effusions. <i>Journal of Thoracic Oncology</i> , 2012, 7, 883-889.	1.1	33
44	Tissue Biomarkers in Melanoma Patients Treated with TIL. <i>PLoS ONE</i> , 2012, 7, e48729.	2.5	4
45	Effects of lumbar artificial disc design on intervertebral mobility: in vivo comparison between mobile-core and fixed-core. <i>European Spine Journal</i> , 2012, 21, 630-640.	2.2	9
46	Propranolol for treatment of ulcerated infantile hemangiomas. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 827-832.	1.2	98
47	Development of an individual score for melanoma risk. <i>European Journal of Cancer Prevention</i> , 2011, 20, 217-224.	1.3	30
48	TLR expression in human melanoma cells. <i>European Journal of Dermatology</i> , 2011, 21, 899-905.	0.6	22
49	Intracoronary autologous mononucleated bone marrow cell infusion for acute myocardial infarction: results of the randomized multicenter BONAMI trial. <i>European Heart Journal</i> , 2011, 32, 1748-1757.	2.2	158
50	Absence of modulation of CD4+CD25^{high} regulatory T cells in CTCL patients treated with bexarotene. <i>Experimental Dermatology</i> , 2010, 19, e95-102.	2.9	20
51	About the cutaneous targets of bexarotene in CTCL patients. <i>Experimental Dermatology</i> , 2010, 19, e299-301.	2.9	12
52	Creation and test of a questionnaire for self-assessment of melanoma risk factors. <i>European Journal of Cancer Prevention</i> , 2010, 19, 48-54.	1.3	16
53	Effects of perioperative intravenous low dose of ketamine on postoperative analgesia in children. <i>European Journal of Anaesthesiology</i> , 2010, 27, 47-52.	1.7	26
54	Viral DNA contamination is responsible for Epstein-Barr virus detection in cytotoxic T lymphocytes stimulated in vitro with Epstein-Barr virus B-lymphoblastoid cell line. <i>Cancer Immunology, Immunotherapy</i> , 2010, 59, 1867-1875.	4.2	2

#	ARTICLE	IF	CITATIONS
55	Diuretic uptitration with half dose combined ACEI + ARB better decreases proteinuria than combined ACEI + ARB uptitration. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2218-2224.	0.7	26
56	Defective activations of STAT3 Ser727 and PKC isoforms lead to oncostatin M resistance in metastatic melanoma cells. <i>Journal of Pathology</i> , 2009, 217, 665-676.	4.5	13
57	Treatment of Metastatic Melanoma with Autologous Melan-A/Mart-1-Specific Cytotoxic T Lymphocyte Clones. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2835-2842.	0.7	73
58	Prospective trial on a school-based skin cancer prevention project. <i>European Journal of Cancer Prevention</i> , 2009, 18, 133-144.	1.3	18
59	Prospective Multicenter Study of Pegylated Liposomal Doxorubicin Treatment in Patients With Advanced or Refractory Mycosis Fungoides or SÅ©zary Syndrome. <i>Archives of Dermatology</i> , 2008, 144, 727-33.	1.4	88
60	Evidence of a non-linear influence of patient age on satisfaction with hospital care. <i>International Journal for Quality in Health Care</i> , 2007, 19, 382-389.	1.8	32
61	Bilateral Deep Brain Stimulation of the Globus Pallidus to Treat Tardive Dyskinesia. <i>Archives of General Psychiatry</i> , 2007, 64, 170.	12.3	178
62	Improvement of psychometric properties of a scale measuring inpatient satisfaction with care: a better response rate and a reduction of the ceiling effect. <i>BMC Health Services Research</i> , 2007, 7, 197.	2.2	76
63	Prospective evaluation of quality of life (SF-36v2) and nonspecific symptoms before and after cure of primary hyperparathyroidism (1-year follow-up). <i>Surgery</i> , 2007, 141, 153-160.	1.9	72
64	Long-term follow-up of patients treated by adoptive transfer of melanoma tumor-infiltrating lymphocytes as adjuvant therapy for stage III melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2007, 56, 1853-1860.	4.2	50
65	Tissue prognostic markers for adoptive immunotherapy in melanoma. <i>European Journal of Dermatology</i> , 2007, 17, 295-301.	0.6	12
66	Is There Any Need for Expanding the Perineural Space Before Catheter Placement in Continuous Femoral Nerve Blocks?. <i>Regional Anesthesia and Pain Medicine</i> , 2006, 31, 393-400.	2.3	10
67	High Resolution Colonoscopy With Chromoscopy Versus Standard Colonoscopy for the Detection of Colonic Neoplasia: A Randomized Study. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 349-354.	4.4	134
68	Self Expanding Metallic Stents (SEMS) with Antireflux Valve for Distal Esophageal Carcinoma: Results of a Randomized Trial. <i>Gastrointestinal Endoscopy</i> , 2006, 63, AB241.	1.0	0
69	Comparison of gastric emptying scintigraphy based on the geometric mean of the gastric proportion of the abdominal radioactivity or on the geometric mean of the intragastric radioactivity. <i>Nuclear Medicine Communications</i> , 2006, 27, 431-437.	1.1	8
70	Progressive Cardiac Conduction Defect is the Prevailing Phenotype in Carriers of a Brugada Syndrome <i>SCN5A</i> Mutation. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 270-275.	1.7	90
71	Osteointegration of femoral stem prostheses with a bilayered calcium phosphate coating. <i>Biomaterials</i> , 2006, 27, 1119-1128.	11.4	42
72	Familial Aggregation of Calcific Aortic Valve Stenosis in the Western Part of France. <i>Circulation</i> , 2006, 113, 856-860.	1.6	74

#	ARTICLE	IF	CITATIONS
73	Autologous myoblast transplantation after myocardial infarction increases the inducibility of ventricular arrhythmias. <i>Cardiovascular Research</i> , 2006, 69, 348-358.	3.8	116
74	Diuretic and Enhanced Sodium Restriction Results in Improved Antiproteinuric Response to RAS Blocking Agents. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 474-481.	6.1	113
75	Randomized trial of adoptive transfer of melanoma tumor-infiltrating lymphocytes as adjuvant therapy for stage III melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2002, 51, 539-546.	4.2	99
76	Caval Incorporation of the LGM Vena Tech Filter: An Experimental Study. <i>Journal of Vascular and Interventional Radiology</i> , 1997, 8, 419-425.	0.5	14
77	DECREASED CYTOTOXIC ACTIVITY OF NATURAL KILLER CELLS IN KIDNEY ALLOGRAFT RECIPIENTS TREATED WITH HUMAN HLA-DERIVED PEPTIDE. <i>Transplantation</i> , 1997, 63, 1004-1011.	1.0	25
78	Risk factors for chronic rejection in pediatric renal allograft recipients. <i>Pediatric Nephrology</i> , 1996, 10, 723-727.	1.7	34