

# Alison J Rodger

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1829189/publications.pdf>

Version: 2024-02-01

63  
papers

3,700  
citations

331670

21  
h-index

138484

58  
g-index

69  
all docs

69  
docs citations

69  
times ranked

4642  
citing authors

#	ARTICLE	IF	CITATIONS
1	UK guideline for the use of HIV post-exposure prophylaxis 2021. <i>HIV Medicine</i> , 2022, 23, 494-545.	2.2	10
2	HCV reinfection after HCV therapy among HIV/HCV coinfected individuals in Europe. <i>HIV Medicine</i> , 2022, 23, 684-692.	2.2	4
3	Experiences of and attitudes towards HIV testing for Asian, Black and Latin American men who have sex with men (MSM) in the SELPHI (HIV Self-Testing Public Health Intervention) randomized controlled trial in England and Wales: implications for HIV self-testing. <i>BMC Public Health</i> , 2022, 22, 809.	2.9	14
4	An evaluation of a pilot of daily testing of SARS-CoV-2 contacts in acute hospital and ambulance trusts in England. <i>Public Health</i> , 2022, 209, 46-51.	2.9	0
5	Impact and acceptability of HIV self-testing for trans men and trans women: A mixed-methods subgroup analysis of the SELPHI randomised controlled trial and process evaluation in England and Wales. <i>EClinicalMedicine</i> , 2021, 32, 100700.	7.1	15
6	Recreational drug use and use of drugs associated with chemsex among HIV-negative and HIV-positive heterosexual men and women attending sexual health and HIV clinics in England. <i>International Journal of Drug Policy</i> , 2021, 91, 103101.	3.3	14
7	Risk factors, symptom reporting, healthcare-seeking behaviour and adherence to public health guidance: protocol for Virus Watch, a prospective community cohort study. <i>BMJ Open</i> , 2021, 11, e048042.	1.9	46
8	Trends in HIV incidence between 2013-2019 and association of baseline factors with subsequent incident HIV among gay, bisexual, and other men who have sex with men attending sexual health clinics in England: A prospective cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003677.	8.4	13
9	Making miscarriage matter. <i>Lancet, The</i> , 2021, 398, 744-745.	13.7	0
10	Serial interval of COVID-19 and the effect of Variant B.1.1.7: analyses from prospective community cohort study (Virus Watch). <i>Wellcome Open Research</i> , 2021, 6, 224.	1.8	4
11	Opposing associations of depression with sexual behaviour: implications for epidemiological investigation among gay, bisexual and other men who have sex with men. <i>Sexually Transmitted Infections</i> , 2021, 97, 613-618.	1.9	5
12	Trends, patterns and psychological influences on COVID-19 vaccination intention: Findings from a large prospective community cohort study in England and Wales (Virus Watch). <i>Vaccine</i> , 2021, 39, 7108-7116.	3.8	15
13	Alcohol, smoking, recreational drug use and association with virological outcomes among people living with HIV: cross-sectional and longitudinal analyses. <i>HIV Medicine</i> , 2021, , .	2.2	5
14	Undetectable viral load and HIV transmission dynamics on an individual and population level: where next in the global HIV response?. <i>Current Opinion in Infectious Diseases</i> , 2020, 33, 20-27.	3.1	12
15	Sexual risk and HIV testing disconnect in men who have sex with men (MSM) recruited to an online HIV self-testing trial. <i>HIV Medicine</i> , 2020, 21, 588-598.	2.2	7
16	Use of HIV pre-exposure prophylaxis among men who have sex with men in England: data from the AURAH2 prospective study. <i>Lancet Public Health, The</i> , 2020, 5, e501-e511.	10.0	20
17	Attitudes to disclosure of HIV-serostatus to new sexual partners and sexual behaviours among HIV-diagnosed gay, bisexual and other men who have sex with men in the UK. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 1323-1332.	1.2	2
18	Exploring Mechanisms of Action: Using a Testing Typology to Understand Intervention Performance in an HIV Self-Testing RCT in England and Wales. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 466.	2.6	8

#	ARTICLE	IF	CITATIONS
19	Patterns of sexualised recreational drug use and its association with risk behaviours and sexual health outcomes in men who have sex with men in London, UK: a comparison of cross-sectional studies conducted in 2013 and 2016. <i>Sexually Transmitted Infections</i> , 2020, 96, 197-203.	1.9	19
20	Pilot phase of an internet-based RCT of HIVST targeting MSM and transgender people in England and Wales: advertising strategies and acceptability of the intervention. <i>BMC Infectious Diseases</i> , 2019, 19, 699.	2.9	20
21	Preferences for HIV testing services among men who have sex with men in the UK: A discrete choice experiment. <i>PLoS Medicine</i> , 2019, 16, e1002779.	8.4	23
22	Changes in chemsex and sexual behaviour over time, among a cohort of MSM in London and Brighton: Findings from the AURAH2 study. <i>International Journal of Drug Policy</i> , 2019, 68, 54-61.	3.3	70
23	Risk of HIV transmission through condomless sex in serodifferent gay couples with the HIV-positive partner taking suppressive antiretroviral therapy (PARTNER): final results of a multicentre, prospective, observational study. <i>Lancet</i> , The, 2019, 393, 2428-2438.	13.7	627
24	Associations of depression and anxiety symptoms with sexual behaviour in women and heterosexual men attending sexual health clinics: a cross-sectional study. <i>Sexually Transmitted Infections</i> , 2019, 95, 254-261.	1.9	15
25	BHIVA/BASHH guidelines on the use of HIV pre-exposure prophylaxis (PrEP) 2018. <i>HIV Medicine</i> , 2019, 20, s2-s80.	2.2	30
26	Healthcare provider and service user perspectives on STI risk reduction interventions for young people and MSM in the UK. <i>Sexually Transmitted Infections</i> , 2019, 96, sextrans-2018-053903.	1.9	7
27	Impact of early antiretroviral treatment on sexual behaviour. <i>Aids</i> , 2019, 33, 2337-2350.	2.2	2
28	Prevalence and correlates of depressive symptoms among gay, bisexual and other men who have sex with men in the PROUD randomised clinical trial of HIV pre-exposure prophylaxis. <i>BMJ Open</i> , 2019, 9, e031085.	1.9	6
29	Etiology and Severity of Liver Disease in HIV-Positive Patients With Suspected NAFLD: Lessons From a Cohort With Available Liver Biopsies. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 80, 474-480.	2.1	18
30	Combination prevention and HIV: a cross-sectional community survey of gay and bisexual men in London, October to December 2016. <i>Eurosurveillance</i> , 2019, 24, .	7.0	14
31	Sexual risk reduction interventions for patients attending sexual health clinics: a mixed-methods feasibility study. <i>Health Technology Assessment</i> , 2019, 23, 1-122.	2.8	10
32	Ethnicity and sexual risk in heterosexual people attending sexual health clinics in England: a cross-sectional, self-administered questionnaire study. <i>Sexually Transmitted Infections</i> , 2018, 94, 384-391.	1.9	11
33	Protocol, rationale and design of SELPHI: a randomised controlled trial assessing whether offering free HIV self-testing kits via the internet increases the rate of HIV diagnosis. <i>BMC Infectious Diseases</i> , 2018, 18, 531.	2.9	15
34	Changes in recreational drug use, drug use associated with chemsex, and HIV-related behaviours, among HIV-negative men who have sex with men in London and Brighton, 2013-2016. <i>Sexually Transmitted Infections</i> , 2018, 94, 494-501.	1.9	65
35	Designing a brief behaviour change intervention to reduce sexually transmitted infections: a discrete choice experiment. <i>International Journal of STD and AIDS</i> , 2018, 29, 851-860.	1.1	5
36	Poly drug use, chemsex drug use, and associations with sexual risk behaviour in HIV-negative men who have sex with men attending sexual health clinics. <i>International Journal of Drug Policy</i> , 2017, 43, 33-43.	3.3	157

#	ARTICLE	IF	CITATIONS
37	Clinically significant depressive symptoms and sexual behaviour among men who have sex with men. <i>BJPsych Open</i> , 2017, 3, 127-137.	0.7	21
38	Eligibility for PrEP among MSM attending GUM clinics in the UK. <i>Sexually Transmitted Infections</i> , 2017, 93, 571-571.	1.9	2
39	Condomless sex in HIV-diagnosed men who have sex with men in the UK: prevalence, correlates, and implications for HIV transmission. <i>Sexually Transmitted Infections</i> , 2017, 93, 590-598.	1.9	39
40	Risk, reassurance and routine: a qualitative study of narrative understandings of the potential for HIV self-testing among men who have sex with men in England. <i>BMC Public Health</i> , 2017, 17, 491.	2.9	23
41	Non-Disclosure of HIV Status and Associations with Psychological Factors, ART Non-Adherence, and Viral Load Non-Suppression Among People Living with HIV in the UK. <i>AIDS and Behavior</i> , 2017, 21, 184-195.	2.7	47
42	HCV reinfection incidence and spontaneous clearance rates in HIV-positive men who have sex with men in Western Europe. <i>Journal of Hepatology</i> , 2017, 66, 282-287.	3.7	154
43	New initiatives to develop self-testing for HIV. <i>Current Opinion in Infectious Diseases</i> , 2017, 30, 50-57.	3.1	24
44	Liver test abnormalities in patients with HIV mono-infection: assessment with simple noninvasive fibrosis markers. <i>Annals of Gastroenterology</i> , 2017, 30, 349-356.	0.6	16
45	Implications for a policy of initiating antiretroviral therapy in people diagnosed with human immunodeficiency virus: the CAPRA research programme. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-40.	1.0	2
46	Sexual Activity Without Condoms and Risk of HIV Transmission in Serodifferent Couples When the HIV-Positive Partner Is Using Suppressive Antiretroviral Therapy. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 171.	7.4	1,076
47	HIV Transmission During Condomless Sex With a Seropositive Partner With Suppressed Infection—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 2045.	7.4	1
48	HIV Self-Testing among Men Who Have Sex with Men (MSM) in the UK: A Qualitative Study of Barriers and Facilitators, Intervention Preferences and Perceived Impacts. <i>PLoS ONE</i> , 2016, 11, e0162713.	2.5	72
49	A Cross-Sectional Study on Attitudes to and Understanding of Risk of Acquisition of HIV: Design, Methods and Participant Characteristics. <i>JMIR Research Protocols</i> , 2016, 5, e58.	1.0	12
50	Attitudes to and Understanding of Risk of Acquisition of HIV Over Time: Design and Methods for an Internet-based Prospective Cohort Study Among UK Men Who Have Sex With Men (the AURAH2 Study). <i>JMIR Research Protocols</i> , 2016, 5, e128.	1.0	7
51	Transmission risk behaviour at enrolment in participants in the <sc>INSIGHT S</sc>trategic <sc>T</sc>iming of <sc>A</sc>nti<sc>R</sc>etroviral <sc>T</sc>reatment (<sc>START</sc>) trial. <i>HIV Medicine</i> , 2015, 16, 64-76.	2.2	13
52	Olâ€œ...Is pre-exposure prophylaxis for hiv prevention cost-effective in men who have sex with men who engage in condomless sex in the uk?. <i>Sexually Transmitted Infections</i> , 2015, 91, A1.1-A1.	1.9	22
53	Potential impact on HIV incidence of higher HIV testing rates and earlier antiretroviral therapy initiation in MSM. <i>Aids</i> , 2015, 29, 1855-1862.	2.2	49
54	Sexual behaviour, recreational drug use and hepatitis C co-infection in HIV-diagnosed men who have sex with men in the United Kingdom: results from the ASTRA study. <i>Journal of the International AIDS Society</i> , 2014, 17, 19630.	3.0	13

#	ARTICLE	IF	CITATIONS
55	Recreational drug use, polydrug use, and sexual behaviour in HIV-diagnosed men who have sex with men in the UK: results from the cross-sectional ASTRA study. <i>Lancet HIV</i> , 2014, 1, e22-e31.	4.7	254
56	Attitudes of People in the UK with HIV Who Are Antiretroviral (ART) Naïve to Starting ART at High CD4 Counts for Potential Health Benefit or to Prevent HIV Transmission. <i>PLoS ONE</i> , 2014, 9, e97340.	2.5	13
57	Further research needed to support a policy of antiretroviral therapy as an HIV prevention initiative. <i>Antiviral Therapy</i> , 2013, 18, 285-7.	1.0	8
58	Increased HIV Incidence in Men Who Have Sex with Men Despite High Levels of ART-Induced Viral Suppression: Analysis of an Extensively Documented Epidemic. <i>PLoS ONE</i> , 2013, 8, e55312.	2.5	197
59	The Antiretrovirals, Sexual Transmission Risk and Attitudes (ASTRA) Study. Design, Methods and Participant Characteristics. <i>PLoS ONE</i> , 2013, 8, e77230.	2.5	26
60	Partners of people on ART - a New Evaluation of the Risks (The PARTNER study): design and methods. <i>BMC Public Health</i> , 2012, 12, 296.	2.9	30
61	Use of a prescription-based measure of antiretroviral therapy adherence to predict viral rebound in HIV-infected individuals with viral suppression. <i>HIV Medicine</i> , 2010, 11, 216-224.	2.2	33
62	Activation and Coagulation Biomarkers Are Independent Predictors of the Development of Opportunistic Disease in Patients with HIV Infection. <i>Journal of Infectious Diseases</i> , 2009, 200, 973-983.	4.0	140
63	Household serial interval of COVID-19 and the effect of Variant B.1.1.7: analyses from prospective community cohort study (Virus Watch). <i>Wellcome Open Research</i> , 0, 6, 224.	1.8	4