Karina Lovell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1831301/publications.pdf

Version: 2024-02-01

271 papers 11,953 citations

51 h-index 96 g-index

281 all docs

281 docs citations

times ranked

281

13054 citing authors

#	Article	IF	CITATIONS
1	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.	3.7	815
2	Collaborative care for depression and anxiety problems. The Cochrane Library, 2012, 10, CD006525.	1.5	624
3	Treatment of Posttraumatic Stress Disorder by Exposure and/or Cognitive Restructuring. Archives of General Psychiatry, 1998, 55, 317-25.	13.8	593
4	Comparative efficacy, speed, and adverse effects of three PTSD treatments: Exposure therapy, EMDR, and relaxation training Journal of Consulting and Clinical Psychology, 2003, 71, 330-338.	1.6	464
5	What makes self-help interventions effective in the management of depressive symptoms? Meta-analysis and meta-regression. Psychological Medicine, 2007, 37, 1217-1228.	2.7	387
6	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq0	0 0 _{3.0} rgBT	/Oyerlock 10
7	Is Exposure Necessary? A Randomized Clinical Trial of Interpersonal Psychotherapy for PTSD. American Journal of Psychiatry, 2015, 172, 430-440.	4.0	271
8	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. BMJ, The, 2013, 346, f540-f540.	3.0	251
9	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. BMJ, The, 2015, 350, h638-h638.	3.0	200
10	'Justifiable depression': how primary care professionals and patients view late-life depression? a qualitative study. Family Practice, 2006, 23, 369-377.	0.8	177
11	MULTIPLE ACCESS POINTS AND LEVELS OF ENTRY (MAPLE): ENSURING CHOICE, ACCESSIBILITY AND EQUITY FOR CBT SERVICES. Behavioural and Cognitive Psychotherapy, 2000, 28, 379-391.	0.9	175
12	The power of support from companion animals for people living with mental health problems: a systematic review and narrative synthesis of the evidence. BMC Psychiatry, 2018, 18, 31.	1.1	174
13	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. BMJ, The, 2013, 347, f4913-f4913.	3.0	173
14	Characteristics of Effective Collaborative Care for Treatment of Depression: A Systematic Review and Meta-Regression of 74 Randomised Controlled Trials. PLoS ONE, 2014, 9, e108114.	1.1	158
15	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis. PLoS Medicine, 2020, 17, e1003262.	3.9	154
16	Psychotherapy mediated by remote communication technologies: a meta-analytic review. BMC Psychiatry, 2008, 8, 60.	1.1	151
17	Qualitative Meta-Synthesis of User Experience of Computerised Therapy for Depression and Anxiety. PLoS ONE, 2014, 9, e84323.	1.1	148
18	Collaborative care for depression in UK primary care: a randomized controlled trial. Psychological Medicine, 2008, 38, 279-287.	2.7	135

#	Article	IF	Citations
19	Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder: randomised controlled non-inferiority trial. BMJ: British Medical Journal, 2006, 333, 883.	2.4	129
20	A systematic review of predictors and moderators of response to psychological therapies in OCD: Do we have enough empirical evidence to target treatment?. Clinical Psychology Review, 2013, 33, 1067-1081.	6.0	126
21	Prevalence and Measurement of Anxiety in Samples of Patients With Heart Failure. Journal of Cardiovascular Nursing, 2016, 31, 367-379.	0.6	124
22	Delivering stepped care: an analysis of implementation in routine practice. Implementation Science, 2012, 7, 3.	2.5	120
23	An exploration of the follow-up up needs of patients with inflammatory bowel disease. Journal of Crohn's and Colitis, 2013, 7, e386-e395.	0.6	114
24	The clinical and cost-effectiveness of self-help treatments for anxiety and depressive disorders in primary care: a systematic review. British Journal of General Practice, 2001, 51, 838-45.	0.7	107
25	Cognitive Behavior Therapy, Exercise, or Both for Treating Chronic Widespread Pain. Archives of Internal Medicine, 2012, 172, 48.	4.3	106
26	Post-traumatic stress disorder: Evaluation of a behavioral treatment program. Journal of Traumatic Stress, 1994, 7, 669-680.	1.0	99
27	Healthy living interventions and schizophrenia: a systematic review. Journal of Advanced Nursing, 2005, 49, 634-654.	1.5	99
28	Nurse led, home based self help treatment for patients in primary care with chronic fatigue syndrome: randomised controlled trial. BMJ: British Medical Journal, 2010, 340, c1777-c1777.	2.4	98
29	Systematic synthesis of barriers and facilitators to service user-led care planning. British Journal of Psychiatry, 2015, 207, 104-114.	1.7	97
30	Effective nurse–patient relationships in mental health care: A systematic review of interventions to improve the therapeutic alliance. International Journal of Nursing Studies, 2020, 102, 103490.	2.5	96
31	Telephone-supported computerised cognitive–behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. British Journal of Psychiatry, 2017, 210, 362-367.	1.7	94
32	Maternal mental health: The missing "m―in the global maternal and child health agenda. Seminars in Perinatology, 2015, 39, 345-352.	1.1	89
33	Learning and performance outcomes of mental health staff training in de-escalation techniques for the management of violence and aggression. British Journal of Psychiatry, 2015, 206, 447-455.	1.7	88
34	Understanding the health and social care needs of people living with IBD: A meta-synthesis of the evidence. World Journal of Gastroenterology, 2012, 18, 6240.	1.4	84
35	Telephone Cognitive-Behavioral Therapy for Adolescents With Obsessive-Compulsive Disorder: A Randomized Controlled Non-inferiority Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 1298-1307.e2.	0.3	82
36	Professional perspectives on service user and carer involvement in mental health care planning: A qualitative study. International Journal of Nursing Studies, 2015, 52, 1834-1845.	2.5	82

3

#	Article	IF	Citations
37	Service user views and expectations of UK-registered mental health nurses: A systematic review of empirical research. International Journal of Nursing Studies, 2008, 45, 442-457.	2.5	80
38	Modest Association of Joint Hypermobility With Disabling and Limiting Musculoskeletal Pain: Results From a Largeâ€6cale General Population–Based Survey. Arthritis Care and Research, 2013, 65, 1325-1333.	1.5	79
39	Role of exposure homework in phobia reduction: A controlled study. Behavior Therapy, 1992, 23, 599-621.	1.3	77
40	The clinical effectiveness of guided self-help versus waiting-list control in the management of anxiety and depression: a randomized controlled trial. Psychological Medicine, 2005, 35, 1633-1643.	2.7	76
41	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression. JAMA Psychiatry, 2016, 73, 978.	6.0	76
42	A qualitative study of mild to moderate psychological distress during pregnancy. International Journal of Nursing Studies, 2009, 46, 669-677.	2.5	75
43	Ontological security and connectivity provided by pets: a study in the self-management of the everyday lives of people diagnosed with a long-term mental health condition. BMC Psychiatry, 2016, 16, 409.	1.1	75
44	Psychosocial interventions for the management of chronic orofacial pain., 2011, , CD008456.		73
45	A randomised controlled trial to test the feasibility of a collaborative care model for the management of depression in older people. British Journal of General Practice, 2007, 57, 364-70.	0.7	67
46	Carers' experiences of involvement in care planning: a qualitative exploration of the facilitators and barriers to engagement with mental health services. BMC Psychiatry, 2015, 15, 208.	1.1	66
47	Patient experience of computerised therapy for depression in primary care. BMJ Open, 2015, 5, e008581.	0.8	65
48	A bestâ€evidence synthesis review of the administration of psychotropic pro re nata (PRN) medication in inâ€patient mental health settings. Journal of Clinical Nursing, 2008, 17, 1122-1131.	1.4	62
49	Bringing meaning to user involvement in mental health care planning: a qualitative exploration of service user perspectives. Journal of Psychiatric and Mental Health Nursing, 2016, 23, 12-21.	1.2	61
50	Developing a U.K. protocol for collaborative care: a qualitative study. General Hospital Psychiatry, 2006, 28, 296-305.	1.2	60
51	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. BMC Psychiatry, 2008, 8, 91.	1.1	56
52	â€~On the surface': a qualitative study of GPs' and patients' perspectives on psoriasis. BMC Family Practice, 2013, 14, 158.	2.9	55
53	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. Health Technology Assessment, 2015, 19, 1-174.	1.3	55
54	What work has to be done to implement collaborative care for depression? Process evaluation of a trial utilizing the Normalization Process Model. Implementation Science, 2010, 5, 15.	2.5	53

#	Article	IF	Citations
55	Metacognitive Therapy Versus Prolonged Exposure in Adults with Chronic Post-traumatic Stress Disorder: A Parallel Randomized Controlled Trial. Cognitive Therapy and Research, 2015, 39, 70-80.	1.2	53
56	Barefoot therapists: barriers and facilitators to delivering maternal mental health care through peer volunteers in Pakistan: a qualitative study. International Journal of Mental Health Systems, 2016, 10, 24.	1.1	53
57	Health Technologies 'In the Wild'., 2016, , .		49
58	Electronic Quality of Life Assessment Using Computer-Adaptive Testing. Journal of Medical Internet Research, 2016, 18, e240.	2.1	48
59	Beliefs, sense of control and treatment outcome in post-traumatic stress disorder. Psychological Medicine, 2002, 32, 157-165.	2.7	46
60	You can't get anything perfect: "User perspectives on the delivery of cognitive behavioural therapy by telephone― Social Science and Medicine, 2010, 71, 1308-1315.	1.8	46
61	User satisfaction with inâ€patient mental health services. Journal of Psychiatric and Mental Health Nursing, 1995, 2, 143-150.	1.2	45
62	Overcoming the barriers to the diagnosis and management of chronic fatigue syndrome/ME in primary care: a meta synthesis of qualitative studies. BMC Family Practice, 2014, 15, 44.	2.9	45
63	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental–physical multimorbidity: cluster-randomised trial. British Journal of Psychiatry, 2018, 213, 456-463.	1.7	44
64	An Exploratory Randomized Controlled Study of a Healthy Living Intervention in Early Intervention Services for Psychosis. Journal of Clinical Psychiatry, 2014, 75, 498-505.	1.1	44
65	Disparities in COVID-19 infection, hospitalisation and death in people with schizophrenia, bipolar disorder, and major depressive disorder: a cohort study of the UK Biobank. Molecular Psychiatry, 2022, 27, 1248-1255.	4.1	43
66	Mental health professionals' psychotropic pro re nata (p.r.n.) medication practices in acute inpatient mental health care: a qualitative study. General Hospital Psychiatry, 2007, 29, 163-168.	1.2	42
67	Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. BMC Health Services Research, 2009, 9, 226.	0.9	41
68	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	1.3	41
69	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive–compulsive disorder: the Obsessive–Compulsive Treatment Efficacy randomised controlled Trial (OCTET). Health Technology Assessment, 2017, 21, 1-132.	1.3	41
70	Behavioural Treatment of AIDS-Focused Illness Phobia. British Journal of Psychiatry, 1991, 159, 422-425.	1.7	40
71	Development and Pilot Investigation of Behavioral Activation for Negative Symptoms. Behavior Modification, 2011, 35, 486-506.	1.1	40
72	Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. Journal of Psychosomatic Research, 2016, 82, 54-61.	1.2	40

#	Article	lF	Citations
73	A Pilot Study of Telephone Cognitive-Behavioural Therapy for Obsessive-Compulsive Disorder in Young People. Behavioural and Cognitive Psychotherapy, 2009, 37, 469-474.	0.9	39
74	Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. BMC Health Services Research, 2012, 12, 249.	0.9	39
75	Fatigue Intervention by Nurses Evaluation $\hat{a}\in$ The FINE Trial. A randomised controlled trial of nurse led self-help treatment for patients in primary care with chronic fatigue syndrome: study protocol. [ISRCTN74156610]. BMC Medicine, 2006, 4, 9.	2.3	38
76	The British Sign Language Versions of the Patient Health Questionnaire, the Generalized Anxiety Disorder 7-Item Scale, and the Work and Social Adjustment Scale. Journal of Deaf Studies and Deaf Education, 2013, 18, 110-122.	0.7	38
77	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). PLoS ONE, 2014, 9, e104225.	1.1	38
78	A Qualitative Study of Patients' Perceptions of a â€~Minimal' Psychological Therapy. International Journal of Social Psychiatry, 2007, 53, 23-35.	1.6	36
79	Multidisciplinary consensus of best practice for pro re nata (PRN) psychotropic medications within acute mental health settings: a Delphi study. Journal of Psychiatric and Mental Health Nursing, 2007, 14, 478-484.	1.2	36
80	Acceptability of telephone support as perceived by patients with cancer: A systematic review. European Journal of Cancer Care, 2018, 27, e12643.	0.7	36
81	The support-control continuum: An investigation of staff perspectives on factors influencing the success or failure of de-escalation techniques for the management of violence and aggression in mental health settings. International Journal of Nursing Studies, 2018, 77, 197-206.	2.5	36
82	Peoples' understandings of a primary care-based mental health self-help clinic. Patient Education and Counseling, 2004, 53, 41-46.	1.0	35
83	Service users' experiences of 'as needed' psychotropic medications in acute mental healthcare settings. Journal of Advanced Nursing, 2006, 56, 354-362.	1.5	35
84	Mapping nursing activity in acute inpatient mental healthcare settings. Journal of Mental Health, 2006, 15, 217-226.	1.0	35
85	The impact of a good practice manual on professional practice associated with psychotropic PRN in acute mental health wards: An exploratory study. International Journal of Nursing Studies, 2008, 45, 1403-1410.	2.5	35
86	Patient perspectives on barriers and enablers to the use and effectiveness of deâ€escalation techniques for the management of violence and aggression in mental health settings. Journal of Advanced Nursing, 2018, 74, 614-625.	1.5	35
87	Understanding experiences of and preferences for service user and carer involvement in physical health care discussions within mental health care planning. BMC Psychiatry, 2017, 17, 138.	1.1	34
88	Social anxiety in adult males with autism spectrum disorders. Research in Autism Spectrum Disorders, 2016, 32, 13-23.	0.8	33
89	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. PLoS ONE, 2018, 13, e0201533.	1.1	33
90	Evaluation of a coâ€delivered training package for community mental health professionals on service user―and carer―nvolved care planning. Journal of Psychiatric and Mental Health Nursing, 2017, 24, 358-366.	1.2	32

#	Article	IF	CITATIONS
91	Access and effectiveness in psychological therapies: self-help as a routine health technology. Health and Social Care in the Community, 2003, 11, 175-182.	0.7	31
92	Developing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalitis (CFS/ME) in primary care: a qualitative study. BMC Family Practice, 2012, 13, 93.	2.9	31
93	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial. Health Technology Assessment, 2016, 20, 1-64.	1.3	31
94	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. PLoS Medicine, 2021, 18, e1003779.	3.9	31
95	Should Treatment Distinguish Anxiogenic from Anxiolytic Obsessive-Compulsive Ruminations?. Psychotherapy and Psychosomatics, 1994, 61, 150-155.	4.0	30
96	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. BMC Health Services Research, 2009, 9, 188.	0.9	30
97	A qualitative systematic review of published work on disclosure and help-seeking for domestic violence and abuse among women from ethnic minority populations in the UK. Ethnicity and Health, 2020, 25, 732-746.	1.5	30
98	Alcohol Consumption in Relation to Risk and Severity of Chronic Widespread Pain: Results From a UK Populationâ€Based Study. Arthritis Care and Research, 2015, 67, 1297-1303.	1.5	29
99	Is telephone health coaching a useful population health strategy for supporting older people with multimorbidity? An evaluation of reach, effectiveness and cost-effectiveness using a â€~trial within a cohort'. BMC Medicine, 2018, 16, 80.	2.3	29
100	Post-traumatic stress disorder: Evaluation of a behavioral treatment program. Journal of Traumatic Stress, 1994, 7, 669-680.	1.0	29
101	DO COGNITIVE AND EXPOSURE TREATMENTS IMPROVE VARIOUS PTSD SYMPTOMS DIFFERENTLY? A RANDOMIZED CONTROLLED TRIAL. Behavioural and Cognitive Psychotherapy, 2001, 29, 107-112.	0.9	28
102	A randomized controlled trial comparing EMDR and CBT for obsessive–compulsive disorder. Clinical Psychology and Psychotherapy, 2018, 25, e10-e18.	1.4	28
103	Is it time to abandon care planning in mental health services? A qualitative study exploring the views of professionals, service users and carers. Health Expectations, 2018, 21, 597-605.	1.1	28
104	Practice Nurses' views of their role in the management of Chronic Fatigue Syndrome/Myalagic Encephalitis: a qualitative study. BMC Nursing, 2009, 8, 2.	0.9	27
105	Improving health and productivity of depressed workers: a pilot randomized controlled trial of telephone cognitive behavioral therapy delivery in workplace settings. General Hospital Psychiatry, 2010, 32, 337-340.	1.2	27
106	History of sexual trauma moderates psychotherapy outcome for posttraumatic stress disorder. Depression and Anxiety, 2017, 34, 692-700.	2.0	27
107	<scp>COVID</scp> â€19 vaccination uptake in people with severe mental illness: a <scp>UK</scp> â€based cohort study. World Psychiatry, 2022, 21, 153-154.	4.8	26
108	The development and evaluation of a complex health education intervention for adults with a diagnosis of schizophrenia. Journal of Psychiatric and Mental Health Nursing, 2010, 17, 473-486.	1.2	25

#	Article	IF	CITATIONS
109	Development and evaluation of culturally sensitive psychosocial interventions for under-served people in primary care. BMC Psychiatry, 2014, 14, 217.	1.1	25
110	Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. RMD Open, 2015, 1, e000026-e000026.	1.8	25
111	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. BMJ Open, 2016, 6, e012514.	0.8	25
112	<scp>EQUIP</scp> training the trainers: an evaluation of a training programme for service users and carers involved in training mental health professionals in userâ€nvolved care planning. Journal of Psychiatric and Mental Health Nursing, 2017, 24, 367-376.	1.2	25
113	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. PLoS Medicine, 2017, 14, e1002337.	3.9	25
114	Process and Outcome of a Non-Guided Self-Help Manual for Anxiety and Depression in Primary Care: A Pilot Study. Behavioural and Cognitive Psychotherapy, 2005, 33, 319-331.	0.9	24
115	Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. Trials, 2012, 13, 139.	0.7	24
116	Managing chronic widespread pain in primary care: a qualitative study of patient perspectives and implications for treatment delivery. BMC Musculoskeletal Disorders, 2016, 17, 354.	0.8	24
117	TELEPHONE TREATMENT OF OBSESSIVE-COMPULSIVE DISORDER. Behavioural and Cognitive Psychotherapy, 2000, 28, 87-91.	0.9	23
118	Optimising treatment resources for OCD: A review of the evidence base for technology-enhanced delivery. Journal of Mental Health, 2011, 20, 525-542.	1.0	23
119	Exploring the potential use of patient and public involvement to strengthen Indonesian mental health care for people with psychosis: A qualitative exploration of the views of service users and carers. Health Expectations, 2020, 23, 377-387.	1.1	23
120	Evaluating and Quantifying User and Carer Involvement in Mental Health Care Planning (EQUIP): Co-Development of a New Patient-Reported Outcome Measure. PLoS ONE, 2016, 11, e0149973.	1.1	23
121	An evaluation of a medication management training programme for community mental health professionals; service user level outcomes. International Journal of Nursing Studies, 2009, 46, 645-652.	2.5	22
122	Onceâ€aâ€week psychiatric ward round or daily inpatient team meeting? A multidisciplinary mental health team's experience of new ways of working. International Journal of Mental Health Nursing, 2010, 19, 119-127.	2.1	22
123	Group psychological intervention for postnatal depression: a nested qualitative study with British South Asian women. BMC Women's Health, 2015, 15, 109.	0.8	22
124	Increasing equity of access to high-quality mental health services in primary care: a mixed-methods study. Programme Grants for Applied Research, 2013, 1, XXXX-XXXX.	0.4	21
125	Specialist educational intervention for acute inpatient mental health nursing staff: service user views and effects on nursing quality. Journal of Advanced Nursing, 2005, 51, 634-644.	1.5	20
126	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. Trials, 2015, 16, 348.	0.7	20

#	Article	IF	CITATIONS
127	Re-inventing care planning in mental health: stakeholder accounts of the imagined implementation of a user/carer involved intervention. BMC Health Services Research, 2015, 15, 490.	0.9	20
128	Improving mental health literacy among young people aged $11\hat{a} \in 15\hat{a} \in \infty$ years in Java, Indonesia: co-development and feasibility testing of a culturally-appropriate, user-centred resource (IMPeTUs) $\hat{a} \in \mathbb{C}$ a study protocol. BMC Health Services Research, 2019, 19, 484.	0.9	20
129	Culturally-adapted cognitive behavioural therapy based intervention for maternal depression: a mixed-methods feasibility study. BMC Women's Health, 2019, 19, 21.	0.8	20
130	Diagnosis and management of chronic fatigue syndrome/myalgic encephalitis in black and minority ethnic people: a qualitative study. Primary Health Care Research and Development, 2014, 15, 143-155.	0.5	19
131	â€I didn't know what to expect': Exploring patient perspectives to identify targets for change to improve telephone-delivered psychological interventions. BMC Psychiatry, 2020, 20, 156.	1.1	19
132	Interventions for adults with a history of complex traumatic events: the INCiTE mixed-methods systematic review. Health Technology Assessment, 2020, 24, 1-312.	1.3	19
133	Development and piloting of a multidisciplinary training course for detecting and managing depression in the older person. Journal of Psychiatric and Mental Health Nursing, 2004, 11, 165-171.	1.2	18
134	Exploring service users', carers' and professionals' perspectives and experiences of current antipsychotic prescribing: A qualitative study. Chronic Illness, 2017, 13, 275-287.	0.6	18
135	Use of smartphones, mobile apps and wearables for health promotion by people with anxiety or depression: An analysis of a nationally representative survey data. Psychiatry Research, 2021, 304, 114120.	1.7	18
136	Improving access to primary mental health care: uncontrolled evaluation of a pilot self-help clinic. British Journal of General Practice, 2003, 53, 133-5.	0.7	18
137	The Challenges of Translating the Clinical Outcomes in Routine Evaluation-Outcome Measure (CORE-OM) Into British Sign Language. Journal of Deaf Studies and Deaf Education, 2013, 18, 287-298.	0.7	17
138	Implementing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalomyelitis (CFS/ME) in primary care: A qualitative study. BMC Family Practice, 2016, 17, 66.	2.9	17
139	Remotely delivered cognitive behavioural and personalised exercise interventions for fatigue severity and impact in inflammatory rheumatic diseases (LIFT): a multicentre, randomised, controlled, open-label, parallel-group trial. Lancet Rheumatology, The, 2022, 4, e534-e545.	2.2	17
140	Challenges of nurse delivery of psychological interventions for long-term conditions in primary care: a qualitative exploration of the case of chronic fatigue syndrome/myalgic encephalitis. Implementation Science, 2011, 6, 132.	2.5	16
141	Qualitative systematic review of barriers and facilitators to patient-involved antipsychotic prescribing. BJPsych Open, 2018, 4, 5-14.	0.3	16
142	What influences practitioners' readiness to deliver psychological interventions by telephone? A qualitative study of behaviour change using the Theoretical Domains Framework. BMC Psychiatry, 2020, 20, 371.	1.1	16
143	Psychosocial family interventions for relatives of people living with psychotic disorders in the Arab world: systematic review. BMC Psychiatry, 2020, 20, 413.	1.1	16
144	Developing a healthy living intervention for people with early psychosis using the Medical Research Council's guidelines on complex interventions: Phase 1 of the HELPER – InterACT programme. International Journal of Nursing Studies, 2012, 49, 398-406.	2.5	15

#	Article	IF	CITATIONS
145	Embedding telephone therapy in statutory mental health services: a qualitative, theory-driven analysis. BMC Psychiatry, 2016, 16, 56.	1.1	15
146	Clinical and cost-effectiveness of one-session treatment (OST) versus multisession cognitive–behavioural therapy (CBT) for specific phobias in children: protocol for a non-inferiority randomised controlled trial. BMJ Open, 2018, 8, e025031.	0.8	15
147	Exploring the potential of civic engagement to strengthen mental health systems in Indonesia (IGNITE): a study protocol. International Journal of Mental Health Systems, 2018, 12, 49.	1.1	15
148	Impact of telephone delivered case-management on the effectiveness of collaborative care for depression and anti-depressant use: A systematic review and meta-regression. PLoS ONE, 2019, 14, e0217948.	1.1	15
149	Implementing an intervention designed to enhance service user involvement in mental health care planning: a qualitative process evaluation. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 221-233.	1.6	15
150	The role of relapse prevention for depression in collaborative care: A systematic review. Journal of Affective Disorders, 2020, 265, 618-644.	2.0	15
151	Impact of involving people with dementia and their care partners in research: a qualitative study. BMJ Open, 2020, 10, e039321.	0.8	15
152	Mental health literacy in children and adolescents in low- and middle-income countries: a mixed studies systematic review and narrative synthesis. European Child and Adolescent Psychiatry, 2022, , .	2.8	15
153	A pilot study of a self-help manual with minimal therapist contact in the treatment of obsessive–compulsive disorder. Clinical Effectiveness in Nursing, 2004, 8, 122-127.	0.1	14
154	Cost-effectiveness of supported self-management for CFS/ME patients in primary care. BMC Family Practice, 2013, 14, 12.	2.9	14
155	A FURTHER STUDY OF SOME COGNITIVE AND OTHER DISABILITIES IN BACKWARD READERS OF AVERAGE NON-VERBAL REASONING SCORES. British Journal of Educational Psychology, 1964, 34, 275-279.	1.6	13
156	Organizing and delivering training for acute mental health services: a discussion paper. Journal of Psychiatric and Mental Health Nursing, 2005, 12, 139-145.	1.2	13
157	Implementing the NICE OCD/BDD guidelines. Psychology and Psychotherapy: Theory, Research and Practice, 2008, 81, 365-376.	1.3	13
158	The theoretical and practical determination of clinical cut-offs for the British Sign Language versions of PHQ-9 and GAD-7. BMC Psychiatry, 2016, 16, 372.	1.1	13
159	The impact of advertising patient and public involvement on trial recruitment: embedded cluster randomised recruitment trial. Trials, 2016, 17, 586.	0.7	13
160	Evaluating a complex model designed to increase access to high quality primary mental health care for under-served groups: a multi-method study. BMC Health Services Research, 2016, 16, 58.	0.9	13
161	Low intensity interventions for Obsessive-Compulsive Disorder (OCD): a qualitative study of mental health practitioner experiences. BMC Psychiatry, 2017, 17, 77.	1.1	13
162	Patients' perspectives on shared decision making in secondary mental healthcare in Taiwan: A qualitative study. Patient Education and Counseling, 2020, 103, 2565-2570.	1.0	13

#	Article	IF	CITATIONS
163	A SUMMARY OF A STUDY OF THE READING AGES OF CHILDREN WHO HAD BEEN GIVEN REMEDIAL TEACHING. British Journal of Educational Psychology, 1962, 32, 66-71.	1.6	12
164	The reliability of British Sign Language and English versions of the Clinical Outcomes in Routine Evaluation - Outcome Measure with d/Deaf populations in the UK: an initial study. Health and Social Care in the Community, 2014, 22, 278-289.	0.7	12
165	Telephone cognitive behavioural therapy to prevent the development of chronic widespread pain: a qualitative study of patient perspectives and treatment acceptability. BMC Musculoskeletal Disorders, 2019, 20, 198.	0.8	12
166	Negotiating support from relationships and resources: a longitudinal study examining the role of personal support networks in the management of severe and enduring mental health problems. BMC Psychiatry, 2020, 20, 50.	1.1	12
167	Evaluating the effectiveness and cost-effectiveness of British Sign Language Improving Access to Psychological Therapies: an exploratory study. Health Services and Delivery Research, 2017, 5, 1-196.	1.4	12
168	Conceptualisations of positive mental health and wellbeing among children and adolescents in low― and middleâ€income countries: A systematic review and narrative synthesis. Health Expectations, 2022, 25, 61-79.	1.1	12
169	Consent and long-term neuroleptic treatment. Journal of Psychiatric and Mental Health Nursing, 2002, 9, 475-482.	1.2	11
170	â€~One man's medicine is another man's poison': a qualitative study of user perspectives on low interinterventions for Obsessive-Compulsive Disorder (OCD). BMC Health Services Research, 2016, 16, 188.	nsity 0.9	11
171	â€~He's my mate you see': a critical discourse analysis of the therapeutic role of companion animals in the social networks of people with a diagnosis of severe mental illness. Medical Humanities, 2019, 45, 326-334.	0.6	11
172	Civic engagement and mental health system strengthening in Indonesia: a qualitative examination of the views of health professionals and national key stakeholders. BMC Psychiatry, 2020, 20, 172.	1.1	11
173	The clinical and behavioral cardiometabolic risk of children and young people on mental health inpatient units: A systematic review and meta-analysis. General Hospital Psychiatry, 2021, 70, 80-97.	1.2	11
174	Knowledge and competency standards for specialized cognitive behavior therapy for adult obsessive-compulsive disorder. Psychiatry Research, 2021, 303, 113752.	1.7	11
175	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. Trials, 2014, 15, 278.	0.7	10
176	A systematic review of prognostic factors for distal upper limb pain. British Journal of Pain, 2015, 9, 241-255.	0.7	10
177	'I just wanted someone to tell me it wasn't all in my mind and do something for me': Qualitative exploration of acceptability of a CBT based intervention to manage chronic orofacial pain. British Dental Journal, 2016, 220, 459-463.	0.3	10
178	The Maintaining Musculoskeletal Health (MAmMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. BMC Musculoskeletal Disorders, 2016, 17, 179.	0.8	10
179	Pragmatic RAndomised controlled trial of a trauma-focused guided self-help Programme versus InDividual trauma-focused cognitive Behavioural therapy for post-traumatic stress disorder (RAPID): trial protocol. BMC Psychiatry, 2018, 18, 77.	1.1	10
180	Evaluating the acceptability of a co-produced and co-delivered mental health public engagement festival: Mental Health Matters, Jakarta, Indonesia. Research Involvement and Engagement, 2019, 5, 25.	1.1	10

#	Article	IF	CITATIONS
181	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAmMOTH Study). Annals of the Rheumatic Diseases, 2021, 80, 903-911.	0.5	10
182	Enhancing the Behaviour Change Wheel with synthesis, stakeholder involvement and decision-making: a case example using the â€Enhancing the Quality of Psychological Interventions Delivered by Telephone'Â(EQUITy) research programme. Implementation Science, 2021, 16, 53.	2.5	10
183	Guided, internet based, cognitive behavioural therapy for post-traumatic stress disorder: pragmatic, multicentre, randomised controlled non-inferiority trial (RAPID). BMJ, The, 0, , e069405.	3.0	10
184	Agoraphobia: nurse therapist-facilitated self-help manual. Journal of Advanced Nursing, 2003, 43, 623-630.	1.5	9
185	Achieving target recruitment in a primary care trial: lessons from PRIDE. Primary Health Care Research and Development, 2007, 8, 264.	0.5	9
186	Mental health practitioner's attitude towards maintenance neuroleptic treatment for people with schizophrenia. Journal of Psychiatric and Mental Health Nursing, 2007, 14, 113-119.	1.2	9
187	A (five-)level playing field for mental health conditions?: exploratory analysis of EQ-5D-5L-derived utility values. Quality of Life Research, 2018, 27, 717-724.	1.5	9
188	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). BMJ Open, 2019, 9, e026793.	0.8	9
189	Improving care for older people with long-term conditions and social care needs in Salford: the CLASSIC mixed-methods study, including RCT. Health Services and Delivery Research, 2018, 6, 1-188.	1.4	9
190	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients. BMC Psychiatry, 2022, 22, 82.	1.1	9
191	Assessing the effectiveness of social network interventions for adults with a diagnosis of mental health problems: a systematic review and narrative synthesis of impact. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 907-925.	1.6	9
192	Specialist educational intervention for mental health nursing staff: delivery, content and personal impact. Journal of Advanced Nursing, 2005, 51, 529-538.	1.5	8
193	Implementing an innovative intervention to increase research capacity for enhancing early psychosis care in Indonesia. Journal of Psychiatric and Mental Health Nursing, 2017, 24, 671-680.	1.2	8
194	Collaborative, individualised lifestyle interventions are acceptable to people with first episode psychosis; a qualitative study. BMC Psychiatry, 2018, 18, 111.	1.1	8
195	Cost-effectiveness analysis of telephone cognitive–behaviour therapy for adolescents with obsessive–compulsive disorder. BJPsych Open, 2019, 5, e7.	0.3	8
196	Implementing civic engagement within mental health services in South East Asia: a systematic review and realist synthesis of current evidence. International Journal of Mental Health Systems, 2020, 14, 17.	1.1	8
197	Influence of Needs and Experiences of Haemato-Oncology Patients on Acceptability of a Telephone Intervention for Support and Symptom Management: A Qualitative Study. Clinical Nursing Research, 2020, 29, 627-637.	0.7	8
198	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis General Hospital Psychiatry, 2021, 71, 27-35.	1.2	8

#	Article	lF	CITATIONS
199	Exploring the experience of relatives living with individuals diagnosed with schizophrenia in Oman: A qualitative study. Journal of Psychiatric and Mental Health Nursing, 2021, 28, 1029-1040.	1.2	8
200	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. Programme Grants for Applied Research, 2019, 7, 1-140.	0.4	8
201	Children and young people's beliefs about mental health and illness in Indonesia: A qualitative study informed by the Common Sense Model of Self-Regulation. PLoS ONE, 2022, 17, e0263232.	1.1	8
202	Clinician views of referring people with negative symptoms to outcome research: A questionnaire survey. International Journal of Mental Health Nursing, 2012, 21, 138-144.	2.1	7
203	Exploring the potential implementation of a tool to enhance shared decision making (SDM) in mental health services in the United Kingdom: a qualitative exploration of the views of service users, carers and professionals. International Journal of Mental Health Systems, 2017, 11, 42.	1.1	7
204	A Pilot Randomized Controlled Trial of a Guided Self-Help Intervention to Manage Chronic Orofacial Pain. Journal of Oral and Facial Pain and Headache, 2017, 31, 61-71.	0.7	7
205	Patients' experiences of cognitive behavioural therapy and eye movement desensitisation and reprocessing as treatments for obsessiveâ€compulsive disorder. Counselling and Psychotherapy Research, 2018, 18, 251-261.	1.7	7
206	Personality disorder coâ€morbidity in primary care †Improving Access to Psychological Therapy†services: A qualitative study exploring professionals' perspectives of working with this patient group. Personality and Mental Health, 2019, 13, 168-179.	0.6	7
207	The HELPER programme: HEalthy Living and Prevention of Early Relapse – three exploratory randomised controlled trials of phase-specific interventions in first-episode psychosis. Programme Grants for Applied Research, 2015, 3, 1-238.	0.4	7
208	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq0 0 0 rgBT /C	Overlock 1	0 Tf 50 387 7
200	fully-powered pragmatic randomised controlled trial. PLoS ONE, 2022, 17, e0263856.	1,1	,
209	Why do adults with schizophrenia have poorer physical health than the rest of the population?. Mental Health Practice, 2005, 9, 28-30.	0.1	6
210	An evaluation of the impact of the recommendations of the Chief Nursing Officer's (England) Review of Mental Health Nursing in Mental Health Trusts and Universities in England: findings from stage one, an eâ€survey. Journal of Clinical Nursing, 2010, 19, 2590-2600.	1.4	6
211	Update on the collaborative interventions for circulation and depression (COINCIDE) trial: changes to planned methodology of a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. Trials, 2013, 14, 136.	0.7	6
212	Service User- and Carer-Reported Measures of Involvement in Mental Health Care Planning: Methodological Quality and Acceptability to Users. Frontiers in Psychiatry, 2014, 5, 178.	1.3	6
213	A qualitative exploration of trial-related terminology in a study involving Deaf British Sign Language users. Trials, 2016, 17, 219.	0.7	6
214	A study on the feasibility of delivering a psychologically informed wardâ€based intervention on an acute mental health ward. Clinical Psychology and Psychotherapy, 2021, , .	1.4	6
215	Improving mental health literacy among young people aged 11–15Âyears in Java, Indonesia: the co-development of a culturally-appropriate, user-centred resource (The IMPeTUs Intervention). Child and Adolescent Psychiatry and Mental Health, 2021, 15, 56.	1.2	6
216	Evaluation of a research awareness training programme to support research involvement of older people with dementia and their care partners. Health Expectations, 2020, 23, 1177-1190.	1.1	5

#	Article	IF	Citations
217	Supporting low intensity interventions using the telephone. , 2010, , 275-280.		5
218	CHOICE: Choosing Health Options In Chronic Care Emergencies. Programme Grants for Applied Research, 2017, 5, 1-272.	0.4	5
219	Using routine outcome measures as clinical process tools: Maximising the therapeutic yield in the <scp>IAPT</scp> programme when working remotely. Psychology and Psychotherapy: Theory, Research and Practice, 2022, , .	1.3	5
220	Behavioural treatments in post-traumatic stress disorder. British Journal of Nursing, 1995, 4, 934-953.	0.3	4
221	Carer and mental health professional views of a psychosocial treatment for negative symptoms in psychosis: A qualitative study. International Journal of Nursing Studies, 2012, 49, 1191-1199.	2.5	4
222	Psychosocial interventions for the negative symptoms of psychosis. Mental Health Practice, 2013, 16, 19-22.	0.1	4
223	The experiences of help-seeking in people with obsessive compulsive disorder: an internet survey. The Cognitive Behaviour Therapist, 2016, 9, .	0.4	4
224	A feasibility study for NOn-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. Trials, 2018, 19, 172.	0.7	4
225	A qualitative study of professional stakeholders' perceptions about the implementation of a stepped care pain platform for people experiencing chronic widespread pain. BMC Family Practice, 2018, 19, 151.	2.9	4
226	Can support workers from AgeUK deliver an intervention to support older people with anxiety and depression? A qualitative evaluation. BMC Family Practice, 2019, 20, 16.	2.9	4
227	Moderators and predictors of outcomes in telephone delivered compared to face-to-face cognitive behaviour therapy for paediatric obsessive–compulsive disorder: preliminary evidence from a non-inferiority RCT. Cognitive Behaviour Therapy, 2019, 48, 353-368.	1.9	4
228	Personality disorder co-morbidity in primary care †Improving Access to Psychological Therapy†(IAPT) services: a qualitative study exploring patient perspectives on treatment experience. Behavioural and Cognitive Psychotherapy, 2021, 49, 144-158.	0.9	4
229	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. Public Health Research, 2018, 6, 1-76.	0.5	4
230	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. Programme Grants for Applied Research, 2018, 6, 1-154.	0.4	4
231	Self-help for anxiety and depression in primary care: an audit of a pilot clinic. Clinical Effectiveness in Nursing, 2002, 6, 129-133.	0.1	3
232	The use of CBT based, brief, facilitated self-help interventions in primary care mental health service provision: Evaluation of a 10-day training programme. Clinical Effectiveness in Nursing, 2006, 9, e88-e96.	0.1	3
233	Developing a framework for admission and discharge: a nurseâ€led initiative within a mental health setting. Journal of Psychiatric and Mental Health Nursing, 2007, 14, 705-712.	1.2	3
234	Collaborative care for depression in UK primary care: a randomized controlled trial – Corrigendum. Psychological Medicine, 2009, 39, 701-701.	2.7	3

#	Article	IF	CITATIONS
235	Assessing mental health service user and carer involvement in physical health care planning: The development and validation of a new patient-reported experience measure. PLoS ONE, 2019, 14, e0206507.	1.1	3
236	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-128.	1.4	3
237	Multicentre randomised controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin (ROSHNI-2): study protocol. BJPsych Open, 2022, 8,	0.3	3
238	Health professionals' perspectives on shared decision-making in secondary mental healthcare: a qualitative study. Journal of Mental Health, 2022, 31, 709-715.	1.0	3
239	Mental health literacy amongst children with common mental health problems and their parents in Java, Indonesia: a qualitative study. Global Mental Health (Cambridge, England), 2022, 9, 72-83.	1.0	3
240	Cognitive Restructuring in the Treatment of Post-Traumatic Stress Disorderâ€"Two Single Cases. Clinical Psychology and Psychotherapy, 1996, 3, 137-148.	1.4	2
241	Treating Patients Who Strain the Research Psychotherapy Paradigm. Journal of Nervous and Mental Disease, 2012, 200, 594-597.	0.5	2
242	A followâ€up evaluation of the impact of the Chief Nursing Officer's review of mental health nursing in Mental Health Trusts and Universities in England: comparisons of two eâ€surveys. Journal of Advanced Nursing, 2012, 68, 625-635.	1.5	2
243	Rogers et al Journal of Deaf Studies and Deaf Education, 2013, 18, 427-427.	0.7	2
244	Psychosocial interventions for the management of chronic orofacial pain. The Cochrane Library, 2015, 2015, CD008456.	1.5	2
245	Conducting a consensus conference to design a psychology service model for acute mental health wards. British Journal of Clinical Psychology, 2020, 59, 439-460.	1.7	2
246	Providing Telephone-Based Support for Patients With Haematological Malignancies: A Qualitative Investigation of Expert Nurses. Canadian Journal of Nursing Research, 2022, 54, 121-133.	0.6	2
247	Exploring views of relatives and mental health professionals to inform the cultural adaptation of a family intervention for schizophrenia in Oman: A qualitative study. International Journal of Social Psychiatry, 2022, 68, 1795-1805.	1.6	2
248	De-escalation of conflict in forensic mental health inpatient settings: a Theoretical Domains Framework-informed qualitative investigation of staff and patient perspectives. BMC Psychology, 2022, 10, 30.	0.9	2
249	Management of late-life depression. , 0, , 17-32.		1
250	ApTiC: A feasibility trial of a communication method using mobile technology to improve assessment within an early intervention service. European Psychiatry, 2016, 33, S608-S608.	0.1	1
251	Non-traditional support workers delivering a brief psychosocial intervention for older people with anxiety and depression: the NOTEPAD feasibility study. Health Services and Delivery Research, 2019, 7, 1-120.	1.4	1
252	Feasibility, acceptability and change in health following a telephone-based cognitive behaviour therapy intervention for patients with axial spondyloarthritis. Rheumatology Advances in Practice, 2021, 5, rkaa063.	0.3	1

#	Article	IF	CITATIONS
253	PTU-095â€A qualitative exploration of inflammatory bowel disease patient perceptions of primary care in the UK. Gut, 2012, 61, A222.3-A223.	6.1	О
254	PMO-024â€A qualitative exploration of inflammatory bowel disease patient attitudes towards self management and new modes of care delivery. Gut, 2012, 61, A82.3-A83.	6.1	0
255	OP0232â€Long-Term Effects of Cognitive Behaviour Therapy and Exercise for Chronic Widespread Pain. Annals of the Rheumatic Diseases, 2013, 72, A131.1-A131.	0.5	0
256	OP52â€A systematic review of the prognosis of distal upper limb pain. Journal of Epidemiology and Community Health, 2014, 68, A27.2-A28.	2.0	0
257	Exploratory randomized controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin. European Psychiatry, 2016, 33, s279-s279.	0.1	O
258	OP78â€Improving trial recruitment through improved communication about patient and public involvement: an embedded cluster randomised recruitment trial. Journal of Epidemiology and Community Health, 2016, 70, A43.2-A44.	2.0	0
259	Psychological Therapies. , 0, , 420-438.		O
260	O15â€f Maintaining musculoskeletal health: a randomised controlled trial of cognitive behaviour therapy among people at high risk of developing chronic widespread pain. Rheumatology, 2020, 59, .	0.9	0
261	Out of pocket expenses in obsessive compulsive disorder. Journal of Mental Health, 2020, , 1-6.	1.0	O
262	P201â€fTherapists' experiences of remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. Rheumatology, 2021, 60, .	0.9	0
263	OO4â€fPatient engagement with remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. Rheumatology, 2021, 60, .	0.9	0
264	OC-005â€An exploration of the health and social needs of people living with inflammatory bowel disease: a metasynthesis. Gut, 2012, 61, A2.2-A2.	6.1	O
265	Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. Programme Grants for Applied Research, 2022, 10, 1-240.	0.4	0
266	Title is missing!. , 2020, 17, e1003262.		0
267	Title is missing!. , 2020, 17, e1003262.		O
268	Title is missing!. , 2020, 17, e1003262.		0
269	Title is missing!. , 2020, 17, e1003262.		0
270	Title is missing!. , 2020, 17, e1003262.		O

#	Article	IF	CITATIONS
271	Remotely delivered cognitive-behavioural and personalized exercise interventions to lessen the impact of fatigue: a qualitative evaluation. Rheumatology Advances in Practice, 2022, 6, .	0.3	O