

Tong Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1831442/publications.pdf>

Version: 2024-02-01

76
papers

6,136
citations

109321

35
h-index

82547

72
g-index

78
all docs

78
docs citations

78
times ranked

7852
citing authors

#	ARTICLE	IF	CITATIONS
1	Manipulating electrostatic field to control the distribution of bioactive proteins or polymeric microparticles on planar surfaces for guiding cell migration. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022, 209, 112185.	5.0	3
2	Microneedle Array Patch Made of Kangfuxin/Chitosan/Fucoidan Complex Enables Full-Thickness Wound Healing. <i>Frontiers in Chemistry</i> , 2022, 10, 838920.	3.6	19
3	Accelerating Cell Migration along Radially Aligned Nanofibers through the Addition of Electrospayed Nanoparticles in a Radial Density Gradient. <i>Particle and Particle Systems Characterization</i> , 2022, 39, .	2.3	8
4	Improving Biocompatibility of Polyester Fabrics through Polyurethane/Gelatin Complex Coating for Potential Vascular Application. <i>Polymers</i> , 2022, 14, 989.	4.5	5
5	Photothermal-Triggered Structural Change of Nanofiber Scaffold Integrating with Graded Mineralization to Promote Tendonâ€“Bone Healing. <i>Advanced Fiber Materials</i> , 2022, 4, 908-922.	16.1	11
6	Design and Fabrication of Nanofibrous Dura Mater with Antifibrosis and Neuroprotection Effects on SH-SY5Y Cells. <i>Polymers</i> , 2022, 14, 1882.	4.5	3
7	Promotion of Neurite Outgrowth and Extension Using Injectable Welded Nanofibers. <i>Chemical Research in Chinese Universities</i> , 2021, 37, 522-527.	2.6	2
8	A bilayer vascular scaffold with spatially controlled release of growth factors to enhance in situ rapid endothelialization and smooth muscle regeneration. <i>Materials and Design</i> , 2021, 204, 109649.	7.0	17
9	Harnessing biocompatible nanofibers and silver nanoparticles for wound healing: Sandwich wound dressing versus commercial silver sulfadiazine dressing. <i>Materials Science and Engineering C</i> , 2021, 128, 112342.	7.3	37
10	A smart material built upon the photo-thermochromic effect and its use for managing indoor temperature. <i>Chemical Communications</i> , 2021, 57, 8628-8631.	4.1	4
11	Super-assembled silica nanoprobe for intracellular Zn(II) sensing and reperfusion injury treatment through <i>in situ</i> MOF crystallization. <i>Analyst</i> , 2021, 146, 6788-6797.	3.5	5
12	Integrated cooling (i-Cool) textile of heat conduction and sweat transportation for personal perspiration management. <i>Nature Communications</i> , 2021, 12, 6122.	12.8	86
13	Super-Assembled Periodic Mesoporous Organosilica Frameworks for Real-Time Hypoxia-Triggered Drug Release and Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 50246-50257.	8.0	11
14	Engineering Electrospun Nanofibers for the Treatment of Oral Diseases. <i>Frontiers in Chemistry</i> , 2021, 9, 797523.	3.6	11
15	Transforming Nanofiber Mats into Hierarchical Scaffolds with Graded Changes in Porosity and/or Nanofiber Alignment. <i>Macromolecular Rapid Communications</i> , 2020, 41, 1900579.	3.9	13
16	Mechanically-reinforced 3D scaffold constructed by silk nonwoven fabric and silk fibroin sponge. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 196, 111361.	5.0	14
17	Gold nanocages for effective photothermal conversion and related applications. <i>Chemical Science</i> , 2020, 11, 12955-12973.	7.4	46
18	Promoting Cell Migration and Neurite Extension along Uniaxially Aligned Nanofibers with Biomacromolecular Particles in a Density Gradient. <i>Advanced Functional Materials</i> , 2020, 30, 2002031.	14.9	43

#	ARTICLE	IF	CITATIONS
19	Polyethersulfone microfiltration membrane modified by an amphiphilic dithiolane-containing copolymer for improving anti-protein fouling performance and rejection of nanoparticles. <i>Polymers for Advanced Technologies</i> , 2020, 31, 2816-2826.	3.2	5
20	Engraving the Surface of Electrospun Microfibers with Nanoscale Grooves Promotes the Outgrowth of Neurites and the Migration of Schwann Cells. <i>Angewandte Chemie</i> , 2020, 132, 15756-15762.	2.0	1
21	Engraving the Surface of Electrospun Microfibers with Nanoscale Grooves Promotes the Outgrowth of Neurites and the Migration of Schwann Cells. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15626-15632.	13.8	37
22	Spatiotemporally Controlling the Release of Biological Effectors Enhances Their Effects on Cell Migration and Neurite Outgrowth. <i>Small Methods</i> , 2020, 4, 2000125.	8.6	17
23	Moving Electrospun Nanofibers and Bioprinted Scaffolds toward Translational Applications. <i>Advanced Healthcare Materials</i> , 2020, 9, e1901761.	7.6	33
24	Membrane-Free Zn/MnO ₂ Flow Battery for Large-Scale Energy Storage. <i>Advanced Energy Materials</i> , 2020, 10, 1902085.	19.5	111
25	Robust polyimide nano/microfibre aerogels welded by solvent-vapour for environmental applications. <i>Royal Society Open Science</i> , 2019, 6, 190596.	2.4	21
26	Photothermal Welding, Melting, and Patterned Expansion of Nonwoven Mats of Polymer Nanofibers for Biomedical and Printing Applications. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16416-16421.	13.8	39
27	Photothermal Welding, Melting, and Patterned Expansion of Nonwoven Mats of Polymer Nanofibers for Biomedical and Printing Applications. <i>Angewandte Chemie</i> , 2019, 131, 16568-16573.	2.0	8
28	Promoting the Outgrowth of Neurites on Electrospun Microfibers by Functionalization with Electrospayed Microparticles of Fatty Acids. <i>Angewandte Chemie</i> , 2019, 131, 3988-3991.	2.0	5
29	Electrospun Nanofibers for Tissue Engineering. , 2019, , 719-734.		15
30	Incorporation of gold nanocages into electrospun nanofibers for efficient water evaporation through photothermal heating. <i>Materials Today Energy</i> , 2019, 12, 129-135.	4.7	54
31	Promoting the Outgrowth of Neurites on Electrospun Microfibers by Functionalization with Electrospayed Microparticles of Fatty Acids. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 3948-3951.	13.8	32
32	Remediation of heavy metal contaminated soil by asymmetrical alternating current electrochemistry. <i>Nature Communications</i> , 2019, 10, 2440.	12.8	156
33	Direct/Alternating Current Electrochemical Method for Removing and Recovering Heavy Metal from Water Using Graphene Oxide Electrode. <i>ACS Nano</i> , 2019, 13, 6431-6437.	14.6	181
34	Electrospinning and Electrospun Nanofibers: Methods, Materials, and Applications. <i>Chemical Reviews</i> , 2019, 119, 5298-5415.	47.7	2,814
35	Amidoxime-Functionalized Macroporous Carbon Self-Refreshed Electrode Materials for Rapid and High-Capacity Removal of Heavy Metal from Water. <i>ACS Central Science</i> , 2019, 5, 719-726.	11.3	76
36	Polypyrrole-coated poly(L-lactic acid-co-ε-caprolactone)/silk fibroin nanofibrous nerve guidance conduit induced nerve regeneration in rat. <i>Materials Science and Engineering C</i> , 2019, 94, 190-199.	7.3	73

#	ARTICLE	IF	CITATIONS
37	General Method for Generating Circular Gradients of Active Proteins on Nanofiber Scaffolds Sought for Wound Closure and Related Applications. ACS Applied Materials & Interfaces, 2018, 10, 8536-8545.	8.0	43
38	In Situ Investigation on the Nanoscale Capture and Evolution of Aerosols on Nanofibers. Nano Letters, 2018, 18, 1130-1138.	9.1	65
39	Fabrication and preliminary study of a biomimetic tri-layer tubular graft based on fibers and fiber yarns for vascular tissue engineering. Materials Science and Engineering C, 2018, 82, 121-129.	7.3	87
40	Morphology and property investigation of primary particulate matter particles from different sources. Nano Research, 2018, 11, 3182-3192.	10.4	54
41	Perspective: Aligned arrays of electrospun nanofibers for directing cell migration. APL Materials, 2018, 6, .	5.1	42
42	Design and Fabrication of a Biomimetic Vascular Scaffold Promoting in Situ Endothelialization and Tunica Media Regeneration. ACS Applied Bio Materials, 2018, 1, 833-844.	4.6	23
43	Enhancing the tactile and near-infrared sensing capabilities of electrospun PVDF nanofibers with the use of gold nanocages. Journal of Materials Chemistry C, 2018, 6, 10263-10269.	5.5	18
44	Sea-Sponge-like Structure of Nano-Fe ₃ O ₄ on Skeleton-C with Long Cycle Life under High Rate for Li-Ion Batteries. ACS Applied Materials & Interfaces, 2018, 10, 19656-19663.	8.0	56
45	Core-Shell Nanofibrous Materials with High Particulate Matter Removal Efficiencies and Thermally Triggered Flame Retardant Properties. ACS Central Science, 2018, 4, 894-898.	11.3	73
46	Fe-Au Nanoparticle-Coupling for Ultrasensitive Detections of Circulating Tumor DNA. Advanced Materials, 2018, 30, e1801690.	21.0	49
47	A half-wave rectified alternating current electrochemical method for uranium extraction from seawater. Nature Energy, 2017, 2, .	39.5	388
48	Development of Dynamic Liquid and Conjugated Electrospun Poly(L-lactide-co-caprolactone)/Collagen Nanoyarns for Regulating Vascular Smooth Muscle Cells Growth. Journal of Biomedical Nanotechnology, 2017, 13, 303-312.	1.1	17
49	Application of a bilayer tubular scaffold based on electrospun poly(L-lactide-co-caprolactone)/collagen fibers and yarns for tracheal tissue engineering. Journal of Materials Chemistry B, 2017, 5, 139-150.	5.8	38
50	Laminin-coated nerve guidance conduits based on poly(L-lactide-co-glycolide) fibers and yarns for promoting Schwann cells proliferation and migration. Journal of Materials Chemistry B, 2017, 5, 3186-3194.	5.8	50
51	Development of Nanofiber Sponges-Containing Nerve Guidance Conduit for Peripheral Nerve Regeneration in Vivo. ACS Applied Materials & Interfaces, 2017, 9, 26684-26696.	8.0	77
52	Engineering the surface of LiCoO ₂ electrodes using atomic layer deposition for stable high-voltage lithium ion batteries. Nano Research, 2017, 10, 3754-3764.	10.4	78
53	Anti-CD133 antibody loaded bilayer tubular scaffold based on poly(L-lactide-co-caprolactone)/collagen nanofibers and nanoyarns for vascular tissue engineering. Journal of Controlled Release, 2017, 259, e129.	9.9	2
54	Near infrared-assisted Fenton reaction for tumor-specific and mitochondrial DNA-targeted photochemotherapy. Biomaterials, 2017, 141, 86-95.	11.4	220

#	ARTICLE	IF	CITATIONS
55	Evaluation of the potential of rhTGF- β 23 encapsulated P(LLA-CL)/collagen nanofibers for tracheal cartilage regeneration using mesenchymal stems cells derived from Wharton's jelly of human umbilical cord. <i>Materials Science and Engineering C</i> , 2017, 70, 637-645.	7.3	53
56	Nanofiber composites in tendon tissue engineering. , 2017, , 345-367.		2
57	Nanofiber composites in neural tissue engineering. , 2017, , 395-410.		2
58	Fabrication and characterization of vitamin B5 loaded poly (l-lactide-co-caprolactone)/silk fiber aligned electrospun nanofibers for schwann cell proliferation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 144, 108-117.	5.0	34
59	Polypyrrole-coated poly(l-lactic acid-co-l-caprolactone)/silk fibroin nanofibrous membranes promoting neural cell proliferation and differentiation with electrical stimulation. <i>Journal of Materials Chemistry B</i> , 2016, 4, 6670-6679.	5.8	94
60	Fabrication of poly(ester-urethane)urea elastomer/gelatin electrospun nanofibrous membranes for potential applications in skin tissue engineering. <i>RSC Advances</i> , 2016, 6, 73636-73644.	3.6	23
61	A comparison of nanoscale and multiscale PCL/gelatin scaffolds prepared by disc-electrospinning. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 146, 632-641.	5.0	40
62	Preliminary study of a novel nanofiber-based valve integrated tubular graft as an alternative for a pulmonary valved artery. <i>RSC Advances</i> , 2016, 6, 84837-84846.	3.6	4
63	Regenerated collagen fibers with grooved surface texture: Physicochemical characterization and cytocompatibility. <i>Materials Science and Engineering C</i> , 2016, 58, 750-756.	7.3	14
64	Development of Dual Neurotrophins-Encapsulated Electrospun Nanofibrous Scaffolds for Peripheral Nerve Regeneration. <i>Journal of Biomedical Nanotechnology</i> , 2016, 12, 1987-2000.	1.1	11
65	Electrospun macroporous fibrous scaffolds. <i>Journal of Controlled Release</i> , 2015, 213, e60-e61.	9.9	1
66	Heparin and Vascular Endothelial Growth Factor Loaded Poly(L-lactide-co-caprolactone) Nanofiber Covered Stent-Graft for Aneurysm Treatment. <i>Journal of Biomedical Nanotechnology</i> , 2015, 11, 1947-1960.	1.1	46
67	A multi-layered vascular scaffold with symmetrical structure by bi-directional gradient electrospinning. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 133, 179-188.	5.0	52
68	Electrospun poly(l-lactide-co-caprolactone)-collagen-chitosan vascular graft in a canine femoral artery model. <i>Journal of Materials Chemistry B</i> , 2015, 3, 5760-5768.	5.8	36
69	Nerve conduits constructed by electrospun P(LLA-CL) nanofibers and PLLA nanofiber yarns. <i>Journal of Materials Chemistry B</i> , 2015, 3, 8823-8831.	5.8	50
70	Fabrication and characterization of Mg/P(LLA-CL)-blended nanofiber scaffold. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 1013-1027.	3.5	8
71	Injectable hydrogel incorporating with nanoyarn for bone regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 168-180.	3.5	24
72	Disc-Electrospun Nano/Macro-Scale PCL Fibers with Nanoporous Structure. <i>Advanced Materials Research</i> , 2014, 893, 124-127.	0.3	0

#	ARTICLE	IF	CITATIONS
73	Effects of plasma treatment to nanofibers on initial cell adhesion and cell morphology. Colloids and Surfaces B: Biointerfaces, 2014, 113, 101-106.	5.0	98
74	Three-dimensional polycaprolactone scaffold via needleless electrospinning promotes cell proliferation and infiltration. Colloids and Surfaces B: Biointerfaces, 2014, 121, 432-443.	5.0	78
75	Fabrication of cell penetration enhanced poly (l-lactic acid-co-ε-caprolactone)/silk vascular scaffolds utilizing air-impedance electrospinning. Colloids and Surfaces B: Biointerfaces, 2014, 120, 47-54.	5.0	32
76	Rutherford Backscattering Spectroscopy Study of the Kinetics of Oxidation of (Mg, Fe) ₂ SiO ₄ . Journal of the American Ceramic Society, 1988, 71, 540-545.	3.8	38