

# Julia Searle

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1831676/publications.pdf>

Version: 2024-02-01

30  
papers

775  
citations

759233

12  
h-index

580821

25  
g-index

30  
all docs

30  
docs citations

30  
times ranked

1197  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomarkers-in-Cardiology 8 RE-VISITED“Consistent Safety of Early Discharge with a Dual Marker Strategy Combining a Normal hs-cTnT with a Normal Copeptin in Low-to-Intermediate Risk Patients with Suspected Acute Coronary Syndrome“ A Secondary Analysis of the Randomized Biomarkers-in-Cardiology 8 Trial. <i>Cells</i> , 2022, 11, 211.	4.1	3
2	Association of sex with the clinical course and outcome of internal emergency department patients. <i>European Journal of Emergency Medicine</i> , 2021, Publish Ahead of Print, 299-305.	1.1	1
3	Suitability of the German version of the Manchester Triage System to redirect emergency department patients to general practitioner care: a prospective cohort study. <i>BMJ Open</i> , 2019, 9, e024896.	1.9	23
4	High-sensitivity cardiac troponin T for diagnosis of NSTEMI in the elderly emergency department patient: a clinical cohort study. <i>Biomarkers</i> , 2018, 23, 551-557.	1.9	12
5	Rationale and design of the IMPACT EU-trial: improve management of heart failure with procalcitonin biomarkers in cardiology (BIC)-18. <i>Biomarkers</i> , 2018, 23, 97-103.	1.9	6
6	Diagnostic performance of a high-sensitive troponin T assay and a troponin T point of care assay in the clinical routine of an Emergency Department: A clinical cohort study. <i>International Journal of Cardiology</i> , 2017, 230, 454-460.	1.7	20
7	The role of procalcitonin in acute heart failure patients. <i>ESC Heart Failure</i> , 2017, 4, 203-208.	3.1	28
8	Drug-eluting stents in clinical routine: a 1-year follow-up analysis based on German health insurance administrative data from 2008 to 2014. <i>BMJ Open</i> , 2017, 7, e017460.	1.9	3
9	Suitability of current definitions of ambulatory care sensitive conditions for research in emergency department patients: a secondary health data analysis. <i>BMJ Open</i> , 2017, 7, e016109.	1.9	16
10	Acute heart failure facts and numbers: acute heart failure populations. <i>ESC Heart Failure</i> , 2016, 3, 65-70.	3.1	19
11	Biomarker strategies: the diagnostic and management process of patients with suspected AML. <i>Diagnosis</i> , 2016, 3, 167-173.	1.9	3
12	Revascularisation of patients with end-stage renal disease on chronic haemodialysis: bypass surgery versus PCI“analysis of routine statutory health insurance data. <i>Open Heart</i> , 2016, 3, e000464.	2.3	10
13	Patient motives behind low-acuity visits to the emergency department in Germany: a qualitative study comparing urban and rural sites. <i>BMJ Open</i> , 2016, 6, e013323.	1.9	71
14	Prognostic Value of Undetectable hs Troponin T in Suspected Acute Coronary Syndrome. <i>American Journal of Medicine</i> , 2016, 129, 274-282.e2.	1.5	31
15	Copeptin: Limited Usefulness in Early Stroke Differentiation?. <i>Stroke Research and Treatment</i> , 2015, 2015, 1-4.	0.8	6
16	Medical History of Elderly Patients in the Emergency Setting: Not an Easy Point-of-Care Diagnostic Marker. <i>Emergency Medicine International</i> , 2015, 2015, 1-6.	0.8	10
17	Use of copeptin in emergency patients with cardiac chief complaints. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 393-402.	1.0	10
18	Sex differences of troponin test performance in chest pain patients. <i>International Journal of Cardiology</i> , 2015, 187, 246-251.	1.7	25

#	ARTICLE	IF	CITATIONS
19	Usefulness of Beta2-Microglobulin as a Predictor of All-Cause and Nonculprit Lesion-Related Cardiovascular Events in Acute Coronary Syndromes (from the PROSPECT Study). <i>American Journal of Cardiology</i> , 2015, 116, 1034-1040.	1.6	10
20	Early discharge using single cardiac troponin and copeptin testing in patients with suspected acute coronary syndrome (ACS): a randomized, controlled clinical process study. <i>European Heart Journal</i> , 2015, 36, 369-376.	2.2	182
21	Abstract 16576: The Role of Undetectable Cardiac High Sensitivity Troponin T and Copeptin for Prediction of 90 Day Outcomes in Low- to Intermediate-Risk Patients With Suspected ACS: A BIC-8 Biomarker Substudy. <i>Circulation</i> , 2014, 130, .	1.6	0
22	Abstract 16571: Temporal Release Pattern of Copeptin and Troponin in Patients With Suspected ACS and Spontaneous Acute Myocardial Infarction. <i>Circulation</i> , 2014, 130, .	1.6	0
23	Abstract 16517: Atrial Natriuretic Peptide as a Marker for Early Rule-Out of Acute Myocardial Infarction. <i>Circulation</i> , 2014, 130, .	1.6	0
24	Chief complaints in medical emergencies. <i>European Journal of Emergency Medicine</i> , 2013, 20, 103-108.	1.1	219
25	The role of myeloperoxidase (MPO) for prognostic evaluation in sensitive cardiac troponin I negative chest pain patients in the emergency department. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013, 2, 203-210.	1.0	13
26	POCT in Emergency Rooms: One Key Factor for Process Streamlining with Lean Management. <i>Conference Papers in Medicine</i> , 2013, 2013, 1-6.	0.6	1
27	Renal Denervation Therapy: Indications and Success Factors. <i>Conference Papers in Medicine</i> , 2013, 2013, 1-4.	0.6	0
28	Clinical Decisions in Acute Patients: ACS-POCT-Hypertension and Biomarkers. <i>Conference Papers in Medicine</i> , 2013, 2013, 1-3.	0.6	0
29	Soluble fms-like tyrosine kinase-1 (sFLT-1) predicts post-percutaneous coronary intervention (PCI) myocardial infarction (MI type 4a). <i>Biomarkers</i> , 2012, 17, 730-737.	1.9	4
30	Heparin Strongly Induces Soluble Fms-Like Tyrosine Kinase 1 Release In Vivo and In Vitro” Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2972-2974.	2.4	49