

# Vasileios A Bampidis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1832127/publications.pdf>

Version: 2024-02-01

812  
papers

6,850  
citations

201385

27  
h-index

106150

65  
g-index

856  
all docs

856  
docs citations

856  
times ranked

4338  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Safety and efficacy of a feed additive consisting of an essential oil from <i>Cinnamomum camphora</i> (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e06985.  | 0.9 | 3         |
| 2  | Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2022, 20, e06975.  | 0.9 | 0         |
| 3  | Safety and efficacy of two solvent extracts of rosemary ( <i>Rosmarinus officinalis</i> L.) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL). EFSA Journal, 2022, 20, e06978.   | 0.9 | 1         |
| 4  | Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.). EFSA Journal, 2022, 20, e06984.  | 0.9 | 0         |
| 5  | Safety of the fermentation product of <i>Aspergillus oryzae</i> NRRL 458 (Amaferm®) as a feed additive for dairy cows (Biozyme Inc.). EFSA Journal, 2022, 20, e06983.   | 0.9 | 0         |
| 6  | Efficacy of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2022, 20, e07162.   | 0.9 | 0         |
| 7  | Safety and efficacy of a feed additive consisting of an essential oil from the flowers of <i>Cananga odorata</i> (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07159.  | 0.9 | 2         |
| 8  | Safety and efficacy of a feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.). EFSA Journal, 2022, 20, e07155.   | 0.9 | 0         |
| 9  | Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by <i>Escherichia coli</i> DSM 32731 for all terrestrial animal species (Biomin GmbH). EFSA Journal, 2022, 20, e07157.  | 0.9 | 1         |
| 10 | Safety and efficacy of a feed additive consisting of <i>Propionibacterium freudenreichii</i> DSM 33189 and <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus buchneri</i> ) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.). EFSA Journal, 2022, 20, e07151.  | 0.9 | 0         |
| 11 | Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock  | 0.9 | 0         |
| 12 | Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH). EFSA Journal, 2022, 20, e07168.   | 0.9 | 0         |
| 13 | Safety and efficacy of a feed additive consisting of l-valine produced by <i>Escherichia coli</i> CCTCC M2020321 for all animal species (Kempex Holland BV). EFSA Journal, 2022, 20, e07163.  | 0.9 | 1         |
| 14 | Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> NITE BPâ€1844 (BAâ€KINGâ€) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including nonâ€food producing species (Toa Biopharma Co., Ltd.). EFSA Journal, 2022, 20, e07152. | 0.9 | 2         |
| 15 | Safety and efficacy of a feed additive consisting of astaxanthinâ€rich <i>Phaffia rhodozyma</i> for salmon and trout (Igene Biotechnology, Inc.). EFSA Journal, 2022, 20, e07161.   | 0.9 | 0         |
| 16 | Safety and efficacy of the feed additive consisting of <i>Lactobacillus acidophilus</i> CECT 4529 ( <i>Lactobacillus acidophilus</i> D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.). EFSA Journal, 2022, 20, e07150.  | 0.9 | 0         |
| 17 | Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH). EFSA Journal, 2022, 20, e07167.  | 0.9 | 1         |
| 18 | Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA). EFSA Journal, 2022, 20, e07164.   | 0.9 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07166.   |     | 8         |
| 20 | Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Agathosma betulina</i> (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07160.   | 0.9 | 1         |
| 21 | Efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by <i>Trichoderma citrinoviride</i> (IMI SD 135) (HOSTAZYMA® X) for sows in order to have benefits in piglets (Huvepharma NV). EFSA Journal, 2022, 20, e07154.  | 0.9 | 0         |
| 22 | Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2022, 20, e07165.  | 0.9 | 0         |
| 23 | Safety and efficacy of the feed additives consisting of L-glutamic acid and monosodium L-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> NITE BP01681 for all animal species (METEX) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50  | 0.9 | 0         |
| 24 | Safety and efficacy of a feed additive consisting of an extract of <i>olibanum</i> from <i>Boswellia serrata</i> Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl). EFSA Journal, 2022, 20, e07158.   | 0.9 | 16        |
| 25 | Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by <i>Corynebacterium stationis</i> KCCM 80235 for all animal species (CJ Europe GmbH). EFSA Journal, 2022, 20, e07153.   | 0.9 | 1         |
| 26 | Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Journal, 2022, 20, e07149.   | 0.9 | 0         |
| 27 | Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50  | 0.9 | 4         |
| 28 | Assessment of the feed additive consisting of <i>Lactococcus lactis</i> DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07241.  | 0.9 | 1         |
| 29 | Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> ATCC PTA6737 ( <i>Bacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.). EFSA Journal, 2022, 20, e07244. | 0.9 | 4         |
| 30 | Safety of feed additives consisting of Î²-cedamascone [07.083] and (E)-Î²-cedamascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07248.   | 0.9 | 0         |
| 31 | Safety and efficacy of a feed additive consisting of L-methionine produced by the combined activities of <i>Corynebacterium glutamicum</i> KCCM 80245 and <i>Escherichia coli</i> KCCM 80246 for all animal species (CJ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50                          | 0.9 | 0         |
| 32 | Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Escherichia coli</i> CGMCC 7.398 for all animal species (Kempex Holland B.V.). EFSA Journal, 2022, 20, e07246.   | 0.9 | 1         |
| 33 | Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07243.  | 0.9 | 1         |
| 34 | Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07249.  | 0.9 | 2         |
| 35 | Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar). EFSA Journal, 2022, 20, e07284.   | 0.9 | 1         |
| 36 | Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International). EFSA Journal, 2022, 20, e07285.  | 0.9 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Safety and efficacy of a feed additive consisting of <i>Enterococcus faecium</i> NBIMCC 8270, <i>Lactobacillus acidophilus</i> NBIMCC 8242, <i>Lactobacillus helveticus</i> NBIMCC 8269, <i>Lactobacillus delbrueckii</i> ssp. <i>lactis</i> NBIMCC 8250, <i>L. delbrueckii</i> ssp. <i>bulgaricus</i> NBIMCC 8244 and <i>Streptococcus thermophilus</i> NBIMCC 8253 (Probiotic Lactina <sup>®</sup> ) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.). EFSA Journal, 2022, 20, e07245.                             | 0.9 | 2         |
| 38 | Assessment of the feed additive consisting of naringin for all animal species for the renewal of its authorisation (HealthTech Bio Actives, S.L.U. (HTBA)). EFSA Journal, 2022, 20, .   | 0.9 | 1         |
| 39 | Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE). EFSA Journal, 2022, 20, e07255.  | 0.9 | 1         |
| 40 | Safety and efficacy of a feed additive consisting of lactic acid produced by <i>Weizmannia coagulans</i> (synonym <i>Bacillus coagulans</i> ) DSM 32789 for all animal species except for fish (Jungbunzlauer SA). EFSA Journal, 2022, 20, e07268.  | 0.9 | 5         |
| 41 | Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums). EFSA Journal, 2022, 20, e07252.   | 0.9 | 1         |
| 42 | Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2  | 0.9 | 1         |
| 43 | Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH). EFSA Journal, 2022, 20, e07286.  | 0.9 | 2         |
| 44 | Safety and efficacy of a feed additive consisting of 6- $\alpha$ -phytase (produced by <i>Komagataella phaffii</i> DSM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for fattening and breeding (Huvepharma EOOd). EFSA Journal, 2022, 20, e07238.  | 0.9 | 1         |
| 45 | Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited). EFSA Journal, 2022, 20, e07287.   | 0.9 | 3         |
| 46 | Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents (Sensient Colours Europe GmbH). EFSA Journal, 2022, 20, e07266.  | 0.9 | 1         |
| 47 | Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH). EFSA Journal, 2022, 20, e07269.  | 0.9 | 4         |
| 48 | Safety and efficacy of a feed additive consisting of endo- $\alpha$ -1,4- $\beta$ -xylanase and endo- $\alpha$ -1,3(4)- $\beta$ -glucanase produced with <i>Talaromyces versatilis</i> IMI 378536 and DSM 26702 (ROVABIO <sup>®</sup> ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S). EFSA Journal, 2022, 20, e07251.  | 0.9 | 2         |
| 49 | Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> FERM BP $\alpha$ 107462, <i>Enterococcus lactis</i> FERM BP $\alpha$ 10867 and <i>Clostridium butyricum</i> FERM BP $\alpha$ 10866 (BIO $\alpha$ -THREE <sup>®</sup> ) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, all avian species for rearing/fattening to slaughter and all avian species reared for laying or breeding to point of lay (TOA) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2 | 0.9 | 2         |
| 50 | Safety and efficacy of a feed additive consisting of Sepiolitic clay for all animal species (Mineria y) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2  | 0.9 | 1         |
| 51 | Safety and efficacy of the feed additive consisting of 6- $\alpha$ -phytase (produced by <i>Komagataella phaffii</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2 and ornamental birds (Nutrex N.V.). EFSA Journal, 2022, 20, .  | 0.9 | 1         |
| 52 | Assessment of the efficacy of a feed additive consisting of <i>Limosilactobacillus reuteri</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2  | 0.9 | 1         |
| 53 | Assessment of the feed additive consisting of endo- $\alpha$ -1,4- $\beta$ -xylanase produced by <i>Trichoderma reesei</i> CBS 114044 (ECONASE <sup>®</sup> XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). EFSA Journal, 2021, 19, e06458.   | 0.9 | 4         |
| 54 | Safety and efficacy of a feed additive consisting on <i>Propionibacterium freudenreichii</i> ssp. <i>shermanii</i> ATCC PTA $\alpha$ 6752 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06470.   | 0.9 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Safety for the user of the feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). EFSA Journal, 2021, 19, e06455.   | 0.9 | 1         |
| 56 | Assessment of the feed additive consisting of Enterococcus faecium DSM 7134 (Bonvitalâ„®) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06451.  | 0.9 | 3         |
| 57 | Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by Eremothecium ashbyi CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06462.  | 0.9 | 3         |
| 58 | Safety and efficacy of the feed additive consisting of Bacillus licheniformis DSM 28710 (Bâ€Actâ„®) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). EFSA Journal, 2021, 19, e06449.                   | 0.9 | 2         |
| 59 | Safety and efficacy of a feed additive consisting of serine protease produced by Bacillus licheniformis DSM 19670 (Ronozymeâ„® ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). EFSA Journal, 2021, 19, e06448.   | 0.9 | 1         |
| 60 | Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06468.   | 0.9 | 1         |
| 61 | Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). EFSA Journal, 2021, 19, e06447.   | 0.9 | 5         |
| 62 | Safety and efficacy of a feed additive consisting of endoâ„1,4â„2â„xylanase produced by Bacillus subtilis LMG Sâ„15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). EFSA Journal, 2021, 19, e06456. | 0.9 | 1         |
| 63 | Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). EFSA Journal, 2021, 19, e06454.   | 0.9 | 4         |
| 64 | Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablendâ„¢) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5  | 0.9 | 3         |
| 65 | Safety and efficacy of the additive consisting of muramidase produced by Trichoderma reesei DSM 32338 (Balanciusâ„¢) for use in weaned piglets (DSM Nutritional products Ltd). EFSA Journal, 2021, 19, e06452.   | 0.9 | 0         |
| 66 | Statement on the derivation of Healthâ„Based Guidance Values (HBGVs) for regulated products that are also nutrients. EFSA Journal, 2021, 19, e06479.   | 0.9 | 17        |
| 67 | Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06467.  | 0.9 | 6         |
| 68 | Safety and efficacy of a feed additive consisting on Ligilactobacillus animalisâ„ATCC PTAâ„6750 (formerly) Tj ETQq0 0 0 rgBT /Overlock 1   | 0.9 | 0         |
| 69 | Safety and efficacy of a feed additive consisting of a dried extract from Garcinia gummiâ„gutta (L.) Roxb. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06444.  | 0.9 | 3         |
| 70 | Efficacy of the feed additive consisting of decoquinatate (Deccoxâ„®) for use in chickens for fattening (Zoetis Belgium SA). EFSA Journal, 2021, 19, e06453.   | 0.9 | 2         |
| 71 | Safety and efficacy of a feed additive consisting of the seed husk of Plantago ovata Forssk. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06445.  | 0.9 | 0         |
| 72 | Effects of dietary pomegranate seed cake supplementation on performance, carcass characteristics and meat quality of growing lambs. Animal Feed Science and Technology, 2021, 273, 114815.   | 1.1 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Safety and efficacy of the feed additive consisting of <i>Clostridium butyricum</i> FERM BP-2789 (Miyahara Gold®) for use in breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). EFSA Journal, 2021, 19, e06450.   | 0.9 | 2         |
| 74 | Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM®) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). EFSA Journal, 2021, 19, e06457.  | 0.9 | 1         |
| 75 | Safety and efficacy of feed additives consisting of dried extracts from <i>Echinacea angustifolia</i> DC. or <i>Echinacea purpurea</i> (L.) Moench for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06446.   | 0.9 | 0         |
| 76 | Safety and efficacy of the feed additive consisting of L-tryptophan produced by <i>Escherichia coli</i> KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.  | 0.9 | 1         |
| 77 | Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32324 for all animal species (Chr.). EFSA Journal, 2021, 19, e06431.  | 0.9 | 0         |
| 78 | Safety and efficacy of a feed additive consisting of L-valine produced by <i>Corynebacterium glutamicum</i> CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.   | 0.9 | 1         |
| 79 | Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32325 for all animal species (Chr.). EFSA Journal, 2021, 19, e06431.  | 0.9 | 0         |
| 80 | Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix® Z) for all avian species other than laying birds (Novus Europe S.A. / N.V.). EFSA Journal, 2021, 19, e06528.   | 0.9 | 2         |
| 81 | Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Arctium lappa</i> L. (A. lappa dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06527.  | 0.9 | 1         |
| 82 | Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> PTA-6507, <i>B. velezensis</i> NRRL B-50013 and <i>B. velezensis</i> NRRL B-50104 (Enviva® PRO 202 GT) for turkeys for fattening (Danisco Animal Nutrition). EFSA Journal, 2021, 19, e06503.  | 0.9 | 0         |
| 83 | Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06541.   | 0.9 | 1         |
| 84 | Safety and efficacy of a feed additive consisting of endo-1,4- $\beta$ -xylanase (ECONASE® XT) produced by <i>Trichoderma reesei</i> CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Oy). EFSA Journal, 2021, 19, e06536. | 0.9 | 1         |
| 85 | Assessment of a feed additive consisting of all-rac- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). EFSA Journal, 2021, 19, e06533.  | 0.9 | 8         |
| 86 | Assessment of a feed additive consisting of all-rac- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). EFSA Journal, 2021, 19, e06529.  | 0.9 | 2         |
| 87 | Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from <i>Citrus limon</i> (L.) Osbeck and of lime oil from <i>Citrus aurantiifolia</i> (Christm.) Swingle for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06548.   | 0.9 | 19        |
| 88 | Safety and efficacy of a feed additive consisting of a tincture derived from roots of <i>Gentiana lutea</i> L. (gentian tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06547.  | 0.9 | 6         |
| 89 | Safety and efficacy of an additive consisting of synthetic vitamin K1 (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). EFSA Journal, 2021, 19, e06538.  | 0.9 | 1         |
| 90 | Assessment of a feed additive consisting of all-rac- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). EFSA Journal, 2021, 19, e06531.  | 0.9 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Assessment of a feed additive consisting of all- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). EFSA Journal, 2021, 19, e06530.  | 0.9 | 2         |
| 92  | Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2021, 19, e06545.   | 0.9 | 1         |
| 93  | Safety and efficacy of the feed additive consisting of endo- $\beta$ -xylanase produced by <i>Trichoderma reesei</i> CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 14).                              | 0.9 | 1         |
| 94  | Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Panax ginseng</i> C.A. Meyer (P. ginseng dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06526.   | 0.9 | 0         |
| 95  | Safety and efficacy of a feed additive consisting of a dried extract from the leaves of <i>Ginkgo biloba</i> L. (G. biloba dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06525.   | 0.9 | 2         |
| 96  | Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE, Chromium) for all growing poultry species (Kemin Europa NV). EFSA Journal, 2021, 19, e06546.   | 0.9 | 0         |
| 97  | Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06540.  | 0.9 | 1         |
| 98  | Safety of the feed additives consisting of L-lysine monohydrochloride and L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species (Kempex Holland B. V.). EFSA Journal, 2021, 19, e06520.  | 0.9 | 2         |
| 99  | Assessment of a feed additive consisting of all- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). EFSA Journal, 2021, 19, e06532.   | 0.9 | 2         |
| 100 | Safety and efficacy of an additive consisting of <i>Bacillus amyloliquefaciens</i> DSM 25840 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06522.   | 0.9 | 0         |
| 101 | Safety and efficacy of the feed additives concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by <i>Corynebacterium glutamicum</i> KCCM 80183 for all animal species (CJ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 14).   | 0.9 | 1         |
| 102 | A systems-based approach to the environmental risk assessment of multiple stressors in honey bees. EFSA Journal, 2021, 19, e06607.   | 0.9 | 21        |
| 103 | Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). EFSA Journal, 2021, 19, e06621.  | 0.9 | 1         |
| 104 | Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting <i>Salmonella Gallinarum</i> B/00111 (Bafasal <sup>®</sup> ) for all avian species (Proteon Pharmaceuticals S.A.). EFSA Journal, 2021, 19, e06534. | 0.9 | 7         |
| 105 | Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). EFSA Journal, 2021, 19, e06618.   | 0.9 | 0         |
| 106 | Efficacy of the feed additive containing <i>Companilactobacillus farciminis</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14 (ChemVet dk A/S). EFSA Journal, 2021, 19, e06627.   | 0.9 | 1         |
| 107 | Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 14).   | 0.9 | 3         |
| 108 | Safety and efficacy of a feed additive consisting of L-histidine monohydrochloride monohydrate produced using <i>Escherichia coli</i> NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). EFSA Journal, 2021, 19, e06622.  | 0.9 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Citrus Æ—aurantium</i> L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06624.  | 0.9 | 2         |
| 110 | Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 0.9 | 0         |
| 111 | Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Kronos) Tj ETQq1 1 0.784314 rgBT /Overlock  | 0.9 | 0         |
| 112 | Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmoralkwerk Troesch GmbH & Co. KG). EFSA Journal, 2021, 19, e06616.  | 0.9 | 0         |
| 113 | Safety and efficacy of an additive consisting of potassium diformate (Formiã,ç LHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). EFSA Journal, 2021, 19, e06617.  | 0.9 | 2         |
| 114 | Safety and efficacy of a feed additive consisting of acetic acid for all animal species. EFSA Journal, 2021, 19, e06615.  | 0.9 | 6         |
| 115 | Safety and efficacy of a feed additive consisting of an essential oil from the fruits of <i>Litsea cubeba</i> (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06623.   | 0.9 | 4         |
| 116 | Safety and efficacy of a feed additive consisting of disodium 5â€™â€šguanylate produced with <i>Corynebacterium stationis</i> KCCM 10530 and <i>Escherichia coli</i> Kâ€™12 KFCC 11067 for all animal species (C) Tj ETQq0.0 0 rgBT /Overlock   | 0.9 | 0         |
| 117 | Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock  | 0.9 | 0         |
| 118 | Safety and efficacy of a feed additive consisting on <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td<br>CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). EFSA Journal, 2021, 19, e06631.   | 0.9 | 2         |
| 119 | Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of <i>Citrus reticulata</i> Blanco for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06625.  | 0.9 | 3         |
| 120 | Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty) Tj ETQq0 0 0 rgBT /Overlock 1 10 Tf 50 2 | 0.8 | 1         |
| 121 | Safety and efficacy of the feed additive consisting of <i>Bacillus velezensis</i> CECT 5940 (Ecobiol®) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.                                       | 0.9 | 1         |
| 122 | Safety and efficacy of feed additives consisting of Vitamin B2 (98%) and Vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 0.9 | 0         |
| 123 | Assessment of a feed additive consisting of vitamin B6 (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). EFSA Journal, 2021, 19, e06612.   | 0.9 | 0         |
| 124 | Safety of a feed additive consisting of a tincture derived from <i>Verbascum thapsus</i> L. (great mullein) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50  | 0.9 | 0         |
| 125 | Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by <i>Corynebacterium glutamicum</i> KCCM 80227 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06706.  | 0.9 | 4         |
| 126 | Assessment of the feed additive consisting of <i>Pediococcus pentosaceus</i> DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06713.   | 0.9 | 1         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td   | 0.9 | 3         |
| 128 | Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td  | 0.9 | 2         |
| 129 | Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td  | 0.9 | 19        |
| 130 | Safety and efficacy of a feed additive consisting of <i>Lacticaseibacillus rhamnosus</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td   | 0.9 | 2         |
| 131 | Assessment of the feed additive consisting of <i>Pediococcus acidilactici</i> DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). EFSA Journal, 2021, 19, e06697.                                    | 0.9 | 1         |
| 132 | Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507024 for all animal species (ALLTECH TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06701.                                 | 0.9 | 1         |
| 133 | Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of <i>Citrus aurantium</i> L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06709.                    | 0.9 | 6         |
| 134 | Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). EFSA Journal, 2021, 19, e06698. | 0.9 | 0         |
| 135 | Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). EFSA Journal, 2021, 19, e06714.   | 0.9 | 1         |
| 136 | Safety and efficacy of an additive consisting of xanthan gum produced by <i>Xanthomonas campestris</i> strains for all animal species (Biopolymer International). EFSA Journal, 2021, 19, e06710.   | 0.9 | 2         |
| 137 | Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for cats and dogs (Prosol S.p.A.). EFSA Journal, 2021, 19, e06699.   | 0.9 | 1         |
| 138 | Safety for the environment of a feed additive consisting of ncarbazine (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2021, 19, e06715.   | 0.9 | 1         |
| 139 | Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td   | 0.9 | 3         |
| 140 | Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507025 for all animal species (ALLTECH TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.                                 | 0.9 | 1         |
| 141 | Guidance on risk assessment of nanomaterials to be applied in the food and feed chain: human and animal health. EFSA Journal, 2021, 19, e06768.   | 0.9 | 86        |
| 142 | Guidance on technical requirements for regulated food and feed product applications to establish the presence of small particles including nanoparticles. EFSA Journal, 2021, 19, e06769.   | 0.9 | 80        |
| 143 | Guidance on aneugenicity assessment. EFSA Journal, 2021, 19, e06770.  | 0.9 | 27        |
| 144 | Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2021, 19, e06340.   | 0.9 | 50        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Opinion on the impact of non-monotonic dose responses on EFSA's human health risk assessments. EFSA Journal, 2021, 19, e06877.   | 0.9 | 9         |
| 146 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 8: Pleuromutilins: tiamulin and valnemulin. EFSA Journal, 2021, 19, e06860.  | 0.9 | 8         |
| 147 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 10: Quinolones: flumequine and oxolinic acid. EFSA Journal, 2021, 19, e06862.  | 0.9 | 8         |
| 148 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 1: Methodology, general data gaps and uncertainties. EFSA Journal, 2021, 19, e06852.                                   | 0.9 | 11        |
| 149 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 13: Diaminopyrimidines: trimethoprim. EFSA Journal, 2021, 19, e06865.  | 0.9 | 12        |
| 150 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 9: Polymyxins: colistin. EFSA Journal, 2021, 19, e06861.   | 0.9 | 10        |
| 151 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 7: Amphenicols: florfenicol and thiamphenicol. EFSA Journal, 2021, 19, e06859.   | 0.9 | 4         |
| 152 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 11: Sulfonamides. EFSA Journal, 2021, 19, e06863.  | 0.9 | 13        |
| 153 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 3: Amprolium. EFSA Journal, 2021, 19, e06854.  | 0.9 | 13        |
| 154 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 12: Tetracyclines: tetracycline, chlortetracycline, oxytetracycline, and doxycycline. EFSA Journal, 2021, 19, e06864.  | 0.9 | 5         |
| 155 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 6: Macrolides: tilmicosin, tylosin and tylvalosin. EFSA Journal, 2021, 19, e06858.                                     | 0.9 | 8         |
| 156 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 2: Aminoglycosides/aminocyclitols: apramycin, paromomycin, neomycin and spectinomycin. EFSA Journal, 2021, 19, e06853. | 0.9 | 9         |
| 157 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 4: Lactams: amoxicillin and penicillin V. EFSA Journal, 2021, 19, e06855.  | 0.9 | 3         |
| 158 | Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 5: Lincosamides: lincomycin. EFSA Journal, 2021, 19, e06856.   | 0.9 | 14        |
| 159 | Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of <i>Melissa officinalis</i> L. for all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06904.                               | 0.9 | 0         |
| 160 | Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td e06898.   | 0.9 | 0         |
| 161 | Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06896.                              | 0.9 | 0         |
| 162 | Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06897.                                     | 0.9 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). EFSA Journal, 2021, 19, e06892.   | 0.9 | 0         |
| 164 | Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06895.   | 0.9 | 0         |
| 165 | Safety and efficacy of a feed additive consisting of endo-1,4- $\alpha$ -xylanase produced by <i>Bacillus subtilis</i> LMG Sâ€27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). EFSA Journal, 2021, 19, e06906.   | 0.9 | 0         |
| 166 | Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). EFSA Journal, 2021, 19, e06903. | 0.9 | 2         |
| 167 | Assessment of the feed additive consisting of sodium benzoate (Protural®) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). EFSA Journal, 2021, 19, e06899.  | 0.9 | 0         |
| 168 | Assessment of the feed additive consisting of <i>Levilactobacillus brevis</i> (formerly <i>Lactobacillus brevis</i> ) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06900.   | 0.9 | 1         |
| 169 | Safety and efficacy of a feed additive consisting of <i>Lactocaseibacillus rhamnosus</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06901.   | 0.9 | 3         |
| 170 | Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. EFSA Journal, 2021, 19, e06894.   | 0.9 | 0         |
| 171 | Safety and efficacy of a feed additive consisting of an aqueous extract of <i>Citrus limon</i> (L.) Osbeck (lemon extract) for use in all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06893.   | 0.9 | 4         |
| 172 | Assessment of the feed additive consisting of <i>Lactocaseibacillus paracasei</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50   | 0.9 | 0         |
| 173 | Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> strains CNCM Iâ€4606, CNCM Iâ€5043 and CNCM Iâ€4607 and <i>Lactococcus lactis</i> CNCM Iâ€4609 for all animal species (Nolivade). EFSA Journal, 2021, 19, e06907.   | 0.9 | 2         |
| 174 | Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from <i>Citrus sinensis</i> (L.) Osbeck for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06891.  | 0.9 | 1         |
| 175 | Safety and efficacy of a feed additive consisting of 3- $\alpha$ -nitrooxypropanol (Bovaer® 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). EFSA Journal, 2021, 19, e06905.  | 0.9 | 5         |
| 176 | Assessment of a feed additive consisting of all- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06974.   | 0.9 | 3         |
| 177 | Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (VerseleLaga). EFSA Journal, 2021, 19, e06987.   | 0.9 | 0         |
| 178 | Safety and efficacy of a feed additive consisting of $\beta$ -galactosidase (produced by <i>Aspergillus tubingensis</i> ) Tj ETQq0 0 0 rgBT /Overlock   | 0.9 | 0         |
| 179 | Safety and efficacy of a feed additive consisting of $\alpha$ -isoleucine produced by <i>Corynebacterium glutamicum</i> KCCM 80185 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06977.   | 0.9 | 1         |
| 180 | Safety and efficacy of a feed additive consisting of $\alpha$ -lysine monohydrochloride and $\alpha$ -lysine sulfate produced by <i>Corynebacterium glutamicum</i> CGMCC 14498 for all animal species (Kempex Holland BV). EFSA Journal, 2021, 19, e06980.  | 0.9 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Safety and efficacy of the feed additive consisting of selenium-enriched yeast ( <i>Saccharomyces</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 1   | 0.9 | 1         |
| 182 | Guidance Document on Scientific criteria for grouping chemicals into assessment groups for human risk assessment of combined exposure to multiple chemicals. EFSA Journal, 2021, 19, e07033.   | 0.9 | 35        |
| 183 | Safety and efficacy of a feed additive consisting of monosodium L-glutamate produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80187 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06982.  | 0.9 | 0         |
| 184 | Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous) Tj ETQq0 0.0 rgBT /Overlock 10  | 0.9 | 0         |
| 185 | Safety and efficacy of a feed additive consisting of a tincture from the bark of <i>Cinnamomum verum</i> J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06986.   | 0.9 | 3         |
| 186 | Safety and efficacy of monosodium L-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.  | 0.9 | 4         |
| 187 | Safety and efficacy of STENOROLÂ® (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. EFSA Journal, 2020, 18, e06169.   | 0.9 | 2         |
| 188 | Safety and efficacy of SorbifloreÂ® ADVANCE ( <i>Lactobacillus rhamnosus</i> CNCM lÂ©3698 and <i>Lactobacillus</i> ) Tj ETQq0 0.0 rgBT /Overlock 3   | 0.9 | 0         |
| 189 | Safety and efficacy of CorrelinkÂ®, ABS747 <i>Bacillus subtilis</i> ( <i>Bacillus velezensis</i> NRRL BÂ©67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.  | 0.9 | 3         |
| 190 | Risk assessment of nitrate and nitrite in feed. EFSA Journal, 2020, 18, e06290.  | 0.9 | 16        |
| 191 | Safety and efficacy of <i>Bacillus subtilis</i> PB6 ( <i>Bacillus velezensis</i> ATCC PTAÂ©6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. EFSA Journal, 2020, 18, e06280. | 0.9 | 7         |
| 192 | Assessment of the application for renewal of authorisation of BiosprintÂ® ( <i>Saccharomyces cerevisiae</i> ) Tj ETQq0 0.0 rgBT /Overlock 10 T   | 0.9 | 2         |
| 193 | Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. EFSA Journal, 2020, 18, e06064.   | 0.9 | 3         |
| 194 | Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B6) as a feed additive for all animal species. EFSA Journal, 2020, 18, e06289.   | 0.9 | 1         |
| 195 | Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06160.  | 0.9 | 3         |
| 196 | Safety of a tincture derived from <i>Artemisia vulgaris</i> L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06206.  | 0.9 | 0         |
| 197 | Safety and efficacy of AxtraÂ® XAP 104 TPT (endo-1,4-xylanase, protease and alpha-amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. EFSA Journal, 2020, 18, e06165.   | 0.9 | 1         |
| 198 | Safety and efficacy of L-lysine sulfate produced by fermentation using <i>Corynebacterium glutamicum</i> KFCC 11043 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06203.   | 0.9 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Safety and efficacy of <i>Lactobacillus parafarraginis</i> DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.   | 0.9 | 12        |
| 200 | Safety and efficacy of BioWorma® ( <i>Duddingtonia flagrans</i> NCIMB 30336) as a feed additive for all grazing animals. EFSA Journal, 2020, 18, e06208.  | 0.9 | 5         |
| 201 | Safety and efficacy of sodium carboxymethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06211.   | 0.9 | 16        |
| 202 | Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06214.   | 0.9 | 6         |
| 203 | Safety and efficacy of ethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06210.  | 0.9 | 5         |
| 204 | Safety and efficacy of montmorillonite illite (FIMIX 1g557) for all animal species. EFSA Journal, 2020, 18, e06095.   | 0.9 | 0         |
| 205 | Safety and efficacy of Avatec® 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2020, 18, e06202.  | 0.9 | 3         |
| 206 | Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. EFSA Journal, 2020, 18, e06205.   | 0.9 | 3         |
| 207 | Safety and efficacy of hydroxypropyl cellulose for all animal species. EFSA Journal, 2020, 18, e06213.  | 0.9 | 1         |
| 208 | Safety and efficacy of OptiPhos® PLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. EFSA Journal, 2020, 18, e06204.                                      | 0.9 | 3         |
| 209 | Safety and efficacy of microcrystalline cellulose for all animal species. EFSA Journal, 2020, 18, e06209.   | 0.9 | 4         |
| 210 | Safety and efficacy of methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06212.   | 0.9 | 6         |
| 211 | Safety of ammonium formate (E295) for all animal species. EFSA Journal, 2020, 18, e06076.   | 0.9 | 0         |
| 212 | Safety and efficacy of L-tryptophan produced by fermentation with <i>Escherichia coli</i> KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.  | 0.9 | 1         |
| 213 | Assessment of the application for renewal of authorisation of L-histidine monohydrochloride monohydrate produced with <i>Escherichia coli</i> NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072. | 0.9 | 2         |
| 214 | Draft for internal testing Scientific Committee guidance on appraising and integrating evidence from epidemiological studies for use in EFSA's scientific assessments. EFSA Journal, 2020, 18, e06221.  | 0.9 | 13        |
| 215 | Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2020, 18, e06162.   | 0.9 | 0         |
| 216 | Safety and efficacy of fumonisin esterase from <i>Komagataella phaffii</i> DSM 32159 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.   | 0.9 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Safety and efficacy of Sorbiflore <sup>®</sup> ADVANCE (Lactobacillus rhamnosus CNCM I <sup>®</sup> 3698 and Lactobacillus Tj ETQq1,1 0.784314 rgBT /Overlock 10 Tf 50 laying/breeding. EFSA Journal, 2020, 18, e06094.                                      | 0.9 | 4         |
| 218 | Safety and efficacy of l <sup>®</sup> valine produced by fermentation using Corynebacterium glutamicumCGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.   | 0.9 | 2         |
| 219 | Safety and efficacy of Bonvital <sup>®</sup> (Enterococcus faeciumDSM 7134) as a feed additive for laying hens. EFSA Journal, 2020, 18, e06277.  | 0.9 | 2         |
| 220 | Safety and efficacy of concentrated liquid l <sup>®</sup> lysine (base) and l <sup>®</sup> lysine monohydrochloride produced by fermentation with Corynebacterium casei KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285. | 0.9 | 6         |
| 221 | Safety of methanethiol [12.003] when used as a feed additive for all animal species. EFSA Journal, 2020, 18, e06288.   | 0.9 | 1         |
| 222 | Safety and efficacy of Correlink <sup>®</sup> , <sup>®</sup> ABS1781 Bacillus subtilis (Bacillus velezensisNRRL B <sup>®</sup> 67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.                                    | 0.9 | 2         |
| 223 | Safety and Efficacy of l <sup>®</sup> histidine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80212 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06287.  | 0.9 | 1         |
| 224 | Evaluation of existing guidelines for their adequacy for the microbial characterisation and environmental risk assessment of microorganisms obtained through synthetic biology. EFSA Journal, 2020, 18, e06263.  | 0.9 | 15        |
| 225 | Safety and efficacy of Nimicoat <sup>®</sup> (carvacrol) as a zootechnical additive for weaned piglets. EFSA Journal, 2020, 18, e06070.  | 0.9 | 2         |
| 226 | Safety and efficacy of GalliPro <sup>®</sup> Fit (Bacillus subtilis DSM 32324, Bacillus subtilis DSM 32325 and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 laying/breeding. EFSA Journal, 2020, 18, e06094.  | 0.9 | 4         |
| 227 | Safety and efficacy of Lactobacillus rhamnosus CNCM I <sup>®</sup> 3698 and Lactobacillus farciminis CNCM I <sup>®</sup> 3699 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06082.   | 0.9 | 5         |
| 228 | Safety and efficacy of Biacton <sup>®</sup> (Lactobacillus farciminis CNCM I <sup>®</sup> 3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. EFSA Journal, 2020, 18, e06083.  | 0.9 | 2         |
| 229 | Safety and efficacy of propyl gallate for all animal species. EFSA Journal, 2020, 18, e06069.  | 0.9 | 5         |
| 230 | Safety and efficacy of l <sup>®</sup> valine produced by fermentation using Escherichia coli KCCM 80159 for all animal species. EFSA Journal, 2020, 18, e06074.  | 0.9 | 4         |
| 231 | Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06137.  | 0.9 | 0         |
| 232 | Safety and efficacy of OptiPhos <sup>®</sup> PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. EFSA Journal, 2020, 18, e06141.   | 0.9 | 3         |
| 233 | Safety and efficacy of <sup>®</sup> dry grape extract 60 <sup>®</sup> 20 <sup>®</sup> ™ when used as feed flavouring for dogs. EFSA Journal, 2020, 18, e06067.   | 0.9 | 0         |
| 234 | Safety and efficacy of Capsozyme SB Plus (I <sup>®</sup> galactosidase and endo <sup>®</sup> 1,4 <sup>®</sup> xyylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06086.     | 0.9 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Safety and efficacy of Biacton <sup>Â</sup> (Lactobacillus farciminis CNCM 3740) as a feed additive for weaned piglets. EFSA Journal, 2020, 18, e06084.   | 0.9 | 0         |
| 236 | Statement on the safety and efficacy of perlite for ruminants and poultry. EFSA Journal, 2020, 18, e06138.  | 0.9 | 2         |
| 237 | Safety and efficacy of a dried aqueous ethanol extract of Melissa officinalis L. leaves when used as a sensory additive for all animal species. EFSA Journal, 2020, 18, e06016.   | 0.9 | 2         |
| 238 | Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using Corynebacterium glutamicum CGMCC 7.266 for all animal species. EFSA Journal, 2020, 18, e06019.  | 0.9 | 8         |
| 239 | Safety and efficacy of L-isoleucine produced by fermentation with Corynebacterium glutamicum KCCM 80189 for all animal species. EFSA Journal, 2020, 18, e06021.   | 0.9 | 4         |
| 240 | Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06001.  | 0.9 | 1         |
| 241 | Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. EFSA Journal, 2020, 18, e06017.   | 0.9 | 3         |
| 242 | Safety of lignosulphonate for all animal species. EFSA Journal, 2020, 18, e06000.   | 0.9 | 0         |
| 243 | Safety and efficacy of L-tryptophan produced by fermentation using Escherichia coli CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.   | 0.9 | 1         |
| 244 | Safety and efficacy of L-cystine produced using Pantoea ananatis strain NITE BP02525 for all animal species. EFSA Journal, 2020, 18, e06020.  | 0.9 | 0         |
| 245 | Assessment of the application for renewal of authorisation of L-isoleucine produced by Escherichia coli FERM ABP0641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. EFSA Journal, 2020, 18, e06022. | 0.9 | 0         |
| 246 | Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). EFSA Journal, 2020, 18, e06023.  | 0.9 | 1         |
| 247 | Safety and efficacy of ProEquo <sup>Â</sup> (Lactobacillus plantarum DSM 11520) as a feed additive for horses. EFSA Journal, 2020, 18, e06143.  | 0.9 | 1         |
| 248 | Safety and efficacy of STABILFLOR <sup>Â</sup> as a zootechnical feed additive for pigs for fattening. EFSA Journal, 2020, 18, e06145.  | 0.9 | 0         |
| 249 | Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from Curcuma longa L. rhizome when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06146.  | 0.9 | 5         |
| 250 | Safety and efficacy of TechnoSpore <sup>Â</sup> (Bacillus coagulans DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. EFSA Journal, 2020, 18, e06158.   | 0.9 | 1         |
| 251 | Safety and efficacy of OptiPhos <sup>Â</sup> PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. EFSA Journal, 2020, 18, e06161.   | 0.9 | 1         |
| 252 | Safety of L-tryptophan produced using Escherichia coli CGMCC 11674 for all animal species. EFSA Journal, 2020, 18, e06168.  | 0.9 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06077.   | 0.9 | 1         |
| 254 | Safety and efficacy of APSA PHYTAFEED <sup>®</sup> (6 $\alpha$ -phytase) as a feed additive for laying hens and other laying birds. EFSA Journal, 2020, 18, e06142.   | 0.9 | 1         |
| 255 | Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06164.  | 0.9 | 1         |
| 256 | Safety and efficacy of FSF10000 and FLF1000 (3 $\alpha$ -phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. EFSA Journal, 2020, 18, e06015.                                  | 0.9 | 1         |
| 257 | Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06139.  | 0.9 | 0         |
| 258 | Safety and efficacy of IMP (disodium 5 $\alpha$ -inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. EFSA Journal, 2020, 18, e06140.   | 0.9 | 3         |
| 259 | Safety and efficacy of essential oil, oleoresin and tincture from <i>Zingiber officinale</i> Roscoe when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06147.  | 0.9 | 3         |
| 260 | Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM 3399 for all animal species. EFSA Journal, 2020, 18, e06144.   | 0.9 | 0         |
| 261 | Safety and efficacy of DSP <sup>®</sup> (Na <sub>2</sub> EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and origanum) Tj ETQq1.1 0.784314 rgBT<br>0.9 2  | 0.9 | 0         |
| 262 | Assessment of the application for renewal of the authorisation of <i>Pediococcus pentosaceus</i> DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.   | 0.9 | 5         |
| 263 | Safety and efficacy of a dried aqueous ethanol extract of leaves from <i>Olea europaea</i> L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06018.   | 0.9 | 0         |
| 264 | Safety and efficacy of Availa <sup>®</sup> Cr (chromium chelate of DL-methionine) as a feed additive for dairy cows. EFSA Journal, 2020, 18, e06026.  | 0.9 | 5         |
| 265 | Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06012.   | 0.9 | 0         |
| 266 | Safety and efficacy of APSA PHYTAFEED <sup>®</sup> 20,000 GR/L (6 $\alpha$ -phytase) as a feed additive for pigs for fattening. EFSA Journal, 2020, 18, e05979.   | 0.9 | 3         |
| 267 | Statement on the safety and efficacy of Shellac for all animal species. EFSA Journal, 2020, 18, e06065.   | 0.9 | 1         |
| 268 | Safety and efficacy of L-glutamine produced using <i>Corynebacterium glutamicum</i> NITE BP02524 for all animal species. EFSA Journal, 2020, 18, e06075.  | 0.9 | 5         |
| 269 | Safety and efficacy of L-cysteine hydrochloride monohydrate produced by fermentation using <i>Escherichia coli</i> KCCM 80180 and <i>Escherichia coli</i> KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003. | 0.9 | 1         |
| 270 | Assessment of the application for renewal of the authorisation of Amaferm <sup>®</sup> (fermentation product) Tj ETQq0 0 0 rgBT /Overlock 10 TF<br>0.9 3  | 0.9 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Assessment of the application for renewal of authorisation of Ecobiol <sup>®</sup> (Bacillus amyloliquefaciens) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 505 for laying. EFSA Journal, 2020, 18, e06014.  | 0.9 | 3         |
| 272 | Safety and efficacy of octâ€¹â€¹enâ€³â€¹ol, pentâ€¹â€¹enâ€³â€¹ol, octâ€¹â€¹enâ€³â€¹one, octâ€¹â€¹enâ€³â€¹yl acetate, isopulegol and 5â€¹methylheptâ€²â€¹enâ€¹â€¹one, belonging to chemical group 5 and of isopulegone and Î±â€¹damascone belonging to chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2020, 18, e06002. | 0.9 | 4         |
| 273 | Assessment of the application for renewal of authorisation of Formiâ„¢ LHS (potassium diformate) for sows. EFSA Journal, 2020, 18, e06024.  | 0.9 | 3         |
| 274 | Safety and efficacy of Natugrain <sup>®</sup> TS/TS L (endoâ€¹,4â€¹betaâ€¹xylanase and endoâ€¹,4â€¹betaâ€¹glucanase) as a feed additive for sows. EFSA Journal, 2020, 18, e06025.   | 0.9 | 1         |
| 275 | Safety and efficacy of Avizyme <sup>®</sup> 1505 (endoâ€¹,4â€¹betaâ€¹xylanase, subtilisin and alphaâ€¹amylase) for all poultry species. EFSA Journal, 2020, 18, e06027.   | 0.9 | 0         |
| 276 | Safety and efficacy of lâ€¹lysine monohydrochloride produced by fermentation with Corynebacterium glutamicum DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.  | 0.9 | 8         |
| 277 | Assessment of the application for renewal of the authorisation of Calsporin <sup>®</sup> (Bacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 505  | 0.9 | 4         |
| 278 | Safety and efficacy of lâ€¹lysine monohydrochloride and concentrated liquid lâ€¹lysine (base) produced by fermentation with Corynebacterium glutamicum KCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.   | 0.9 | 5         |
| 279 | Safety of potassium diformate (Formiâ„¢ LHS) as a feed additive for sows, from ADDCON EUROPE GmbH. EFSA Journal, 2020, 18, e06339.  | 0.9 | 4         |
| 280 | Assessment of the application for renewal of authorisation of AveMix <sup>®</sup> XG 10 (endoâ€¹,4â€¹betaâ€¹xylanase) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 505   | 0.9 | 0         |
| 281 | Assessment of the application for renewal of the authorisation of Actisaf <sup>®</sup> Sc 47 (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 505   | 0.9 | 1         |
| 282 | Safety and efficacy of Lactobacillus buchneri DSM 29026 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06159.  | 0.9 | 1         |
| 283 | Safety and efficacy of lâ€¹lysine monohydrochloride and concentrated liquid lâ€¹lysine (base) produced by fermentation with Corynebacterium glutamicum KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.  | 0.9 | 1         |
| 284 | Safety of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer adhaerens CNCMâ€¹ 5541 for all animal species. EFSA Journal, 2020, 18, e06335.  | 0.9 | 1         |
| 285 | Safety and efficacy of lâ€¹threonine produced using Escherichia coli CGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.   | 0.9 | 0         |
| 286 | Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06337.  | 0.9 | 0         |
| 287 | Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. EFSA Journal, 2020, 18, e06338.  | 0.9 | 1         |
| 288 | Assessment of the application for renewal of authorisation of endoâ€¹,4â€¹betaâ€¹xylanase produced by Aspergillus niger CBS 109.713 and endoâ€¹,4â€¹betaâ€¹glucanase produced by Aspergillus niger DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.                                    | 0.9 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Assessment of the application for renewal of authorisation of 6â€šphytase produced by <i>Trichoderma reesei</i> CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. EFSA Journal, 2020, 18, e06336.  | 0.9 | 0         |
| 290 | Efficacy of CygroÂ® 10G (maduramicin ammoniumâ€š) for turkeys. EFSA Journal, 2020, 18, e06079.   | 0.9 | 2         |
| 291 | Safety and efficacy of lâ€šcysteine monohydrochloride monohydrate produced by fermentation using <i>Escherichia coli</i> KCCM 80109 and <i>Escherichia coli</i> KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.   | 0.9 | 1         |
| 292 | Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. EFSA Journal, 2020, 18, e06066.   | 0.9 | 0         |
| 293 | Assessment of the application for renewal of authorisation of AviPlusÂ® as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. EFSA Journal, 2020, 18, e06063. | 0.9 | 1         |
| 294 | Safety and efficacy of Panavital feed (dâ€šglyceric acid) for chickens for fattening. EFSA Journal, 2020, 18, e06068.  | 0.9 | 0         |
| 295 | Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06281.  | 0.9 | 1         |
| 296 | Safety and efficacy of Nutrase P (6â€šphytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06282.  | 0.9 | 1         |
| 297 | Safety and efficacy of sodium selenate as feed additive for ruminants. EFSA Journal, 2019, 17, e05788.   | 0.9 | 2         |
| 298 | Safety and efficacy of BergazymÂ® P100 (endoâ€š1,4â€šxylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. EFSA Journal, 2019, 17, e05781.  | 0.9 | 0         |
| 299 | Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05782.  | 0.9 | 3         |
| 300 | Safety and efficacy of lâ€šhistidine monohydrochloride monohydrate produced using <i>Corynebacterium glutamicum</i> KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.   | 0.9 | 5         |
| 301 | Safety and efficacy of lâ€šhistidine monohydrochloride monohydrate produced using <i>Corynebacterium glutamicum</i> KCCM 80179 for all animal species. EFSA Journal, 2019, 17, e05784.   | 0.9 | 2         |
| 302 | Safety and efficacy of NatuphosÂ® E (6â€šphytase) as a feed additive for laying hens, minor poultry and other avian species for laying. EFSA Journal, 2019, 17, e05789.  | 0.9 | 1         |
| 303 | Efficacy of <i>Bacillus subtilis</i> DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. EFSA Journal, 2019, 17, e05793.   | 0.9 | 2         |
| 304 | Safety of an essential oil from <i>Origanum vulgare</i> subsp. <i>hirtum</i> (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05794.   | 0.9 | 4         |
| 305 | Safety and efficacy of AviPlusÂ® as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. EFSA Journal, 2019, 17, e05795.   | 0.9 | 1         |
| 306 | Assessment of the application for renewal of authorisation of lâ€šarginine produced by fermentation using <i>Corynebacterium glutamicum</i> NITE SD 00285 for all animal species. EFSA Journal, 2019, 17, e05720.  | 0.9 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. EFSA Journal, 2019, 17, e05722.  | 0.9 | 0         |
| 308 | Modification of the conditions of the authorisation of BioPlus® 2B (Bacillus licheniformis DSM 5749) Tj ETQq0 0 0 rgBT /Overlock 10 T  | 0.9 | 1         |
| 309 | Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. EFSA Journal, 2019, 17, e05728.  | 0.9 | 6         |
| 310 | Safety and efficacy of l-tryptophan produced by fermentation with Corynebacterium glutamicum KCCM 80176 for all animal species. EFSA Journal, 2019, 17, e05729.  | 0.9 | 6         |
| 311 | Safety and efficacy of FRA® Octazyme C Dry (endo-1,4-xylanase, mannan-endo-1,4- $\alpha$ -mannosidase, $\alpha$ -amylase,) Tj ETQq0 0 0 rgBT /Overlock 10 T<br>weaned piglets and chickens for fattening. EFSA Journal, 2019, 17, e05730.  | 0.9 | 1         |
| 312 | Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05792.  | 0.9 | 3         |
| 313 | Safety and efficacy of Biomin® DCaP as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. EFSA Journal, 2019, 17, e05724.  | 0.9 | 4         |
| 314 | Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with Escherichia coli (NITE BPa02526) for all animal species. EFSA Journal, 2019, 17, e05785.  | 0.9 | 2         |
| 315 | Safety and efficacy of Bacillus licheniformis DSM 32457 as a silage additive for all animal species. EFSA Journal, 2019, 17, e05787.   | 0.9 | 2         |
| 316 | Safety and efficacy of 3-phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. EFSA Journal, 2019, 17, e05791.  | 0.9 | 3         |
| 317 | Safety and efficacy of a tincture derived from Artemisia vulgaris L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05879.  | 0.9 | 2         |
| 318 | Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban® G160 (narasin and nicarbazin) for chickens for fattening. EFSA Journal, 2019, 17, e05786.   | 0.9 | 4         |
| 319 | Safety and efficacy of RONOZYME® WX CT/L (endo-1,4-xylanase) as a feed additive for sows for reproduction. EFSA Journal, 2019, 17, e05790.   | 0.9 | 1         |
| 320 | Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2019, 17, e05609. | 0.9 | 2         |
| 321 | Safety and efficacy of Robenz® 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. EFSA Journal, 2019, 17, e05613.  | 0.9 | 3         |
| 322 | Safety and efficacy of l-tryptophan produced by fermentation with Escherichia coli KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694.  | 0.9 | 5         |
| 323 | Safety and efficacy of l-tryptophan produced by fermentation with Escherichia coli KCCM 80152 for all animal species. EFSA Journal, 2019, 17, e05695.  | 0.9 | 5         |
| 324 | Assessment of the application for renewal of authorisation of Lantharenol® (lanthanum carbonate) Tj ETQq0 0 0 rgBT /Overlock 10 T  | 0.9 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Safety and efficacy of Hemicell <sup>®</sup> (endo- $\alpha$ -1,4- $\alpha$ -mannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05641.                                      | 0.9 | 0         |
| 326 | Safety and efficacy of muramidase from <i>Trichoderma reesei</i> DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. EFSA Journal, 2019, 17, e05686.  | 0.9 | 2         |
| 327 | Assessment of the application for renewal of authorisation of Bactocell <sup>®</sup> ( <i>Pediococcus acidilactici</i> ) Tj ETQq1 1 0.784314 rgBT /Overl<br>laying and its extension of use to all growing pigs and all avian species. EFSA Journal, 2019, 17, e05690.                                   | 0.9 | 5         |
| 328 | Safety and efficacy of APSA PHYTAFEED <sup>®</sup> 20,000 GR/L (6 $\alpha$ -phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.  | 0.9 | 6         |
| 329 | Safety and efficacy of Levucell <sup>®</sup> SB ( <i>Saccharomyces cerevisiae</i> CNCM I $\alpha$ -1079) as a feed additive for turkeys for fattening. EFSA Journal, 2019, 17, e05693.   | 0.9 | 1         |
| 330 | Assessment of the application for renewal of authorisation of PHYZYME <sup>®</sup> XP 5000 G/L (6 $\alpha$ -phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. EFSA Journal, 2019, 17, e05701.  | 0.9 | 2         |
| 331 | Assessment of the application for renewal of the authorisation of PHYZYME <sup>®</sup> XP 10000 TPT/L (6 $\alpha$ -phytase) as a feed additive for all avian species and all swine species. EFSA Journal, 2019, 17, e05702.  | 0.9 | 1         |
| 332 | Guidance on the use of the Threshold of Toxicological Concern approach in food safety assessment. EFSA Journal, 2019, 17, e05708.  | 0.9 | 120       |
| 333 | Assessment of the application for renewal of authorisation of Biosprint <sup>®</sup> ( <i>Saccharomyces cerevisiae</i> ) Tj ETQq1 1 0.784314 rgBT /Ov<br>0.9   | 0.9 | 3         |
| 334 | Safety and efficacy of an essential oil from <i>Elettaria cardamomum</i> (L.) Maton when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05721.  | 0.9 | 5         |
| 335 | Safety and efficacy of Levucell SC <sup>®</sup> ( <i>Saccharomyces cerevisiae</i> CNCM I $\alpha$ -1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. EFSA Journal, 2019, 17, e05723.  | 0.9 | 1         |
| 336 | Safety and efficacy of VevoVital <sup>®</sup> (benzoic acid) as feed additive for pigs for fattening. EFSA Journal, 2019, 17, e05727.  | 0.9 | 0         |
| 337 | Safety and efficacy of <i>Bacillus subtilis</i> DSM 28343 for pigs for fattening. EFSA Journal, 2019, 17, e05725.  | 0.9 | 0         |
| 338 | Safety and efficacy of lutein and lutein/zeaxanthin extracts from <i>Tagetes erecta</i> for poultry for fattening and laying (except turkeys). EFSA Journal, 2019, 17, e05698.   | 0.9 | 3         |
| 339 | Safety and efficacy of L $\alpha$ -lysine monohydrochloride and concentrated liquid L $\alpha$ -lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strain NRRL B $\alpha$ -50775 for all animal species based on a dossier submitted by ADM. EFSA Journal, 2019, 17, e05537. | 0.9 | 12        |
| 340 | Safety and efficacy of Probion forte <sup>®</sup> ( <i>Bacillus subtilis</i> KCCM 10941P and <i>Bacillus coagulans</i> KCCM) Tj ETQq0 0 0 rgBT /Overlock 10 T<br>0.9   | 0.9 | 0         |
| 341 | Safety and efficacy of <i>Lactobacillus reuteri</i> NBF $\alpha$ -2 (DSM 32264) as a feed additive for cats. EFSA Journal, 2019, 17, e05526.   | 0.9 | 2         |
| 342 | Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2019, 17, e05527.  | 0.9 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Safety and efficacy of Levucell® SB ( <i>Saccharomyces Cerevisiae</i> CNCM 1079) as a feed additive for all pigs. EFSA Journal, 2019, 17, e05535.   | 0.9 | 1         |
| 344 | Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2019, 17, e05604.   | 0.9 | 1         |
| 345 | Safety and efficacy of l-valine produced using <i>Corynebacterium glutamicum</i> CGMCC 11675 for all animal species. EFSA Journal, 2019, 17, e05611.  | 0.9 | 4         |
| 346 | Guidance on harmonised methodologies for human health, animal health and ecological risk assessment of combined exposure to multiple chemicals. EFSA Journal, 2019, 17, e05634.   | 0.9 | 201       |
| 347 | Guidance on the assessment of the safety of feed additives for the environment. EFSA Journal, 2019, 17, e05648.   | 0.9 | 218       |
| 348 | Assessment of the application for renewal of authorisation of Natugrain® Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA Journal, 2019, 17, e05652. | 0.9 | 2         |
| 349 | Safety and efficacy of an essential oil of <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) leetsw. for all poultry species. EFSA Journal, 2019, 17, e05653.   | 0.9 | 4         |
| 350 | Safety and efficacy of Biomin® DC as a zootechnical feed additive for weaned piglets. EFSA Journal, 2019, 17, e05688.   | 0.9 | 3         |
| 351 | Safety and efficacy of l-leucine produced by fermentation with <i>Escherichia coli</i> NITE BP 02351 for all animal species. EFSA Journal, 2019, 17, e05689.  | 0.9 | 1         |
| 352 | Safety and efficacy of l-arginine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696.  | 0.9 | 0         |
| 353 | Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strain KCCM 10227 for all animal species. EFSA Journal, 2019, 17, e05697.  | 0.9 | 12        |
| 354 | Safety of erythrosine for ornamental fish. EFSA Journal, 2019, 17, e05699.  | 0.9 | 0         |
| 355 | Efficacy of <i>Saccharomyces cerevisiae</i> NBRC 0203, <i>Lactobacillus plantarum</i> NBRC 3070 and <i>Lactobacillus casei</i> NBRC 3425 as a technological additive (silage additive) for all animal species. EFSA Journal, 2019, 17, e05700.  | 0.9 | 1         |
| 356 | Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2019, 17, e05651.  | 0.9 | 3         |
| 357 | Safety and efficacy of l-tryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.248 for all animal species. EFSA Journal, 2019, 17, e05601.   | 0.9 | 5         |
| 358 | Safety and efficacy of l-threonine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80117 for all animal species. EFSA Journal, 2019, 17, e05602.   | 0.9 | 1         |
| 359 | Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species. EFSA Journal, 2019, 17, e05643.   | 0.9 | 12        |
| 360 | Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. EFSA Journal, 2019, 17, e05645.  | 0.9 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Assessment of the application for renewal of authorisation of Bonvital® (Enterococcus faecium DSM) Tj ETQq1 1,0,784314,rgBT /Over  | 0.9 | 13        |
| 362 | Safety and efficacy of 26 compounds belonging to chemical group 3 (1,2-unsaturated straight-chain and) Tj ETQq0 0 0 rgBT /Overl<br>all animal species and categories. EFSA Journal, 2019, 17, e05654.  | 0.9 | 16        |
| 363 | Safety and efficacy of TYFERA, (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05608.                                      | 0.9 | 2         |
| 364 | Assessment of the application for renewal of authorisation of GalliPro® (Bacillus subtilis DSM 17299) for chickens for fattening. EFSA Journal, 2019, 17, e05687.  | 0.9 | 0         |
| 365 | Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. EFSA Journal, 2019, 17, e05543.   | 0.9 | 3         |
| 366 | Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V.. EFSA Journal, 2019, 17, e05606.  | 0.9 | 5         |
| 367 | Assessment of the application for renewal of the authorisation of Natuphos (3-phytase) as a feed additive for poultry and pigs. EFSA Journal, 2019, 17, e05640.  | 0.9 | 1         |
| 368 | Genotoxicity assessment of chemical mixtures. EFSA Journal, 2019, 17, e05519.  | 0.9 | 95        |
| 369 | Safety and efficacy of HOSTAZYMA X (endo-1,4-beta-xylanase) as a feed additive for rabbits for fattening. EFSA Journal, 2019, 17, e05529.  | 0.9 | 1         |
| 370 | Safety and efficacy of l-valine produced by fermentation using Corynebacterium glutamicum KCCM 11201P for all animal species. EFSA Journal, 2019, 17, e05538.  | 0.9 | 5         |
| 371 | Safety and efficacy of Deccox® (decoquinate) for chickens for fattening. EFSA Journal, 2019, 17, e05541.   | 0.9 | 9         |
| 372 | Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) for all poultry species. EFSA Journal, 2019, 17, e05605.   | 0.9 | 3         |
| 373 | Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. EFSA Journal, 2019, 17, e05614.  | 0.9 | 0         |
| 374 | Assessment of the application for renewal of authorisation of Levucell SC (Saccharomyces cerevisiae) Tj ETQq0 0 0 rgBT /Overglock 10 T   | 0.9 | 3         |
| 375 | Safety and efficacy of l-tryptophan produced with Escherichia coli CGMCC 11674 for all animal species. EFSA Journal, 2019, 17, e05642.   | 0.9 | 7         |
| 376 | Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2019, 17, e05528.   | 0.9 | 0         |
| 377 | Safety and efficacy of 8-mercapto-8-menthane-3-one and p-menthane-8-thiol belonging to chemical group 20 when used as flavourings for all animal species. EFSA Journal, 2019, 17, e05530.  | 0.9 | 2         |
| 378 | Safety of concentrated l-lysine (base), l-lysine monohydrochloride and l-lysine sulfate produced using different strains of Corynebacterium glutamicum for all animal species based on a dossier submitted by FEFANA asbl. EFSA Journal, 2019, 17, e05532. | 0.9 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Safety and efficacy of ActiVet® (Bacillus licheniformis DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. EFSA Journal, 2019, 17, e05536.   | 0.9 | 3         |
| 380 | Safety for the environment of vitamin D3 for salmonids. EFSA Journal, 2019, 17, e05540.  | 0.9 | 1         |
| 381 | Safety and efficacy of Actisaf® Sc47 (Saccharomyces cerevisiae CNCM 4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. EFSA Journal, 2019, 17, e05600.  | 0.9 | 2         |
| 382 | Safety and efficacy of L-threonine produced by fermentation with Corynebacterium glutamicum for all animal species. EFSA Journal, 2019, 17, e05603.  | 0.9 | 2         |
| 383 | Modification of the terms of the authorisation of Natuphos® E as a feed additive for chickens for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05607.   | 0.9 | 1         |
| 384 | Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. EFSA Journal, 2019, 17, e05610.   | 0.9 | 1         |
| 385 | Safety and efficacy of Bonvital (Enterococcus faecium, DSM 7134) as an additive in water for drinking for sows. EFSA Journal, 2019, 17, e05612.  | 0.9 | 4         |
| 386 | Safety and efficacy of Probiotic Lactina® (Enterococcus faecium NBIMCC 8270,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 477 Td (Lactobacillus acidophilus) as a feed additive for sows, lactating sows, piglets, pigs for fattening and weaned rabbits. EFSA Journal, 2019, 17, e05646. | 0.9 | 5         |
| 387 | Safety and efficacy of Cinergy® Life B3 HiCon (Bacillus amyloliquefaciens NRRL B50508,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 477 Td as a feed additive for sows, lactating sows, piglets, pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05647.     | 0.9 | 2         |
| 388 | Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. EFSA Journal, 2019, 17, e05649.  | 0.9 | 1         |
| 389 | Assessment of the application for renewal of authorisation of selenomethionine produced by Saccharomyces cerevisiae NCYC R397 for all animal species. EFSA Journal, 2019, 17, e05539.  | 0.9 | 8         |
| 390 | Safety and efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05883.        | 0.9 | 0         |
| 391 | Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6-phytase) as a feed additive for piglets (suckling) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 477 Td  | 0.9 | 4         |
| 392 | Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6-phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05893.  | 0.9 | 3         |
| 393 | Safety and efficacy of a tincture derived from Verbascum thapsus L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05910.  | 0.9 | 1         |
| 394 | Safety and efficacy of L-methionine produced by fermentation with Corynebacterium glutamicum KCCM 80184 and Escherichia coli KCCM 80096 for all animal species. EFSA Journal, 2019, 17, e05917.  | 0.9 | 4         |
| 395 | Safety and efficacy of Belfeed B MP/ML (endo-1,4-beta-xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. EFSA Journal, 2019, 17, e05892.  | 0.9 | 1         |
| 396 | Safety of ethyl ester of alpha-tocopherol as a feed additive for poultry for fattening and poultry for laying. EFSA Journal, 2019, 17, e05911.   | 0.9 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | Safety of <i>Lactococcus lactis</i> NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05890.   | 0.9 | 0         |
| 398 | Safety and efficacy of Elancoban® G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. EFSA Journal, 2019, 17, e05891.   | 0.9 | 3         |
| 399 | Assessment of the application for renewal of authorisation of ECONASE® XT (endo-1,4- $\alpha$ -xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2019, 17, e05880. | 0.9 | 2         |
| 400 | Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll® Stay-Pink 10% CWS) for salmonids, crustaceans and other fish. EFSA Journal, 2019, 17, e05920.   | 0.9 | 11        |
| 401 | Efficacy of ZM16 10 ( <i>Bacillus amyloliquefaciens</i> DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05881.  | 0.9 | 2         |
| 402 | Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strains NRRL B-67439 or NRRL B-67535 for all animal species. EFSA Journal, 2019, 17, e05886.                                      | 0.9 | 10        |
| 403 | Safety and efficacy of an essential oil from <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) letsw. for all animal species. EFSA Journal, 2019, 17, e05909.  | 0.9 | 11        |
| 404 | Safety and efficacy of EB15 10 ( <i>Bacillus subtilis</i> DSM 25841) as a feed additive for piglets (suckling and) minor porcine species. EFSA Journal, 2019, 17, e05884.  | 0.9 | 0         |
| 405 | Assessment of the application for renewal of authorisation of Biosprint® ( <i>Saccharomyces cerevisiae</i> ) for all animal species. EFSA Journal, 2019, 17, e05883.   | 0.9 | 3         |
| 406 | Safety of butylated hydroxy anisole (BHA) for all animal species. EFSA Journal, 2019, 17, e05913.  | 0.9 | 1         |
| 407 | Efficacy of EB15 10 ( <i>Bacillus subtilis</i> DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. EFSA Journal, 2019, 17, e05882.  | 0.9 | 0         |
| 408 | Safety of L-threonine produced by fermentation with <i>Escherichia coli</i> CGMCC 11473 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05885.   | 0.9 | 1         |
| 409 | Safety for the environment of Monimax® (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. EFSA Journal, 2019, 17, e05888.  | 0.9 | 3         |
| 410 | Efficacy of RONOZYME® WX (endo-1,4- $\alpha$ -xylanase) as a feed additive for laying hens. EFSA Journal, 2019, 17, e05919.  | 0.9 | 1         |
| 411 | Safety and efficacy of Clâ€FERâ€ (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05916.   | 0.9 | 3         |
| 412 | Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2019, 17, e05914.   | 0.9 | 2         |
| 413 | Safety and efficacy of <i>Lactobacillus reuteri</i> NBFâ€1 (DSM 32203) as a feed additive for dogs. EFSA Journal, 2019, 17, e05524.  | 0.9 | 2         |
| 414 | Safety of Lancer® (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2019, 17, e05912.  | 0.9 | 3         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 415 | Assessment of the application for renewal of authorisation of Yeaâ€Saccâ€ (Saccharomyces cerevisiae) for horses. EFSA Journal, 2019, 17, e05918.   | 0.9 | 0         |
| 416 | Assessment of the application for renewal of authorisation of Bactocell ( CNCM I-4622) as a feed additive for all fish and shrimps and its extension of use for all crustaceans. EFSA Journal, 2019, 17, e05691. | 0.9 | 5         |
| 417 | Safety and efficacy of Alterion NEâ€ (Bacillusâsubtilis DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. EFSA Journal, 2018, 16, e05204.                             | 0.9 | 1         |
| 418 | Safety and efficacy of benzoic acid for pigs and poultry. EFSA Journal, 2018, 16, e05210.  | 0.9 | 2         |
| 419 | Safety and efficacy of Pediococcusâpentosaceus DSM 32291 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05202.  | 0.9 | 2         |
| 420 | Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. EFSA Journal, 2018, 16, e05208.                                | 0.9 | 5         |
| 421 | Safety and efficacy of Montebanâ€ G100 (narasin) for ducks for fattening. EFSA Journal, 2018, 16, e05461.  | 0.9 | 2         |
| 422 | Safety and efficacy of Bacillusâsubtilis DSMâ28343 as a feed additive for piglets. EFSA Journal, 2018, 16, e05221.   | 0.9 | 2         |
| 423 | Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. EFSA Journal, 2018, 16, e05222.  | 0.9 | 3         |
| 424 | Safety and efficacy of Coxirilâ€ (diclazuril) for pheasants. EFSA Journal, 2018, 16, e05196.   | 0.9 | 1         |
| 425 | Safety and efficacy of EB15 10 (Bacillusâsubtilis DSM 25841) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05199.  | 0.9 | 1         |
| 426 | Safety and efficacy of ZM16 10 (Bacillusâamyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05200.   | 0.9 | 2         |
| 427 | Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05205.   | 0.9 | 0         |
| 428 | Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a technological feed additive for pigs and poultry. EFSA Journal, 2018, 16, e05269.   | 0.9 | 8         |
| 429 | Safety and efficacy of lâ€arginine produced by fermentation using Corynebacteriumâglutamicum KCCMâ10741P for all animal species. EFSA Journal, 2018, 16, e05277.   | 0.9 | 4         |
| 430 | Safety and efficacy of Kelforceâ€ (lâ€glutamic acid, N,Nâ€diacetic acid, tetrasodium salt (GLDAâ€Na4)) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05279.                            | 0.9 | 1         |
| 431 | Safety and efficacy of ECONASEâ€ XT (endoâ€1,4â€xylanase) as a feed additive for laying hens. EFSA Journal, 2018, 16, e05216.  | 0.9 | 2         |
| 432 | Safety and efficacy of Calsporinâ€ (Bacillus subtilis DSM 15544) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05219.  | 0.9 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 433 | Safety and efficacy of Hemicell <sup>®</sup> HT (endo- $\alpha$ -1,4- $\beta$ -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2018, 16, e05270. | 0.9 | 3         |
| 434 | Safety and efficacy of Coxiril <sup>®</sup> (diclazuril) for chickens reared for laying. EFSA Journal, 2018, 16, e05195.  | 0.9 | 2         |
| 435 | Safety and efficacy of Lactococcus <sup>®</sup> NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2018, 16, e05218.  | 0.9 | 1         |
| 436 | Safety of natural mixture of dolomite plus magnesite and magnesium $\beta$ -phyllosilicates (Fluidol) for all animal species. EFSA Journal, 2018, 16, e05272.   | 0.9 | 1         |
| 437 | Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. EFSA Journal, 2018, 16, e05341.   | 0.9 | 7         |
| 438 | Assessment of the application for renewal of authorisation of selenomethionine produced by Saccharomyces <sup>®</sup> CNCM I <sup>®</sup> 3060 (selenised yeast inactivated) for all animal species. EFSA Journal, 2018, 16, e05386.  | 0.9 | 9         |
| 439 | Safety and efficacy of ECONASE <sup>®</sup> XT (endo- $\alpha$ -1,4- $\beta$ -xylanase) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05217.  | 0.9 | 2         |
| 440 | Efficacy of Cylactin <sup>®</sup> (Enterococcus <sup>®</sup> NCIMB 10415) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05201.  | 0.9 | 1         |
| 441 | Safety and efficacy of l <sup>®</sup> -threonine produced by fermentation using Escherichia coli CGMCC 7.232 for all animal species. EFSA Journal, 2018, 16, e05458.  | 0.9 | 6         |
| 442 | Safety and efficacy of Zinc <sup>®</sup> Selenomethionine as feed additive for all animal species. EFSA Journal, 2018, 16, e05197.  | 0.9 | 5         |
| 443 | Safety and efficacy of Hostazym <sup>®</sup> X (endo- $\alpha$ -1,4- $\beta$ -xylanase) as a feed additive for sows in order to have benefit in piglets. EFSA Journal, 2018, 16, e05456.  | 0.9 | 1         |
| 444 | Safety and efficacy of Bacillus <sup>®</sup> DSM <sup>®</sup> 28343 as a feed additive for calves for rearing. EFSA Journal, 2018, 16, e05220.  | 0.9 | 1         |
| 445 | Safety and efficacy of l <sup>®</sup> -arginine produced by fermentation with Escherichia <sup>®</sup> coli NITE BP <sup>®</sup> 02186 for all animal species. EFSA Journal, 2018, 16, e05276.  | 0.9 | 4         |
| 446 | Safety and efficacy of Lactobacillus <sup>®</sup> NCIM I <sup>®</sup> 4785 and Lactobacillus <sup>®</sup> CNCM I <sup>®</sup> 4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.   | 0.9 | 1         |
| 447 | Efficacy of Bergazym <sup>®</sup> P100 (endo- $\alpha$ -1,4- $\beta$ -xylanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2018, 16, e05457.   | 0.9 | 1         |
| 448 | Safety and efficacy of Monimax <sup>®</sup> (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05459.   | 0.9 | 8         |
| 449 | Safety and efficacy of Monteban <sup>®</sup> G100 (narsin) for chickens for fattening. EFSA Journal, 2018, 16, e05460.  | 0.9 | 3         |
| 450 | Safety and efficacy of a super critical carbon dioxide extract of Humulus lupulus L. flos when used as a feed flavouring for all animal species. EFSA Journal, 2018, 16, e05462.  | 0.9 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 451 | Safety of zinc chelate of methionine sulfate for the target species. EFSA Journal, 2018, 16, e05463.   | 0.9 | 0         |
| 452 | Safety and efficacy of cumin tincture ( <i>Cuminum cyminum</i> L.) when used as a sensory additive for all animal species. EFSA Journal, 2018, 16, e05273.   | 0.9 | 3         |
| 453 | Safety and efficacy of vitamin B2 (riboflavin 5- $\alpha$ -phosphate ester monosodium salt) for all animal species when used in water for drinking. EFSA Journal, 2018, 16, e05531.  | 0.9 | 5         |
| 454 | Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. EFSA Journal, 2018, 16, e05387.   | 0.9 | 2         |
| 455 | Safety and efficacy of Coxar <sup>®</sup> (nicarbazin) for turkeys for fattening. EFSA Journal, 2018, 16, e05214.  | 0.9 | 1         |
| 456 | Safety and efficacy of Amylofeed <sup>®</sup> (endo- $\alpha$ -1,3(4)- $\beta$ -D-glucanase and endo- $\alpha$ -1,4- $\beta$ -D-xylanase and $\beta$ -D-amylase) as a feed additive for piglets and minor growing porcine species. EFSA Journal, 2018, 16, e05271.   | 0.9 | 1         |
| 457 | Safety and efficacy of betaine anhydrous for food-producing animal species based on a dossier submitted by AB Vista. EFSA Journal, 2018, 16, e05335.   | 0.9 | 4         |
| 458 | Safety and efficacy of COXAM <sup>®</sup> (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05338.   | 0.9 | 4         |
| 459 | Safety and efficacy of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2018, 16, e05336.  | 0.9 | 13        |
| 460 | Assessment of the application for renewal of authorisation of Actisaf <sup>®</sup> Sc47 ( <i>Saccharomyces</i> ) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 38 EFSA Journal, 2018, 16, e05339.  | 0.9 | 1         |
| 461 | Assessment of the application for renewal of authorisation of Calsporin <sup>®</sup> ( <i>Bacillus</i> subsp. <i>subtilis</i> DSM) Tj ETQq1 1 0.784314 rgBT/Overlock 4 EFSA Journal, 2018, 16, e05340.   | 0.9 | 4         |
| 462 | Safety and efficacy of 3- $\alpha$ -phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. EFSA Journal, 2018, 16, e05203.   | 0.9 | 4         |
| 463 | Guidance on the assessment of the efficacy of feed additives. EFSA Journal, 2018, 16, e05274.  | 0.9 | 293       |
| 464 | Safety and efficacy of <i>Lactobacillus acidophilus</i> D2/CSL ( <i>Lactobacillus acidophilus</i> CECT 4529) as a feed additive for cats and dogs. EFSA Journal, 2018, 16, e05278.   | 0.9 | 3         |
| 465 | Guidance on the characterisation of microorganisms used as feed additives or as production organisms. EFSA Journal, 2018, 16, e05206.  | 0.9 | 458       |
| 466 | Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05215.   | 0.9 | 9         |
| 467 | Safety and efficacy of alpha-D-glucanase from <i>Bacillus amyloliquefaciens</i> DSM 9553, <i>Bacillus amyloliquefaciens</i> NCIM 30251, <i>Aspergillus oryzae</i> CBS 585.94 and <i>Aspergillus oryzae</i> ATCC SD 5374, endo- $\alpha$ -1,4- $\beta$ -D-glucanase from <i>Trichoderma reesei</i> ATCC PTA 1000 I, <i>Trichoderma reesei</i> ATCC SD 6331 and <i>Aspergillus niger</i> CBS 120604, endo- $\alpha$ -1,4- $\beta$ -D-xylanase from <i>Trichoderma koningii</i> MUCL 39203 and <i>Trichoderma citrinoviride</i> CBS 614.94 and endo- $\alpha$ -1,3(4)- $\beta$ -D-glucanase from <i>Aspergillus tubingensis</i> MUCL 39199 as silage additives for. EFSA Journal, 2018, 16, e05224. | 0.9 | 3         |
| 468 | Modification of the terms of authorisation of lecithins as a feed additive for all animal species. EFSA Journal, 2018, 16, e05334.   | 0.9 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 469 | Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05268.   | 0.9 | 4         |
| 470 | Safety of vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species. EFSA Journal, 2018, 16, e05223.  | 0.9 | 10        |
| 471 | Safety and efficacy of vitamin B2 (riboflavin) produced by <i>Ashbya gossypii</i> DSM 23096 for all animal species based on a dossier submitted by BASF SE. EFSA Journal, 2018, 16, e05337.   | 0.9 | 8         |
| 472 | Safety and efficacy of <i>Bacillus subtilis</i> KCCM 10673P and <i>Aspergillus oryzae</i> KCTC 10258BP when used as a technological feed additive for all animal species. EFSA Journal, 2018, 16, e05275.   | 0.9 | 2         |
| 473 | Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+®) for all animal species. EFSA Journal, 2018, 16, e05198.   | 0.9 | 7         |
| 474 | Safety and efficacy of muramidase from <i>Trichoderma reesei</i> DSM 32338 as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2018, 16, e05342.   | 0.9 | 5         |
| 475 | Effects of dietary orange peel essential oil supplementation on milk yield and composition, and blood and milk antioxidant status of dairy ewes. <i>Animal Feed Science and Technology</i> , 2018, 245, 20-31.  | 1.1 | 24        |
| 476 | Safety and efficacy of Sacox® microGranulate (salinomycin sodium) for rabbits for fattening. EFSA Journal, 2018, 16, e05209.  | 0.9 | 0         |
| 477 | Assessment of the application for renewal of authorisation of Levucell® SC ( <i>Saccharomyces</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10   | 0.9 | 1         |
| 478 | Presence of endoparasites in the Greek buffalo ( <i>Bubalus bubalis</i> ) from Northern Greece. <i>Journal of the Hellenic Veterinary Medical Society</i> , 2018, 69, 999.  | 0.1 | 3         |
| 479 | Safety and efficacy of Sacox® microGranulate (salinomycin sodium) for chickens for fattening and chickens reared for laying. EFSA Journal, 2017, 15, e04670.  | 0.9 | 6         |
| 480 | Safety and efficacy of <i>Lactobacillus plantarum</i> DSM 29024 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04675.  | 0.9 | 1         |
| 481 | Safety and efficacy of Hemicell® HT (endo-1,4- $\alpha$ -D-mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2017, 15, e04677. | 0.9 | 4         |
| 482 | Physicochemical, textural and sensory properties of white soft cheese made from buffalo and cow milk mixtures. <i>International Journal of Dairy Technology</i> , 2017, 70, 506-513.  | 1.3 | 12        |
| 483 | Safety of L-lysine sulfate produced by fermentation with <i>Escherichia coli</i> CGMCC 3705 for all animal species. EFSA Journal, 2017, 15, e04714.   | 0.9 | 13        |
| 484 | Efficacy of <i>Saccharomyces cerevisiae</i> (NBRC 0203), <i>Lactobacillus plantarum</i> (NBRC 3070) and <i>Lactobacillus casei</i> (NBRC 3425) as a silage additive for all species. EFSA Journal, 2017, 15, e04704.  | 0.9 | 3         |
| 485 | Safety and efficacy of <i>Lactobacillus hilgardii</i> CNCM 14785 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04758.   | 0.9 | 2         |
| 486 | Safety of L-tryptophan technically pure, produced by fermentation with <i>Escherichia coli</i> DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. EFSA Journal, 2017, 15, e04712.  | 0.9 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 487 | Safety and efficacy of Probion Forte® (Bacillus subtilis KCCM 10941P and Bacillus coagulans KCCM) Tj ETQq1 1 0,784314, 0,9   | 0,9 | 19        |
| 488 | Safety and efficacy of HOSTAZYM® X (endo-1,4- $\alpha$ -D-xylanase) as a feed additive for chickens reared for laying and minor poultry species reared for laying. EFSA Journal, 2017, 15, e04708.                                     | 0,9 | 3         |
| 489 | Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) as a feed additive for dogs. EFSA Journal, 2017, 15, e04760.   | 0,9 | 5         |
| 490 | Safety and efficacy of Lactobacillus Acidophilus D2/CSL (Lactobacillus Acidophilus CECT 4529) as a feed additive for chickens for fattening. EFSA Journal, 2017, 15, e04762.   | 0,9 | 3         |
| 491 | Safety and efficacy of Bacillus subtilis PB6 (Bacillus subtilis ATCC PTA 6737) as a feed additive for sows. EFSA Journal, 2017, 15, e04855.  | 0,9 | 8         |
| 492 | Safety and efficacy of OPTIPHOS® (6-phytase) as a feed additive for finfish. EFSA Journal, 2017, 15, e04763.   | 0,9 | 2         |
| 493 | Effect of dietary palygorskite on performance of lactating ewes. Applied Clay Science, 2017, 143, 76-79.   | 2,6 | 4         |
| 494 | Safety and efficacy of Lactobacillus rhamnosus DSM 29226 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04673.  | 0,9 | 1         |
| 495 | Safety and efficacy of iron dextran as a feed additive for piglets. EFSA Journal, 2017, 15, e04701.  | 0,9 | 0         |
| 496 | Effects of dietary pomegranate pulp silage supplementation on milk yield and composition, milk fatty acid profile and blood plasma antioxidant status of lactating dairy cows. Animal Feed Science and Technology, 2017, 234, 228-236. | 1,1 | 19        |
| 497 | Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. EFSA Journal, 2017, 15, e04940.  | 0,9 | 2         |
| 498 | Safety and efficacy of Bergazym® P100 (endo-1,4- $\alpha$ -D-xylanase) as a feed additive for chickens for fattening, weaned piglets and pigs for fattening. EFSA Journal, 2017, 15, e04707.   | 0,9 | 0         |
| 499 | Safety and efficacy of microorganism DSM 11798 as a technological additive for all avian species. EFSA Journal, 2017, 15, e04676.  | 0,9 | 3         |
| 500 | Effects of dietary partly destoned exhausted olive cake supplementation on performance, carcass characteristics and meat quality of growing lambs. Small Ruminant Research, 2017, 156, 33-41.  | 0,6 | 26        |
| 501 | Safety and efficacy of L-threonine produced by fermentation with Escherichia coli CGMCC 11473 for all animal species. EFSA Journal, 2017, 15, e04939.  | 0,9 | 4         |
| 502 | Safety and nutritional value of a dried killed bacterial biomass from Escherichia coli (FERM BP 10941) (PL73 (LM)) as a feed material for pigs, ruminants and salmonids. EFSA Journal, 2017, 15, e04935.                               | 0,9 | 1         |
| 503 | Safety and efficacy of aryl-substituted primary alcohol, aldehyde, acid, ester and acetal derivatives belonging to chemical group 22 when used as flavourings for all animal species. EFSA Journal, 2017, 15, e04672.                  | 0,9 | 6         |
| 504 | Safety and efficacy of selenium-enriched yeast (Saccharomyces cerevisiae CNCM 3399) for all animal species. EFSA Journal, 2017, 15, e04937.  | 0,9 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 505 | Safety and efficacy of zinc chelate of methionine sulfate for all animal species. EFSA Journal, 2017, 15, e04859.  | 0.9 | 2         |
| 506 | Safety of vitamin D3 addition to feedingstuffs for fish. EFSA Journal, 2017, 15, e04713.   | 0.9 | 7         |
| 507 | Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2017, 15, e04941. | 0.9 | 4         |
| 508 | Safety and efficacy of sodium and potassium alginate for pets, other non food-producing animals and fish. EFSA Journal, 2017, 15, e04945.  | 0.9 | 8         |
| 509 | Safety and efficacy of <i>Pediococcus parvulus</i> DSM 28875 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04702.  | 0.9 | 0         |
| 510 | Guidance on the identity, characterisation and conditions of use of feed additives. EFSA Journal, 2017, 15, e05023.  | 0.9 | 272       |
| 511 | Safety and efficacy of Natuphos® E (6-phytase) as a feed additive for avian and porcine species. EFSA Journal, 2017, 15, e05024.   | 0.9 | 8         |
| 512 | Safety and efficacy of pyrazine derivatives including saturated ones belonging to chemical group 24 when used as flavourings for all animal species. EFSA Journal, 2017, 15, e04671.   | 0.9 | 6         |
| 513 | Safety and efficacy of RONOZYME® WX (endo-1,4-beta-xylanase) as a feed additive for laying hens. EFSA Journal, 2017, 15, e05020.   | 0.9 | 3         |
| 514 | Guidance on the assessment of the safety of feed additives for the consumer. EFSA Journal, 2017, 15, e05022.   | 0.9 | 267       |
| 515 | Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. EFSA Journal, 2017, 15, e04711.  | 0.9 | 1         |
| 516 | Safety and efficacy of an essential oil from <i>Origanum vulgare</i> subsp. <i>hirtum</i> (Link) Letsw. var. <i>Vulkan</i> when used as a sensory additive in feed for all animal species. EFSA Journal, 2017, 15, e05095.   | 0.9 | 6         |
| 517 | Guidance on the assessment of the safety of feed additives for the target species. EFSA Journal, 2017, 15, e05021.   | 0.9 | 334       |
| 518 | Safety of Endofeed® DC (endo-1,3(4)-beta-glucanase and endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, laying hens, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2017, 15, e04706.   | 0.9 | 1         |
| 519 | Safety and efficacy of bentonite as a feed additive for all animal species. EFSA Journal, 2017, 15, e05096.  | 0.9 | 12        |
| 520 | Safety and efficacy of L-arginine produced by <i>Corynebacterium glutamicum</i> KCCM 80099 for all animal species. EFSA Journal, 2017, 15, e04858.   | 0.9 | 3         |
| 521 | Safety and efficacy of ENZY CARBOPLUS® (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. EFSA Journal, 2017, 15, e05097.  | 0.9 | 3         |
| 522 | Safety and efficacy of Levucell® SC ( <i>Saccharomyces cerevisiae</i> CNCM 1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. EFSA Journal, 2017, 15, e04944.   | 0.9 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 523 | Safety of L-tryptophan technically pure, produced by Escherichia coli CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2017, 15, e04705.   | 0.9 | 7         |
| 524 | Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2017, 15, e04710.  | 0.9 | 1         |
| 525 | Assessment of the application for renewal of authorisation of VevoVital (benzoic acid) as feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2017, 15, e05093.  | 0.9 | 1         |
| 526 | Safety and efficacy of Levucell SB (Saccharomyces cerevisiae CNCM 1079) as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2017, 15, e04674.  | 0.9 | 3         |
| 527 | Safety and efficacy of FRA Octazyme C Dry (galactosidase, amylase, endo-1,3(4)-glucanase,) for fattening and weaned piglets. EFSA Journal, 2017, 15, e04943.  | 0.9 | 1         |
| 528 | Efficacy of Liderfeed (eugenol) for chickens for fattening. EFSA Journal, 2017, 15, e04931.   | 0.9 | 2         |
| 529 | Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2017, 15, e04938.  | 0.9 | 8         |
| 530 | Safety and efficacy of Monimax (monensin sodium and nicarbazin) for turkeys for fattening. EFSA Journal, 2017, 15, e05094.  | 0.9 | 8         |
| 531 | Safety and efficacy of Avatec 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails) for fattening and weaned piglets. EFSA Journal, 2017, 15, e04934. | 0.9 | 1         |
| 532 | Safety and efficacy of Lactobacillus buchneri NRRL B-50733 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04934.   | 0.9 | 2         |
| 533 | Safety and efficacy of HOSTAZYM X (endo-1,4-xylanase) as a feed additive for carps. EFSA Journal, 2017, 15, e04942.   | 0.9 | 2         |
| 534 | Safety and efficacy of Alterion NE (Bacillus subtilis DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2017, 15, e04933.  | 0.9 | 1         |
| 535 | Safety and efficacy of Amylofeed (endo-1,3(4)-glucanase and endo-1,4-xylanase and amylase) as a feed additive for piglets and minor porcine species. EFSA Journal, 2017, 15, e04856.  | 0.9 | 1         |
| 536 | Safety and efficacy of Bacillus amyloliquefaciens (NCIM 30229) as a silage additive for all animal species. EFSA Journal, 2017, 15, e04860.   | 0.9 | 1         |
| 537 | Safety and nutritional value of a dried killed bacterial biomass from Escherichia coli (FERM BP 10942) (PT73 (TM)) as a feed material for pigs, ruminants and salmonids. EFSA Journal, 2017, 15, e04936.  | 0.9 | 0         |
| 538 | Safety and efficacy of AviMatrix (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. EFSA Journal, 2017, 15, e05025.   | 0.9 | 4         |
| 539 | Safety and efficacy of VevoVital (benzoic acid) as feed additive for minor porcine species. EFSA Journal, 2017, 15, e05026.   | 0.9 | 2         |
| 540 | Safety and efficacy of Lactobacillus casei DSM 28872 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04703.   | 0.9 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 541 | Fatty acid profile, somatic cell count and microbiological quality of total machine milk and hand stripped milk of Chios ewes. <i>Mljekarstvo</i> , 2017, , 146-154.   | 0.2 | 4         |
| 542 | Safety and efficacy of cis- $\epsilon$ -norbixin di-potassium salt (annatto F) for cats and dogs. <i>EFSA Journal</i> , 2017, 15, e04764.  | 0.9 | 0         |
| 543 | Safety and efficacy of Calsporin <sup>®</sup> (Bacillus <sup>®</sup> subtilis DSM 15544) for sows and suckling piglets. <i>EFSA Journal</i> , 2017, 15, e04761.  | 0.9 | 3         |
| 544 | Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. <i>EFSA Journal</i> , 2017, 15, e04709.   | 0.9 | 1         |
| 545 | Efficacy of Levucell <sup>®</sup> SB (Saccharomyces cerevisiae CNCM 1079) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2017, 15, e04932.   | 0.9 | 2         |
| 546 | Safety and efficacy of dicopper oxide as feed additive for all animal species. <i>EFSA Journal</i> , 2016, 14, e04509.   | 0.9 | 5         |
| 547 | Analysis of the need for an update of the guidance documents. <i>EFSA Journal</i> , 2016, 14, e04473.  | 0.9 | 1         |
| 548 | Safety and efficacy of thiazoles, thiophene and thiazoline belonging to chemical group 29 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016, 14, e04441.   | 0.9 | 4         |
| 549 | Safety and efficacy of aromatic ketones, secondary alcohols and related esters belonging to chemical group 21 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016, 14, e04557.   | 0.9 | 3         |
| 550 | Modification of the terms of the authorisation regarding the formulation of Maxiban <sup>®</sup> G160 (narsin) Tj ETQq0 0,0,rgBT /Oylock 10  | 0.9 | 2         |
| 551 | Safety and efficacy of dry grape extract when used as a feed flavouring for all animal species and categories. <i>EFSA Journal</i> , 2016, 14, e04476.   | 0.9 | 7         |
| 552 | Safety and efficacy of Feedlyve AGL (endo-1,3(4)- $\beta$ -glucanase) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2016, 14, e04620.   | 0.9 | 0         |
| 553 | Safety and efficacy of ethyl ester of $\beta$ -apo-8'-carotenoic acid as a feed additive for poultry for fattening and poultry for laying. <i>EFSA Journal</i> , 2016, 14, 4439.   | 0.9 | 4         |
| 554 | Safety of $\epsilon$ -threonine, technically pure, produced by fermentation with Escherichia coli CGMCC 7.58 for all animal species based on a dossier submitted by Feedway Europe NV. <i>EFSA Journal</i> , 2016, 14, e04470.                                       | 0.9 | 3         |
| 555 | Safety and efficacy of ROVABIO <sup>®</sup> SPIKY (endo-1,4- $\beta$ -xylanase and endo-1,3(4)- $\beta$ -glucanase) as a feed additive for all major and minor poultry species. <i>EFSA Journal</i> , 2016, 14, e04510.  | 0.9 | 1         |
| 556 | Safety and efficacy of Belfeed B MP/ML (endo-1,4-beta-xylanase) as feed additive for poultry, piglets (weaned) and pigs for fattening. <i>EFSA Journal</i> , 2016, 14, e04562.   | 0.9 | 3         |
| 557 | Safety and efficacy of $\pm$ , $\beta$ -unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters belonging to chemical group 3 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016, 14, e04512. | 0.9 | 7         |
| 558 | Safety and efficacy of iron compounds (E1) as feed additives for all species: ferric oxide based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. <i>EFSA Journal</i> , 2016, 14, e04508.   | 0.9 | 5         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 559 | Safety and efficacy of Feedlyve AXC (endo- $\alpha$ -1,4-xylanase) as a feed additive for chickens for fattening. EFSA Journal, 2016, 14, e04621.  | 0.9 | 0         |
| 560 | Safety and efficacy of Axtra <sup>®</sup> PHY20000 TPT2 (6- $\epsilon$ -phytase) as a feed additive for poultry and porcine species. EFSA Journal, 2016, 14, e04625.   | 0.9 | 1         |
| 561 | Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. EFSA Journal, 2016, 14, e04627.  | 0.9 | 1         |
| 562 | Safety and efficacy of BaAct <sup>®</sup> (Bacillus licheniformis DSM 28710) for chickens for fattening and chickens reared for laying. EFSA Journal, 2016, 14, e04615.  | 0.9 | 5         |
| 563 | Safety and efficacy of iron oxide black, red and yellow for all animal species. EFSA Journal, 2016, 14, e04482.  | 0.9 | 6         |
| 564 | Safety and efficacy of Lactobacillus brevis NCIMB 42149 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04616.   | 0.9 | 1         |
| 565 | Safety and efficacy of Enviva <sup>®</sup> PRO 202 GT (Bacillus amyloliquefaciens PTA6507,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 511 fattening, chickens reared for laying and minor poultry species for fattening and to point of lay. EFSA Journal, 2016, 14, e04505.           | 0.9 | 2         |
| 566 | Safety and efficacy of <i>Lactobacillus diolivorans</i> DSM 32074 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04556.   | 0.9 | 2         |
| 567 | Safety and efficacy of Natugrain <sup>®</sup> TS/TS L (endo- $\alpha$ -1,4-xylanase and endo- $\alpha$ -1,4-glucanase) as a feed additive for chickens reared for laying and minor poultry species for laying. EFSA Journal, 2016, 14, e04626.   | 0.9 | 0         |
| 568 | Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2016, 14, e04477.   | 0.9 | 2         |
| 569 | Safety and efficacy of selenium-enriched yeast ( <i>Saccharomyces cerevisiae</i> NCYC R397) for all animal species. EFSA Journal, 2016, 14, e04624.  | 0.9 | 2         |
| 570 | Safety and efficacy of inositol as nutritional additive for dogs and cats. EFSA Journal, 2016, 14, e04511.   | 0.9 | 3         |
| 571 | Safety and efficacy of lecithins (Lipidol) for all animal species. EFSA Journal, 2016, 14, e04560.   | 0.9 | 1         |
| 572 | Safety and efficacy of Bacillus subtilis DSM28343 as a feed additive for chickens for fattening. EFSA Journal, 2016, 14, e04507.   | 0.9 | 1         |
| 573 | Safety of $\epsilon$ -tryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.59 for all animal species based on a dossier submitted by Feedway Europe NV. EFSA Journal, 2016, 14, e04444.  | 0.9 | 4         |
| 574 | Safety and efficacy of DiarrStop S Plus <sup>®</sup> (Na2EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and) Tj ETQq0 0 0,rgBT /Over  | 0.9 | 2         |
| 575 | Revision of the currently authorised maximum copper content in complete feed. EFSA Journal, 2016, 14, e04563.  | 0.9 | 57        |
| 576 | Safety and efficacy of secondary aliphatic saturated or unsaturated alcohols, ketones, ketals and esters with a second secondary or tertiary oxygenated functional group belonging to chemical group 10 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04618. | 0.9 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 577 | Safety and efficacy of fumonisin esterase (FUMzyme®) as a technological feed additive for all avian species. EFSA Journal, 2016, 14, e04617.  | 0.9 | 13        |
| 578 | Safety and efficacy of tartrazine (E102) for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents. EFSA Journal, 2016, 14, e04613.   | 0.9 | 3         |
| 579 | Safety and efficacy of maltol belonging to chemical group 12 when used as flavouring for all animal species. EFSA Journal, 2016, 14, e04619.  | 0.9 | 1         |
| 580 | Safety and efficacy of BioPlus 2B® (Bacillus subtilis DSM 5750 and Bacillus licheniformis DSM 5749) as a feed additive for sows, piglets, pigs for fattening, turkeys for fattening and calves. EFSA Journal, 2016, 14, e04558.   | 0.9 | 2         |
| 581 | Safety and efficacy of eight compounds belonging to chemical group 31 (aliphatic and aromatic) Tj ETQq1 1 0.784314 rgBT /Overlock 4339.   | 0.9 | 24        |
| 582 | Safety and efficacy of a natural mixture of dolomite plus magnesite and magnesium phyllosilicates (Fluidol) as feed additive for all animal species. EFSA Journal, 2016, 14, 4341.  | 0.9 | 2         |
| 583 | Safety and efficacy of a natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Tj ETQq1 1 0.784314 rgBT /Overlock 10  | 0.9 | 7         |
| 584 | Safety of L-tryptophan produced by fermentation using Escherichia coli CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2016, 14, 4343.  | 0.9 | 9         |
| 585 | Safety of L-threonine produced by fermentation using Escherichia coli CGMCC 3703, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2016, 14, 4344.   | 0.9 | 5         |
| 586 | Safety and efficacy of L arginine produced by Corynebacterium glutamicum KCTC 10423BP for all animal species. EFSA Journal, 2016, 14, 4345.   | 0.9 | 6         |
| 587 | Safety and efficacy of Natugrain® TS (endo-1,4-β-xylanase and endo-1,4-β-glucanase) for chickens for fattening. EFSA Journal, 2016, 14, 4347.   | 0.9 | 2         |
| 588 | Safety and efficacy of methylester of conjugated linoleic acid (t10,c12 isomer) for pigs for fattening, sows and cows. EFSA Journal, 2016, 14, 4348.  | 0.9 | 3         |
| 589 | Safety and efficacy of Axtra® XB 201 (endo-1,4-β-xylanase and endo-1,3(4)-β-glucanase) as a feed additive for lactating sows and minor porcine species. EFSA Journal, 2016, 14, 4350.   | 0.9 | 1         |
| 590 | Safety and efficacy of Amoklor (ammonium chloride) as a zootechnical additive for ruminants, cats and dogs. EFSA Journal, 2016, 14, 4352.   | 0.9 | 2         |
| 591 | Safety and efficacy of pyridine and pyrrole derivatives belonging to chemical group 28 when used as flavourings for all animal species. EFSA Journal, 2016, 14, 4390.   | 0.9 | 1         |
| 592 | Safety and efficacy of RONOZYME® HiPhos (6-phytase) as a feed additive for sows and fish. EFSA Journal, 2016, 14, 4393.   | 0.9 | 2         |
| 593 | Safety and efficacy of guanidinoacetic acid for chickens for fattening, breeder hens and roosters, and pigs. EFSA Journal, 2016, 14, 4394.  | 0.9 | 13        |
| 594 | Safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous carbonate; manganous chloride, tetrahydrate; manganous oxide; manganous sulphate, monohydrate; manganese chelate of amino acids, hydrate; manganese chelate of glycine, hydrate, based on a dossier submitted by FEFANA asbl. EFSA Journal, 2016, 14, 4395. | 0.9 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 595 | Safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate; ferric chloride, hexahydrate; ferrous fumarate; ferrous sulphate, heptahydrate; ferrous sulphate, monohydrate; ferrous chelate of amino acids, hydrate; ferrous chelate of glycine, hydrate, based on a dossier submitted by FEFANA asbl. EFSA Journal, 2016, 14, 4396. | 0.9 | 17        |
| 596 | Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite, based on a dossier submitted by Retorte GmbH Selenium Chemicals and Metals. EFSA Journal, 2016, 14, 4398.   | 0.9 | 9         |
| 597 | Safety and efficacy of Levucell® SB (Saccharomyces Cerevisiae CNCM 1079) as a feed additive for weaned piglets and sows. EFSA Journal, 2016, 14, e04478.  | 0.9 | 3         |
| 598 | Safety and efficacy of vitamin B2 (riboflavin and riboflavin 5-phosphate ester monosodium salt) produced by Bacillus subtilis for all animal species based on a dossier submitted by DSM. EFSA Journal, 2016, 14, 4349.   | 0.9 | 5         |
| 599 | Safety and efficacy of furfuryl and furan derivatives belonging to chemical group 14 when used as flavourings for all animal species and categories. EFSA Journal, 2016, 14, 4389.  | 0.9 | 4         |
| 600 | Safety and efficacy of polyoxyethylene (20) sorbitan monooleate as a feed additive for all animal species. EFSA Journal, 2016, 14, 4443.  | 0.9 | 4         |
| 601 | Safety and efficacy of secondary alicyclic saturated and unsaturated alcohols, ketones, ketals and esters with ketals containing alicyclic alcohols or ketones and esters containing secondary alicyclic alcohols from chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04475.  | 0.9 | 20        |
| 602 | Safety and efficacy of BIOSTRONG® 510 (essential oil of thyme and star anise) for chickens and minor avian species for fattening and rearing to point of lay. EFSA Journal, 2016, 14, e04351.   | 0.9 | 3         |
| 603 | Safety and efficacy of lecithins for all animal species. EFSA Journal, 2016, 14, e04561.  | 0.9 | 5         |
| 604 | Safety and efficacy of RONOZYME® WX (endo-1,4-beta-xylanase) as a feed additive for chickens and turkeys for fattening, minor poultry species for fattening, weaned piglets and pigs for fattening. EFSA Journal, 2016, 14, e04564.   | 0.9 | 3         |
| 605 | Safety and efficacy of manganese hydroxychloride as feed additive for all animal species. EFSA Journal, 2016, 14, e04474.   | 0.9 | 3         |
| 606 | Safety and efficacy of Bactocell PA (Pediococcus Acidilactici CNCM MA 18/5M) for pigs for fattening, minor porcine species, chickens for fattening and minor avian species. EFSA Journal, 2016, 14, e04483.   | 0.9 | 2         |
| 607 | Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens for fattening and laying hens. EFSA Journal, 2016, 14, e04622.   | 0.9 | 2         |
| 608 | Safety and efficacy of a preparation of Lactobacillus fermentum NCIMB 41636, Lactobacillus plantarum NCIMB 41638 and Lactobacillus rhamnosus NCIMB 41640 as a technological feed additive for dogs. EFSA Journal, 2016, 14, 4340.   | 0.9 | 3         |
| 609 | Safety and efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2016, 14, e04623.  | 0.9 | 4         |
| 610 | Safety and efficacy of concentrated liquid L-lysine (base), L-lysine monohydrochloride and L-lysine sulphate produced using different strains of Corynebacterium glutamicum for all animal species based on a dossier submitted by AMAC/EEIG. EFSA Journal, 2016, 14, 4346.   | 0.9 | 16        |
| 611 | Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: Sodium selenite, based on a dossier submitted by Todini and Co SpA. EFSA Journal, 2016, 14, 4442.  | 0.9 | 7         |
| 612 | Safety of L-lysine monohydrochloride produced by fermentation with Escherichia coli CGMCC 7.57 for all animal species based on a dossier submitted by Feedway Europe NV. EFSA Journal, 2016, 14, e04471.  | 0.9 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 613 | Safety and efficacy of non-conjugated and accumulated unsaturated straight-chain and branched-chain, aliphatic primary alcohols, aldehydes, acids, acetals and esters belonging to chemical group 4 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04559. | 0.9 | 7         |
| 614 | Risks associated with endotoxins in feed additives produced by fermentation. Environmental Health, 2016, 15, 5.  | 1.7 | 36        |
| 615 | Prevalence of hydatidosis and fertility of hydatid cysts in food animals in Northern Greece. Veterinaria Italiana, 2016, 52, 123-7.  | 0.5 | 10        |
| 616 | Scientific Opinion on the safety and efficacy of Suilectin <sup>®</sup> ( <i>Phaseolus vulgaris</i> lectins) as a zootechnical additive for suckling piglets (performance enhancer). EFSA Journal, 2015, 13, 3903.   | 0.9 | 1         |
| 617 | Scientific Opinion on the safety and efficacy of L-valine produced by <i>Escherichia coli</i> NITE SD 00066 for all animal species. EFSA Journal, 2015, 13, 3965.  | 0.9 | 7         |
| 618 | Scientific Opinion on the safety and efficacy of Biomin <sup>®</sup> C3 ( <i>Bifidobacterium animalis</i> ssp. <i>animalis</i> ), Tj ETQq0 0 0 rgBT /Overlock 10 Tf fattening, chickens reared for laying and minor avian. EFSA Journal, 2015, 13, 3966.                             | 0.9 | 2         |
| 619 | Scientific Opinion on the safety of <i>Solanum glaucophyllum</i> standardised leaves as feed material. EFSA Journal, 2015, 13, 3967.   | 0.9 | 2         |
| 620 | Scientific Opinion on the safety and efficacy of Coxiril <sup>®</sup> (diclazuril) for rabbits for fattening and breeding. EFSA Journal, 2015, 13, 3968.   | 0.9 | 5         |
| 621 | Scientific Opinion on the safety of Hostazym X as a feed additive for poultry and pigs. EFSA Journal, 2015, 13, 3969.  | 0.9 | 5         |
| 622 | Scientific Opinion on the safety and efficacy of <i>Bacillus subtilis</i> PB6 ( <i>Bacillus subtilis</i> ) as a feed additive for laying hens and minor poultry species for laying. EFSA Journal, 2015, 13, 3970.  | 0.9 | 6         |
| 623 | Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (preservative) for all animal species. EFSA Journal, 2015, 13, 4009.  | 0.9 | 5         |
| 624 | Scientific Opinion on the safety and efficacy of XTRACT <sup>®</sup> Evolution <sup>®</sup> B, Code X60 <sup>®</sup> 6930 (carvacrol), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 2015, 13, 4011.   | 0.9 | 3         |
| 625 | Scientific Opinion on the safety and efficacy of DL-methionyl-L-methionine for all aquatic animal species. EFSA Journal, 2015, 13, 4012.   | 0.9 | 4         |
| 626 | Scientific Opinion on the safety and efficacy of Cygro <sup>®</sup> 10G (maduramicin ammonium salt) for turkeys. EFSA Journal, 2015, 13, 4013.   | 0.9 | 1         |
| 627 | Scientific Opinion on the safety and efficacy of hexamethylene tetramine as a silage additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2015, 13, 4014.  | 0.9 | 4         |
| 628 | Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> CGMCC 7.59 for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Co. Ltd. EFSA Journal, 2015, 13, 4015.                                      | 0.9 | 10        |
| 629 | Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride produced by fermentation with <i>Escherichia coli</i> for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. EFSA Journal, 2015, 13, 4052.           | 0.9 | 17        |
| 630 | Scientific Opinion on the safety and efficacy of aliphatic and aromatic hydrocarbons (chemical group) Tj ETQq0 0 0 rgBT /Overlock 10 Tf  | 0.9 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 631 | Scientific Opinion on the safety and efficacy of Cibenza® EP150 (a preparation of Bacillus Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5) chickens reared for laying and minor avian species for fa. EFSA Journal, 2015, 13, 4055.   | 0.9 | 3         |
| 632 | Scientific Opinion on the safety and efficacy of ammonium formate, calcium formate and sodium formate when used as a technological additive for all animal species. EFSA Journal, 2015, 13, 4056.   | 0.9 | 10        |
| 633 | Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species (cupric acetate, monohydrate; basic cupric carbonate, monohydrate; cupric chloride,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5   | 0.9 | 7         |
| 634 | Scientific Opinion on the safety and efficacy of Rovabio® Spiky (endo-1,4-beta-xylanase and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 reared for laying or breeding. EFSA Journal, 2015, 13, 4106.   | 0.9 | 3         |
| 635 | Scientific Opinion on the safety and efficacy of indigo carmine (E 132) for cats and dogs and ornamental fish. EFSA Journal, 2015, 13, 4108.  | 0.9 | 1         |
| 636 | Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate based on a dossier submitted by Ankerpoort N.V.. EFSA Journal, 2015, 13, 4109.   | 0.9 | 5         |
| 637 | Scientific Opinion on complexation products of sodium tartrates with iron(III) chloride for all animal species and categories. EFSA Journal, 2015, 13, 4114.  | 0.9 | 1         |
| 638 | Scientific Opinion on the safety and efficacy of L-lysine sulphate produced by fermentation with Escherichia coli CGMCC 3705 for all animal species. EFSA Journal, 2015, 13, 4155.  | 0.9 | 20        |
| 639 | Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride, technically pure, produced with Escherichia coli CGMCC 3705 and L-lysine sulphate produced with Corynebacterium glutamicum CGMCC 3704 for all animal species, based on a dossier submitted by HELM AG. EFSA Journal, 2015, 13, 4156. | 0.9 | 15        |
| 640 | Scientific Opinion on the safety and efficacy of VevoVital® (benzoic acid) as a feed additive for pigs for reproduction (gestating and lactating sows, boars and gilts). EFSA Journal, 2015, 13, 4157.  | 0.9 | 5         |
| 641 | Scientific Opinion on the safety and efficacy of Cylactin® (Enterococcus faecium NCIMB 10415) as a feed additive for pigs for fattening, piglets and sows. EFSA Journal, 2015, 13, 4158.  | 0.9 | 2         |
| 642 | Scientific Opinion on the safety and efficacy of ENZY PHOSTAR® (6-phytase) as a feed additive for avian and porcine species. EFSA Journal, 2015, 13, 4159.  | 0.9 | 1         |
| 643 | Scientific Opinion on the safety and efficacy of lignosulphonate as a feed additive for all animal species. EFSA Journal, 2015, 13, 4160.   | 0.9 | 10        |
| 644 | Scientific Opinion on the safety and efficacy of Biosprint® (Saccharomyces cerevisiae MUCL 39885) for minor ruminant species for meat and milk production. EFSA Journal, 2015, 13, 4199.  | 0.9 | 5         |
| 645 | Scientific Opinion on the modification of the terms of the authorisation of OPTIPHOS® (6-phytase) as a feed additive for pigs for fattening. EFSA Journal, 2015, 13, 4200.  | 0.9 | 2         |
| 646 | Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) as a feed additive for laying hens and avian species for laying. EFSA Journal, 2015, 13, 4231.  | 0.9 | 8         |
| 647 | Update of the Scientific Opinion on the safety and efficacy of erythrosine in feed for cats, dogs, reptiles and ornamental fish. EFSA Journal, 2015, 13, 4233.  | 0.9 | 2         |
| 648 | Scientific Opinion on the safety and efficacy of zinc chelate of L-lysinate-HCl as feed additive for all animal species. EFSA Journal, 2015, 13, 4267.  | 0.9 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 649 | Safety and efficacy of saturated and unsaturated aliphatic secondary alcohols, ketones and esters with esters containing secondary alcohols belonging to chemical group 5 when used as flavourings for all animal species. EFSA Journal, 2015, 13, 4268.                              | 0.9 | 5         |
| 650 | Scientific Opinion on the safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite (coated granulated preparation), based on a dossier submitted by Doxal Italia S.p.A. EFSA Journal, 2015, 13, 4271.                                 | 0.9 | 5         |
| 651 | Safety and efficacy of ethoxyquin (6-ethoxy-2,2,4-trimethylquinoline) for all animal species. EFSA Journal, 2015, 13, 4272.   | 0.9 | 23        |
| 652 | Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) as a feed additive for ornamental fish. EFSA Journal, 2015, 13, 4274.   | 0.9 | 8         |
| 653 | Scientific Opinion on the safety and efficacy of zinc compounds (E6) as feed additives for all animal species (zinc acetate, dihydrate; zinc chloride, anhydrous; zinc oxide; zinc sulphate, heptahydrate; zinc) on a dossier submitted by FFFANA asbl. EFSA Journal, 2015, 13, 4058. | 0.9 | 5         |
| 654 | Safety and efficacy of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2015, 13, 4198.   | 0.9 | 5         |
| 655 | Scientific Opinion on the safety and efficacy of sorbic acid and potassium sorbate when used as technological additives for all animal species based on two dossiers from Nutrinova Nutrition Specialties & Food Ingredients GmbH. EFSA Journal, 2015, 13, 4239.                      | 0.9 | 2         |
| 656 | Safety of Allura Red AC in feed for cats and dogs. EFSA Journal, 2015, 13, 4270.  | 0.9 | 3         |
| 657 | Scientific Opinion on the safety and efficacy of Axtra® PHY 15 000 L (6-phytase) as a feed additive for poultry and porcine species. EFSA Journal, 2015, 13, 4275.  | 0.9 | 4         |
| 658 | Scientific Opinion on safety and efficacy of vitamin B12 (cyanocobalamin) produced by Ensifer adhaerens when used as a feed additive for all animal species based on a dossier submitted by Lohamnn Animal Health. EFSA Journal, 2015, 13, 4112.                                      | 0.9 | 6         |
| 659 | Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. EFSA Journal, 2015, 13, 4051.  | 0.9 | 5         |
| 660 | Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli strains NRRL B-30843, DSM 26131, KCCM11133P or DSM 25085 for all animal species based on a dossier submitted by AMAC EEIG. EFSA Journal, 2015, 13, 4236.                                    | 0.9 | 8         |
| 661 | Scientific Opinion on the efficacy of Suilectin TM (Phaseolus vulgaris lectins) as a zootechnical additive for suckling piglets (performance enhancer). EFSA Journal, 2015, 13, 4276.   | 0.9 | 1         |
| 662 | Scientific Opinion on the safety and efficacy of L-tryptophan, technically pure, produced by Escherichia coli strains DSM 25084, KCCM 11132P or SARI12091203 for all animal species based on a dossier submitted by AMAC EEIG. EFSA Journal, 2015, 13, 4238.                          | 0.9 | 10        |
| 663 | Efficacy of Friedland clay (montmorillonite-illite mixed layer clay) when used as a technological additive for all animal species. EFSA Journal, 2015, 13, 4237.  | 0.9 | 1         |
| 664 | Scientific Opinion on the safety and efficacy of Bacillus subtilis KCCM 10673P and Aspergillus oryzae KCTC 10258BP as feed additives for all animal species. EFSA Journal, 2015, 13, 4230.  | 0.9 | 1         |
| 665 | Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (acidity regulator) for all animal species. EFSA Journal, 2015, 13, 4010.  | 0.9 | 6         |
| 666 | Scientific Opinion on the safety and efficacy of AviMatrix® (benzoic acid, calcium formate and fumaric) minor avian species reared to point of lay. EFSA Journal, 2015, 13, 3794.   | 0.9 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 667 | Scientific Opinion on the safety and efficacy of l-lysine (l-lysine, feed grade) produced by Escherichia coli NITE BPâ€œ01755 for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. EFSA Journal, 2015, 13, 4110. | 0.9 | 6         |
| 668 | Scientific Opinion on the safety and efficacy of Friedland clay (montmorilloniteâ€œillite mixed layer clay) when used as technological additive for all animal species. EFSA Journal, 2014, 12, 3904.   | 0.9 | 6         |
| 669 | Scientific Opinion on the safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus) Tj ETQq1 1 0.784314 rgBT / Overlock 1   | 0.9 | 3         |
| 670 | Scientific Opinion on the safety and efficacy of astaxanthin (CAROPHYLLÂ® Pink 10% CWS) for salmonids and ornamental fish. EFSA Journal, 2014, 12, 3725.  | 0.9 | 15        |
| 671 | Scientific Opinion on the safety and efficacy of formic acid when used as a technological additive for all animal species. EFSA Journal, 2014, 12, 3827.  | 0.9 | 15        |
| 672 | Scientific Opinion on the safety of neohesperidine dihydrochalcone as a sensory additive for fish. EFSA Journal, 2014, 12, 3669.  | 0.9 | 1         |
| 673 | Scientific Opinion on the safety and efficacy of RovabioÂ® Spiky (endo-1, 4-beta-xylanase and endo-1,) Tj ETQq1 1 0.784314 rgBT / Overlock 1  | 0.9 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 685 | Scientific Opinion on the safety and efficacy of formaldehyde for all animal species based on a dossier submitted by Regal BV. EFSA Journal, 2014, 12, 3561.   | 0.9 | 12        |
| 686 | Scientific Opinion on the safety and efficacy of L-threonine (ThreAMINO®) produced by Escherichia coli (DSM 25086) for all animal species and categories based on a dossier submitted by Evonik Industries A.G.. EFSA Journal, 2014, 12, 3564. | 0.9 | 7         |
| 687 | Scientific Opinion on the safety and efficacy of Bonvital (Enterococcus faecium) as a feed additive for sows. EFSA Journal, 2014, 12, 3565.  | 0.9 | 5         |
| 688 | Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: ferrous sulphate heptahydrate based on a dossier submitted by Kronos International, Inc.. EFSA Journal, 2014, 12, 3566.                | 0.9 | 6         |
| 689 | Scientific Opinion on the safety and efficacy of DL-selenomethionine as a feed additive for all animal species. EFSA Journal, 2014, 12, 3567.  | 0.9 | 14        |
| 690 | Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for all animal species or categories based on a dossier submitted by Lohmann Animal Health GmbH. EFSA Journal, 2014, 12, 3568.                | 0.9 | 9         |
| 691 | Scientific Opinion on the safety and efficacy of MiyaGold® (Clostridium butyricum) for turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2014, 12, 3603.  | 0.9 | 1         |
| 692 | Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: Ferrous sulphate monohydrate based on a dossier submitted by Kronos International, Inc.. EFSA Journal, 2014, 12, 3607.                 | 0.9 | 6         |
| 693 | Scientific Opinion on the safety and efficacy of Pediococcus pentosaceus (NCIMB 30044) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3610.  | 0.9 | 1         |
| 694 | Scientific Opinion on the safety and efficacy of Lactobacillus paracasei (NCIMB 30151) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3611.  | 0.9 | 1         |
| 695 | Scientific Opinion on the safety and efficacy of Lactobacillus plantarum (DSMZ 16627) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3612.   | 0.9 | 1         |
| 696 | Guidance on the assessment of the toxigenic potential of Bacillus species used in animal nutrition. EFSA Journal, 2014, 12, 3665.  | 0.9 | 49        |
| 697 | Scientific Opinion on the safety and efficacy of YeaSacc® (Saccharomyces cerevisiae) as a feed additive for cattle for fattening, goats for fattening, dairy cows, dairy sheep, dairy goats and buffaloes. EFSA Journal, 2014, 12, 3666.       | 0.9 | 3         |
| 698 | Scientific Opinion on the potential reduction of the currently authorised maximum zinc content in complete feed. EFSA Journal, 2014, 12, 3668.   | 0.9 | 69        |
| 699 | Scientific Opinion on the safety and efficacy of the use of amino acids (chemical group 34) when used as flavourings for all animal species. EFSA Journal, 2014, 12, 3670.   | 0.9 | 24        |
| 700 | Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species, based on a dossier submitted by HELM AG on behalf of Global BioChem Technology. EFSA Journal, 2014, 12, 3674.                | 0.9 | 7         |
| 701 | Scientific Opinion on the efficacy of Natugrain® TS/TS L (endo-β, 4-β-galactosidase and endo-β, 4-β-xylanase and endo-β, 4-β-galactosidase) Tj ETQq1 1 0,784314,rgBT /Over   | 0.9 | 3         |
| 702 | Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species, based on a dossier submitted by HELM AG on behalf of Star Lake Bioscience Co.. EFSA Journal, 2014, 12, 3726.                 | 0.9 | 7         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 703 | Scientific Opinion on the safety and efficacy of Oralin <sup>®</sup> (Enterococcus faecium) as a feed additive for calves for rearing, piglets, chickens for fattening, turkeys for fattening and dogs. EFSA Journal, 2014, 12, 3727.  | 0.9 | 1         |
| 704 | Scientific Opinion on the safety and efficacy of Coxiril <sup>®</sup> (diclazuril) as a feed additive for chickens for fattening. EFSA Journal, 2014, 12, 3728.  | 0.9 | 5         |
| 705 | Scientific Opinion on the safety and efficacy of Coxiril <sup>®</sup> (diclazuril) as a feed additive for guinea fowl. EFSA Journal, 2014, 12, 3730.   | 0.9 | 4         |
| 706 | Scientific Opinion on the safety and efficacy of Toyocerin <sup>®</sup> (Bacillus toyonensis) as a feed additive for chickens for fattening, weaned piglets, pigs for fattening, sows for reproduction, cattle for fattening and calves for rearing and for rabbits for fat. EFSA Journal, 2014, 12, 3766.   | 0.9 | 13        |
| 707 | Scientific Opinion on the safety and efficacy of formaldehyde as a feed hygiene substance in feed for pigs and poultry. EFSA Journal, 2014, 12, 3790.  | 0.9 | 4         |
| 708 | Scientific Opinion on the safety and efficacy of sorbic acid and potassium sorbate when used as technological additives for all animal species. EFSA Journal, 2014, 12, 3792.  | 0.9 | 4         |
| 709 | Scientific Opinion on the safety and efficacy of copper chelate of L-lysinate-HCl as feed additive for all animal species. EFSA Journal, 2014, 12, 3796.   | 0.9 | 2         |
| 710 | Scientific Opinion on the safety for the target animals and for the users of selenium in the form of organic compounds produced by the selenium-enriched yeast <i>Saccharomyces cerevisiae</i> NCYC R645 (SelenoSource AF 2000) for all animal species. EFSA Journal, 2014, 12, 3797.  | 0.9 | 1         |
| 711 | Scientific Opinion on the safety and efficacy of tannic acid when used as feed flavouring for all animal species. EFSA Journal, 2014, 12, 3828.  | 0.9 | 28        |
| 712 | Scientific Opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride technically pure produced using Escherichia coli (FERM BP 11355) for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. EFSA Journal, 2014, 12, 3895. | 0.9 | 17        |
| 713 | Scientific Opinion on the safety and efficacy of CRINA <sup>®</sup> Poultry Plus (benzoic acid, thymol, eugenol) for poultry species for fattening and reared for laying. EFSA Journal, 2014, 12, 3896.  | 0.9 | 2         |
| 714 | Scientific Opinion on the safety and efficacy of cassia gum for dogs and cats based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2014, 12, 3899.   | 0.9 | 3         |
| 715 | Scientific Opinion on the safety and efficacy of cassia gum for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. EFSA Journal, 2014, 12, 3901.   | 0.9 | 4         |
| 716 | Scientific Opinion on the safety and efficacy of cassia gum (Diagum CS) for dogs and cats based on a dossier submitted by Lubrizol Advance Materials Europe B.V.B.A. EFSA Journal, 2014, 12, 3902.   | 0.9 | 3         |
| 717 | Scientific Opinion on the modification of the terms of authorisation of Avi <sup>®</sup> Deccox <sup>®</sup> 60G (decoquinate) for chickens for fattening. EFSA Journal, 2014, 12, 3905.   | 0.9 | 1         |
| 718 | Scientific Opinion on the safety and efficacy of L-tryptophan technically pure produced by fermentation with Escherichia coli for all animal species, based on a dossier submitted by HELM AG on behalf of Global Bio <sup>®</sup> Chem Technology. EFSA Journal, 2014, 12, 3673.  | 0.9 | 11        |
| 719 | Scientific Opinion on the safety and efficacy of sodium bisulphate (SBS) for all species as preservative and silage additive. EFSA Journal, 2014, 12, 3731.  | 0.9 | 2         |
| 720 | Scientific opinion on the safety and efficacy of canthaxanthin as a feed additive for poultry and for ornamental birds and ornamental fish. EFSA Journal, 2014, 12, 3527.  | 0.9 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 721 | Scientific Opinion on the safety and efficacy of disodium 5-ribose-5-phosphate, disodium 5-guanylate, disodium 5-inosinate for all animal species and categories. EFSA Journal, 2014, 12, 3606.   | 0.9 | 3         |
| 722 | Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> (FERM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Journal, 2014, 12, 3825.  | 0.9 | 7         |
| 723 | Scientific Opinion on the safety and efficacy of calcium formate when used as a technological additive for all animal species. EFSA Journal, 2014, 12, 3898.  | 0.9 | 7         |
| 724 | Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> (FERM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Journal, 2014, 12, 3826.   | 0.9 | 9         |
| 725 | Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous, based on a dossier submitted by Calibre Europe SPRL/BVBA. EFSA Journal, 2013, 11, 3100.  | 0.9 | 8         |
| 726 | Scientific Opinion on the safety and efficacy of vitamin A (retinyl acetate, retinyl palmitate and retinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Journal, 2013, 11, 3038.  | 0.9 | 7         |
| 727 | Scientific Opinion on the safety and efficacy of methionine-zinc, technically pure as amino acid for ruminants, and as compound of trace element for all species. EFSA Journal, 2013, 11, 3038.   | 0.9 | 4         |
| 728 | Scientific Opinion on the safety and efficacy of clinoptilolite of sedimentary origin for all animal species. EFSA Journal, 2013, 11, 3039.   | 0.9 | 13        |
| 729 | Scientific Opinion on the safety and efficacy of Miya-Gold ( <i>Clostridium butyricum</i> ) for chickens for fattening, chickens reared for laying and minor avian species. EFSA Journal, 2013, 11, 3040.   | 0.9 | 3         |
| 730 | Scientific Opinion on the safety and efficacy of <i>Bacillus amyloliquefaciens</i> (NCIMB 30229) as a silage feed additive for all species. EFSA Journal, 2013, 11, 3042.   | 0.9 | 4         |
| 731 | Scientific Opinion on the safety and efficacy of orthophosphoric acid for all animal species. EFSA Journal, 2013, 11, 3043.   | 0.9 | 2         |
| 732 | Scientific Opinion on the safety and efficacy of Cylactin <sup>®</sup> ( <i>Enterococcus faecium</i> ) as a feed additive for cats and dogs. EFSA Journal, 2013, 11, 3098.  | 0.9 | 5         |
| 733 | Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by Ajay Europe SARL. EFSA Journal, 2013, 11, 3099.   | 0.9 | 9         |
| 734 | Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by HELM AG. EFSA Journal, 2013, 11, 3101.   | 0.9 | 11        |
| 735 | Scientific Opinion on the safety and efficacy of fumaric acid as a feed additive for all animal species. EFSA Journal, 2013, 11, 3102.  | 0.9 | 6         |
| 736 | Scientific Opinion on the safety and efficacy of diclazuril (Clinacox <sup>®</sup> 0.5 %) as feed additive for chickens reared for laying. EFSA Journal, 2013, 11, 3106.  | 0.9 | 4         |
| 737 | Scientific Opinion on the safety and efficacy of Bonvital ( <i>Enterococcus faecium</i> ) for chickens reared for laying and minor avian species. EFSA Journal, 2013, 11, 3167.   | 0.9 | 5         |
| 738 | Scientific Opinion on the safety and efficacy of straight-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing saturated alcohols and acetals containing saturated aldehydes (chemical group 1) when used as flavourings for all animal species. EFSA Journal, 2013, 11, 3169. | 0.9 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 739 | Scientific Opinion on the safety and efficacy of Probiotic LACTINA <sup>®</sup> (Lactobacillus acidophilus,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2  | 0.9 | 13        |
| 740 | Scientific Opinion on the safety and efficacy of AveMix <sup>®</sup> XG 10 (endo <sup>1</sup> , 4 <sup>β</sup> -beta <sup>1</sup> -xylanase and endo <sup>1</sup> , Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2  | 0.9 | 1         |
| 741 | Scientific Opinion on the safety and efficacy of L <sup>1</sup> -cystine for all animal species. EFSA Journal, 2013, 11, 3173.  | 0.9 | 2         |
| 742 | Scientific Opinion on the safety and efficacy of a preparation of bentonite <sup>1</sup> and sepiolite (Toxfin <sup>®</sup> Dry) as feed additive for all species. EFSA Journal, 2013, 11, 3179.  | 0.9 | 24        |
| 743 | Scientific Opinion on the safety and efficacy of Lancer (lanthanide citrate) as feed additive for weaned piglets. EFSA Journal, 2013, 11, 3206.   | 0.9 | 10        |
| 744 | Scientific Opinion on the safety and efficacy of aliphatic and aromatic mono <sup>1</sup> - and di <sup>1</sup> -thiols and mono <sup>1</sup> -, di <sup>1</sup> -, tri <sup>1</sup> -, and polysulphides with or without additional oxygenated functional groups (chemical group) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 | 0.9 | 0         |
| 745 | Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Danisco Animal Nutrition. EFSA Journal, 2013, 11, 3209.  | 0.9 | 3         |
| 746 | Scientific Opinion on the safety and efficacy of betaine (betaine anhydrous and betaine hydrochloride) as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2013, 11, 3210.  | 0.9 | 8         |
| 747 | Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Trouw Nutritional International B.V.. EFSA Journal, 2013, 11, 3211.  | 0.9 | 3         |
| 748 | Scientific Opinion on the safety and efficacy of L <sup>1</sup> -selenomethionine as feed additive for all animal species. EFSA Journal, 2013, 11, 3219.  | 0.9 | 15        |
| 749 | Scientific Opinion on the safety and efficacy of potassium sorbate as a silage additive for all animals except dogs and cats. EFSA Journal, 2013, 11, 3283.   | 0.9 | 1         |
| 750 | Scientific opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: iron chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. EFSA Journal, 2013, 11, 3287.   | 0.9 | 9         |
| 751 | Scientific opinion on the safety and efficacy of L <sup>1</sup> -tyrosine for all animal species. EFSA Journal, 2013, 11, 3310.   | 0.9 | 5         |
| 752 | Scientific opinion on the safety and efficacy of L <sup>1</sup> -threonine produced by Escherichia coli (FERM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2<br>Journal, 2013, 11, 3319.   | 0.9 | 7         |
| 753 | Scientific Opinion on the safety and efficacy of Endofeed <sup>®</sup> DC (endo-1, 3(4)-beta-glucanase) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2<br>fattening and minor poultry and porcine species. EFSA Journal, 2013, 11, 3322.   | 0.9 | 1         |
| 754 | Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganese chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. EFSA Journal, 2013, 11, 3324.   | 0.9 | 5         |
| 755 | Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous oxide, based on a dossier submitted by Poortershaven Industri <sup>1</sup> le Mineralen B.V.. EFSA Journal, 2013, 11, 3325.   | 0.9 | 5         |
| 756 | Scientific Opinion on the safety and efficacy of Saccharomyces cerevisiae (NBRC 0203), Lactobacillus plantarum (NBRC 3070) and Lactobacillus casei (NBRC 3425) as a silage additive for all species. EFSA Journal, 2013, 11, 3362.  | 0.9 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 757 | Scientific Opinion on the safety and efficacy of Enterococcus faecium (NCIMB 10415, DSM 22502, ATCC) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5   | 0.9 | 3         |
| 758 | Scientific opinion on the characterisation of zinc compound â€”Zinc chelate of amino acids, hydrate (Availaâ€™Zinc)â€™™ as a feed additive for all animal species. EFSA Journal, 2013, 11, 3369.  | 0.9 | 5         |
| 759 | Scientific opinion on the modification of authorisation of Deccoxâ€™ (decoquinat) as feed additive for chickens for fattening. EFSA Journal, 2013, 11, 3370.  | 0.9 | 1         |
| 760 | Scientific Opinion on the safety and efficacy of Lâ€™methionine produced by Escherichia coli (KCCM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 0.9 | 8         |
| 761 | Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2013, 11, 3431.   | 0.9 | 73        |
| 762 | Scientific Opinion on the safety and efficacy of Econaseâ€™ GT (endoâ€™1, 3(4)â€™betaâ€™glucanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2013, 11, 3432.  | 0.9 | 1         |
| 763 | Scientific opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganous oxide and manganous sulphate monohydrate, based on a dossier submitted by Eramet & Comilog Chemicals S.A. EFSA Journal, 2013, 11, 3435.  | 0.9 | 2         |
| 764 | Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all species: cupric chelate of amino acids hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. EFSA Journal, 2013, 11, 3107.  | 0.9 | 6         |
| 765 | Scientific Opinion on safety and efficacy of hydroxy-analogue of selenomethionine as feed additive for all species. EFSA Journal, 2013, 11, 3046.   | 0.9 | 22        |
| 766 | Scientific Opinion on the safety and efficacy of Bacillus subtilis PB6 (Bacillus subtilis) as a feed additive for turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2013, 11, 3176.  | 0.9 | 7         |
| 767 | Scientific opinion on the safety and efficacy of AGalâ€™Pro (alphaâ€™galactosidase and endoâ€™1, 3(4)â€™betaâ€™galactosidase) as a feed additive for fattening. EFSA Journal, 2013, 11, 3286.   | 0.9 | 4         |
| 768 | Scientific Opinion on the safety and efficacy of Lâ€™cysteine hydrochloride monohydrate as a flavouring additive for pets. EFSA Journal, 2013, 11, 3437.  | 0.9 | 6         |
| 769 | Scientific opinion on the safety and efficacy of Lâ€™tryptophan produced by Escherichia coli (FERM) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5  | 0.9 | 10        |
| 770 | Scientific opinion on the safety and efficacy of concentrated liquid Lâ€™lysine (base), concentrated liquid Lâ€™lysine monohydrochloride and Lâ€™lysine monohydrochloride produced by Escherichia coli (FERM BPâ€™10941) for all animal species, based on three dossiers submitted by Ajinomoto Eurolysine SAS. EFSA Journal, 2013, 11, 3365. | 0.9 | 15        |
| 771 | Scientific Opinion on the safety and efficacy of Lâ€™valine produced by Corynebacterium glutamicum (KCCM 80058) for all animal species, based on a dossier submitted by CJ Europe GmbH. EFSA Journal, 2013, 11, 3429.   | 0.9 | 10        |
| 772 | Scientific Opinion on Rovabioâ€™ Excel (endoâ€™1, 3(4)â€™betaâ€™glucanase and endoâ€™1, 4â€™betaâ€™xyylanase) as a feed additive for chickens and turkeys for fattening, laying hens, piglets (weaned) and pigs for fattening, ducks, guinea fowls, quails, geese, pheasants and pigeons. EFSA Journal, 2013, 11, 3321.                       | 0.9 | 3         |
| 773 | Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for pigs, piglets, bovines, ovines, calves, equines, chickens for fattening, turkeys, other poultry, fish and other animal species or categories, based on a dossier submitted by Fermenta Biotech Ltd. EFSA Journal, 2013, 11, 3289.        | 0.9 | 5         |
| 774 | Scientific Opinion on the safety and efficacy of thiazoles, thiophene, thiazoline and thienyl derivatives (chemical group 29): 3-acetyl-2, 5-dimethylthiophene when used as a flavouring for all animal species. EFSA Journal, 2013, 11, 3323.  | 0.9 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 775 | Scientific Opinion on the safety and efficacy of Provita LE (Enterococcus faecium and Lactobacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5  | 0.9 | 2         |
| 776 | Scientific Opinion on the safety and efficacy of Lactobacillus brevis (DSM 23231), Lactobacillus buchneri (DSM 22501), Lactobacillus buchneri (NCIMB 40788â€“CNCM Iâ€“4323), Lactobacillus buchneri (ATCC PTAâ€“6138) and Lactobacillus buchneri (ATCC PTAâ€“2494) as silage additives for all species. EFSA Journal, 2013, 11, 3168.                              | 0.9 | 6         |
| 777 | Scientific Opinion on the safety and efficacy of AmylofeedÂ® (endoâ€“1, 3(4)â€“betaâ€“glucanase, endoâ€“1,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5<br>Journal, 2013, 11, 3430.   | 0.9 | 2         |
| 778 | Scientific Opinion on the safety and efficacy of vitamin C (ascorbic acid and sodium calcium ascorbyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5<br>Journal, 2013, 11, 3103.   | 0.9 | 3         |
| 779 | Scientific Opinion on the safety and efficacy of microâ€“organism DSM 11798 when used as a technological feed additive for pigs. EFSA Journal, 2013, 11, 3203.   | 0.9 | 9         |
| 780 | Scientific Opinion on the safety and efficacy of Feedlyve AXC (endoâ€“1, 4â€“betaâ€“xylanase) as a feed additive for turkeys. EFSA Journal, 2012, 10, 2843.  | 0.9 | 1         |
| 781 | Scientific Opinion on the safety and efficacy of <i>Lactobacillus salivarius</i> (CNCM I-3238) and <i>Lactobacillus casei</i> (ATCC PTA-6135) as silage additives for all species. EFSA Journal, 2012, 10, 2884.   | 0.9 | 1         |
| 782 | Scientific Opinion on the efficacy of Bactocell (Pediococcus acidilactici) when used as a feed additive for fish. EFSA Journal, 2012, 10, 2886.  | 0.9 | 16        |
| 783 | Scientific Opinion on ToyocerinÂ® (Bacillus cereus) as a feed additive for sows, piglets, pigs for fattening, cattle for fattening, calves for rearing, chickens for fattening and rabbits for fattening. EFSA Journal, 2012, 10, 2924.  | 0.9 | 8         |
| 784 | Scientific Opinion on the safety and efficacy of branched-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing branched-chain alcohols and acetals containing branched-chain aldehydes (chemical group 2) when used as f. EFSA Journal, 2012, 10, 2927.   | 0.9 | 6         |
| 785 | Scientific Opinion on the safety and efficacy of primary aliphatic saturated or unsaturated alcohols/aldehydes/acids/acetals/esters with a second primary, secondary or tertiary oxygenated functional group including aliphatic lactones (chemical group 9) when used as flavourings for all animal species. EFSA Journal, 2012, 10, 2928.                        | 0.9 | 6         |
| 786 | Scientific Opinion on the safety and efficacy of Roxazyme<sup>Â®</sup> G2 G/L (endo-1, 4-beta-xylanase,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5<br>Journal, 2012, 10, 2930.   | 0.9 | 4         |
| 787 | Scientific Opinion on the safety and efficacy of Prostora Max (Bifidobacterium animalis) as a feed additive for dogs. EFSA Journal, 2012, 10, 2964.  | 0.9 | 5         |
| 788 | Scientific Opinion on the safety and efficacy of Biomin C3 (Enterococcus faecium, Bifidobacterium) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 0.9 | 1         |
| 789 | Scientific Opinion on the safety and efficacy of aliphatic, alicyclic and aromatic saturated and unsaturated tertiary alcohols and esters with esters containing tertiary alcohols ethers (chemical) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5  | 0.9 | 1         |
| 790 | Scientific Opinion on the safety and efficacy of aliphatic and alicyclic ethers (chemical group 16) when used as flavourings for all animal species. EFSA Journal, 2012, 10, 2967.   | 0.9 | 14        |
| 791 | Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for chickens for fattening, turkeys, other poultry, pigs, piglets (suckling), calves for rearing, calves for fattening, bovines, ovines, equines, fish and other animal species or categories, based on a dossier submitted by DSM. EFSA Journal, 2012, 10, 2968. | 0.9 | 10        |
| 792 | Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species: cupric sulphate pentahydrate based on a dossier submitted by Manica S.p.A.. EFSA Journal, 2012, 10, 2969.   | 0.9 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 793 | Chickpeas ( <i>Cicer arietinum</i> L.) in animal nutrition: A review. <i>Animal Feed Science and Technology</i> , 2011, 168, 1-20.  | 1.1 | 74        |
| 794 | Serum enzyme status of Chios ewes fed increasing amounts of copper from copper sulfate. <i>Research in Veterinary Science</i> , 2010, 88, 456-457.  | 0.9 | 0         |
| 795 | Rumen fermentation characteristics in pre-weaning calves receiving yeast culture supplements. <i>Czech Journal of Animal Science</i> , 2009, 54, 435-442.   | 0.5 | 13        |
| 796 | Nutritional value of fermented olive wastes in growing lamb rations. <i>Animal Feed Science and Technology</i> , 2008, 141, 375-383.  | 1.1 | 12        |
| 797 | Impacts of supplemental dietary biotin on lameness in sheep. <i>Animal Feed Science and Technology</i> , 2007, 134, 162-169.  | 1.1 | 7         |
| 798 | Evaluation of Florina (Pelagonia) sheep breed for growth and carcass traits. <i>Small Ruminant Research</i> , 2007, 70, 239-247.  | 0.6 | 11        |
| 799 | Nutritional and net energy value of fermented olive wastes in rations of lactating ewes. <i>Czech Journal of Animal Science</i> , 2007, 52, 456-462.  | 0.5 | 5         |
| 800 | Citrus by-products as ruminant feeds: A review. <i>Animal Feed Science and Technology</i> , 2006, 128, 175-217.   | 1.1 | 377       |
| 801 | Effect of supplemental dietary biotin on performance of lactating ewes. <i>Animal Feed Science and Technology</i> , 2006, 130, 268-276.   | 1.1 | 4         |
| 802 | Effect of replacing soybean meal by extruded chickpeas in the diets of growing-finishing pigs on meat quality. <i>Meat Science</i> , 2006, 73, 529-535.   | 2.7 | 12        |
| 803 | Effect of Dried Oregano Leaves Versus Neomycin in Treating Newborn Calves with Colibacillosis. <i>Transboundary and Emerging Diseases</i> , 2006, 53, 154-156.                                    | 0.6 | 36        |
| 804 | The use of extruded chickpeas in diets for growing-finishing pigs. <i>Czech Journal of Animal Science</i> , 2006, 51, 334-342.  | 0.5 | 3         |
| 805 | The use of extruded chickpeas in diets of broiler turkeys. <i>Czech Journal of Animal Science</i> , 2006, 51, 416-423.  | 0.5 | 8         |
| 806 | The Use of Dried Tomato Pulp in Diets of Laying Hens. <i>International Journal of Poultry Science</i> , 2006, 5, 618-622.   | 0.6 | 32        |
| 807 | Nutritional value of chickpeas in rations of lactating ewes and growing lambs. <i>Animal Feed Science and Technology</i> , 2005, 118, 229-241.  | 1.1 | 29        |
| 808 | Effect of dietary dried oregano leaves supplementation on performance and carcass characteristics of growing lambs. <i>Animal Feed Science and Technology</i> , 2005, 121, 285-295.               | 1.1 | 63        |
| 809 | Effect of dietary garlic bulb and garlic husk supplementation on performance and carcass characteristics of growing lambs. <i>Animal Feed Science and Technology</i> , 2005, 121, 273-283.        | 1.1 | 47        |
| 810 | Effect of dietary dried oregano leaves on growth performance, carcass characteristics and serum cholesterol of female early maturing turkeys. <i>British Poultry Science</i> , 2005, 46, 595-601. | 0.8 | 98        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 811 | Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail. <i>Animal Feed Science and Technology</i> , 1997, 65, 287-292. | 1.1 | 2         |
| 812 | Rare earth elements (REE) as feed additives in animal nutrition.. <i>CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources</i> , 0, , 1-15.              | 0.6 | 1         |