

# Claudio De Virgilio

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1833456/publications.pdf>

Version: 2024-02-01

87  
papers

10,980  
citations

36303

51  
h-index

49909

87  
g-index

91  
all docs

91  
docs citations

91  
times ranked

10487  
citing authors

#	ARTICLE	IF	CITATIONS
1	The HOPS tethering complex is required to maintain signaling endosome identity and TORC1 activity. <i>Journal of Cell Biology</i> , 2022, 221, .	5.2	6
2	TORC1 Determines Fab1 Lipid Kinase Function at Signaling Endosomes and Vacuoles. <i>Current Biology</i> , 2021, 31, 297-309.e8.	3.9	31
3	N- and C-terminal Gln3â€“Tor1 interaction sites: one acting negatively and the other positively to regulate nuclear Gln3 localization. <i>Genetics</i> , 2021, 217, .	2.9	6
4	Indole-3-acetic acid is a physiological inhibitor of TORC1 in yeast. <i>PLoS Genetics</i> , 2021, 17, e1009414.	3.5	32
5	Global phosphoproteomics pinpoints uncharted Gcn2-mediated mechanisms of translational control. <i>Molecular Cell</i> , 2021, 81, 1879-1889.e6.	9.7	16
6	Phosphoproteomic responses of TORC1 target kinases reveal discrete and convergent mechanisms that orchestrate the quiescence program in yeast. <i>Cell Reports</i> , 2021, 37, 110149.	6.4	20
7	Retromer and TBC1D5 maintain late endosomal RAB7 domains to enable amino acidâ€“induced mTORC1 signaling. <i>Journal of Cell Biology</i> , 2019, 218, 3019-3038.	5.2	46
8	Structural insights into the EGO-TCâ€“mediated membrane tethering of the TORC1-regulatory Rag GTPases. <i>Science Advances</i> , 2019, 5, eaax8164.	10.3	15
9	Multilayered Control of Protein Turnover by TORC1 and Atg1. <i>Cell Reports</i> , 2019, 28, 3486-3496.e6.	6.4	87
10	TORC1 specifically inhibits microautophagy through ESCRT-0. <i>Current Genetics</i> , 2019, 65, 1243-1249.	1.7	32
11	A spatially and functionally distinct pool of TORC1 defines signaling endosomes in yeast. <i>Autophagy</i> , 2019, 15, 915-916.	9.1	24
12	Spatially Distinct Pools of TORC1 Balance Protein Homeostasis. <i>Molecular Cell</i> , 2019, 73, 325-338.e8.	9.7	95
13	Cyclin-dependent kinase 5 (CDK5) regulates the circadian clock. <i>ELife</i> , 2019, 8, .	6.0	30
14	The Impact of ESCRT on AÎ²1-42 Induced Membrane Lesions in a Yeast Model for Alzheimerâ€™s Disease. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 406.	2.9	19
15	TORC1 coordinates the conversion of Sic1 from a target to an inhibitor of cyclin-CDK-Cks1. <i>Cell Discovery</i> , 2017, 3, 17012.	6.7	30
16	Feedback Inhibition of the Rag GTPase GAP Complex Lst4-Lst7 Safeguards TORC1 from Hyperactivation by Amino Acid Signals. <i>Cell Reports</i> , 2017, 20, 281-288.	6.4	22
17	The Architecture of the Rag GTPase Signaling Network. <i>Biomolecules</i> , 2017, 7, 48.	4.0	59
18	The yeast protein kinase Sch9 adjusts V-ATPase assembly/disassembly to control pH homeostasis and longevity in response to glucose availability. <i>PLoS Genetics</i> , 2017, 13, e1006835.	3.5	45

#	ARTICLE	IF	CITATIONS
19	Functional mapping of yeast genomes by saturated transposition. <i>ELife</i> , 2017, 6, .	6.0	126
20	Unsolved mysteries of Rag GTPase signaling in yeast. <i>Small GTPases</i> , 2016, 7, 239-246.	1.6	38
21	Conserved regulators of Rag GTPases orchestrate amino acid-dependent TORC1 signaling. <i>Cell Discovery</i> , 2016, 2, 15049.	6.7	84
22	TORC1 controls G1â€S cell cycle transition in yeast via Mpk1 and the greatwall kinase pathway. <i>Nature Communications</i> , 2015, 6, 8256.	12.8	79
23	The I-BAR protein Iy1 is an effector of the Rab7 GTPase Ypt7 involved in vacuole membrane homeostasis. <i>Journal of Cell Science</i> , 2015, 128, 2278-2292.	2.0	40
24	Crystal structure of the Ego1-Ego2-Ego3 complex and its role in promoting Rag GTPase-dependent TORC1 signaling. <i>Cell Research</i> , 2015, 25, 1043-1059.	12.0	71
25	Amino Acids Stimulate TORC1 through Lst4-Lst7, a GTPase-Activating Protein Complex for the Rag Family GTPase Gtr2. <i>Cell Reports</i> , 2015, 13, 1-7.	6.4	145
26	TORC1 Regulates Pah1 Phosphatidate Phosphatase Activity via the Nem1/Spo7 Protein Phosphatase Complex. <i>PLoS ONE</i> , 2014, 9, e104194.	2.5	53
27	Yeast Endosulfines Control Entry into Quiescence and Chronological Life Span by Inhibiting Protein Phosphatase 2A. <i>Cell Reports</i> , 2013, 3, 16-22.	6.4	77
28	Amino Acid Deprivation Inhibits TORC1 Through a GTPase-Activating Protein Complex for the Rag Family GTPase Gtr1. <i>Science Signaling</i> , 2013, 6, ra42.	3.6	237
29	Quantification of mRNA stability of stress-responsive yeast genes following conditional excision of open reading frames. <i>RNA Biology</i> , 2013, 10, 1299-1306.	3.1	10
30	SEACing the GAP that nEGOCiates TORC1 activation. <i>Cell Cycle</i> , 2013, 12, 2948-2952.	2.6	98
31	Identification of a Small Molecule Yeast TORC1 Inhibitor with a Multiplex Screen Based on Flow Cytometry. <i>ACS Chemical Biology</i> , 2012, 7, 715-722.	3.4	22
32	Leucyl-tRNA Synthetase Controls TORC1 via the EGO Complex. <i>Molecular Cell</i> , 2012, 46, 105-110.	9.7	308
33	Ego3 Functions as a Homodimer to Mediate the Interaction between Gtr1-Gtr2 and Ego1 in the EGO Complex to Activate TORC1. <i>Structure</i> , 2012, 20, 2151-2160.	3.3	56
34	The essence of yeast quiescence. <i>FEMS Microbiology Reviews</i> , 2012, 36, 306-339.	8.6	189
35	Mitochondrial Genomic Dysfunction Causes Dephosphorylation of Sch9 in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2011, 10, 1367-1369.	3.4	29
36	Initiation of the yeast G0program requires Igo1 and Igo2, which antagonize activation of decapping of specific nutrient-regulated mRNAs. <i>RNA Biology</i> , 2011, 8, 14-17.	3.1	26

#	ARTICLE	IF	CITATIONS
37	Deciphering Protein Kinase Specificity Through Large-Scale Analysis of Yeast Phosphorylation Site Motifs. <i>Science Signaling</i> , 2010, 3, ra12.	3.6	341
38	Life in the midst of scarcity: adaptations to nutrient availability in <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 2010, 56, 1-32.	1.7	189
39	An EGOcentric view of TORC1 signaling. <i>Cell Cycle</i> , 2010, 9, 221-222.	2.6	18
40	Initiation of the TORC1-Regulated G0 Program Requires Igo1/2, which License Specific mRNAs to Evade Degradation via the 5'â€²-3'â€² mRNA Decay Pathway. <i>Molecular Cell</i> , 2010, 38, 345-355.	9.7	106
41	The Vam6 GEF Controls TORC1 by Activating the EGO Complex. <i>Molecular Cell</i> , 2009, 35, 563-573.	9.7	398
42	The evolutionary conserved BER1 gene is involved in microtubule stability in yeast. <i>Current Genetics</i> , 2008, 53, 107-115.	1.7	6
43	Caffeine extends yeast lifespan by targeting TORC1. <i>Molecular Microbiology</i> , 2008, 69, 277-285.	2.5	186
44	Phosphorylation, lipid raft interaction and traffic of Î±-synuclein in a yeast model for Parkinson. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 1767-1780.	4.1	104
45	Control of Cellular Physiology by TM9 Proteins in Yeast and <i>Dictyostelium</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 6764-6772.	3.4	29
46	Modulation of Ubc4p/Ubc5p-Mediated Stress Responses by the RING-Finger-Dependent Ubiquitin-Protein Ligase Not4p in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2007, 176, 181-192.	2.9	48
47	Sch9 Is a Major Target of TORC1 in <i>Saccharomyces cerevisiae</i> . <i>Molecular Cell</i> , 2007, 26, 663-674.	9.7	723
48	Membrane stress is coupled to a rapid translational control of gene expression in chlorpromazine-treated cells. <i>Current Genetics</i> , 2007, 52, 171-185.	1.7	36
49	The TOR signalling network from yeast to man. <i>International Journal of Biochemistry and Cell Biology</i> , 2006, 38, 1476-1481.	2.8	194
50	Rim15 and the crossroads of nutrient signalling pathways in <i>Saccharomyces cerevisiae</i> . <i>Cell Division</i> , 2006, 1, 3.	2.4	129
51	Cell growth control: little eukaryotes make big contributions. <i>Oncogene</i> , 2006, 25, 6392-6415.	5.9	223
52	Phosphatidylinositol 4-Phosphate Is Required for Translation Initiation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 38139-38149.	3.4	13
53	PKA and Sch9 control a molecular switch important for the proper adaptation to nutrient availability. <i>Molecular Microbiology</i> , 2005, 55, 862-880.	2.5	170
54	The Bud14pâ€²Glc7p complex functions as a cortical regulator of dynein in budding yeast. <i>EMBO Journal</i> , 2005, 24, 3000-3011.	7.8	36

#	ARTICLE	IF	CITATIONS
55	Regulation of G0 entry by the Pho80-Pho85 cyclin-CDK complex. EMBO Journal, 2005, 24, 4271-4278.	7.8	135
56	Global analysis of protein phosphorylation in yeast. Nature, 2005, 438, 679-684.	27.8	915
57	The Ccr4-Not Complex Independently Controls both Msn2-Dependent Transcriptional Activation via a Newly Identified Glc7/Bud14 Type I Protein Phosphatase Module and TFIID Promoter Distribution. Molecular and Cellular Biology, 2005, 25, 488-498.	2.3	61
58	The TOR and EGO Protein Complexes Orchestrate Microautophagy in Yeast. Molecular Cell, 2005, 19, 15-26.	9.7	305
59	The Novel Yeast PAS Kinase Rim15 Orchestrates G0-Associated Antioxidant Defense Mechanisms. Cell Cycle, 2004, 3, 460-466.	2.6	154
60	The novel yeast PAS kinase Rim 15 orchestrates G0-associated antioxidant defense mechanisms. Cell Cycle, 2004, 3, 462-8.	2.6	84
61	TOR and PKA Signaling Pathways Converge on the Protein Kinase Rim15 to Control Entry into G0. Molecular Cell, 2003, 12, 1607-1613.	9.7	277
62	Bni5p, a Septin-Interacting Protein, Is Required for Normal Septin Function and Cytokinesis in Saccharomyces cerevisiae. Molecular and Cellular Biology, 2002, 22, 6906-6920.	2.3	65
63	Saccharomyces cerevisiae Ccr4-Not complex contributes to the control of Msn2p-dependent transcription by the Ras/cAMP pathway. Molecular Microbiology, 2002, 43, 1023-1037.	2.5	72
64	Disruption in Candida albicans of the TPS2 gene encoding trehalose-6-phosphate phosphatase affects cell integrity and decreases infectivity The EMBL accession number for the sequence reported in this paper is AJ242990.. Microbiology (United Kingdom), 2002, 148, 1281-1290.	1.8	59
65	Bud8p and Bud9p, Proteins That May Mark the Sites for Bipolar Budding in Yeast. Molecular Biology of the Cell, 2001, 12, 2497-2518.	2.1	90
66	The Thermophilic Yeast <i>Hansenula polymorpha</i> Does Not Require Trehalose Synthesis for Growth at High Temperatures but Does for Normal Acquisition of Thermotolerance. Journal of Bacteriology, 1999, 181, 4665-4668.	2.2	44
67	Expression of a functional barley sucrose-fructan 6-fructosyltransferase in the methylotrophic yeast Pichia pastoris. FEBS Letters, 1998, 440, 356-360.	2.8	51
68	<i>Saccharomyces cerevisiae</i> cAMP-dependent protein kinase controls entry into stationary phase through the Rim15p protein kinase. Genes and Development, 1998, 12, 2943-2955.	5.9	197
69	Composition and Functional Analysis of the Saccharomyces cerevisiae Trehalose Synthase Complex. Journal of Biological Chemistry, 1998, 273, 33311-33319.	3.4	189
70	A Septin-based Hierarchy of Proteins Required for Localized Deposition of Chitin in the Saccharomyces cerevisiae Cell Wall. Journal of Cell Biology, 1997, 139, 75-93.	5.2	301
71	Structural analysis of the subunits of the trehalose-6-phosphate synthase/phosphatase complex in Saccharomyces cerevisiae and their function during heat shock. Molecular Microbiology, 1997, 24, 687-696.	2.5	101
72	Trehalose synthesis is important for the acquisition of thermotolerance in Schizosaccharomyces pombe. Molecular Microbiology, 1997, 25, 571-581.	2.5	67

#	ARTICLE	IF	CITATIONS
73	The septins: roles in cytokinesis and other processes. <i>Current Opinion in Cell Biology</i> , 1996, 8, 106-119.	5.4	455
74	Role for the Rho-family GTPase Cdc42 in yeast mating-pheromone signal pathway. <i>Nature</i> , 1995, 376, 702-705.	27.8	251
75	Ste20-like protein kinases are required for normal localization of cell growth and for cytokinesis in budding yeast.. <i>Genes and Development</i> , 1995, 9, 1817-1830.	5.9	370
76	Mutation of RGA1, which encodes a putative GTPase-activating protein for the polarity-establishment protein Cdc42p, activates the pheromone-response pathway in the yeast <i>Saccharomyces cerevisiae</i> .. <i>Genes and Development</i> , 1995, 9, 2949-2963.	5.9	124
77	Establishment of Cell Polarity in Yeast. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1995, 60, 729-744.	1.1	185
78	The role of trehalose synthesis for the acquisition of thermotolerance in yeast. I. Genetic evidence that trehalose is a thermoprotectant. <i>FEBS Journal</i> , 1994, 219, 179-186.	0.2	279
79	The role of trehalose synthesis for the acquisition of thermotolerance in yeast. II. Physiological concentrations of trehalose increase the thermal stability of proteins in vitro. <i>FEBS Journal</i> , 1994, 219, 187-193.	0.2	295
80	CNE1, a <i>Saccharomyces cerevisiae</i> Homologue of the Genes Encoding Mammalian Calnexin and Calreticulin. <i>Yeast</i> , 1993, 9, 185-188.	1.7	34
81	Genetic and physical localization of the acetyl-coenzyme A synthetase gene ACS1 on chromosome I of <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1993, 9, 419-421.	1.7	6
82	Disruption of TPS2, the gene encoding the 100-kDa subunit of the trehalose-6-phosphate synthase/phosphatase complex in <i>Saccharomyces cerevisiae</i> , causes accumulation of trehalose-6-phosphate and loss of trehalose-6-phosphate phosphatase activity. <i>FEBS Journal</i> , 1993, 212, 315-323.	0.2	213
83	Cloning and disruption of a gene required for growth on acetate but not on ethanol: The acetyl-coenzyme a synthetase gene of <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1992, 8, 1043-1051.	1.7	84
84	The 70-kilodalton heat-shock proteins of the SSA subfamily negatively modulate heat-shock-induced accumulation of trehalose and promote recovery from heat stress in the yeast, <i>Saccharomyces cerevisiae</i> . <i>FEBS Journal</i> , 1992, 210, 125-132.	0.2	55
85	Acquisition of thermotolerance in <i>Saccharomyces cerevisiae</i> without heat shock protein hsp104 and in the absence of protein synthesis. <i>FEBS Letters</i> , 1991, 288, 86-90.	2.8	74
86	A method to study the rapid phosphorylation-related modulation of neutral trehalase activity by temperature shifts in yeast. <i>FEBS Letters</i> , 1991, 291, 355-358.	2.8	33
87	Heat shock induces enzymes of trehalose metabolism, trehalose accumulation, and thermotolerance in <i>Schizosaccharomyces pombe</i> , even in the presence of cycloheximide. <i>FEBS Letters</i> , 1990, 273, 107-110.	2.8	99