

Tine Jepsen Nielsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1835265/publications.pdf>

Version: 2024-02-01

146
papers

10,393
citations

38742

50
h-index

36028

97
g-index

147
all docs

147
docs citations

147
times ranked

13364
citing authors

#	ARTICLE	IF	CITATIONS
1	Glucocorticoid use and risk of suicide: a Danish population-based case-control study. <i>World Psychiatry</i> , 2021, 20, 142-143.	10.4	8
2	Risk of diabetic complications and subsequent mortality among individuals with schizophrenia and diabetes - a population-based register study. <i>Schizophrenia Research</i> , 2020, 218, 99-106.	2.0	21
3	Selective serotonin reuptake inhibitors and risk of epilepsy after traumatic brain injury – A population based cohort study. <i>PLoS ONE</i> , 2019, 14, e0219137.	2.5	8
4	<p>Maternal bereavement shortly before or during pregnancy and risk of postpartum psychotic illness: a population-based study from Denmark and Sweden</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 285-298.	3.0	7
5	Premature mortality in persons with epilepsy and schizophrenia: A population-based nationwide cohort study. <i>Epilepsia</i> , 2019, 60, 1200-1208.	5.1	6
6	Frequency of health care utilization in the year prior to completed suicide: A Danish nationwide matched comparative study. <i>PLoS ONE</i> , 2019, 14, e0214605.	2.5	18
7	Depression, antidepressants, and the risk of non-valvular atrial fibrillation: A nationwide Danish matched cohort study. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 187-195.	1.8	37
8	Association between perceived stress, multimorbidity and primary care health services: a Danish population-based cohort study. <i>BMJ Open</i> , 2018, 8, e018323.	1.9	29
9	Long-term risk of dementia among people with traumatic brain injury in Denmark: a population-based observational cohort study. <i>Lancet Psychiatry</i> , the, 2018, 5, 424-431.	7.4	228
10	Use of primary healthcare for persons with epilepsy. <i>Epilepsy and Behavior</i> , 2018, 80, 285-290.	1.7	2
11	Attendance of routine childcare visits in primary care for children of mothers with depression: a nationwide population-based cohort study. <i>British Journal of General Practice</i> , 2018, 68, e97-e104.	1.4	16
12	Mood Disorders and Risk of Herpes Zoster in 2 Population-Based Case-Control Studies in Denmark and the United Kingdom. <i>American Journal of Epidemiology</i> , 2018, 187, 1019-1028.	3.4	12
13	O5.7. RISK OF DIABETIC COMPLICATIONS AND SUBSEQUENT MORTALITY AMONG INDIVIDUALS WITH SCHIZOPHRENIA AND DIABETES MELLITUS: A NATIONWIDE POPULATION-BASED REGISTER STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S88-S89.	4.3	1
14	Traumatic brain injury and dementia – Authors' reply. <i>Lancet Psychiatry</i> , the, 2018, 5, 783.	7.4	0
15	Early treatment with talk therapy or antidepressants in severely bereaved people and risk of suicidal behavior and psychiatric illness: an instrumental variable analysis. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1013-1026.	3.0	9
16	Partner Bereavement and Risk of Herpes Zoster: Results from Two Population-Based Case-Control Studies in Denmark and the United Kingdom. <i>Clinical Infectious Diseases</i> , 2017, 64, ciw840.	5.8	16
17	Prenatal exposure to antiepileptic drugs and use of primary healthcare during childhood: a population-based cohort study in Denmark. <i>BMJ Open</i> , 2017, 7, e012836.	1.9	8
18	Association of Mortality With the Death of a Sibling in Childhood. <i>JAMA Pediatrics</i> , 2017, 171, 538.	6.2	37

#	ARTICLE	IF	CITATIONS
19	Risk of suicide, deliberate self-harm and psychiatric illness after the loss of a close relative: A nationwide cohort study. <i>World Psychiatry</i> , 2017, 16, 193-199.	10.4	50
20	Association of Streptococcal Throat Infection With Mental Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 740.	11.0	83
21	The construct validity of the Major Depression Inventory: A Rasch analysis of a self-rating scale in primary care. <i>Journal of Psychosomatic Research</i> , 2017, 97, 70-81.	2.6	13
22	Does perceived stress increase the risk of atrial fibrillation? A population-based cohort study in Denmark. <i>American Heart Journal</i> , 2017, 188, 26-34.	2.7	12
23	Impact of socioeconomic position and distance on mental health care utilization: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1405-1413.	3.1	48
24	Prevaccination epidemiology of herpes zoster in Denmark: Quantification of occurrence and risk factors. <i>Vaccine</i> , 2017, 35, 5589-5596.	3.8	18
25	Perceived Stress, Multimorbidity, and Risk for Hospitalizations for Ambulatory Care-sensitive Conditions. <i>Medical Care</i> , 2017, 55, 131-139.	2.4	15
26	Use of general practice before and after mild traumatic brain injury: a nationwide population-based cohort study in Denmark. <i>BMJ Open</i> , 2017, 7, e017735.	1.9	13
27	Psychiatric conditions and general practitioner attendance prior to HPV vaccination and the risk of referral to a specialized hospital setting because of suspected adverse events following HPV vaccination: a register-based, matched case–control study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 465-473.	3.0	13
28	The criterion validity of the web-based Major Depression Inventory when used on clinical suspicion of depression in primary care. <i>Clinical Epidemiology</i> , 2017, Volume 9, 355-365.	3.0	12
29	Health care utilization in general practice after HPV vaccination"A Danish nationwide register-based cohort study. <i>PLoS ONE</i> , 2017, 12, e0184658.	2.5	2
30	Algorithm linking patients and general practices in Denmark using the Danish National Health Service Register. <i>Clinical Epidemiology</i> , 2016, Volume 8, 273-283.	3.0	15
31	Serious Mental Illness and Risk for Hospitalizations and Rehospitalizations for Ambulatory Care-sensitive Conditions in Denmark. <i>Medical Care</i> , 2016, 54, 90-97.	2.4	56
32	The construct validity of the Perceived Stress Scale. <i>Journal of Psychosomatic Research</i> , 2016, 84, 22-30.	2.6	114
33	The Association Between Perceived Stress and Mortality Among People With Multimorbidity: A Prospective Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2016, 184, 199-210.	3.4	119
34	Prenatal exposure to antidepressants and risk of epilepsy in childhood. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1320-1330.	1.9	15
35	The association of unipolar depression with thirty-day mortality after hospitalization for infection: A population-based cohort study in Denmark. <i>Journal of Psychosomatic Research</i> , 2016, 89, 32-38.	2.6	17
36	Risk of epilepsy and autism in full and half siblings"A population"based cohort study. <i>Epilepsia</i> , 2016, 57, 2011-2018.	5.1	21

#	ARTICLE	IF	CITATIONS
37	Long-term risk of atrial fibrillation after the death of a partner. <i>Open Heart</i> , 2016, 3, e000367.	2.3	26
38	Hospital-based herpes zoster diagnoses in Denmark: rate, patient characteristics, and all-cause mortality. <i>BMC Infectious Diseases</i> , 2016, 16, 99.	2.9	13
39	Mortality and life expectancy in persons with severe unipolar depression. <i>Journal of Affective Disorders</i> , 2016, 193, 203-207.	4.1	180
40	Association of Psychiatric and Neurologic Comorbidity With Mortality Among Persons With Autism Spectrum Disorder in a Danish Population. <i>JAMA Pediatrics</i> , 2016, 170, 243.	6.2	95
41	Ten-Year Mortality after a Breast Cancer Diagnosis in Women with Severe Mental Illness: A Danish Population-Based Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0158013.	2.5	22
42	Patient characteristics and frequency of bodily distress syndrome in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2015, 65, e617-e623.	1.4	38
43	Adverse pregnancy outcomes after exposure to methylphenidate or atomoxetine during pregnancy. <i>Clinical Epidemiology</i> , 2015, 7, 139.	3.0	39
44	Apgar-score in children prenatally exposed to antiepileptic drugs: a population-based cohort study. <i>BMJ Open</i> , 2015, 5, e007425.	1.9	12
45	Depression and risk of hospitalisations and rehospitalisations for ambulatory care-sensitive conditions in Denmark: a population-based cohort study. <i>BMJ Open</i> , 2015, 5, e009878.	1.9	27
46	Bodily distress syndrome: A new diagnosis for functional disorders in primary care?. <i>BMC Family Practice</i> , 2015, 16, 180.	2.9	68
47	Risk of Fetal Death after Treatment with Antipsychotic Medications during Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0132280.	2.5	23
48	Healthcare Contacts after Myocardial Infarction According to Mental Health and Socioeconomic Position: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0134557.	2.5	7
49	Effect of Depression and Diabetes Mellitus on the Risk for Dementia. <i>JAMA Psychiatry</i> , 2015, 72, 612.	11.0	145
50	Thirty-Day Mortality After Infection Among Persons With Severe Mental Illness: A Population-Based Cohort Study in Denmark. <i>American Journal of Psychiatry</i> , 2015, 172, 776-783.	7.2	35
51	The prognosis of bodily distress syndrome: a cohort study in primary care. <i>General Hospital Psychiatry</i> , 2015, 37, 560-566.	2.4	31
52	Increased utilisation of primary healthcare in persons exposed to severe stress in prenatal life: a national population-based study in Denmark. <i>BMJ Open</i> , 2015, 5, e005657-e005657.	1.9	8
53	Long-term mortality in children and young adults with epilepsy – A population-based cohort study. <i>Epilepsy Research</i> , 2015, 114, 81-88.	1.6	33
54	A new questionnaire to identify bodily distress in primary care: The “BDS checklist”™. <i>Journal of Psychosomatic Research</i> , 2015, 78, 536-545.	2.6	78

#	ARTICLE	IF	CITATIONS
55	Variation in general practice prostate-specific antigen testing and prostate cancer outcomes: An ecological study. <i>International Journal of Cancer</i> , 2015, 136, 435-442.	5.1	27
56	Use of primary health care prior to a postpartum psychiatric episode. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 127-133.	1.5	10
57	The Risk of Gestational Diabetes Mellitus Following Bereavement: A Cohort Study from Denmark and Sweden. <i>Paediatric and Perinatal Epidemiology</i> , 2015, 29, 271-280.	1.7	7
58	Long-term Risk of Dementia in Persons With Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 1095.	11.0	107
59	Problems and challenges in relation to the treatment of patients with multimorbidity: General practitioners' views and attitudes. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 121-126.	1.5	52
60	Incidence of Suicide Among Persons Who Had a Parent Who Died During Their Childhood. <i>JAMA Psychiatry</i> , 2015, 72, 1227.	11.0	102
61	Socioeconomic Position, Type 2 Diabetes and Long-Term Risk of Death. <i>PLoS ONE</i> , 2015, 10, e0124829.	2.5	24
62	Cancer Mortality in People Treated with Antidepressants before Cancer Diagnosis: A Population Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0138134.	2.5	17
63	Post-Stroke Mortality, Stroke Severity, and Preadmission Antipsychotic Medicine Use – A Population-Based Cohort Study. <i>PLoS ONE</i> , 2014, 9, e84103.	2.5	11
64	Birth outcomes after prenatal exposure to antiepileptic drugs – A population-based study. <i>Epilepsia</i> , 2014, 55, 1714-1721.	5.1	55
65	Daytime use of general practice and use of the Out-of-Hours Primary Care Service for patients with chronic disease: a cohort study. <i>BMC Family Practice</i> , 2014, 15, 156.	2.9	8
66	The 30-day prognosis of chronic-disease patients after contact with the out-of-hours service in primary healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 208-216.	1.5	4
67	Use of antiepileptic drugs during pregnancy and risk of spontaneous abortion and stillbirth: population based cohort study. <i>BMJ, The</i> , 2014, 349, g5159-g5159.	6.0	47
68	Mortality after Parental Death in Childhood: A Nationwide Cohort Study from Three Nordic Countries. <i>PLoS Medicine</i> , 2014, 11, e1001679.	8.4	98
69	Prevalence of depression, quality of life and antidepressant treatment in the Danish General Suburban Population Study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 507-512.	1.3	60
70	Psychiatric disorders following fetal death: a population-based cohort study. <i>BMJ Open</i> , 2014, 4, e005187-e005187.	1.9	16
71	Post-Myocardial Infarction Anxiety or Depressive Symptoms and Risk of New Cardiovascular Events or Death. <i>Psychosomatic Medicine</i> , 2014, 76, 739-746.	2.0	28
72	Fetal Growth and Preterm Birth in Children Exposed to Maternal or Paternal Rheumatoid Arthritis: A Nationwide Cohort Study. <i>Arthritis and Rheumatology</i> , 2014, 66, 3265-3273.	5.6	60

#	ARTICLE	IF	CITATIONS
73	Socioeconomic position and cardiovascular risk factors among people with screen-detected Type 2 DM: Six-year follow-up of the ADDITION-Denmark trial. <i>Primary Care Diabetes</i> , 2014, 8, 322-329.	1.8	9
74	Psychological distress, cardiovascular complications and mortality among people with screen-detected type 2 diabetes: follow-up of the ADDITION-Denmark trial. <i>Diabetologia</i> , 2014, 57, 710-717.	6.3	39
75	Common variants associated with general and MMR vaccine-related febrile seizures. <i>Nature Genetics</i> , 2014, 46, 1274-1282.	21.4	128
76	Chronic-disease patients and their use of out-of-hours primary health care: a cross-sectional study. <i>BMC Family Practice</i> , 2014, 15, 114.	2.9	18
77	Risk of substance use disorders following prenatal or postnatal exposure to bereavement. <i>Drug and Alcohol Dependence</i> , 2013, 132, 277-282.	3.2	5
78	Screening for depression in patients with myocardial infarction by general practitioners. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 800-806.	1.8	19
79	Mental health status and risk of new cardiovascular events or death in patients with myocardial infarction: a population-based cohort study. <i>BMJ Open</i> , 2013, 3, e003045.	1.9	26
80	Prenatal Maternal Bereavement and Congenital Heart Defects in Offspring: A Registry-Based Study. <i>Pediatrics</i> , 2013, 131, e1225-e1230.	2.1	28
81	Prenatal Valproate Exposure and Risk of Autism Spectrum Disorders and Childhood Autism. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1696.	7.4	1,009
82	Psychosocial Stress Related to the Loss of a Close Relative the Year Before or During Pregnancy and Risk of Preeclampsia. <i>Hypertension</i> , 2013, 62, 183-189.	2.7	37
83	Laszlo et al. Respond to "Maternal Stress and Stillbirth". <i>American Journal of Epidemiology</i> , 2013, 177, 230-231.	3.4	1
84	Maternal Bereavement During Pregnancy and the Risk of Stillbirth: A Nationwide Cohort Study in Sweden. <i>American Journal of Epidemiology</i> , 2013, 177, 219-227.	3.4	32
85	Antidepressant exposure in pregnancy and risk of autism spectrum disorders. <i>Clinical Epidemiology</i> , 2013, 5, 449.	3.0	140
86	Depressive Symptoms and Risk of New Cardiovascular Events or Death in Patients with Myocardial Infarction: A Population-Based Longitudinal Study Examining Health Behaviors and Health Care Interventions. <i>PLoS ONE</i> , 2013, 8, e74393.	2.5	33
87	Maternal Use of Antibiotics and the Risk of Childhood Febrile Seizures: A Danish Population-Based Cohort. <i>PLoS ONE</i> , 2013, 8, e61148.	2.5	8
88	Prenatal Antidepressant Exposure and Risk of Spontaneous Abortion – A Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e72095.	2.5	87
89	Risk of Febrile Seizures and Epilepsy After Vaccination With Diphtheria, Tetanus, Acellular Pertussis, Inactivated Poliovirus, and Haemophilus Influenzae Type b. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 823-31.	7.4	82
90	Life expectancy and cardiovascular mortality in persons with schizophrenia. <i>Current Opinion in Psychiatry</i> , 2012, 25, 83-88.	6.3	426

#	ARTICLE	IF	CITATIONS
91	Bereavement in Early Life and Later Childhood Overweight. <i>Obesity Facts</i> , 2012, 5, 881-889.	3.4	11
92	The 5-minute Apgar score as a predictor of childhood cancer: a population-based cohort study in five million children. <i>BMJ Open</i> , 2012, 2, e001095.	1.9	25
93	Chronic care management in Danish general practice - a cross-sectional study of workload and multimorbidity. <i>BMC Family Practice</i> , 2012, 13, 52.	2.9	45
94	Socioeconomic position and contact to general practice among persons with diabetes. <i>Primary Care Diabetes</i> , 2012, 6, 313-318.	1.8	8
95	Long-Term Health Outcomes in Children Born to Mothers with Diabetes: A Population-Based Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36727.	2.5	45
96	Prenatal Exposure to Bereavement and Type-2 Diabetes: A Danish Longitudinal Population Based Study. <i>PLoS ONE</i> , 2012, 7, e43508.	2.5	46
97	Prenatal exposure to elevated maternal body temperature and risk of epilepsy in childhood: a population-based pregnancy cohort study. <i>Paediatric and Perinatal Epidemiology</i> , 2011, 25, 53-59.	1.7	20
98	Low Apgar Scores and Risk of Childhood Attention Deficit Hyperactivity Disorder. <i>Journal of Pediatrics</i> , 2011, 158, 775-779.	1.8	32
99	Breastfeeding and Risk of Epilepsy in Childhood: A Birth Cohort Study. <i>Journal of Pediatrics</i> , 2011, 158, 924-929.	1.8	22
100	Diseases in children born to mothers with preeclampsia: a population-based sibling cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 157.e1-157.e5.	1.3	22
101	Cohort Profile: The Nordic Perinatal Bereavement Cohort. <i>International Journal of Epidemiology</i> , 2011, 40, 1161-1167.	1.9	42
102	Rehabilitation status three months after first-time myocardial infarction. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 210-215.	1.5	22
103	Gestational Age, Birth Weight, and Risk for Injuries in Childhood. <i>Epidemiology</i> , 2010, 21, 650-657.	2.7	14
104	Attention-deficit/hyperactivity disorder in the offspring following prenatal maternal bereavement: a nationwide follow-up study in Denmark. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 747-753.	4.7	156
105	Intake of marine n-3 fatty acids during pregnancy and risk for epilepsy in the offspring: A population-based cohort study. <i>Epilepsy Research</i> , 2010, 91, 267-272.	1.6	6
106	Early Life Disease Programming during the Preconception and Prenatal Period: Making the Link between Stressful Life Events and Type-1 Diabetes. <i>PLoS ONE</i> , 2010, 5, e11523.	2.5	42
107	Prenatal Stress Exposure Related to Maternal Bereavement and Risk of Childhood Overweight. <i>PLoS ONE</i> , 2010, 5, e11896.	2.5	120
108	Myocardial Infarction and Risk of Suicide. <i>Circulation</i> , 2010, 122, 2388-2393.	1.6	98

#	ARTICLE	IF	CITATIONS
109	Selective serotonin reuptake inhibitors in pregnancy and congenital malformations: population based cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3569-b3569.	2.3	263
110	Register-based studies on febrile seizures in Denmark. <i>Brain and Development</i> , 2009, 31, 372-377.	1.1	60
111	Health of children born to mothers who had preeclampsia: a population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 269.e1-269.e10.	1.3	165
112	Prenatal Stress and Risk of Febrile Seizures in Children: A Nationwide Longitudinal Study in Denmark. <i>Journal of Autism and Developmental Disorders</i> , 2009, 39, 1047-1052.	2.7	15
113	A Nationwide Study on the Risk of Autism After Prenatal Stress Exposure to Maternal Bereavement. <i>Pediatrics</i> , 2009, 123, 1102-1107.	2.1	88
114	Long-term risk of epilepsy after traumatic brain injury in children and young adults: a population-based cohort study. <i>Lancet, The</i> , 2009, 373, 1105-1110.	13.7	324
115	Prenatal Stress and Cerebral Palsy: A Nationwide Cohort Study in Denmark. <i>Psychosomatic Medicine</i> , 2009, 71, 615-618.	2.0	30
116	Paternal age and mortality in children. <i>European Journal of Epidemiology</i> , 2008, 23, 443-447.	5.7	69
117	Prenatal stress and epilepsy in later life: A nationwide follow-up study in Denmark. <i>Epilepsy Research</i> , 2008, 81, 52-57.	1.6	31
118	Death in children with febrile seizures: a population-based cohort study. <i>Lancet, The</i> , 2008, 372, 457-463.	13.7	72
119	Binge Drinking During Pregnancy and Risk of Seizures in Childhood: A Study Based on the Danish National Birth Cohort. <i>American Journal of Epidemiology</i> , 2008, 169, 313-322.	3.4	36
120	Prenatal Exposure to Maternal Infections and Epilepsy in Childhood: A Population-Based Cohort Study. <i>Pediatrics</i> , 2008, 121, e1100-e1107.	2.1	54
121	Preeclampsia and Risk for Epilepsy in Offspring. <i>Pediatrics</i> , 2008, 122, 1072-1078.	2.1	65
122	The Long-Term Risk of Epilepsy after Febrile Seizures in Susceptible Subgroups. <i>American Journal of Epidemiology</i> , 2007, 165, 911-918.	3.4	106
123	Gestational Age, Birth Weight, Intrauterine Growth, and the Risk of Epilepsy. <i>American Journal of Epidemiology</i> , 2007, 167, 262-270.	3.4	64
124	Epilepsy and febrile seizures in children of treated and untreated subfertile couples. <i>Human Reproduction</i> , 2007, 22, 215-220.	0.9	29
125	Stress and epilepsy: A population-based cohort study of epilepsy in parents who lost a child. <i>Epilepsy and Behavior</i> , 2007, 11, 324-328.	1.7	30
126	Incidence and prevalence of epilepsy in Denmark. <i>Epilepsy Research</i> , 2007, 76, 60-65.	1.6	156

#	ARTICLE	IF	CITATIONS
127	Validation of epilepsy diagnoses in the Danish National Hospital Register. <i>Epilepsy Research</i> , 2007, 75, 162-170.	1.6	163
128	Use of phenytoin, phenobarbital, or diazepam during pregnancy and risk of congenital abnormalities: a caseâ€timeâ€control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 181-188.	1.9	56
129	Assessing fetal growth impairments based on family data as a tool for identifying high-risk babies. An example with neonatal mortality. <i>BMC Pregnancy and Childbirth</i> , 2007, 7, 28.	2.4	22
130	Epilepsy and risk of suicide: a population-based caseâ€control study. <i>Lancet Neurology</i> , The, 2007, 6, 693-698.	10.2	427
131	The Danish National Hospital Register is a valuable study base for epidemiologic research in febrile seizures. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 61-66.	5.0	71
132	Apgar Scores and Long-Term Risk of Epilepsy. <i>Epidemiology</i> , 2006, 17, 296-301.	2.7	64
133	Paternal Age and Apgar Scores of Newborn Infants. <i>Epidemiology</i> , 2006, 17, 473-474.	2.7	15
134	Pregnancy outcomes among female hairdressers who participated in the Danish National Birth Cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 61-66.	3.4	34
135	Preâ€pregnancy weight and the risk of stillbirth and neonatal death. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 403-408.	2.3	367
136	Paternal Age and Epilepsy in the Offspring. <i>European Journal of Epidemiology</i> , 2005, 20, 1003-1005.	5.7	61
137	Prenatal Exposure to Cigarettes, Alcohol, and Coffee and the Risk for Febrile Seizures. <i>Pediatrics</i> , 2005, 116, 1089-1094.	2.1	51
138	Paternal age and congenital malformations. <i>Human Reproduction</i> , 2005, 20, 3173-3177.	0.9	106
139	Risk for schizophrenia and schizophrenia-like psychosis among patients with epilepsy: population based cohort study. <i>BMJ: British Medical Journal</i> , 2005, 331, 23.	2.3	198
140	Paternal Age and Preterm Birth. <i>Epidemiology</i> , 2005, 16, 259-262.	2.7	51
141	Febrile seizures and risk of schizophrenia. <i>Schizophrenia Research</i> , 2005, 73, 343-349.	2.0	35
142	Risk Factors for Autism: Perinatal Factors, Parental Psychiatric History, and Socioeconomic Status. <i>American Journal of Epidemiology</i> , 2005, 161, 916-925.	3.4	584
143	MMR Vaccination and Febrile Seizures. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 351.	7.4	144
144	MMR Vaccination and Autism. <i>Drug Safety</i> , 2004, 27, 831-840.	3.2	25

#	ARTICLE	IF	CITATIONS
145	Risk Factors for Febrile Convulsions. <i>Epidemiology</i> , 2002, 13, 282-287.	2.7	52
146	A Population-Based Study of Measles, Mumps, and Rubella Vaccination and Autism. <i>New England Journal of Medicine</i> , 2002, 347, 1477-1482.	27.0	595