

# Frank A Redegeld

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1835535/publications.pdf>

Version: 2024-02-01

133  
papers

5,325  
citations

71102

41  
h-index

102487

66  
g-index

137  
all docs

137  
docs citations

137  
times ranked

6802  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recovery of extracellular vesicles from human breast milk is influenced by sample collection and vesicle isolation procedures. <i>Journal of Extracellular Vesicles</i> , 2014, 3, .	12.2	219
2	Role of Mast Cells in Shaping the Tumor Microenvironment. <i>Clinical Reviews in Allergy and Immunology</i> , 2020, 58, 313-325.	6.5	203
3	Antigen-specific, antibody-coated, exosome-like nanovesicles deliver suppressor T-cell microRNA-150 to effector T cells to inhibit contact sensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 170-181.e9.	2.9	187
4	Immunoglobulin-free light chains elicit immediate hypersensitivity-like responses. <i>Nature Medicine</i> , 2002, 8, 694-701.	30.7	177
5	Mast cells in neuroinflammation and brain disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 79, 119-133.	6.1	156
6	Local immune response to food antigens drives meal-induced abdominal pain. <i>Nature</i> , 2021, 590, 151-156.	27.8	153
7	Non-IgE mediated mast cell activation. <i>Immunological Reviews</i> , 2018, 282, 87-113.	6.0	143
8	Non-IgE mediated mast cell activation. <i>European Journal of Pharmacology</i> , 2016, 778, 33-43.	3.5	140
9	Functional Expression of Neurokinin 1 Receptors on Mast Cells Induced by IL-4 and Stem Cell Factor. <i>Journal of Immunology</i> , 2003, 171, 2074-2079.	0.8	138
10	Comprehensive Proteomic Analysis of Human Milk-derived Extracellular Vesicles Unveils a Novel Functional Proteome Distinct from Other Milk Components. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 3412-3423.	3.8	129
11	Molecular Insights into the Mechanism of Necroptosis: The Necrosome as a Potential Therapeutic Target. <i>Cells</i> , 2019, 8, 1486.	4.1	112
12	Mast Cells as Drivers of Disease and Therapeutic Targets. <i>Trends in Immunology</i> , 2018, 39, 151-162.	6.8	103
13	Role of Extracellular ATP and P1 and P2 Classes of Purinergic Receptors in T-cell Development and Cytotoxic T Lymphocyte Effector Functions. <i>Immunological Reviews</i> , 1995, 146, 5-19.	6.0	95
14	Butyrate inhibits human mast cell activation via epigenetic regulation of Fc $\mu$ R1-mediated signaling. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1966-1978.	5.7	92
15	From The Cover: Elicitation of allergic asthma by immunoglobulin free light chains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1578-1583.	7.1	88
16	Ecto-protein kinases: ecto-domain phosphorylation as a novel target for pharmacological manipulation?. <i>Trends in Pharmacological Sciences</i> , 1999, 20, 453-459.	8.7	85
17	Immunoglobulin free light chains and mast cells: pivotal role in T-cell-mediated immune reactions?. <i>Trends in Immunology</i> , 2003, 24, 181-185.	6.8	81
18	Evidence for the involvement of free light chain immunoglobulins in allergic and nonallergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 139-145.e3.	2.9	79

#	ARTICLE	IF	CITATIONS
19	Cell-mediated cytotoxicity: contact and secreted factors. <i>Current Opinion in Immunology</i> , 1993, 5, 404-410.	5.5	72
20	Key Role for Mast Cells in Nonatopic Asthma. <i>Journal of Immunology</i> , 2002, 169, 2044-2053.	0.8	72
21	Mast Cells as Target in Cancer Therapy. <i>Current Pharmaceutical Design</i> , 2009, 15, 1868-1878.	1.9	69
22	Decrease in immunoglobulin free light chains in patients with rheumatoid arthritis upon rituximab (anti-CD20) treatment correlates with decrease in disease activity. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2137-2144.	0.9	68
23	AllergoOncology â€œ the impact of allergy in oncology: <scp>EAACI</scp> position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017, 72, 866-887.	5.7	68
24	Mast Cell-Derived TNF-Î± Primes Sensory Nerve Endings in a Pulmonary Hypersensitivity Reaction. <i>Journal of Immunology</i> , 2002, 168, 5297-5302.	0.8	65
25	Mechanisms of allergy and asthma. <i>European Journal of Pharmacology</i> , 2008, 585, 354-360.	3.5	62
26	Cowâ€™s milk protein Î²-lactoglobulin confers resilience against allergy by targeting complexed iron into immune cells. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 321-334.e4.	2.9	62
27	Stem cell factor and Interleukin-4 induce murine bone marrow cells to develop into mast cells with connective tissue type characteristics in vitro. <i>Experimental Hematology</i> , 1999, 27, 654-662.	0.4	61
28	Omega-3 fatty acids, EPA and DHA induce apoptosis and enhance drug sensitivity in multiple myeloma cells but not in normal peripheral mononuclear cells. <i>Journal of Nutritional Biochemistry</i> , 2014, 25, 1254-1262.	4.2	59
29	Free immunoglobulin light chains as target in the treatment of chronic inflammatory diseases. <i>European Journal of Pharmacology</i> , 2006, 533, 319-326.	3.5	57
30	Determination of glutathione in biological material by flow-injection analysis using an enzymatic recycling reaction. <i>Analytical Biochemistry</i> , 1988, 174, 489-495.	2.4	55
31	Free immunoglobulin light chains: a novel target in the therapy of inflammatory diseases. <i>Trends in Pharmacological Sciences</i> , 2008, 29, 170-174.	8.7	55
32	An Association between Neutrophils and Immunoglobulin Free Light Chains in the Pathogenesis of Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 817-824.	5.6	55
33	AllergoOncology: Opposite outcomes of immune tolerance in allergy and cancer. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 328-340.	5.7	54
34	Contribution of IgE and immunoglobulin free light chain in the allergic reaction to cow's milk proteins. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1308-1314.	2.9	52
35	Acetylsalicylic acidâ€™induced release of HSP70 from mast cells results in cell activation through TLR pathway. <i>Experimental Hematology</i> , 2006, 34, 8-18.	0.4	50
36	Effects of the polyunsaturated fatty acids, EPA and DHA, on hematological malignancies: a systematic review. <i>Oncotarget</i> , 2018, 9, 11858-11875.	1.8	50

#	ARTICLE	IF	CITATIONS
37	Human milk extracellular vesicles target nodes in interconnected signalling pathways that enhance oral epithelial barrier function and dampen immune responses. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12071.	12.2	50
38	Mast Cell Degranulation Is Accompanied by the Release of a Selective Subset of Extracellular Vesicles That Contain Mast Cell-Specific Proteases. <i>Journal of Immunology</i> , 2016, 197, 3382-3392.	0.8	49
39	Functional Inhibitory Siglec-6 Is Upregulated in Human Colorectal Cancer-Associated Mast Cells. <i>Frontiers in Immunology</i> , 2018, 9, 2138.	4.8	47
40	Human mast cells promote colon cancer growth via bidirectional crosstalk: studies in 2D and 3D coculture models. <i>Oncolmmunology</i> , 2018, 7, e1504729.	4.6	47
41	Ig-Free Light Chains Play a Crucial Role in Murine Mast Cell-Dependent Colitis and Are Associated with Human Inflammatory Bowel Diseases. <i>Journal of Immunology</i> , 2010, 185, 653-659.	0.8	46
42	Hepatic, intestinal and renal transport of 1-naphthol-1 <sup>2</sup> -d-glucuronide in mutant rats with hereditary-conjugated hyperbilirubinemia. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1989, 340, 588-592.	3.0	43
43	Stem cell factor and interleukin-4 increase responsiveness of mast cells to Substance P. <i>Experimental Hematology</i> , 2000, 28, 626-634.	0.4	41
44	Immunoglobulin Free Light Chains Are Increased in Hypersensitivity Pneumonitis and Idiopathic Pulmonary Fibrosis. <i>PLoS ONE</i> , 2011, 6, e25392.	2.5	41
45	<i>n</i> -3 Long-chain PUFA reduce allergy-related mediator release by human mast cells in vitro via inhibition of reactive oxygen species. <i>British Journal of Nutrition</i> , 2013, 109, 1821-1831.	2.3	41
46	Lung proteome alterations in a mouse model for nonallergic asthma. <i>Proteomics</i> , 2003, 3, 2008-2018.	2.2	40
47	Non-digestible oligosaccharides reduce immunoglobulin free light-chain concentrations in infants at risk for allergy. <i>Pediatric Allergy and Immunology</i> , 2011, 22, 537-542.	2.6	40
48	Cigarette smoke differentially modulates dendritic cell maturation and function in time. <i>Respiratory Research</i> , 2015, 16, 131.	3.6	39
49	The matrikine N $\pm$ -PGP couples extracellular matrix fragmentation to endothelial permeability. <i>Science Advances</i> , 2015, 1, .	10.3	39
50	Alterations in energy status by menadione metabolism in hepatocytes isolated from fasted and fed rats. <i>Archives of Biochemistry and Biophysics</i> , 1989, 273, 215-222.	3.0	38
51	Dual effects of acetylsalicylic acid on mast cell degranulation, expression of cyclooxygenase-2 and release of pro-inflammatory cytokines. <i>Biochemical Pharmacology</i> , 2005, 69, 1049-1057.	4.4	37
52	Dendritic Cells in Pathogenesis of COPD. <i>Current Pharmaceutical Design</i> , 2012, 18, 2329-2335.	1.9	37
53	Comparing biologicals and small molecule drug therapies for chronic respiratory diseases: An EAACI Taskforce on Immunopharmacology position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 432-448.	5.7	37
54	Cigarette smoke stimulates the production of chemokines in mast cells. <i>Journal of Leukocyte Biology</i> , 2008, 83, 575-580.	3.3	36

#	ARTICLE	IF	CITATIONS
55	Mast cells and COPD. <i>Pulmonary Pharmacology and Therapeutics</i> , 2011, 24, 367-372.	2.6	35
56	Effects of Free Immunoglobulin Light Chains on Viral Myocarditis. <i>Circulation Research</i> , 2010, 106, 1533-1540.	4.5	34
57	Effect of Dietary Fiber and Metabolites on Mast Cell Activation and Mast Cell-Associated Diseases. <i>Frontiers in Immunology</i> , 2018, 9, 1067.	4.8	34
58	Butyrate and propionate restore interleukin 13-compromised esophageal epithelial barrier function. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1510-1521.	5.7	34
59	Immunoglobulin free light chains are biomarkers of poor prognosis in basal-like breast cancer and are potential targets in tumor-associated inflammation. <i>Oncotarget</i> , 2014, 5, 3159-3167.	1.8	34
60	Phosphorylation of T-lymphocyte plasma membrane-associated proteins by ectoprotein kinases: implications for a possible role for ectophosphorylation in T-cell effector functions. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1997, 1328, 151-165.	2.6	33
61	Subunits of IgM Reconstitute Defective Contact Sensitivity in B-1 Cell-Deficient Mice: $\hat{p}$ Light Chains Recruit T Cells Independent of Complement. <i>Journal of Immunology</i> , 2002, 169, 4113-4123.	0.8	30
62	Characterization of the Toll-like Receptor Expression Profile in Human Multiple Myeloma Cells. <i>PLoS ONE</i> , 2013, 8, e60671.	2.5	30
63	Atopic and non-atopic allergic disorders: current insights into the possible involvement of free immunoglobulin light chains. <i>Clinical and Experimental Allergy</i> , 2009, 39, 33-42.	2.9	29
64	Measurement of airway function using invasive and non-invasive methods in mild and severe models for allergic airway inflammation in mice. <i>Frontiers in Pharmacology</i> , 2014, 5, 190.	3.5	29
65	Interaction with cellular ATP generating pathways mediates menadione-induced cytotoxicity in isolated rat hepatocytes. <i>Archives of Biochemistry and Biophysics</i> , 1990, 280, 130-136.	3.0	28
66	LFA-1, and not Mac-1, is crucial for the development of hyperreactivity in a murine model of nonallergic asthma.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 153, 521-529.	5.6	26
67	Predictable Irreversible Switching Between Acute and Chronic Inflammation. <i>Frontiers in Immunology</i> , 2018, 9, 1596.	4.8	26
68	Selected recent advances in understanding the role of human mast cells in health and disease. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 1833-1844.	2.9	26
69	Characterization of a phosphorylated peptide and peptoid and peptoid-peptide hybrids by mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2002, 37, 47-55.	1.6	24
70	Immune modulation via T regulatory cell enhancement: Disease-modifying therapies for autoimmunity and their potential for chronic allergic and inflammatory diseasesâ€”An EAACI position paper of the Task Force on Immunopharmacology (TIPCO). <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 90-113.	5.7	24
71	Cigarette smoke suppresses <i>in vitro</i> allergic activation of mouse mast cells. <i>Clinical and Experimental Allergy</i> , 2009, 39, 679-687.	2.9	23
72	Retinoic acid-loading of the major birch pollen allergen Bet v 1 may improve specific allergen immunotherapy: In silico, in vitro and in vivo data in BALB/c mice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2073-2077.	5.7	23

#	ARTICLE	IF	CITATIONS
73	Local free light chain expression is increased in chronic rhinosinusitis with nasal polyps. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012, 67, 1165-1172.	5.7	21
74	A subset of AIDâ€dependent Bâ€1a cells initiates hypersensitivity and pneumococcal pneumonia resistance. <i>Annals of the New York Academy of Sciences</i> , 2015, 1362, 200-214.	3.8	21
75	Defining biomarkers to predict symptoms in subjects with and without allergy under natural pollen exposure. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 583-594.e6.	2.9	21
76	Immunoglobulin-free light chains mediate antigen-specific responses of murine dorsal root ganglion neurons. <i>Journal of Neuroimmunology</i> , 2009, 208, 80-86.	2.3	20
77	Antigen Binding Characteristics of Immunoglobulin Free Light Chains: Crosslinking by Antigen is Essential to Induce Allergic Inflammation. <i>PLoS ONE</i> , 2012, 7, e40986.	2.5	20
78	Serum tryptase concentration and progression to endâ€stage renal disease. <i>European Journal of Clinical Investigation</i> , 2016, 46, 460-474.	3.4	20
79	Substance P can stimulate prostaglandin D2 and leukotriene C4 generation without granule exocytosis in murine mast cells. <i>European Journal of Pharmacology</i> , 2004, 489, 49-54.	3.5	19
80	Murine Model for Non-IgE-Mediated Asthma. <i>Inflammation</i> , 2004, 28, 115-125.	3.8	19
81	Topical application of F991, an immunoglobulin free light chain antagonist, prevents development of contact sensitivity in mice. <i>Clinical and Experimental Allergy</i> , 2007, 37, 270-275.	2.9	19
82	The matrikine PGP as a potential biomarker in COPD. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 308, L1095-L1101.	2.9	19
83	Omega-3 Fatty Acids DHA and EPA Reduce Bortezomib Resistance in Multiple Myeloma Cells by Promoting Glutathione Degradation. <i>Cells</i> , 2021, 10, 2287.	4.1	19
84	Targeting Prolyl Endopeptidase with Valproic Acid as a Potential Modulator of Neutrophilic Inflammation. <i>PLoS ONE</i> , 2014, 9, e97594.	2.5	19
85	Induction of HSP70 is dispensable for anti-inflammatory action of heat shock or NSAIDs in mast cells. <i>Experimental Hematology</i> , 2006, 34, 414-423.	0.4	17
86	AllergoOncology: Microbiota in allergy and cancerâ€”A European Academy for Allergy and Clinical Immunology position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1037-1051.	5.7	17
87	Mast cell activation is differentially affected by heat shock. <i>Experimental Hematology</i> , 2005, 33, 944-952.	0.4	15
88	Depletion of CD4<sup>+</sup>CD25<sup>+</sup> T cells switches the wheyâ€allergic response from immunoglobulin Eâ€to immunoglobulin free light chainâ€dependent. <i>Clinical and Experimental Allergy</i> , 2010, 40, 1414-1421.	2.9	15
89	A relation between TGF-Î² and mast cell tryptase in experimental emphysema models. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012, 1822, 1154-1160.	3.8	15
90	Polyclonal Immunoglobulin Free Light Chain and Chronic Inflammation. <i>Mayo Clinic Proceedings</i> , 2012, 87, 1032-1033.	3.0	15

#	ARTICLE	IF	CITATIONS
91	Toll-Like Receptor (TLR)-1/2 Triggering of Multiple Myeloma Cells Modulates Their Adhesion to Bone Marrow Stromal Cells and Enhances Bortezomib-Induced Apoptosis. PLoS ONE, 2014, 9, e96608.	2.5	15
92	The role of Toll-like receptor mediated signalling in the pathogenesis of multiple myeloma. Critical Reviews in Oncology/Hematology, 2011, 80, 225-240.	4.4	14
93	Proline-Glycine-Proline Peptides Are Critical in the Development of Smoke-induced Emphysema. American Journal of Respiratory Cell and Molecular Biology, 2019, 61, 560-566.	2.9	14
94	Long-chain polyunsaturated omega-3 fatty acids reduce multiple myeloma exosome-mediated suppression of NK cell cytotoxicity. DARU, Journal of Pharmaceutical Sciences, 2020, 28, 647-659.	2.0	14
95	Micronutritional supplementation with a holoBLG-based FSMP (food for special medical) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Clinical and Experimental Allergy, 2022, 52, 426-441.	2.9	14
96	Interleukin-7 and Toll-Like Receptor 7 Induce Synergistic B Cell and T Cell Activation. PLoS ONE, 2014, 9, e94756.	2.5	13
97	Immunobiology of Antigen-Specific Immunoglobulin Free Light Chains in Chronic Inflammatory Diseases. Current Pharmaceutical Design, 2012, 18, 2278-2289.	1.9	12
98	EPA and DHA have selective toxicity for PBMCs from multiple myeloma patients in a partly caspase-dependent manner. Clinical Nutrition, 2020, 39, 2137-2143.	5.0	12
99	Association of serum TNF- $\pm$ , IL-8 and free light chain with HLA-DR B alleles expression in pulmonary and extra-pulmonary sarcoidosis. Journal of Inflammation, 2015, 12, 21.	3.4	11
100	A Transcriptomic Insight into the Impact of Colon Cancer Cells on Mast Cells. International Journal of Molecular Sciences, 2019, 20, 1689.	4.1	11
101	The efficacy of bortezomib in human multiple myeloma cells is enhanced by combination with omega-3 fatty acids DHA and EPA: Timing is essential. Clinical Nutrition, 2021, 40, 1942-1953.	5.0	11
102	Animal models of anaphylaxis. Current Opinion in Allergy and Clinical Immunology, 2007, 7, 355-359.	2.3	10
103	Human neonatal thymectomy induces altered B-cell responses and autoreactivity. European Journal of Immunology, 2017, 47, 1970-1981.	2.9	9
104	Digestion and Transport across the Intestinal Epithelium Affects the Allergenicity of Ara h 1 and 3 but Not of Ara h 2 and 6. Molecular Nutrition and Food Research, 2021, 65, e2000712.	3.3	9
105	Stimulation of cysteinyl leukotriene production in mast cells by heat shock and acetylsalicylic acid. European Journal of Pharmacology, 2007, 561, 214-219.	3.5	8
106	Bet v 1 from birch pollen is a hypoallergen with vitamin D3 in the pocket. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 3801-3804.	5.7	8
107	Toll-Like Receptors in Human Multiple Myeloma: New Insight into Inflammation-Related Pathogenesis. Current Molecular Medicine, 2014, 14, 423-431.	1.3	7
108	Immunoglobulin Free Light Chains in the Pathogenesis of Lung Disorders. Iranian Journal of Allergy, Asthma and Immunology, 2017, 16, 282-288.	0.4	6

#	ARTICLE	IF	CITATIONS
109	Immunoglobulinfree light chains reduce in an antigen-specific manner the rate of rise of action potentials of mouse non-nociceptive dorsal root ganglion neurons. <i>Journal of Neuroimmunology</i> , 2013, 264, 14-23.	2.3	5
110	Serum immunoglobulin free light chain levels are higher in girls than boys during eosinophilic oesophagitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 766-774.	1.5	5
111	Dendritic cells inversely regulate airway inflammation in cigarette smoke-exposed mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016, 310, L95-L102.	2.9	5
112	Direct Inhibition of the Allergic Effector Response by Raw Cowâ€™s Milkâ€™ An Extensive In Vitro Assessment. <i>Cells</i> , 2020, 9, 1258.	4.1	5
113	Proline-glycine-proline as a potential biomarker in chronic obstructive pulmonary disease and cystic fibrosis. <i>Tanaffos</i> , 2012, 11, 12-5.	0.5	5
114	AllergoOncology: Danger signals in allergology and oncology: AÂEuropean Academy of Allergy and Clinical Immunology (EAACI) Position Paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2594-2617.	5.7	5
115	Aspirin induces the production of the inflammatory mediator 8-epi-PGF in mast cells. <i>European Journal of Pharmacology</i> , 2006, 543, 190-193.	3.5	4
116	Toll-like receptor-9 triggering modulates expression of Î±4 integrin on human B lymphocytes and their adhesion to extracellular matrix proteins. <i>Experimental Hematology</i> , 2011, 39, 927-933.	0.4	3
117	Immunoglobulin free light chain levels and rituximab response in rheumatoid arthritis: Comment on the article by Sellam et al. <i>Arthritis and Rheumatism</i> , 2011, 63, 4034-4035.	6.7	3
118	Immunoglobulin Free Light Chains in Immune Responses. <i>Current Immunology Reviews</i> , 2008, 4, 88-100.	1.2	2
119	Complex Stability and an Irreversible Transition Reverted by Peptide and Fibroblasts in a Dynamic Model of Innate Immunity. <i>Frontiers in Immunology</i> , 2020, 10, 3091.	4.8	2
120	Mast Cells. , 2004, , 237-261.		2
121	Flow cytometry applications in the study of immunological lung disorders. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2015, 14, 12-8.	0.4	2
122	Nitric oxide production by macrophages stimulated by antigen-binding T-cell factors. <i>Immunology Letters</i> , 1997, 57, 147-149.	2.5	1
123	Preface. <i>European Journal of Pharmacology</i> , 2016, 778, 1.	3.5	1
124	Esterified derivatives of DHA and EPA increase bortezomib cytotoxicity in human multiple myeloma cells. <i>European Journal of Pharmacology</i> , 2022, 922, 174883.	3.5	1
125	The neurokinin-1 receptor is crucial for the development of nonatopic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, S26-S26.	2.9	0
126	Key role for mast cells in nonatopic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, S34-S34.	2.9	0



#	ARTICLE	IF	CITATIONS
127	A new mechanism for asthma: Immunoglobulin light chain induces bronchoconstriction and airway inflammation in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, S34-S34.	2.9	0
128	Immunoglobulin free light chains mediate immediate hypersensitivity-like responses. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, S115-S115.	2.9	0
129	Editorial [Hot Topic: Modulation and New Mediators in Inflammation Executive (Guest Editor: Frank A.) <i>Tj ETQq1 1 0,784314 ggBT /Over</i>	1.9	0
130	Preface. <i>European Journal of Pharmacology</i> , 2018, 838, 112.	3.5	0
131	Therapeutic neutralization of the matrikine PGP suppresses the development of lung emphysema in cigarette smoke exposed mice. , 2016, , .		0
132	IgE and immunoglobulin free light chains in allergic disease: new therapeutic opportunities. <i>Current Opinion in Investigational Drugs</i> , 2008, 9, 1185-91.	2.3	0
133	Selenomethionine attenuates allergic effector responses in human primary mast cells. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2552-2555.	5.7	0