

Yong Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1839079/publications.pdf>

Version: 2024-02-01

107
papers

10,894
citations

34016

52
h-index

32761

100
g-index

111
all docs

111
docs citations

111
times ranked

13439
citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of circular RNAs on autophagy and disease progression. <i>Autophagy</i> , 2022, 18, 240-253.	4.3	48
2	Long non-coding RNAs are involved in alternative splicing and promote cancer progression. <i>British Journal of Cancer</i> , 2022, 126, 1113-1124.	2.9	53
3	Genetic Subtyping and Phenotypic Characterization of the Immune Microenvironment and MYC/BCL2 Double Expression Reveal Heterogeneity in Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2022, 28, 972-983.	3.2	22
4	Determining clinical course of diffuse large B-cell lymphoma using targeted transcriptome and machine learning algorithms. <i>Blood Cancer Journal</i> , 2022, 12, 25.	2.8	7
5	EBV miRNAs BART11 and BART17-3p promote immune escape through the enhancer-mediated transcription of PD-L1. <i>Nature Communications</i> , 2022, 13, 866.	5.8	51
6	Therapeutic cancer vaccines: From biological mechanisms and engineering to ongoing clinical trials. <i>Cancer Treatment Reviews</i> , 2022, 109, 102429.	3.4	30
7	Expanding anti-CD38 immunotherapy for lymphoid malignancies. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, .	3.5	15
8	MYD88 L265P elicits mutation-specific ubiquitination to drive NF- κ B activation and lymphomagenesis. <i>Blood</i> , 2021, 137, 1615-1627.	0.6	21
9	Emerging role of metabolic reprogramming in tumor immune evasion and immunotherapy. <i>Science China Life Sciences</i> , 2021, 64, 534-547.	2.3	47
10	CircARHGAP12 promotes nasopharyngeal carcinoma migration and invasion via ezrin-mediated cytoskeletal remodeling. <i>Cancer Letters</i> , 2021, 496, 41-56.	3.2	46
11	Mechanisms of vasculogenic mimicry in hypoxic tumor microenvironments. <i>Molecular Cancer</i> , 2021, 20, 7.	7.9	177
12	Single-cell RNA sequencing in cancer research. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 81.	3.5	128
13	CTLA-4 in Regulatory T Cells for Cancer Immunotherapy. <i>Cancers</i> , 2021, 13, 1440.	1.7	88
14	Cancer/testis antigens: from serology to mRNA cancer vaccine. <i>Seminars in Cancer Biology</i> , 2021, 76, 218-231.	4.3	27
15	N6-methyladenosine-dependent signalling in cancer progression and insights into cancer therapies. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 146.	3.5	26
16	What are the applications of single-cell RNA sequencing in cancer research: a systematic review. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 163.	3.5	33
17	AFAP1-AS1: a rising star among oncogenic long non-coding RNAs. <i>Science China Life Sciences</i> , 2021, 64, 1602-1611.	2.3	11
18	Long non-coding RNA AFAP1-AS1 accelerates lung cancer cells migration and invasion by interacting with SNIP1 to upregulate c-Myc. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 240.	7.1	39

#	ARTICLE	IF	CITATIONS
19	Epsteinâ€Barr Virusâ€Encoded Circular RNA CircBART2.2 Promotes Immune Escape of Nasopharyngeal Carcinoma by Regulating PD-L1. <i>Cancer Research</i> , 2021, 81, 5074-5088.	0.4	65
20	Circular RNA circRNF13 inhibits proliferation and metastasis of nasopharyngeal carcinoma via SUMO2. <i>Molecular Cancer</i> , 2021, 20, 112.	7.9	60
21	The long noncoding RNA AATBC promotes breast cancer migration and invasion by interacting with YBX1 and activating the YAP1/Hippo signaling pathway. <i>Cancer Letters</i> , 2021, 512, 60-72.	3.2	22
22	Genomic complexity is associated with epigenetic regulator mutations and poor prognosis in diffuse large B-cell lymphoma. <i>Oncolmmunology</i> , 2021, 10, 1928365.	2.1	6
23	Posttranslational Modifications in PD-L1 Turnover and Function: From Cradle to Grave. <i>Biomedicines</i> , 2021, 9, 1702.	1.4	11
24	The role of alternative splicing in human cancer progression. <i>American Journal of Cancer Research</i> , 2021, 11, 4642-4667.	1.4	3
25	MR1-Restricted T Cells in Cancer Immunotherapy. <i>Cancers</i> , 2020, 12, 2145.	1.7	13
26	A refined cell-of-origin classifier with targeted NGS and artificial intelligence shows robust predictive value in DLBCL. <i>Blood Advances</i> , 2020, 4, 3391-3404.	2.5	22
27	Targeting PD-L1 in non-small cell lung cancer using CAR T cells. <i>Oncogenesis</i> , 2020, 9, 72.	2.1	48
28	EBVâ€miRâ€BART12 accelerates migration and invasion in EBVâ€associated cancer cells by targeting tubulin polymerizationâ€promoting protein 1. <i>FASEB Journal</i> , 2020, 34, 16205-16223.	0.2	19
29	Upregulation of long non-coding RNA LOC284454 may serve as a new serum diagnostic biomarker for head and neck cancers. <i>BMC Cancer</i> , 2020, 20, 917.	1.1	28
30	Ubiquitination of the DNA-damage checkpoint kinase CHK1 by TRAF4 is required for CHK1 activation. <i>Journal of Hematology and Oncology</i> , 2020, 13, 40.	6.9	16
31	LncRNA AATBC regulates Pinin to promote metastasis in nasopharyngeal carcinoma. <i>Molecular Oncology</i> , 2020, 14, 2251-2270.	2.1	52
32	Prognostic factors, therapeutic approaches, and distinct immunobiologic features in patients with primary mediastinal large B-cell lymphoma on long-term follow-up. <i>Blood Cancer Journal</i> , 2020, 10, 49.	2.8	31
33	Abnormal X chromosome inactivation and tumor development. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 2949-2958.	2.4	32
34	Predictive biomarkers and mechanisms underlying resistance to PD1/PD-L1 blockade cancer immunotherapy. <i>Molecular Cancer</i> , 2020, 19, 19.	7.9	180
35	Emerging role of tumor-related functional peptides encoded by lncRNA and circRNA. <i>Molecular Cancer</i> , 2020, 19, 22.	7.9	330
36	Epsteinâ€Barr virusâ€encoded miRâ€BART6â€3p inhibits cancer cell proliferation through the LOC553103â€STMN1 axis. <i>FASEB Journal</i> , 2020, 34, 8012-8027.	0.2	34

#	ARTICLE	IF	CITATIONS
37	Long non-coding RNA expression profiles and related regulatory networks in areca nut chewing-induced tongue squamous cell carcinoma. <i>Oncology Letters</i> , 2020, 20, 302.	0.8	3
38	Long non-coding RNA expression profiles and related regulatory networks in areca nut chewing-induced tongue squamous cell carcinoma. <i>Oncology Letters</i> , 2020, 20, 1-1.	0.8	4
39	miR-25 Promotes Cell Proliferation, Migration, and Invasion of Non-Small-Cell Lung Cancer by Targeting the LATS2/YAP Signaling Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-14.	1.9	36
40	Proteomic Analysis of the Molecular Mechanism of Lovastatin Inhibiting the Growth of Nasopharyngeal Carcinoma Cells. <i>Journal of Cancer</i> , 2019, 10, 2342-2349.	1.2	31
41	Glyphosate induces benign monoclonal gammopathy and promotes multiple myeloma progression in mice. <i>Journal of Hematology and Oncology</i> , 2019, 12, 70.	6.9	25
42	The role of Wnt signaling pathway in tumor metabolic reprogramming. <i>Journal of Cancer</i> , 2019, 10, 3789-3797.	1.2	80
43	Herpesvirus acts with the cytoskeleton and promotes cancer progression. <i>Journal of Cancer</i> , 2019, 10, 2185-2193.	1.2	31
44	Tissue-specific microRNA expression alters cancer susceptibility conferred by a TP53 noncoding variant. <i>Nature Communications</i> , 2019, 10, 5061.	5.8	18
45	Immunoglobulin somatic hypermutation has clinical impact in DLBCL and potential implications for immune checkpoint blockade and neoantigen-based immunotherapies. , 2019, 7, 272.		22
46	Neoantigen vaccine: an emerging tumor immunotherapy. <i>Molecular Cancer</i> , 2019, 18, 128.	7.9	398
47	Genetic alterations and their clinical implications in DLBCL. <i>Nature Reviews Clinical Oncology</i> , 2019, 16, 634-652.	12.5	136
48	miR-301a promotes lung tumorigenesis by suppressing Runx3. <i>Molecular Cancer</i> , 2019, 18, 99.	7.9	39
49	<i>MAN1A2</i> could serve as a novel serum biomarker for malignant tumors. <i>Cancer Science</i> , 2019, 110, 2180-2188.	1.7	96
50	Cloning and characterization of the putative AFAP1-AS1 promoter region. <i>Journal of Cancer</i> , 2019, 10, 1145-1153.	1.2	37
51	Immune Profiling and Quantitative Analysis Decipher the Clinical Role of Immune-Checkpoint Expression in the Tumor Immune Microenvironment of DLBCL. <i>Cancer Immunology Research</i> , 2019, 7, 644-657.	1.6	106
52	Natural killer group 2D receptor and its ligands in cancer immune escape. <i>Molecular Cancer</i> , 2019, 18, 29.	7.9	149
53	A high-throughput screening identifies histone deacetylase inhibitors as therapeutic agents against medulloblastoma. <i>Experimental Hematology and Oncology</i> , 2019, 8, 30.	2.0	17
54	Role of the tumor microenvironment in PD-L1/PD-1-mediated tumor immune escape. <i>Molecular Cancer</i> , 2019, 18, 10.	7.9	810

#	ARTICLE	IF	CITATIONS
55	2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) induces peripheral blood abnormalities and plasma cell neoplasms resembling multiple myeloma in mice. <i>Cancer Letters</i> , 2019, 440-441, 135-144.	3.2	10
56	Long non-coding RNA LOC284454 promotes migration and invasion of nasopharyngeal carcinoma via modulating the Rho/Rac signaling pathway. <i>Carcinogenesis</i> , 2019, 40, 380-391.	1.3	49
57	Circular RNAs (circRNAs) in cancer. <i>Cancer Letters</i> , 2018, 425, 134-142.	3.2	229
58	BPIFB1 (LPLUNC1) inhibits radioresistance in nasopharyngeal carcinoma by inhibiting VTN expression. <i>Cell Death and Disease</i> , 2018, 9, 432.	2.7	70
59	Long non-coding RNA PVT1 predicts poor prognosis and induces radioresistance by regulating DNA repair and cell apoptosis in nasopharyngeal carcinoma. <i>Cell Death and Disease</i> , 2018, 9, 235.	2.7	143
60	LncRNAs regulate the cytoskeleton and related Rho/ROCK signaling in cancer metastasis. <i>Molecular Cancer</i> , 2018, 17, 77.	7.9	131
61	miR-153 suppresses IDO1 expression and enhances CAR T cell immunotherapy. <i>Journal of Hematology and Oncology</i> , 2018, 11, 58.	6.9	98
62	Role of metabolism in cancer cell radioresistance and radiosensitization methods. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 87.	3.5	288
63	<i>MYD88</i> L265P Mutation in Lymphoid Malignancies. <i>Cancer Research</i> , 2018, 78, 2457-2462.	0.4	92
64	miR-21 depletion in macrophages promotes tumoricidal polarization and enhances PD-1 immunotherapy. <i>Oncogene</i> , 2018, 37, 3151-3165.	2.6	90
65	BPIFB1 (LPLUNC1) inhibits migration and invasion of nasopharyngeal carcinoma by interacting with VTN and VIM. <i>British Journal of Cancer</i> , 2018, 118, 233-247.	2.9	73
66	The emerging role of Epstein-Barr virus encoded microRNAs in nasopharyngeal carcinoma. <i>Journal of Cancer</i> , 2018, 9, 2852-2864.	1.2	83
67	The role of exosomal non-coding RNAs in cancer metastasis. <i>Oncotarget</i> , 2018, 9, 12487-12502.	0.8	47
68	LncRNAs regulate cancer metastasis via binding to functional proteins. <i>Oncotarget</i> , 2018, 9, 1426-1443.	0.8	55
69	Effects of tumor metabolic microenvironment on regulatory T cells. <i>Molecular Cancer</i> , 2018, 17, 168.	7.9	119
70	Application of atomic force microscopy in cancer research. <i>Journal of Nanobiotechnology</i> , 2018, 16, 102.	4.2	127
71	Long noncoding RNA AFAP1-AS1 acts as a competing endogenous RNA of miR-423-5p to facilitate nasopharyngeal carcinoma metastasis through regulating the Rho/Rac pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 253.	3.5	148
72	Malignant Transformation of Human Bronchial Epithelial Cells Induced by Arsenic through STAT3/miR-301a/SMAD4 Loop. <i>Scientific Reports</i> , 2018, 8, 13291.	1.6	21

#	ARTICLE	IF	CITATIONS
73	Targeting the IDO1 pathway in cancer: from bench to bedside. <i>Journal of Hematology and Oncology</i> , 2018, 11, 100.	6.9	277
74	Circular RNAs function as ceRNAs to regulate and control human cancer progression. <i>Molecular Cancer</i> , 2018, 17, 79.	7.9	757
75	Identification of genomic alterations in nasopharyngeal carcinoma and nasopharyngeal carcinoma-derived Epstein-Barr virus by whole-genome sequencing. <i>Carcinogenesis</i> , 2018, 39, 1517-1528.	1.3	74
76	Circular RNAs in human cancer. <i>Molecular Cancer</i> , 2017, 16, 25.	7.9	310
77	Leucovorin Enhances the Anti-cancer Effect of Bortezomib in Colorectal Cancer Cells. <i>Scientific Reports</i> , 2017, 7, 682.	1.6	24
78	Genome-Wide Analysis of 18 Epstein-Barr Viruses Isolated from Primary Nasopharyngeal Carcinoma Biopsy Specimens. <i>Journal of Virology</i> , 2017, 91, .	1.5	70
79	KRAS/NF- κ B/YY1/miR-489 Signaling Axis Controls Pancreatic Cancer Metastasis. <i>Cancer Research</i> , 2017, 77, 100-111.	0.4	86
80	High Expression of LINC01420 indicates an unfavorable prognosis and modulates cell migration and invasion in nasopharyngeal carcinoma. <i>Journal of Cancer</i> , 2017, 8, 97-103.	1.2	59
81	Long non-coding RNA AFAP1-AS1 is a novel biomarker in various cancers: a systematic review and meta-analysis based on the literature and GEO datasets. <i>Oncotarget</i> , 2017, 8, 102346-102360.	0.8	30
82	Upregulated long non-coding RNA LINC00152 expression is associated with progression and poor prognosis of tongue squamous cell carcinoma. <i>Journal of Cancer</i> , 2017, 8, 523-530.	1.2	105
83	Overexpression long non-coding RNA <i>LINC00673</i> is associated with poor prognosis and promotes invasion and metastasis in tongue squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 16621-16632.	0.8	92
84	Co-expression of AFAP1-AS1 and PD-1 predicts poor prognosis in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2017, 8, 39001-39011.	0.8	114
85	Assessment of CD37 B-cell antigen and cell of origin significantly improves risk prediction in diffuse large B-cell lymphoma. <i>Blood</i> , 2016, 128, 3083-3100.	0.6	59
86	Clinical and Biologic Significance of <i>MYC</i> Genetic Mutations in <i>De Novo</i> Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2016, 22, 3593-3605.	3.2	48
87	Cancer testis antigen SPAC9 is a promising marker for the diagnosis and treatment of lung cancer. <i>Oncology Reports</i> , 2016, 35, 2599-2605.	1.2	20
88	Epstein-Barr virus-encoded miR-BART6-3p inhibits cancer cell metastasis and invasion by targeting long non-coding RNA LOC553103. <i>Cell Death and Disease</i> , 2016, 7, e2353-e2353.	2.7	118
89	An integrative transcriptomic analysis reveals p53 regulated miRNA, mRNA, and lncRNA networks in nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2016, 37, 3683-3695.	0.8	61
90	Epstein-Barr virus encoded miR-BART11 promotes inflammation-induced carcinogenesis by targeting FOXP1. <i>Oncotarget</i> , 2016, 7, 36783-36799.	0.8	78

#	ARTICLE	IF	CITATIONS
91	Modulation of tumorigenesis by the pro-inflammatory microRNA miR-301a in mouse models of lung cancer and colorectal cancer. <i>Cell Discovery</i> , 2015, 1, 15005.	3.1	34
92	The oncogenic microRNA miR-21 promotes regulated necrosis in mice. <i>Nature Communications</i> , 2015, 6, 7151.	5.8	78
93	Clinical features, tumor biology, and prognosis associated with MYC rearrangement and Myc overexpression in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. <i>Modern Pathology</i> , 2015, 28, 1555-1573.	2.9	48
94	LOC401317, a p53-Regulated Long Non-Coding RNA, Inhibits Cell Proliferation and Induces Apoptosis in the Nasopharyngeal Carcinoma Cell Line HNE2. <i>PLoS ONE</i> , 2014, 9, e110674.	1.1	93
95	Regulation network and expression profiles of Epstein-Barr virus-encoded microRNAs and their potential target host genes in nasopharyngeal carcinomas. <i>Science China Life Sciences</i> , 2014, 57, 315-326.	2.3	66
96	MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 121, 4021-4031.	0.6	596
97	Patients with diffuse large B-cell lymphoma of germinal center origin with BCL2 translocations have poor outcome, irrespective of MYC status: a report from an International DLBCL rituximab-CHOP Consortium Program Study. <i>Haematologica</i> , 2013, 98, 255-263.	1.7	142
98	Expression of LINC00312, a long intergenic non-coding RNA, is negatively correlated with tumor size but positively correlated with lymph node metastasis in nasopharyngeal carcinoma. <i>Journal of Molecular Histology</i> , 2013, 44, 545-554.	1.0	104
99	Interaction of the oncogenic miR-21 microRNA and the p53 tumor suppressor pathway. <i>Carcinogenesis</i> , 2013, 34, 1216-1223.	1.3	60
100	Single nucleotide variation in the TP53 3' UTR untranslated region in diffuse large B-cell lymphoma treated with rituximab-CHOP: a report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 121, 4529-4540.	0.6	41
101	LPLUNC1 Inhibits Nasopharyngeal Carcinoma Cell Growth via Down-Regulation of the MAP Kinase and Cyclin D1/E2F Pathways. <i>PLoS ONE</i> , 2013, 8, e62869.	1.1	47
102	Long non-coding RNAs in cancer. <i>Science China Life Sciences</i> , 2012, 55, 1120-1124.	2.3	65
103	miR-301a as an NF- κ B activator in pancreatic cancer cells. <i>EMBO Journal</i> , 2011, 30, 57-67.	3.5	204
104	MicroRNAs in NF- κ B signaling. <i>Journal of Molecular Cell Biology</i> , 2011, 3, 159-166.	1.5	530
105	Loss of the miR-21 allele elevates the expression of its target genes and reduces tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 10144-10149.	3.3	202
106	Apoptosis and the target genes of microRNA-21. <i>Chinese Journal of Cancer</i> , 2011, 30, 371-380.	4.9	197
107	Apoptosis and the target genes of microRNA-21. <i>Chinese Journal of Cancer</i> , 2011, 30, 371-380.	4.9	227