Weiru Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1842504/publications.pdf

Version: 2024-02-01

101543 8,474 80 36 citations h-index papers

78 g-index 84 84 84 15164 docs citations times ranked citing authors all docs

66911

#	Article	IF	CITATIONS
1	Discovery of a selective inhibitor of oncogenic B-Raf kinase with potent antimelanoma activity. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 3041-3046.	7.1	1,206
2	Diverse somatic mutation patterns and pathway alterations in human cancers. Nature, 2010, 466, 869-873.	27.8	1,189
3	Recurrent R-spondin fusions in colon cancer. Nature, 2012, 488, 660-664.	27.8	862
4	Small-molecule ligands bind to a distinct pocket in Ras and inhibit SOS-mediated nucleotide exchange activity. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 5299-5304.	7.1	526
5	RAF inhibitors that evade paradoxical MAPK pathway activation. Nature, 2015, 526, 583-586.	27.8	322
6	Spectrum of diverse genomic alterations define non–clear cell renal carcinoma subtypes. Nature Genetics, 2015, 47, 13-21.	21.4	310
7	Somatic Mutations in p85α Promote Tumorigenesis through Class IA PI3K Activation. Cancer Cell, 2009, 16, 463-474.	16.8	291
8	A Therapeutic Antibody Targeting BACE1 Inhibits Amyloid- \hat{l}^2 Production in Vivo. Science Translational Medicine, 2011, 3, 84ra43.	12.4	246
9	An ARL3–UNC119–RP2 GTPase cycle targets myristoylated NPHP3 to the primary cilium. Genes and Development, 2011, 25, 2347-2360.	5.9	202
10	Structural Characterization of the Reaction Pathway in Phosphoserine Phosphatase: Crystallographic "snapshots―of Intermediate States. Journal of Molecular Biology, 2002, 319, 421-431.	4.2	170
11	Targeting Protein-Protein Interaction by Small Molecules. Annual Review of Pharmacology and Toxicology, 2014, 54, 435-456.	9.4	170
12	Wnt Antagonists Bind through a Short Peptide to the First \hat{l}^2 -Propeller Domain of LRP5/6. Structure, 2011, 19, 1433-1442.	3.3	143
13	Dynamic and clustering model of bacterial chemotaxis receptors: Structural basis for signaling and high sensitivity. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 11611-11615.	7.1	141
14	Scaffold-based discovery of indeglitazar, a PPAR pan-active anti-diabetic agent. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 262-267.	7.1	134
15	Crystal Structure of Phosphoserine Phosphatase from Methanococcus jannaschii, a Hyperthermophile, at 1.8 Ã Resolution. Structure, 2001, 9, 65-71.	3.3	130
16	The crystal structures of human steroidogenic factor-1 and liver receptor homologue-1. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 7505-7510.	7.1	129
17	Discovery of (<i>>S</i>)-1-(1-(4-Chloro-3-fluorophenyl)-2-hydroxyethyl)-4-(2-((1-methyl-1 <i>H</i> -pyrazol-5-yl)amino)pyrimidir (GDC-0994), an Extracellular Signal-Regulated Kinase 1/2 (ERK1/2) Inhibitor in Early Clinical Development, Journal of Medicinal Chemistry, 2016, 59, 5650-5660.	-4-yl)pyrid 6.4	in-2(1 <i>H</i> 123
18	Regulation of the oncoprotein Smoothened by small molecules. Nature Chemical Biology, 2015, 11, 246-255.	8.0	107

#	Article	IF	CITATIONS
19	Inhibitors of p21-Activated Kinases (PAKs). Journal of Medicinal Chemistry, 2015, 58, 111-129.	6.4	98
20	Crystal Structure and Mechanism of Catalysis of a Pyrazinamidase from Pyrococcus horikoshii. Biochemistry, 2001, 40, 14166-14172.	2.5	96
21	Unsaturated fatty acyl recognition by Frizzled receptors mediates dimerization upon Wnt ligand binding. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 4147-4152.	7.1	95
22	Ras inhibition via direct Ras bindingâ€"is there a path forward?. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 5766-5776.	2.2	87
23	Structure of Crenezumab Complex with AÎ ² Shows Loss of Î ² -Hairpin. Scientific Reports, 2016, 6, 39374.	3.3	84
24	Disruption of IRE1 \hat{l} ± through its kinase domain attenuates multiple myeloma. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 16420-16429.	7.1	78
25	Structural characterization of autoinhibited c-Met kinase produced by coexpression in bacteria with phosphatase. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 3563-3568.	7.1	76
26	Design of Selective PAK1 Inhibitor G-5555: Improving Properties by Employing an Unorthodox Low-p <i>K</i> _a Polar Moiety. ACS Medicinal Chemistry Letters, 2015, 6, 1241-1246.	2.8	68
27	Structure-Based Discovery of Novel Amide-Containing Nicotinamide Phosphoribosyltransferase (Nampt) Inhibitors. Journal of Medicinal Chemistry, 2013, 56, 6413-6433.	6.4	61
28	X-ray Crystal Structure of Glycinamide Ribonucleotide Synthetase fromEscherichia coliâ€,‡. Biochemistry, 1998, 37, 15647-15662.	2.5	57
29	High-Throughput Detection of Clinically Relevant Mutations in Archived Tumor Samples by Multiplexed PCR and Next-Generation Sequencing. Clinical Cancer Research, 2014, 20, 2080-2091.	7.0	57
30	Chemically Diverse Group I p21-Activated Kinase (PAK) Inhibitors Impart Acute Cardiovascular Toxicity with a Narrow Therapeutic Window. Journal of Medicinal Chemistry, 2016, 59, 5520-5541.	6.4	57
31	Structure-Based Identification of Ureas as Novel Nicotinamide Phosphoribosyltransferase (Nampt) Inhibitors. Journal of Medicinal Chemistry, 2013, 56, 4921-4937.	6.4	55
32	Dimerization of the kinase ARAF promotes MAPK pathway activation and cell migration. Science Signaling, 2014, 7, ra73.	3.6	52
33	Back Pocket Flexibility Provides Group II p21-Activated Kinase (PAK) Selectivity for Type I 1/2 Kinase Inhibitors. Journal of Medicinal Chemistry, 2014, 57, 1033-1045.	6.4	50
34	A selective peptide inhibitor of Frizzled 7 receptors disrupts intestinal stem cells. Nature Chemical Biology, 2018, 14, 582-590.	8.0	50
35	Reduction in lipophilicity improved the solubility, plasma–protein binding, and permeability of tertiary sulfonamide RORc inverse agonists. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 3891-3897.	2.2	45
36	Structural and Biochemical Analyses of the Catalysis and Potency Impact of Inhibitor Phosphoribosylation by Human Nicotinamide Phosphoribosyltransferase. ChemBioChem, 2014, 15, 1121-1130.	2.6	42

#	Article	IF	CITATIONS
37	Discovery of potent and efficacious urea-containing nicotinamide phosphoribosyltransferase (NAMPT) inhibitors with reduced CYP2C9 inhibition properties. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 3531-3538.	2.2	38
38	Identification of amides derived from 1H-pyrazolo[3,4-b]pyridine-5-carboxylic acid as potent inhibitors of human nicotinamide phosphoribosyltransferase (NAMPT). Bioorganic and Medicinal Chemistry Letters, 2013, 23, 5488-5497.	2.2	37
39	ERK Mutations and Amplification Confer Resistance to ERK-Inhibitor Therapy. Clinical Cancer Research, 2018, 24, 4044-4055.	7.0	36
40	Fragment-Based Identification of Amides Derived from <i>trans</i> -2-(Pyridin-3-yl)cyclopropanecarboxylic Acid as Potent Inhibitors of Human Nicotinamide Phosphoribosyltransferase (NAMPT). Journal of Medicinal Chemistry, 2014, 57, 770-792.	6.4	34
41	Next-Generation Sequencing Reveals Novel Mutations in X-linked Intellectual Disability. OMICS A Journal of Integrative Biology, 2017, 21, 295-303.	2.0	34
42	Crystal structure of tRNA (m1G37) methyltransferase from Aquifex aeolicus at 2.6 \tilde{A} resolution: A novel methyltransferase fold. Proteins: Structure, Function and Bioinformatics, 2003, 53, 326-328.	2.6	33
43	Development and Preclinical Characterization of a Humanized Antibody Targeting CXCL12. Clinical Cancer Research, 2013, 19, 4433-4445.	7.0	33
44	Structure-Guided Design of Group I Selective p21-Activated Kinase Inhibitors. Journal of Medicinal Chemistry, 2015, 58, 5121-5136.	6.4	33
45	Crystal structure of flavin binding to FAD synthetase of Thermotoga maritima. Proteins: Structure, Function and Bioinformatics, 2004, 58, 246-248.	2.6	32
46	Identification of 2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-derived ureas as potent inhibitors of human nicotinamide phosphoribosyltransferase (NAMPT). Bioorganic and Medicinal Chemistry Letters, 2013, 23, 4875-4885.	2.2	31
47	Discovery of Highly Potent, Selective, and Efficacious Small Molecule Inhibitors of ERK1/2. Journal of Medicinal Chemistry, 2015, 58, 1976-1991.	6.4	31
48	Allosteric inhibition of BACE1 by an exosite-binding antibody. Current Opinion in Structural Biology, 2013, 23, 797-805.	5.7	30
49	Discovery of 5,6,7,8-tetrahydropyrido[3,4-d]pyrimidine inhibitors of Erk2. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 2635-2639.	2.2	29
50	Activation loop dynamics are controlled by conformation-selective inhibitors of ERK2. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 15463-15468.	7.1	28
51	Characterization of Oxidative Carbonylation on Recombinant Monoclonal Antibodies. Analytical Chemistry, 2014, 86, 4799-4806.	6.5	26
52	Hematopoietic Progenitor Kinase-1 Structure in a Domain-Swapped Dimer. Structure, 2019, 27, 125-133.e4.	3.3	26
53	Structural Basis for Resistance to Diverse Classes of NAMPT Inhibitors. PLoS ONE, 2014, 9, e109366.	2.5	25
54	Minimizing CYP2C9 Inhibition of Exposed-Pyridine NAMPT (Nicotinamide Phosphoribosyltransferase) Inhibitors. Journal of Medicinal Chemistry, 2016, 59, 8345-8368.	6.4	24

#	Article	IF	CITATIONS
55	Activation of the IRE1 RNase through remodeling of the kinase front pocket by ATP-competitive ligands. Nature Communications, 2020, 11, 6387.	12.8	24
56	Decoding non-canonical mRNA decay by the endoplasmic-reticulum stress sensor IRE1 $\hat{l}\pm$. Nature Communications, 2021, 12, 7310.	12.8	24
57	Synthesis and Evaluation of Multisubstrate Bicyclic Pyrimidine Nucleoside Inhibitors of Human Thymidine Phosphorylase. Journal of Medicinal Chemistry, 2006, 49, 7807-7815.	6.4	23
58	Crystal structure of a flavin-binding protein from Thermotoga maritima. Proteins: Structure, Function and Bioinformatics, 2003, 52, 633-635.	2.6	22
59	Identification of nicotinamide phosphoribosyltransferase (NAMPT) inhibitors with no evidence of CYP3A4 time-dependent inhibition and improved aqueous solubility. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 529-541.	2.2	22
60	Fragment-based design of 3-aminopyridine-derived amides as potent inhibitors of human nicotinamide phosphoribosyltransferase (NAMPT). Bioorganic and Medicinal Chemistry Letters, 2014, 24, 954-962.	2.2	19
61	Development, Optimization, and Structural Characterization of an Efficient Peptide-Based Photoaffinity Cross-Linking Reaction for Generation of Homogeneous Conjugates from Wild-Type Antibodies. Bioconjugate Chemistry, 2019, 30, 148-160.	3.6	17
62	Targeting KRAS Mutant Cancers via Combination Treatment: Discovery of a 5-Fluoro-4-(3 <i>H</i>)-quinazolinone Aryl Urea pan-RAF Kinase Inhibitor. Journal of Medicinal Chemistry, 2021, 64, 3940-3955.	6.4	17
63	Discovery of Spiro-azaindoline Inhibitors of Hematopoietic Progenitor Kinase 1 (HPK1). ACS Medicinal Chemistry Letters, 2022, 13, 84-91.	2.8	17
64	Discovery of potent and efficacious cyanoguanidine-containing nicotinamide phosphoribosyltransferase (Nampt) inhibitors. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 337-343.	2.2	15
65	Single cell-produced and <i>in vitro</i> -assembled anti-FcRH5/CD3 T-cell dependent bispecific antibodies have similar <i>in vitro</i> and <i>in vivo</i> properties. MAbs, 2019, 11, 422-433.	5.2	14
66	Fragment-based discovery of potent ERK2 pyrrolopyrazine inhibitors. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 4728-4732.	2.2	13
67	Leveraging the Pre-DFG Residue Thr-406 To Obtain High Kinase Selectivity in an Aminopyrazole-Type PAK1 Inhibitor Series. ACS Medicinal Chemistry Letters, 2015, 6, 711-715.	2.8	11
68	Synthesis and evaluation of a series of 4-azaindole-containing p21-activated kinase-1 inhibitors. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 3518-3524.	2.2	10
69	A saturation mutagenesis screen uncovers resistant and sensitizing secondary <i>KRAS</i> mutations to clinical KRAS ^{G12C} inhibitors. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2120512119.	7.1	9
70	Novel multisubstrate inhibitors of mammalian purine nucleoside phosphorylase. Acta Crystallographica Section D: Biological Crystallography, 2005, 61, 1449-1458.	2.5	7
71	NMR Study to Identify a Ligand-Binding Pocket in Ras. The Enzymes, 2013, 33 Pt A, 15-39.	1.7	7
72	Identification of BRaf-Sparing Amino-Thienopyrimidines with Potent IRE1α Inhibitory Activity. ACS Medicinal Chemistry Letters, 2020, 11, 2389-2396.	2.8	6

#	Article	IF	CITATIONS
73	Diethylaminosulfur trifluoride-mediated intramolecular cyclization of 2-hydroxycycloalkylureas to fused bicyclic aminooxazoline compounds and evaluation of their biochemical activity against β-secretase-1 (BACE-1). Tetrahedron Letters, 2013, 54, 5802-5807.	1.4	5
74	Conformation-locking antibodies for the discovery and characterization of KRAS inhibitors. Nature Biotechnology, 2022, 40, 769-778.	17. 5	5
75	Targeting KRAS Mutant Cancers via Combination Treatment: Discovery of a Pyridopyridazinone pan-RAF Kinase Inhibitor. ACS Medicinal Chemistry Letters, 2021, 12, 791-797.	2.8	3
76	Purification, crystallization and preliminary X-ray diffraction data from selenomethionine glycinamide ribonucleotide synthetase. Acta Crystallographica Section D: Biological Crystallography, 1999, 55, 518-521.	2.5	1
77	Chemotaxis Receptor in Bacteria. , 2010, , 195-200.		1
78	An Approach to Bioactivity Assessment for Critical Quality Attribute Identification Based on Antibody-Antigen Complex Structure. Journal of Pharmaceutical Sciences, 2021, 110, 1652-1660.	3.3	1
79	Chemotaxis Receptor in Bacteria: Transmembrane Signaling, Sensitivity, Adaptation, and Receptor Clustering., 2003, , 197-202.		0
80	In Vitro Protein Production for Structure Determination with the RTS System., 2002, , 227-233.		0