

# Michael D Fox

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1844101/publications.pdf>

Version: 2024-02-01

114  
papers

39,373  
citations

23879

60  
h-index

27587

110  
g-index

119  
all docs

119  
docs citations

119  
times ranked

30372  
citing authors

#	ARTICLE	IF	CITATIONS
1	Is There an Optimal Repetitive Transcranial Magnetic Stimulation Target to Treat Chronic Tinnitus?. Otolaryngology - Head and Neck Surgery, 2023, 168, 300-306.	1.1	3
2	A Neural Circuit for Spirituality and Religiosity Derived From Patients With Brain Lesions. Biological Psychiatry, 2022, 91, 380-388.	0.7	26
3	Using brain lesions to inform connectomic DBS. , 2022, , 325-337.		1
4	Combining invasive and noninvasive brain stimulation. , 2022, , 505-523.		2
5	Network Localization of Unconscious Visual Perception in Blindsight. Annals of Neurology, 2022, 91, 217-224.	2.8	10
6	Associations Between Stroke Localization and Delirium: A Systematic Review and Meta-Analysis. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106270.	0.7	10
7	A brain network for deep brain stimulation induced cognitive decline in Parkinson's disease. Brain, 2022, 145, 1410-1421.	3.7	36
8	A neural network for tics: insights from causal brain lesions and deep brain stimulation. Brain, 2022, 145, 4385-4397.	3.7	32
9	Regional Distribution of Brain Injury After Cardiac Arrest. Neurology, 2022, 98, .	1.5	13
10	Sex-specific lesion pattern of functional outcomes after stroke. Brain Communications, 2022, 4, fcac020.	1.5	8
11	Updated scalp heuristics for localizing the dorsolateral prefrontal cortex based on convergent evidence of lesion and brain stimulation studies in depression. Brain Stimulation, 2022, 15, 291-295.	0.7	11
12	Toward personalized medicine in connectomic deep brain stimulation. Progress in Neurobiology, 2022, 210, 102211.	2.8	31
13	Converging on a Neuromodulation Target for Tremor. Annals of Neurology, 2022, 91, 581-584.	2.8	5
14	Placebo effects and neuromodulation for depression: a meta-analysis and evaluation of shared mechanisms. Molecular Psychiatry, 2022, 27, 1658-1666.	4.1	20
15	Causal mapping of human brain function. Nature Reviews Neuroscience, 2022, 23, 361-375.	4.9	106
16	Lesion network mapping of mania using different normative connectomes. Brain Structure and Function, 2022, 227, 3121-3127.	1.2	7
17	Circuit-Targeted Neuromodulation for Anhedonia. Current Topics in Behavioral Neurosciences, 2022, , 515-535.	0.8	6
18	Lesion Network Mapping Using Resting-State Functional Connectivity MRI. Neuromethods, 2022, , 181-198.	0.2	1

#	ARTICLE	IF	CITATIONS
19	Brain lesions disrupting addiction map to a common human brain circuit. <i>Nature Medicine</i> , 2022, 28, 1249-1255.	15.2	61
20	Lesion network mapping for symptom localization: recent developments and future directions. <i>Current Opinion in Neurology</i> , 2022, 35, 453-459.	1.8	15
21	Using Brain Imaging to Improve Spatial Targeting of Transcranial Magnetic Stimulation for Depression. <i>Biological Psychiatry</i> , 2021, 90, 689-700.	0.7	156
22	“Expedited Interhemispheric Inhibition”™: A Simple Method to Collect Additional IHI Data in the Same Amount of Time. <i>Brain Topography</i> , 2021, 34, 1-5.	0.8	3
23	Safety and recommendations for TMS use in healthy subjects and patient populations, with updates on training, ethical and regulatory issues: Expert Guidelines. <i>Clinical Neurophysiology</i> , 2021, 132, 269-306.	0.7	553
24	Lesions causing hallucinations localize to one common brain network. <i>Molecular Psychiatry</i> , 2021, 26, 1299-1309.	4.1	74
25	Tuber Locations Associated with Infantile Spasms Map to a Common Brain Network. <i>Annals of Neurology</i> , 2021, 89, 726-739.	2.8	24
26	Co-activation patterns across multiple tasks reveal robust anti-correlated functional networks. <i>NeuroImage</i> , 2021, 227, 117680.	2.1	25
27	Lesion network mapping predicts post-stroke behavioural deficits and improves localization. <i>Brain</i> , 2021, 144, e35-e35.	3.7	21
28	Identification of Personalized Transcranial Magnetic Stimulation Targets Based on Subgenual Cingulate Connectivity: An Independent Replication. <i>Biological Psychiatry</i> , 2021, 90, e55-e56.	0.7	49
29	Brain stimulation and brain lesions converge on common causal circuits in neuropsychiatric disease. <i>Nature Human Behaviour</i> , 2021, 5, 1707-1716.	6.2	113
30	Reply: Looking beyond indirect lesion network mapping of prosopagnosia: direct measures required. <i>Brain</i> , 2021, 144, e76.	3.7	1
31	Clinical applications of magnetic resonance imaging based functional and structural connectivity. <i>NeuroImage</i> , 2021, 244, 118649.	2.1	21
32	Coordinate Network Mapping: An Emerging Approach for Morphometric Meta-Analysis. <i>American Journal of Psychiatry</i> , 2021, 178, 1080-1081.	4.0	3
33	Freezing of gait: understanding the complexity of an enigmatic phenomenon. <i>Brain</i> , 2020, 143, 14-30.	3.7	97
34	Mapping migraine to a common brain network. <i>Brain</i> , 2020, 143, 541-553.	3.7	55
35	Cortical lesions causing loss of consciousness are anticorrelated with the dorsal brainstem. <i>Human Brain Mapping</i> , 2020, 41, 1520-1531.	1.9	49
36	Opportunities of connectomic neuromodulation. <i>NeuroImage</i> , 2020, 221, 117180.	2.1	119

#	ARTICLE	IF	CITATIONS
37	Reply: No grey matter alterations in longitudinal data of migraine patients. <i>Brain</i> , 2020, 143, e94-e94.	3.7	0
38	Reply: The influence of sample size and arbitrary statistical thresholds in lesion-network mapping. <i>Brain</i> , 2020, 143, e41-e41.	3.7	21
39	Reply: A lack of consistent brain grey matter alterations in migraine. <i>Brain</i> , 2020, 143, e46-e46.	3.7	0
40	Individualized perturbation of the human connectome reveals reproducible biomarkers of network dynamics relevant to cognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8115-8125.	3.3	99
41	Distinct Symptom-Specific Treatment Targets for Circuit-Based Neuromodulation. <i>American Journal of Psychiatry</i> , 2020, 177, 435-446.	4.0	183
42	Mapping mania symptoms based on focal brain damage. <i>Journal of Clinical Investigation</i> , 2020, 130, 5209-5222.	3.9	42
43	A human memory circuit derived from brain lesions causing amnesia. <i>Nature Communications</i> , 2019, 10, 3497.	5.8	108
44	A Human Depression Circuit Derived From Focal Brain Lesions. <i>Biological Psychiatry</i> , 2019, 86, 749-758.	0.7	158
45	Neuroimaging in Parkinson's disease dementia: connecting the dots. <i>Brain Communications</i> , 2019, 1, fcz006.	1.5	62
46	Mapping holmes tremor circuit using the human brain connectome. <i>Annals of Neurology</i> , 2019, 86, 812-820.	2.8	54
47	Image Is Everything. <i>Annals of Neurology</i> , 2019, 86, 641-642.	2.8	0
48	Neural function in <i>DCC</i> mutation carriers with and without mirror movements. <i>Annals of Neurology</i> , 2019, 85, 433-442.	2.8	12
49	Network localization of cervical dystonia based on causal brain lesions. <i>Brain</i> , 2019, 142, 1660-1674.	3.7	160
50	Reply: Heterogeneous neuroimaging findings, damage propagation and connectivity: an integrative view. <i>Brain</i> , 2019, 142, e18-e18.	3.7	2
51	Looking beyond the face area: lesion network mapping of prosopagnosia. <i>Brain</i> , 2019, 142, 3975-3990.	3.7	91
52	Network localization of heterogeneous neuroimaging findings. <i>Brain</i> , 2019, 142, 70-79.	3.7	91
53	Rostral anterior cingulate cortex is a structural correlate of repetitive TMS treatment response in depression. <i>Brain Stimulation</i> , 2018, 11, 575-581.	0.7	66
54	Lesion network localization of criminal behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 601-606.	3.3	147

#	ARTICLE	IF	CITATIONS
55	Prospective Validation That Subgenual Connectivity Predicts Antidepressant Efficacy of Transcranial Magnetic Stimulation Sites. <i>Biological Psychiatry</i> , 2018, 84, 28-37.	0.7	323
56	Mapping Symptoms to Brain Networks with the Human Connectome. <i>New England Journal of Medicine</i> , 2018, 379, 2237-2245.	13.9	416
57	Lesion network localization of free will. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 10792-10797.	3.3	108
58	Connectivity of sleep- and wake-promoting regions of the human hypothalamus observed during resting wakefulness. <i>Sleep</i> , 2018, 41, .	0.6	33
59	Tai Chi for Reducing Dual-task Gait Variability, a Potential Mediator of Fall Risk in Parkinson's Disease: A Pilot Randomized Controlled Trial. <i>Global Advances in Health and Medicine</i> , 2018, 7, 216495611877538.	0.7	42
60	Localizing parkinsonism based on focal brain lesions. <i>Brain</i> , 2018, 141, 2445-2456.	3.7	111
61	Resting-state functional connectivity of subcortical locomotor centers explains variance in walking capacity. <i>Human Brain Mapping</i> , 2018, 39, 4831-4843.	1.9	20
62	Identifying therapeutic targets from spontaneous beneficial brain lesions. <i>Annals of Neurology</i> , 2018, 84, 153-157.	2.8	55
63	Probabilistic conversion of neurosurgical DBS electrode coordinates into MNI space. <i>NeuroImage</i> , 2017, 150, 395-404.	2.1	121
64	Resting-state connectivity biomarkers define neurophysiological subtypes of depression. <i>Nature Medicine</i> , 2017, 23, 28-38.	15.2	1,554
65	Finding the imposter: brain connectivity of lesions causing delusional misidentifications. <i>Brain</i> , 2017, 140, 497-507.	3.7	175
66	Reply: Capgras syndrome: neuroanatomical assessment of brain MRI findings in an adolescent patient. <i>Brain</i> , 2017, 140, e44-e44.	3.7	13
67	Connectivity Predicts deep brain stimulation outcome in Parkinson disease. <i>Annals of Neurology</i> , 2017, 82, 67-78.	2.8	514
68	Multifocal tDCS targeting the resting state motor network increases cortical excitability beyond traditional tDCS targeting unilateral motor cortex. <i>NeuroImage</i> , 2017, 157, 34-44.	2.1	143
69	Lesions causing freezing of gait localize to a cerebellar functional network. <i>Annals of Neurology</i> , 2017, 81, 129-141.	2.8	129
70	Construction and modeling of a reconfigurable MRI coil for lowering SAR in patients with deep brain stimulation implants. <i>NeuroImage</i> , 2017, 147, 577-588.	2.1	58
71	Antidepressant Effect of Low-Frequency Right-Sided rTMS in Two Patients with Left Frontal Stroke. <i>Brain Stimulation</i> , 2017, 10, 150-151.	0.7	6
72	Towards a consensus regarding global signal regression for resting state functional connectivity MRI. <i>NeuroImage</i> , 2017, 154, 169-173.	2.1	852

#	ARTICLE	IF	CITATIONS
73	The impact of Tai Chi and Qigong mind-body exercises on motor and non-motor function and quality of life in Parkinson's disease: A systematic review and meta-analysis. <i>Parkinsonism and Related Disorders</i> , 2017, 41, 3-13.	1.1	141
74	Reply. <i>Pain</i> , 2016, 157, 1175-1176.	2.0	0
75	Network localization of hemichorea-hemiballismus. <i>Neurology</i> , 2016, 86, 2187-2195.	1.5	121
76	Multifocal repetitive TMS for motor and mood symptoms of Parkinson disease. <i>Neurology</i> , 2016, 87, 1907-1915.	1.5	131
77	A human brain network derived from coma-causing brainstem lesions. <i>Neurology</i> , 2016, 87, 2427-2434.	1.5	187
78	An open letter concerning do-it-yourself users of transcranial direct current stimulation. <i>Annals of Neurology</i> , 2016, 80, 1-4.	2.8	81
79	An integrated framework for targeting functional networks via transcranial magnetic stimulation. <i>NeuroImage</i> , 2016, 127, 86-96.	2.1	99
80	Combining task-evoked and spontaneous activity to improve pre-operative brain mapping with fMRI. <i>NeuroImage</i> , 2016, 124, 714-723.	2.1	24
81	Reliability correction for functional connectivity: Theory and implementation. <i>Human Brain Mapping</i> , 2015, 36, 4664-4680.	1.9	71
82	Transcranial magnetic stimulation of the brain. <i>Pain</i> , 2015, 156, 1601-1614.	2.0	125
83	Concordance Between BeamF3 and MRI-neuronavigated Target Sites for Repetitive Transcranial Magnetic Stimulation of the Left Dorsolateral Prefrontal Cortex. <i>Brain Stimulation</i> , 2015, 8, 965-973.	0.7	153
84	Brain Stimulation for Torsion Dystonia. <i>JAMA Neurology</i> , 2015, 72, 713.	4.5	68
85	Network localization of neurological symptoms from focal brain lesions. <i>Brain</i> , 2015, 138, 3061-3075.	3.7	364
86	Parcellating cortical functional networks in individuals. <i>Nature Neuroscience</i> , 2015, 18, 1853-1860.	7.1	429
87	Neurobiological basis of head motion in brain imaging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 6058-6062.	3.3	265
88	Optimization of multifocal transcranial current stimulation for weighted cortical pattern targeting from realistic modeling of electric fields. <i>NeuroImage</i> , 2014, 89, 216-225.	2.1	289
89	Resting-state networks link invasive and noninvasive brain stimulation across diverse psychiatric and neurological diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4367-75.	3.3	486
90	Transcranial Magnetic Stimulation in the Treatment of Neurological Disease. <i>Psychiatric Annals</i> , 2014, 44, 299-304.	0.1	0

#	ARTICLE	IF	CITATIONS
91	Individual Variability in Functional Connectivity Architecture of the Human Brain. <i>Neuron</i> , 2013, 77, 586-595.	3.8	949
92	Identification of reproducible individualized targets for treatment of depression with TMS based on intrinsic connectivity. <i>NeuroImage</i> , 2013, 66, 151-160.	2.1	275
93	“Bright tongue sign” in ALS. <i>Neurology</i> , 2012, 79, 1520-1520.	1.5	10
94	Measuring and manipulating brain connectivity with resting state functional connectivity magnetic resonance imaging (fcMRI) and transcranial magnetic stimulation (TMS). <i>NeuroImage</i> , 2012, 62, 2232-2243.	2.1	315
95	Exploration and modulation of brain network interactions with noninvasive brain stimulation in combination with neuroimaging. <i>European Journal of Neuroscience</i> , 2012, 35, 805-825.	1.2	138
96	Efficacy of Transcranial Magnetic Stimulation Targets for Depression Is Related to Intrinsic Functional Connectivity with the Subgenual Cingulate. <i>Biological Psychiatry</i> , 2012, 72, 595-603.	0.7	828
97	Clinical applications of resting state functional connectivity. <i>Frontiers in Systems Neuroscience</i> , 2010, 4, 19.	1.2	911
98	Noninvasive Functional and Structural Connectivity Mapping of the Human Thalamocortical System. <i>Cerebral Cortex</i> , 2010, 20, 1187-1194.	1.6	327
99	PREOPERATIVE SENSORIMOTOR MAPPING IN BRAIN TUMOR PATIENTS USING SPONTANEOUS FLUCTUATIONS IN NEURONAL ACTIVITY IMAGED WITH FUNCTIONAL MAGNETIC RESONANCE IMAGING. <i>Operative Neurosurgery</i> , 2009, 65, ons226-ons236.	0.4	146
100	The Global Signal and Observed Anticorrelated Resting State Brain Networks. <i>Journal of Neurophysiology</i> , 2009, 101, 3270-3283.	0.9	1,732
101	Resting-state Spontaneous Fluctuations in Brain Activity. <i>Academic Radiology</i> , 2009, 16, 578-583.	1.3	143
102	Intrinsic Functional Relations Between Human Cerebral Cortex and Thalamus. <i>Journal of Neurophysiology</i> , 2008, 100, 1740-1748.	0.9	399
103	Intrinsic Fluctuations within Cortical Systems Account for Intertrial Variability in Human Behavior. <i>Neuron</i> , 2007, 56, 171-184.	3.8	731
104	Distinct brain networks for adaptive and stable task control in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11073-11078.	3.3	2,290
105	A method for using blocked and event-related fMRI data to study “resting state” functional connectivity. <i>NeuroImage</i> , 2007, 35, 396-405.	2.1	522
106	Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. <i>Nature Reviews Neuroscience</i> , 2007, 8, 700-711.	4.9	5,936
107	Intrinsic functional architecture in the anaesthetized monkey brain. <i>Nature</i> , 2007, 447, 83-86.	13.7	1,730
108	Spontaneous neuronal activity distinguishes human dorsal and ventral attention systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10046-10051.	3.3	1,843

#	ARTICLE	IF	CITATIONS
109	Coherent spontaneous activity accounts for trial-to-trial variability in human evoked brain responses. <i>Nature Neuroscience</i> , 2006, 9, 23-25.	7.1	633
110	Coherent Spontaneous Activity Identifies a Hippocampal-Parietal Memory Network. <i>Journal of Neurophysiology</i> , 2006, 96, 3517-3531.	0.9	924
111	The BOLD onset transient: identification of novel functional differences in schizophrenia. <i>NeuroImage</i> , 2005, 25, 771-782.	2.1	41
112	Transient BOLD responses at block transitions. <i>NeuroImage</i> , 2005, 28, 956-966.	2.1	109
113	From The Cover: The human brain is intrinsically organized into dynamic, anticorrelated functional networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9673-9678.	3.3	7,496
114	Arthritis in Mice Due to Infection with <i>Mycoplasma pulmonis</i> , I. Clinical and Microbiologic Features. <i>Journal of Infectious Diseases</i> , 1973, 128, 533-540.	1.9	34