

Neil S Morton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1844170/publications.pdf>

Version: 2024-02-01

61
papers

4,016
citations

236925

25
h-index

168389

53
g-index

66
all docs

66
docs citations

66
times ranked

2692
citing authors

#	ARTICLE	IF	CITATIONS
1	Comment on "A manual propofol infusion regimen for neonates and infants"; Paediatric Anaesthesia, 2019, 29, 1153-1153.	1.1	0
2	Reply to Haydar, Bishr; Holman, Ashlee; Galante, Dario, regarding their comment "ESPA pain management ladder: Caudal clonidine and cost/benefit considerations"; Paediatric Anaesthesia, 2019, 29, 391-392.	1.1	0
3	Safe pediatric procedural sedation and analgesia by anesthesiologists for elective procedures: A clinical practice statement from the European Society for Paediatric Anaesthesiology. Paediatric Anaesthesia, 2019, 29, 583-590.	1.1	23
4	Neurodevelopmental outcome at 5 years of age after general anaesthesia or awake-regional anaesthesia in infancy (GAS): an international, multicentre, randomised, controlled equivalence trial. Lancet, The, 2019, 393, 664-677.	13.7	526
5	Enrollment challenges in multicenter, international studies: The example of the <sc>GAS</sc> trial. Paediatric Anaesthesia, 2019, 29, 51-58.	1.1	6
6	Postoperative pain management in children: Guidance from the pain committee of the European Society for Paediatric Anaesthesiology (<sc>ESPA</sc> Pain Management Ladder Initiative). Paediatric Anaesthesia, 2018, 28, 493-506.	1.1	87
7	Prevention of perioperative venous thromboembolism in pediatric patients: Guidelines from the Association of Paediatric Anaesthetists of Great Britain and Ireland (<sc>APAGBI</sc>). Paediatric Anaesthesia, 2018, 28, 382-391.	1.1	31
8	Surgical practice and outcome in 711 neonates and infants undergoing hernia repair in a large multicenter RCT: Secondary results from the GAS Study. Journal of Pediatric Surgery, 2018, 53, 1643-1650.	1.6	12
9	Incidence of severe critical events in paediatric anaesthesia in the United Kingdom: secondary analysis of the anaesthesia practice in children observational trial (APRICOT study). Anaesthesia, 2018, 74, 300-311.	3.8	26
10	Comment on "Optimized preoperative fasting times decrease ketone body concentration and stabilize mean arterial blood pressure during induction of anesthesia in children younger than 36 months: a prospective observational cohort study". Paediatric Anaesthesia, 2017, 27, 106-107.	1.1	0
11	Incidence of severe critical events in paediatric anaesthesia (APRICOT): a prospective multicentre observational study in 261 hospitals in Europe. Lancet Respiratory Medicine, the, 2017, 5, 412-425.	10.7	502
12	Neurodevelopmental outcome at 2 years of age after general anaesthesia and awake-regional anaesthesia in infancy (GAS): an international multicentre, randomised controlled trial. Lancet, The, 2016, 387, 239-250.	13.7	865
13	Apnea after Awake Regional and General Anesthesia in Infants. Anesthesiology, 2015, 123, 38-54.	2.5	243
14	Predictors of Failure of Awake Regional Anesthesia for Neonatal Hernia Repair. Anesthesiology, 2015, 123, 55-65.	2.5	52
15	Neurosurgical conditions and procedures in infancy are associated with mortality and academic performances in adolescence: a nationwide cohort study. Paediatric Anaesthesia, 2015, 25, 186-192.	1.1	26
16	Fond farewell. Paediatric Anaesthesia, 2015, 25, 1-1.	1.1	0
17	Anaesthesia and the developing nervous system: advice for clinicians and families. BJA Education, 2015, 15, 118-122.	1.4	1
18	Children's cognitive recovery after day-case general anesthesia: a randomized trial of propofol or isoflurane for dental procedures. Paediatric Anaesthesia, 2014, 24, 201-207.	1.1	25

#	ARTICLE	IF	CITATIONS
19	Total Intravenous Anesthesia (TIVA) and Target Controlled Infusions (TCI) in Children. Current Anesthesiology Reports, 2013, 3, 37-41.	2.0	1
20	Educational outcome in adolescence following pyloric stenosis repair before 3Âmonths of age: a nationwide cohort study. Paediatric Anaesthesia, 2013, 23, 883-890.	1.1	92
21	Pharmacokinetic profiles of epidural bupivacaine and ropivacaine following singleâ€shot and continuous epidural use in young infants. Paediatric Anaesthesia, 2012, 22, 430-437.	1.1	27
22	General anesthesia without intravenous access in children â€ a survey of current practice among members of the APAGBI and UK regional representatives of the APAGBI and the AAGBI. Paediatric Anaesthesia, 2012, 22, 438-441.	1.1	6
23	The painâ€free ward: myth or reality. Paediatric Anaesthesia, 2012, 22, 527-529.	1.1	24
24	Editorial: a special tribute to Isabelle Murat and Martin JÃhr. Paediatric Anaesthesia, 2012, 22, 509-510.	1.1	0
25	Academic Performance in Adolescence after Inguinal Hernia Repair in Infancy. Anesthesiology, 2011, 114, 1076-1085.	2.5	294
26	Total intravenous anesthesia (TIVA) in pediatric cardiac anesthesia. Paediatric Anaesthesia, 2011, 21, 560-566.	1.1	12
27	Safe sedation?. Anaesthesia, 2011, 66, 653-655.	3.8	3
28	Overview of total intravenous anesthesia in children. Paediatric Anaesthesia, 2010, 20, 211-222.	1.1	74
29	APA national audit of pediatric opioid infusions. Paediatric Anaesthesia, 2010, 20, 119-125.	1.1	97
30	<i>Proâ€Con Debate</i>: Proâ€con debate: cohort studies vs the randomized clinical trial methodology in pediatric anesthesia. Paediatric Anaesthesia, 2010, 20, 880-894.	1.1	10
31	Total Intravenous Anesthesia and Target-Controlled Infusion. , 2009, , 147-157.		0
32	Propofolâ€sparing or lipidâ€sparing?. Paediatric Anaesthesia, 2009, 19, 54-54.	1.1	2
33	Pediatric healthcare â€ the role for anesthesia and critical care services in the developing world. Paediatric Anaesthesia, 2009, 19, 1-4.	1.1	22
34	Tracheal intubation without neuromuscular blocking drugs in children. Paediatric Anaesthesia, 2009, 19, 199-201.	1.1	8
35	Survey of i.v. paracetamol (acetaminophen) use in neonates and infants under 1â€fyear of age by UK anesthetists. Paediatric Anaesthesia, 2009, 19, 329-337.	1.1	53
36	Editorial. Paediatric Anaesthesia, 2009, 19, III-IV.	1.1	1

#	ARTICLE	IF	CITATIONS
37	Publication ethics. Paediatric Anaesthesia, 2009, 19, 1011-1013.	1.1	10
38	Consent issues and pediatric regional anesthesia. Paediatric Anaesthesia, 2009, 19, 958-960.	1.1	14
39	Ketamine for procedural sedation and analgesia in pediatric emergency medicine: a UK perspective. Paediatric Anaesthesia, 2008, 18, 25-29.	1.1	44
40	Pediatric Anesthesia. Paediatric Anaesthesia, 2008, 18, 1-2.	1.1	1
41	Clinical adaptation of a pharmacokinetic model of Propofol plasma concentrations in children. Paediatric Anaesthesia, 2008, 18, 235-239.	1.1	18
42	Medical Procedures. Paediatric Anaesthesia, 2008, 18, 19-35.	1.1	6
43	Postoperative pain. Paediatric Anaesthesia, 2008, 18, 36-63.	1.1	74
44	New guidelines – a golden opportunity. Paediatric Anaesthesia, 2008, 18, 695-696.	1.1	1
45	Background. Paediatric Anaesthesia, 2008, 18, 1-3.	1.1	88
46	Quick reference summary of recommendations and good practice points. Paediatric Anaesthesia, 2008, 18, 4-13.	1.1	5
47	Analgesia Review. Paediatric Anaesthesia, 2008, 18, 64-78.	1.1	14
48	Anesthesia and Outcome after Neonatal Surgery. Anesthesiology, 2008, 109, 941-944.	2.5	69
49	Management of procedural pain in children. Archives of Disease in Childhood: Education and Practice Edition, 2007, 92, ep20-ep26.	0.5	8
50	Anesthesia Neurotoxicity in Neonates: The Need for Clinical Research. Anesthesia and Analgesia, 2007, 105, 881-882.	2.2	12
51	Consensus guidelines for sustained neuromuscular blockade in critically ill children. Paediatric Anaesthesia, 2007, 17, 881-887.	1.1	37
52	Paediatric day-case anaesthesia and pain control. Current Opinion in Anaesthesiology, 2006, 19, 617-621.	2.0	40
53	Consensus guidelines on sedation and analgesia in critically ill children. Intensive Care Medicine, 2006, 32, 1125-1136.	8.2	257
54	Anaesthesia for paediatric surgery. , 2006, , 247-270.		0

#	ARTICLE	IF	CITATIONS
55	Response to Editorial by G. Chalkiadis. Paediatric Anaesthesia, 2003, 13, 460-463.	1.1	2
56	Target controlled infusion of propofol for induction and maintenance of anaesthesia using the paedfusor: an open pilot study. Paediatric Anaesthesia, 2002, 12, 589-593.	1.1	36
57	Paracetamol-induced fulminant hepatic failure in a child after 5 days of therapeutic doses. Paediatric Anaesthesia, 1999, 9, 463-465.	1.1	36
58	Total intravenous anaesthesia (TIVA) in paediatrics: advantages and disadvantages. Paediatric Anaesthesia, 1998, 8, 189-194.	1.1	37
59	Pain assessment in children. Paediatric Anaesthesia, 1997, 7, 267-272.	1.1	44
60	A survey of interhospital transport of the critically ill child in the United Kingdom. Paediatric Anaesthesia, 1995, 5, 157-160.	1.1	10
61	Total intravenous anaesthesia (TIVA) in children. , 0, , 144-152.		0