

Dingzhong Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1845156/publications.pdf>

Version: 2024-02-01

92
papers

20,312
citations

47006

47
h-index

40979

93
g-index

95
all docs

95
docs citations

95
times ranked

34578
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
2	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
3	Ferroptosis: process and function. <i>Cell Death and Differentiation</i> , 2016, 23, 369-379.	11.2	2,270
4	The Beclin 1 network regulates autophagy and apoptosis. <i>Cell Death and Differentiation</i> , 2011, 18, 571-580.	11.2	1,972
5	Draft genome of the wheat A-genome progenitor <i>Triticum urartu</i> . <i>Nature</i> , 2013, 496, 87-90.	27.8	700
6	Plants transfer lipids to sustain colonization by mutualistic mycorrhizal and parasitic fungi. <i>Science</i> , 2017, 356, 1172-1175.	12.6	584
7	Receptor Kinases in Plant-Pathogen Interactions: More Than Pattern Recognition. <i>Plant Cell</i> , 2017, 29, 618-637.	6.6	552
8	HMGB1 release and redox regulates autophagy and apoptosis in cancer cells. <i>Oncogene</i> , 2010, 29, 5299-5310.	5.9	421
9	Negative regulation of defense responses in plants by a conserved MAPKK kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 373-378.	7.1	404
10	Simultaneous modification of three homoeologs of <i>TaEDR1</i> by genome editing enhances powdery mildew resistance in wheat. <i>Plant Journal</i> , 2017, 91, 714-724.	5.7	403
11	Release and activity of histone in diseases. <i>Cell Death and Disease</i> , 2014, 5, e1370-e1370.	6.3	324
12	From the Cover: Negative regulation of defense responses in plants by a conserved MAPKK kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 373-378.	7.1	265
13	Autophagy Contributes to Leaf Starch Degradation. <i>Plant Cell</i> , 2013, 25, 1383-1399.	6.6	217
14	BR-SIGNALING KINASE1 Physically Associates with FLAGELLIN SENSING2 and Regulates Plant Innate Immunity in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 1143-1157.	6.6	212
15	The HMGB1/RAGE inflammatory pathway promotes pancreatic tumor growth by regulating mitochondrial bioenergetics. <i>Oncogene</i> , 2014, 33, 567-577.	5.9	192
16	The <i>NB-LRR</i> gene <i>Pm60</i> confers powdery mildew resistance in wheat. <i>New Phytologist</i> , 2018, 218, 298-309.	7.3	157
17	Strange attractors: DAMPs and autophagy link tumor cell death and immunity. <i>Cell Death and Disease</i> , 2013, 4, e966-e966.	6.3	155
18	Plant immune signaling: Advancing on two frontiers. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 2-24.	8.5	152

#	ARTICLE	IF	CITATIONS
19	SR1, a Calmodulin-Binding Transcription Factor, Modulates Plant Defense and Ethylene-Induced Senescence by Directly Regulating <i>NDR1</i> and <i>EIN3</i> . <i>Plant Physiology</i> , 2012, 158, 1847-1859.	4.8	149
20	Regulation of Plant Disease Resistance, Stress Responses, Cell Death, and Ethylene Signaling in Arabidopsis by the EDR1 Protein Kinase. <i>Plant Physiology</i> , 2005, 138, 1018-1026.	4.8	140
21	ATG2, an autophagy-related protein, negatively affects powdery mildew resistance and mildew-induced cell death in Arabidopsis. <i>Plant Journal</i> , 2011, 68, 74-87.	5.7	140
22	EDR1 Physically Interacts with MKK4/MKK5 and Negatively Regulates a MAP Kinase Cascade to Modulate Plant Innate Immunity. <i>PLoS Genetics</i> , 2014, 10, e1004389.	3.5	136
23	The receptor for advanced glycation end products (RAGE) enhances autophagy and neutrophil extracellular traps in pancreatic cancer. <i>Cancer Gene Therapy</i> , 2015, 22, 326-334.	4.6	133
24	A Truncated NLR Protein, TIR-NBS2, Is Required for Activated Defense Responses in the <i>exo70B1</i> Mutant. <i>PLoS Genetics</i> , 2015, 11, e1004945.	3.5	127
25	Mutations in LACS2, a Long-Chain Acyl-Coenzyme A Synthetase, Enhance Susceptibility to Avirulent <i>Pseudomonas syringae</i> But Confer Resistance to <i>Botrytis cinerea</i> in Arabidopsis. <i>Plant Physiology</i> , 2007, 144, 1093-1103.	4.8	120
26	BRASSINOSTEROID-SIGNALING KINASE1 Phosphorylates MAPKKK5 to Regulate Immunity in Arabidopsis. <i>Plant Physiology</i> , 2018, 176, 2991-3002.	4.8	111
27	An <i>ERF</i> gene, <i>CPR30</i> , functions as a negative regulator of the defense response in Arabidopsis. <i>Plant Journal</i> , 2009, 60, 757-770.	5.7	108
28	Regulation of plant defense responses in Arabidopsis by EDR2, a PH and START domain-containing protein. <i>Plant Journal</i> , 2005, 44, 245-257.	5.7	96
29	<i>Magnaporthe oryzae</i> fimbrin organizes actin networks in the hyphal tip during polar growth and pathogenesis. <i>PLoS Pathogens</i> , 2020, 16, e1008437.	4.7	94
30	The E3 ligase OsPUB15 interacts with the receptor-like kinase PID2 and regulates plant cell death and innate immunity. <i>BMC Plant Biology</i> , 2015, 15, 49.	3.6	90
31	An ankyrin-repeat and WRKY-domain-containing immune receptor confers stripe rust resistance in wheat. <i>Nature Communications</i> , 2020, 11, 1353.	12.8	89
32	CALCIUM-DEPENDENT PROTEIN KINASE5 Associates with the Truncated NLR Protein TIR-NBS2 to Contribute to <i>exo70B1</i> -Mediated Immunity. <i>Plant Cell</i> , 2017, 29, 746-759.	6.6	87
33	PKR-Dependent Inflammatory Signals. <i>Science Signaling</i> , 2012, 5, pe47.	3.6	86
34	<i>Arabidopsis</i> glycosylphosphatidylinositol-anchored protein LLG1 associates with and modulates FLS2 to regulate innate immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 5749-5754.	7.1	85
35	RNA-Seq analysis reveals new gene models and alternative splicing in the fungal pathogen <i>Fusarium graminearum</i> . <i>BMC Genomics</i> , 2013, 14, 21.	2.8	79
36	ENHANCED DISEASE RESISTANCE4 Associates with CLATHRIN HEAVY CHAIN2 and Modulates Plant Immunity by Regulating Relocation of EDR1 in Arabidopsis. <i>Plant Cell</i> , 2015, 27, 857-873.	6.6	78

#	ARTICLE	IF	CITATIONS
37	You eat what you are: autophagy inhibition as a therapeutic strategy in leukemia. <i>Leukemia</i> , 2015, 29, 517-525.	7.2	77
38	A mutation in the GTP hydrolysis site of Arabidopsis dynamin-related protein 1E confers enhanced cell death in response to powdery mildew infection. <i>Plant Journal</i> , 2006, 47, 75-84.	5.7	73
39	Overexpression of a kinase-deficient form of the EDR1 gene enhances powdery mildew resistance and ethylene-induced senescence in Arabidopsis. <i>Plant Journal</i> , 2002, 32, 975-983.	5.7	72
40	RAGE is essential for oncogenic KRAS-mediated hypoxic signaling in pancreatic cancer. <i>Cell Death and Disease</i> , 2014, 5, e1480-e1480.	6.3	66
41	Mapping of QTLs conferring resistance to bacterial leaf streak in rice. <i>Theoretical and Applied Genetics</i> , 2000, 101, 286-291.	3.6	65
42	Transcriptional Regulation of the Immune Receptor FLS2 Controls the Ontogeny of Plant Innate Immunity. <i>Plant Cell</i> , 2018, 30, 2779-2794.	6.6	59
43	The <i>Arabidopsis</i> exocyst subunits EXO70B1 and EXO70B2 regulate FLS2 homeostasis at the plasma membrane. <i>New Phytologist</i> , 2020, 227, 529-544.	7.3	59
44	The <i>Pseudomonas syringae</i> type III effector AvrRpt2 functions downstream or independently of SA to promote virulence on <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2004, 37, 494-504.	5.7	57
45	RPN1a, a 26S proteasome subunit, is required for innate immunity in Arabidopsis. <i>Plant Journal</i> , 2012, 71, 1015-1028.	5.7	56
46	Two Arabidopsis Receptor-like Cytoplasmic Kinases SZE1 and SZE2 Associate with the ZAR1-ZED1 Complex and Are Required for Effector-Triggered Immunity. <i>Molecular Plant</i> , 2019, 12, 967-983.	8.3	55
47	Apoptosis promotes early tumorigenesis. <i>Oncogene</i> , 2011, 30, 1851-1854.	5.9	54
48	RECEPTOR-LIKE KINASE 902 Associates with and Phosphorylates BRASSINOSTEROID-SIGNALING KINASE1 to Regulate Plant Immunity. <i>Molecular Plant</i> , 2019, 12, 59-70.	8.3	53
49	HPR1, a component of the THO/TREX complex, plays an important role in disease resistance and senescence in Arabidopsis. <i>Plant Journal</i> , 2012, 69, 831-843.	5.7	52
50	EBR1, a Novel Zn ²⁺ Cys ⁶ Transcription Factor, Affects Virulence and Apical Dominance of the Hyphal Tip in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2011, 24, 1407-1418.	2.6	48
51	Role of AMP-activated protein kinase in cross-talk between apoptosis and autophagy in human colon cancer. <i>Cell Death and Disease</i> , 2014, 5, e1504-e1504.	6.3	48
52	<i>Arabidopsis</i> E3 ligase KEG associates with and ubiquitinates MKK4 and MKK5 to regulate plant immunity. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 327-339.	8.5	48
53	<i>Arabidopsis</i> ROOT UVB SENSITIVE2/WEAK AUXIN RESPONSE1 Is Required for Polar Auxin Transport. <i>Plant Cell</i> , 2010, 22, 1749-1761.	6.6	40
54	The <i>Pseudomonas Syringae</i> Effector AvrPtoB Associates With and Ubiquitinates Arabidopsis Exocyst Subunit EXO70B1. <i>Frontiers in Plant Science</i> , 2019, 10, 1027.	3.6	40

#	ARTICLE	IF	CITATIONS
55	Suppression of <i>edr2</i> -mediated powdery mildew resistance, cell death and ethylene-induced senescence by mutations in <i>ALD1</i> in <i>Arabidopsis</i> . <i>Journal of Genetics and Genomics</i> , 2011, 38, 137-148.	3.9	36
56	The autophagy gene, <i>ATG18a</i> , plays a negative role in powdery mildew resistance and mildew-induced cell death in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2011, 6, 1408-1410.	2.4	34
57	The major leaf ferredoxin <i>Fd2</i> regulates plant innate immunity in <i>Arabidopsis</i> . <i>Molecular Plant Pathology</i> , 2018, 19, 1377-1390.	4.2	32
58	<i>BSK1</i> , a receptor-like cytoplasmic kinase, involved in both BR signaling and innate immunity in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2013, 8, e24996.	2.4	30
59	Expression of antimicrobial peptides thanatin(S) in transgenic <i>Arabidopsis</i> enhanced resistance to phytopathogenic fungi and bacteria. <i>Gene</i> , 2013, 527, 235-242.	2.2	27
60	Relocation of genes generates non-conserved chromosomal segments in <i>Fusarium graminearum</i> that show distinct and co-regulated gene expression patterns. <i>BMC Genomics</i> , 2014, 15, 191.	2.8	27
61	A mutation in a coproporphyrinogen III oxidase gene confers growth inhibition, enhanced powdery mildew resistance and powdery mildew-induced cell death in <i>Arabidopsis</i> . <i>Plant Cell Reports</i> , 2013, 32, 687-702.	5.6	25
62	Mutation of the Glucosinolate Biosynthesis Enzyme Cytochrome P450 83A1 Monooxygenase Increases Camalexin Accumulation and Powdery Mildew Resistance. <i>Frontiers in Plant Science</i> , 2016, 7, 227.	3.6	25
63	<i>miR-142-3p</i> Inhibits the Metastasis of Hepatocellular Carcinoma Cells by Regulating <i>HMGCB1</i> Gene Expression. <i>Current Molecular Medicine</i> , 2018, 18, 135-141.	1.3	24
64	Transcriptome analysis of rice response to blast fungus identified core genes involved in immunity. <i>Plant, Cell and Environment</i> , 2021, 44, 3103-3121.	5.7	23
65	Transgenic expression of an insect diapause-specific peptide (DSP) in <i>Arabidopsis</i> resists phytopathogenic fungal attacks. <i>European Journal of Plant Pathology</i> , 2013, 137, 93-101.	1.7	22
66	BRASSINOSTEROID-SIGNALING KINASE1 modulates MAP KINASE15 phosphorylation to confer powdery mildew resistance in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2022, 34, 1768-1783.	6.6	22
67	<i>Arabidopsis</i> ZED1-related kinases mediate the temperature-sensitive intersection of immune response and growth homeostasis. <i>New Phytologist</i> , 2017, 215, 711-724.	7.3	21
68	Establishment and characterization of new wheat- <i>Thinopyrum ponticum</i> addition and translocation lines with resistance to Ug99 races. <i>Journal of Genetics and Genomics</i> , 2016, 43, 573-575.	3.9	15
69	TCP transcription factors interact with ZED1-related kinases as components of the temperature-regulated immunity. <i>Plant, Cell and Environment</i> , 2019, 42, 2045-2056.	5.7	15
70	<i>OsExo70B1</i> Positively Regulates Disease Resistance to <i>Magnaporthe oryzae</i> in Rice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7049.	4.1	14
71	Towards rice genome scanning by map-based AFLP fingerprinting. <i>Molecular Genetics and Genomics</i> , 1999, 261, 184-195.	2.4	11
72	The TIR-NBS protein TN13 associates with the CC-NBS-LRR resistance protein RPS5 and contributes to RPS5-triggered immunity in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2021, 107, 775-786.	5.7	11

#	ARTICLE	IF	CITATIONS
73	The 14â€³ protein GF14c positively regulates immunity by modulating the protein homeostasis of the GRAS protein OsSCL7 in rice. <i>Plant, Cell and Environment</i> , 2022, 45, 1065-1081.	5.7	11
74	Diversity and similarity of wheat powdery mildew resistance among three allelic functional genes at the <i>Pm60</i> locus. <i>Plant Journal</i> , 2022, 110, 1781-1790.	5.7	11
75	The THO/TREX complex functions in disease resistance in Arabidopsis. <i>Plant Signaling and Behavior</i> , 2012, 7, 422-424.	2.4	9
76	A Truncated TIR-NBS Protein TN10 Pairs with Two Clustered TIR-NBS-LRR Immune Receptors and Contributes to Plant Immunity in Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4004.	4.1	9
77	The truncated TNL receptor TN2-mediated immune responses require ADR1 function. <i>Plant Journal</i> , 2021, 108, 672-689.	5.7	9
78	A NAC Transcription Factor TuNAC69 Contributes to ANK-NLR-WRKY NLR-Mediated Stripe Rust Resistance in the Diploid Wheat <i>Triticum urartu</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 564.	4.1	9
79	PEPR spice up plant immunity. <i>EMBO Journal</i> , 2016, 35, 4-5.	7.8	7
80	Transcriptome analysis of different rice cultivars provides novel insights into the rice response to bacterial leaf streak infection. <i>Functional and Integrative Genomics</i> , 2020, 20, 681-693.	3.5	7
81	<i>Magnaporthe oryzae</i> Transcription Factor MoBZIP3 Regulates Appressorium Turgor Pressure Formation during Pathogenesis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 881.	4.1	6
82	Phosphorylation of OsTGA5 by casein kinase II compromises its suppression of defense-related gene transcription in rice. <i>Plant Cell</i> , 2022, 34, 3425-3442.	6.6	6
83	Expressional profiling of genes related to pollination and fertilization in rice. <i>Comptes Rendus De L'Acad�mie Des Sciences S�rie 3, Sciences De La Vie</i> , 2001, 324, 1111-1116.	0.8	5
84	The OsSPK1-OsRac1-RAI1 defense signaling pathway is shared by two distantly related NLR proteins in rice blast resistance. <i>Plant Physiology</i> , 2021, 187, 2852-2864.	4.8	5
85	Assessment of Posttranslational Modifications of ATG proteins. <i>Methods in Enzymology</i> , 2017, 587, 171-188.	1.0	4
86	Mechanism of plant immune activation and signaling: Insight from the first solved plant resistosome structure. <i>Journal of Integrative Plant Biology</i> , 2019, 61, 902-907.	8.5	4
87	Identification and application of the <i>Pigm1</i> gene in rice disease resistance breeding. <i>Plant Biology</i> , 2020, 22, 1022-1029.	3.8	4
88	Twinfilin regulates actin assembly and Hexagonal peroxisome 1 (Hex1) localization in the pathogenesis of rice blast fungus <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2021, 22, 1641-1655.	4.2	4
89	Utility of Triti-Map for bulk-segregated mapping of causal genes and regulatory elements in Triticeae. <i>Plant Communications</i> , 2022, , 100304.	7.7	4
90	TuRLK1, a leucine-rich repeat receptor-like kinase, is indispensable for stripe rust resistance of YrU1 and confers broad resistance to multiple pathogens. <i>BMC Plant Biology</i> , 2022, 22, .	3.6	4

#	ARTICLE	IF	CITATIONS
91	Isolation of candidateR disease resistance genes from rice. Science Bulletin, 1998, 43, 497-500.	1.7	2
92	Influence of void ratio on phase change of thermal energy storage for heat pipe receiver. Journal of Engineering Thermophysics, 2016, 25, 275-287.	1.4	2