

# Philip M Sedgwick

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1849182/publications.pdf>

Version: 2024-02-01

316  
papers

7,025  
citations

66343

42  
h-index

82547

72  
g-index

329  
all docs

329  
docs citations

329  
times ranked

10138  
citing authors

#	ARTICLE	IF	CITATIONS
1	Understanding the Hawthorne effect. BMJ, The, 2015, 351, h4672.	6.0	430
2	Pearson's correlation coefficient. BMJ, The, 2012, 345, e4483-e4483.	6.0	358
3	Predictors of therapeutic benefit from amitriptyline in mild depression: a general practice placebo-controlled trial. Journal of Affective Disorders, 1988, 14, 83-95.	4.1	281
4	Distress and delay associated with urinary incontinence, frequency, and urgency in women.. BMJ: British Medical Journal, 1988, 297, 1187-1189.	2.3	273
5	Cross sectional studies: advantages and disadvantages. BMJ, The, 2014, 348, g2276-g2276.	6.0	187
6	How to read a funnel plot in a meta-analysis. BMJ, The, 2015, 351, h4718.	6.0	167
7	Prospective study of rabbit antithymocyte globulin and cyclosporine for aplastic anemia from the EBMT Severe Aplastic Anaemia Working Party. Blood, 2012, 119, 5391-5396.	1.4	156
8	Hippocampal FGF-2 and FGFR1 mRNA expression in major depression, schizophrenia and bipolar disorder. Brain Research Bulletin, 2006, 70, 221-227.	3.0	152
9	Spearman's rank correlation coefficient. BMJ: British Medical Journal, 2014, 349, g7327.	2.3	146
10	Ecological studies: advantages and disadvantages. BMJ, The, 2014, 348, g2979-g2979.	6.0	139
11	Meta-analyses: what is heterogeneity?. BMJ, The, 2015, 350, h1435-h1435.	6.0	131
12	Multiple significance tests: the Bonferroni correction. BMJ: British Medical Journal, 2012, 344, e509-e509.	2.3	124
13	Impact of pregnancy on bulimia nervosa. British Journal of Psychiatry, 1999, 174, 135-140.	2.8	115
14	Convenience sampling. BMJ, The, 2013, 347, f6304-f6304.	6.0	111
15	Satisfaction with in-patient psychiatric services. British Journal of Psychiatry, 1999, 174, 159-163.	2.8	109
16	Multiple hypothesis testing and Bonferroni's correction. BMJ, The, 2014, 349, g6284-g6284.	6.0	109
17	Meta-analyses: how to read a funnel plot. BMJ, The, 2013, 346, f1342-f1342.	6.0	104
18	Meta-analyses: heterogeneity and subgroup analysis. BMJ, The, 2013, 346, f4040-f4040.	6.0	100

#	ARTICLE	IF	CITATIONS
19	Retrospective cohort studies: advantages and disadvantages. BMJ, The, 2014, 348, g1072-g1072.	6.0	93
20	Subjective sleepâ€“wake parameters in treatment-seeking opiate addicts. Drug and Alcohol Dependence, 1997, 48, 9-16.	3.2	75
21	Incidence and demographic correlates of depressive symptoms during pregnancy in an inner London population. Journal of Psychosomatic Obstetrics and Gynaecology, 1998, 19, 202-209.	2.1	75
22	Bias in observational study designs: cross sectional studies. BMJ, The, 2015, 350, h1286-h1286.	6.0	74
23	Non-response bias versus response bias. BMJ, The, 2014, 348, g2573-g2573.	6.0	71
24	Understanding the ecological fallacy. BMJ, The, 2015, 351, h4773.	6.0	71
25	Teaching medical students and doctors how to communicate risk. BMJ: British Medical Journal, 2003, 327, 694-695.	2.3	70
26	Intention to treat analysis versus per protocol analysis of trial data. BMJ, The, 2015, 350, h681-h681.	6.0	68
27	Anxiety in medical students: is preparation for full-time clinical attachments more dependent upon differences in maturity or on educational programmes for undergraduate and graduate entry students?. Medical Education, 2004, 38, 1154-1163.	2.1	66
28	Limits of agreement (Bland-Altman method). BMJ, The, 2013, 346, f1630-f1630.	6.0	63
29	Bereavement and grief in adults with learning disabilities. British Journal of Psychiatry, 1999, 175, 348-350.	2.8	62
30	Laser treatment for female facial hirsutism: are quality-of-life benefits sustainable?. Clinical and Experimental Dermatology, 2016, 41, 248-252.	1.3	62
31	Explanatory trials versus pragmatic trials. BMJ, The, 2014, 349, g6694-g6694.	6.0	61
32	Why may teenage girls persist in smoking?. Journal of Adolescence, 1999, 22, 657-672.	2.4	60
33	Before and after study designs. BMJ, The, 2014, 349, g5074-g5074.	6.0	60
34	Is there a dissociative process in sleepwalking and night terrors?. Postgraduate Medical Journal, 2001, 77, 244-249.	1.8	58
35	Snowball sampling. BMJ, The, 2013, 347, f7511-f7511.	6.0	57
36	Autonomic denervation in jejunal mucosa of homosexual men infected with HIV. Aids, 1991, 5, 1247-1252.	2.2	54

#	ARTICLE	IF	CITATIONS
37	What is publication bias in a meta-analysis?. BMJ, The, 2015, 351, h4419.	6.0	54
38	Questionnaire surveys: sources of bias. BMJ, The, 2013, 347, f5265-f5265.	6.0	53
39	HIV enteropathy: comparative morphometry of the jejunal mucosa of HIV infected patients resident in the United Kingdom and Uganda. Gut, 1998, 43, 350-355.	12.1	50
40	Variability in the Treatment of Acute Spinal Cord Injury in the United Kingdom: Results of a National Survey. Journal of Neurotrauma, 2012, 29, 880-888.	3.4	50
41	Student attitudes towards anatomy teaching and learning in a multiprofessional context. Medical Education, 2004, 38, 737-748.	2.1	49
42	What is recall bias?. BMJ, The, 2012, 344, e3519-e3519.	6.0	45
43	Drug use, self report and urinalysis. Drug and Alcohol Dependence, 2000, 58, 111-116.	3.2	44
44	Meta-analyses: standardised mean differences. BMJ, The, 2013, 347, f7257-f7257.	6.0	43
45	Bias in observational study designs: prospective cohort studies. BMJ, The, 2014, 349, g7731-g7731.	6.0	43
46	Development and evaluation of a risk communication curriculum for medical students. Patient Education and Counseling, 2014, 94, 43-49.	2.2	43
47	Impact of patient suicide on psychiatric trainees. Psychiatric Bulletin, 2002, 26, 53-55.	0.3	41
48	Erythrocyte Encapsulated Thymidine Phosphorylase for the Treatment of Patients with Mitochondrial Neurogastrointestinal Encephalomyopathy: Study Protocol for a Multi-Centre, Multiple Dose, Open Label Trial. Journal of Clinical Medicine, 2019, 8, 1096.	2.4	39
49	Improving the delivery of analgesia to children in pain. Emergency Medicine Journal, 2001, 18, 159-161.	1.0	38
50	Prospective cohort studies: advantages and disadvantages. BMJ, The, 2013, 347, f6726-f6726.	6.0	38
51	The incidence and prevalence of anorexia nervosa in three suburban health districts in South West London, U.K.. International Journal of Eating Disorders, 1995, 18, 299-307.	4.0	36
52	How to read a forest plot in a meta-analysis:. BMJ, The, 2015, 351, h4028.	6.0	35
53	The Hawthorne effect. BMJ: British Medical Journal, 2011, 344, d8262-d8262.	2.3	34
54	Multistage sampling. BMJ, The, 2015, 351, h4155.	6.0	34

#	ARTICLE	IF	CITATIONS
55	Clinical significance versus statistical significance. BMJ, The, 2014, 348, g2130-g2130.	6.0	33
56	Relative risks versus odds ratios. BMJ, The, 2014, 348, g1407-g1407.	6.0	32
57	Incidence and demographic correlates of eating disorder symptoms in a pregnant population. , 1999, 26, 448-452.		31
58	HIV infection of human fetal intestinal explant cultures induces epithelial cell proliferation. Aids, 1994, 8, 153-160.	2.2	30
59	Smoking and pursuit of thinness in schoolgirls in London and Ottawa. Postgraduate Medical Journal, 1998, 74, 473-479.	1.8	29
60	Pulmonary tuberculosis: radiological features in west Africans coinfectd with HIV.. British Journal of Radiology, 1999, 72, 339-344.	2.2	29
61	What is a crossover trial?. BMJ, The, 2014, 348, g3191-g3191.	6.0	27
62	Nested case-control studies: advantages and disadvantages. BMJ, The, 2014, 348, g1532-g1532.	6.0	27
63	Evidence of mycobacterial disease in COPD patients with lung volume reduction surgery; the importance of histological assessment of specimens: a cohort study. BMC Pulmonary Medicine, 2014, 14, 124.	2.0	27
64	Case-control studies: advantages and disadvantages. BMJ, The, 2014, 348, f7707-f7707.	6.0	26
65	Relatives of patients with severe psychotic disorders: Factors that influence contact frequency. British Journal of Psychiatry, 2001, 178, 248-254.	2.8	25
66	Arterial versus venous lactate: a measure of sepsis in children. European Journal of Pediatrics, 2017, 176, 1055-1060.	2.7	25
67	Fragile-X syndrome, Down's syndrome and autism: awareness and knowledge amongst special educators. Journal of Intellectual Disability Research, 1999, 43, 314-324.	2.0	24
68	Consultation activities of clinical ethics committees in the United Kingdom: an empirical study and wake-up call. Postgraduate Medical Journal, 2009, 85, 451-454.	1.8	24
69	Stratified cluster sampling. BMJ, The, 2013, 347, f7016-f7016.	6.0	24
70	Pitfalls of statistical hypothesis testing: type I and type II errors. BMJ, The, 2014, 349, g4287-g4287.	6.0	24
71	A comparison of parametric and non-parametric statistical tests. BMJ, The, 2015, 350, h2053-h2053.	6.0	23
72	Parametric v non-parametric statistical tests. BMJ: British Medical Journal, 2012, 344, e1753-e1753.	2.3	21

#	ARTICLE	IF	CITATIONS
73	Log transformation of data. BMJ, The, 2012, 345, e6727-e6727.	6.0	21
74	Selection bias versus allocation bias. BMJ, The, 2013, 346, f3345-f3345.	6.0	21
75	Understanding statistical hypothesis testing. BMJ, The, 2014, 348, g3557-g3557.	6.0	21
76	Proportional quota sampling. BMJ, The, 2012, 345, e6336-e6336.	6.0	20
77	What is a non-randomised controlled trial?. BMJ, The, 2014, 348, g4115-g4115.	6.0	20
78	Bias in observational study designs: case-control studies. BMJ, The, 2015, 350, h560-h560.	6.0	19
79	Meta-analysis: testing for reporting bias. BMJ, The, 2015, 350, g7857-g7857.	6.0	18
80	Confidence intervals and statistical significance: rules of thumb. BMJ, The, 2012, 345, e4960-e4960.	6.0	16
81	Treatment effects and placebo effects. BMJ, The, 2015, 350, h267-h267.	6.0	16
82	Current controversies: Null hypothesis significance testing. Acta Obstetricia Et Gynecologica Scandinavica, 2022, 101, 624-627.	2.8	16
83	What is sampling error?. BMJ, The, 2012, 344, e4285-e4285.	6.0	15
84	Cluster sampling. BMJ, The, 2014, 348, g1215-g1215.	6.0	15
85	Interpreting hazard ratios. BMJ, The, 2015, 351, h4631.	6.0	15
86	The ecological fallacy. BMJ: British Medical Journal, 2011, 343, d4670-d4670.	2.3	14
87	Bias in clinical trials. BMJ: British Medical Journal, 2011, 343, d4176-d4176.	2.3	14
88	Cluster randomised controlled trials. BMJ, The, 2012, 345, e4654-e4654.	6.0	14
89	Cluster randomised controlled trials: sample size calculations. BMJ, The, 2013, 346, f2839-f2839.	6.0	14
90	Pitfalls of statistical hypothesis testing: multiple testing. BMJ, The, 2014, 349, g5310-g5310.	6.0	14

#	ARTICLE	IF	CITATIONS
91	What are the four phases of clinical research trials?. BMJ, The, 2014, 348, g3727-g3727.	6.0	14
92	How to read a Kaplan-Meier survival plot. BMJ, The, 2014, 349, g5608-g5608.	6.0	14
93	Prevalence and incidence. BMJ: British Medical Journal, 2010, 341, c4709-c4709.	2.3	14
94	External and internal validity in clinical trials. BMJ: British Medical Journal, 2012, 344, e1004-e1004.	2.3	13
95	What is a superiority trial?. BMJ, The, 2013, 347, f5420-f5420.	6.0	13
96	Randomised controlled trials: missing data. BMJ, The, 2014, 349, g4656-g4656.	6.0	13
97	Randomised controlled trials: understanding effect sizes. BMJ, The, 2015, 350, h1690-h1690.	6.0	13
98	Phases of clinical trials. BMJ: British Medical Journal, 2011, 343, d6068-d6068.	2.3	12
99	Meta-analyses: tests of heterogeneity. BMJ, The, 2012, 344, e3971-e3971.	6.0	12
100	Receiver operating characteristic curves. BMJ, The, 2013, 346, f2493-f2493.	6.0	12
101	The importance of statistical power. BMJ, The, 2013, 347, f6282-f6282.	6.0	12
102	Unit of observation versus unit of analysis. BMJ, The, 2014, 348, g3840-g3840.	6.0	12
103	Randomised controlled trials: internal versus external validity. BMJ, The, 2014, 348, g1742-g1742.	6.0	12
104	Randomised controlled trials: balance in baseline characteristics. BMJ, The, 2014, 349, g5721-g5721.	6.0	12
105	Bias in randomised controlled trials: comparison of crossover group and parallel group designs. BMJ, The, 2015, 351, h4283.	6.0	12
106	Results from an online survey of adults with cystic fibrosis: Accessing and using life expectancy information. PLoS ONE, 2019, 14, e0213639.	2.5	12
107	Odds ratios. BMJ: British Medical Journal, 2010, 341, c4414-c4414.	2.3	12
108	Prospective study of food intake and nutritional status in HIV infection. Journal of Human Nutrition and Dietetics, 1991, 4, 149-154.	2.5	11

#	ARTICLE	IF	CITATIONS
109	Disorders of the sleep-wake cycle in adults.. Postgraduate Medical Journal, 1998, 74, 134-138.	1.8	11
110	Statistical tests for independent groups: categorical data. BMJ: British Medical Journal, 2012, 344, e344-e344.	2.3	11
111	How to read a forest plot. BMJ, The, 2012, 345, e8335-e8335.	6.0	11
112	What is intention to treat analysis?. BMJ, The, 2013, 346, f3662-f3662.	6.0	11
113	What is number needed to harm (NNH)?. BMJ, The, 2013, 347, f4869-f4869.	6.0	11
114	Standardising outcome measures using z scores. BMJ, The, 2014, 349, g5878-g5878.	6.0	11
115	Understanding confidence intervals. BMJ, The, 2014, 349, g6051-g6051.	6.0	11
116	What is an open label trial?. BMJ, The, 2014, 348, g3434-g3434.	6.0	11
117	What is an "n-of-1" trial?. BMJ, The, 2014, 348, g2674-g2674.	6.0	11
118	Confidence intervals, P values, and statistical significance. BMJ, The, 2015, 350, h1113-h1113.	6.0	11
119	How to read a receiver operating characteristic curve. BMJ, The, 2015, 350, h2464-h2464.	6.0	11
120	Nested case-control studies. BMJ: British Medical Journal, 2010, 340, c2582-c2582.	2.3	11
121	Changes in Plasma Concentrations of Leptin and Body Fat Composition during Weight Restoration in Anorexia Nervosa. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 2257-2257.	3.6	10
122	Confounding in clinical trials. BMJ, The, 2012, 345, e7951-e7951.	6.0	10
123	Sample size: how many participants are needed in a trial?. BMJ, The, 2013, 346, f1041-f1041.	6.0	10
124	Cox proportional hazards regression. BMJ, The, 2013, 347, f4919-f4919.	6.0	10
125	Standard deviation versus standard error. BMJ: British Medical Journal, 2011, 343, d8010-d8010.	2.3	9
126	Analysis by intention to treat. BMJ: British Medical Journal, 2011, 342, d2212-d2212.	2.3	9



#	ARTICLE	IF	CITATIONS
127	Estimating the population at risk. BMJ, The, 2012, 345, e6859-e6859.	6.0	9
128	Hazards and hazard ratios. BMJ, The, 2012, 345, e5980-e5980.	6.0	9
129	Case-control studies: measures of risk. BMJ, The, 2013, 346, f1185-f1185.	6.0	9
130	What is per protocol analysis?. BMJ, The, 2013, 346, f3748-f3748.	6.0	9
131	What is a patient preference trial?. BMJ, The, 2013, 347, f5970-f5970.	6.0	9
132	Intraclass correlation coefficient. BMJ, The, 2013, 346, f1816-f1816.	6.0	9
133	Understanding why "absence of evidence is not evidence of absence". BMJ, The, 2014, 349, g4751-g4751.	6.0	9
134	Understanding P values. BMJ, The, 2014, 349, g4550-g4550.	6.0	9
135	Treatment allocation in trials: stratified randomisation. BMJ, The, 2015, 350, h978-h978.	6.0	9
136	Placebos and sham treatments. BMJ, The, 2015, 351, h3755.	6.0	9
137	Randomised controlled trials: understanding confounding. BMJ, The, 2015, 351, h5119.	6.0	9
138	Per protocol analysis. BMJ: British Medical Journal, 2010, 340, c1825-c1825.	2.3	9
139	Selenium supplementation and selenoenzyme activity. Clinical Science, 2000, 99, 579-581.	4.3	8
140	Effect sizes. BMJ, The, 2012, 345, e7370-e7370.	6.0	8
141	Analysing case-control studies: adjusting for confounding. BMJ, The, 2013, 346, f25-f25.	6.0	8
142	Kaplan-Meier survival curves: interpretation and communication of risk. BMJ, The, 2013, 347, f7118-f7118.	6.0	8
143	Do Blood Pressure Levels and Other Patient Characteristics Influence Native Fistula Patency?. Seminars in Dialysis, 2014, 27, E27-31.	1.3	8
144	Treatment allocation in trials: block randomisation. BMJ, The, 2014, 348, g2409-g2409.	6.0	8

#	ARTICLE	IF	CITATIONS
145	Controlled trials: allocation concealment, random allocation, and blinding. BMJ, The, 2015, 350, h2633-h2633.	6.0	8
146	Bias in experimental study designs: randomised controlled trials with parallel groups. BMJ, The, 2015, 351, h3869.	6.0	8
147	Measuring the benefit of treatment: number needed to treat. BMJ, The, 2015, 350, h2206-h2206.	6.0	8
148	Block randomisation. BMJ: British Medical Journal, 2011, 343, d7139-d7139.	2.3	7
149	What is a P value?. BMJ, The, 2012, 345, e7767-e7767.	6.0	7
150	Why randomise in clinical trials?. BMJ, The, 2012, 345, e5584-e5584.	6.0	7
151	Absolute and relative risks. BMJ, The, 2012, 345, e5613-e5613.	6.0	7
152	Odds and odds ratios. BMJ, The, 2013, 347, f5067-f5067.	6.0	7
153	What is number needed to treat (NNT)?. BMJ, The, 2013, 347, f4605-f4605.	6.0	7
154	Randomised controlled trials: subgroup analyses. BMJ, The, 2014, 349, g7513-g7513.	6.0	7
155	Clinical trials: outcome measures. BMJ, The, 2015, 350, h121-h121.	6.0	7
156	Standard deviation or the standard error of the mean. BMJ, The, 2015, 350, h831-h831.	6.0	7
157	Survival (time to event) data: censored observations. BMJ: British Medical Journal, 2011, 343, d4816-d4816.	2.3	6
158	Meta-analyses: funnel plots. BMJ: British Medical Journal, 2011, 343, d5372-d5372.	2.3	6
159	Confidence intervals and statistical significance. BMJ: British Medical Journal, 2012, 344, e2238-e2238.	2.3	6
160	Non-parametric statistical tests for two related groups: numerical data. BMJ, The, 2012, 344, e2537-e2537.	6.0	6
161	Cohen's coefficient $\hat{A}$ . BMJ: British Medical Journal, 2012, 344, e1178-e1178.	2.3	6
162	Incidence rates. BMJ: British Medical Journal, 2012, 344, e1589-e1589.	2.3	6

#	ARTICLE	IF	CITATIONS
163	Why match in case-control studies?. BMJ: British Medical Journal, 2012, 344, e691-e691.	2.3	6
164	The normal distribution. BMJ, The, 2012, 345, e6533-e6533.	6.0	6
165	Non-parametric statistical tests for independent groups: numerical data. BMJ, The, 2012, 344, e3354-e3354.	6.0	6
166	Correlation versus linear regression. BMJ, The, 2013, 346, f2686-f2686.	6.0	6
167	P values or confidence intervals?. BMJ, The, 2013, 346, f3212-f3212.	6.0	6
168	What is a non-inferiority trial?. BMJ, The, 2013, 347, f6853-f6853.	6.0	6
169	One way analysis of variance: post hoc testing. BMJ, The, 2014, 349, g7067-g7067.	6.0	6
170	Sample size: how many participants are needed in a cohort study?. BMJ, The, 2014, 349, g6557-g6557.	6.0	6
171	What is a factorial study design?. BMJ, The, 2014, 349, g5455-g5455.	6.0	6
172	Randomised controlled trials: inferring significance of treatment effects based on confidence intervals. BMJ, The, 2014, 349, g5196-g5196.	6.0	6
173	Prostaglandin insert dinoprostone versus trans-cervical balloon catheter for outpatient labour induction: a randomised controlled trial of feasibility (PROBIT-F). Pilot and Feasibility Studies, 2020, 6, 113.	1.2	6
174	Hazard ratios. BMJ: British Medical Journal, 2011, 343, d5918-d5918.	2.3	5
175	Random sampling versus random allocation. BMJ: British Medical Journal, 2011, 343, d7453-d7453.	2.3	5
176	Analysis by per protocol. BMJ: British Medical Journal, 2011, 342, d2330-d2330.	2.3	5
177	Double dummy trials. BMJ: British Medical Journal, 2011, 343, d7294-d7294.	2.3	5
178	One way analysis of variance. BMJ, The, 2012, 344, e2427-e2427.	6.0	5
179	Confidence intervals: predicting uncertainty. BMJ, The, 2012, 344, e3147-e3147.	6.0	5
180	Equivalence trials. BMJ, The, 2013, 346, f184-f184.	6.0	5

#	ARTICLE	IF	CITATIONS
181	Clinical trials: units of randomisation. BMJ, The, 2014, 348, g3297-g3297.	6.0	5
182	Randomised controlled trials: "within subject" versus "between subject" designs. BMJ, The, 2014, 347, g6435-g6435.	6.0	5
183	Non-parametric statistical tests for two independent groups: numerical data. BMJ, The, 2014, 348, g2907-g2907.	6.0	5
184	Treatment allocation in trials: cluster randomisation. BMJ, The, 2014, 348, g2820-g2820.	6.0	5
185	Randomised controlled trials: the importance of sample size. BMJ, The, 2015, 350, h1586-h1586.	6.0	5
186	Efficacy of intravenous magnesium in neuropathic pain. British Journal of Anaesthesia, 2002, 89, 711-714.	3.4	5
187	Changes in Plasma Concentrations of Leptin and Body Fat Composition during Weight Restoration in Anorexia Nervosa. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 2257-2257.	3.6	5
188	Case-control studies. BMJ: British Medical Journal, 2009, 339, b4135-b4135.	2.3	5
189	Standard error of the mean. BMJ: British Medical Journal, 2010, 340, c1437-c1437.	2.3	5
190	Depletion of neuroendocrine cells in rectal biopsy specimens from HIV positive patients.. Journal of Clinical Pathology, 1992, 45, 524-527.	2.0	4
191	Assessment of risk communication by objective structured clinical examination. Medical Education, 2009, 43, 484-484.	2.1	4
192	Number needed to treat I. BMJ: British Medical Journal, 2011, 342, d2463-d2463.	2.3	4
193	Superiority trials. BMJ: British Medical Journal, 2011, 342, d2981-d2981.	2.3	4
194	Receiver operating characteristic curves. BMJ, The, 2011, 343, d4302-d4302.	6.0	4
195	Allocation concealment. BMJ: British Medical Journal, 2012, 344, e156-e156.	2.3	4
196	Crossover trials. BMJ, The, 2012, 344, e3710-e3710.	6.0	4
197	Restricted randomisation. BMJ: British Medical Journal, 2012, 344, e1324-e1324.	2.3	4
198	Stratified random allocation. BMJ, The, 2013, 346, f822-f822.	6.0	4

#	ARTICLE	IF	CITATIONS
199	Spearman's rank correlation coefficient. BMJ, The, 2014, 349, g7528-g7528.	6.0	4
200	Poisson regression. BMJ, The, 2014, 349, g6150-g6150.	6.0	4
201	Placebo controlled trials. BMJ, The, 2014, 348, g1635-g1635.	6.0	4
202	Measuring the detriment of treatment: number needed to harm. BMJ, The, 2015, 350, h2763-h2763.	6.0	4
203	A comparison of sampling error and standard error. BMJ, The, 2015, 351, h3577.	6.0	4
204	Uncertainty in sample estimates: sampling error. BMJ, The, 2015, 350, h1914-h1914.	6.0	4
205	Defining the Mean Angle of Diaphyseal Long Bone Nonunionsâ€”Does Shear Prevail?. Journal of Orthopaedic Trauma, 2021, 35, e322-e327.	1.4	4
206	Cross sectional studies. BMJ: British Medical Journal, 2010, 340, c846-c846.	2.3	4
207	Meta-analyses I. BMJ: British Medical Journal, 2011, 342, d45-d45.	2.3	4
208	Changing pattern of drug use in individuals with severe drug dependence following inpatient treatment. International Journal of Psychiatry in Clinical Practice, 1997, 1, 287-294.	2.4	3
209	Screening tests: likelihood ratios. BMJ: British Medical Journal, 2011, 342, d3986-d3986.	2.3	3
210	Number needed to harm. BMJ: British Medical Journal, 2011, 342, d2811-d2811.	2.3	3
211	Case-control studies: sources of bias. BMJ: British Medical Journal, 2011, 343, d6284-d6284.	2.3	3
212	Derivation of hazard ratios. BMJ: British Medical Journal, 2011, 343, d6994-d6994.	2.3	3
213	The placebo effect. BMJ, The, 2011, 343, d7665-d7665.	6.0	3
214	Standardisation of outcome measures (z scores). BMJ, The, 2012, 345, e6178-e6178.	6.0	3
215	The healthy entrant effect. BMJ, The, 2012, 344, e2728-e2728.	6.0	3
216	What are odds?. BMJ, The, 2012, 344, e2853-e2853.	6.0	3

#	ARTICLE	IF	CITATIONS
217	Sham treatments. BMJ, The, 2013, 347, f5819-f5819.	6.0	3
218	Units of sampling, observation, and analysis. BMJ, The, 2015, 351, h5396.	6.0	3
219	Sampling I. BMJ: British Medical Journal, 2009, 339, b5512-b5512.	2.3	3
220	Confounding in randomised controlled trials. BMJ: British Medical Journal, 2010, 341, c5403-c5403.	2.3	3
221	Variables and parameters. BMJ: British Medical Journal, 2010, 340, c1568-c1568.	2.3	3
222	Sample size calculations I. BMJ: British Medical Journal, 2010, 340, c3104-c3104.	2.3	3
223	Meta-analyses II. BMJ: British Medical Journal, 2011, 341, d229-d229.	2.3	3
224	Sampling methods I. BMJ: British Medical Journal, 2011, 342, d1249-d1249.	2.3	3
225	Relative risks and statistical significance. BMJ: British Medical Journal, 2010, 341, c4265-c4265.	2.3	2
226	Odds ratios and adjusting for confounding. BMJ: British Medical Journal, 2011, 343, d6833-d6833.	2.3	2
227	Cohort studies: sources of bias. BMJ: British Medical Journal, 2011, 343, d7839-d7839.	2.3	2
228	Number needed to treat II. BMJ: British Medical Journal, 2011, 342, d2664-d2664.	2.3	2
229	Non-inferiority trials. BMJ: British Medical Journal, 2011, 342, d3253-d3253.	2.3	2
230	Sample size and power. BMJ: British Medical Journal, 2011, 343, d5579-d5579.	2.3	2
231	Non-randomised studies. BMJ: British Medical Journal, 2011, 343, d5741-d5741.	2.3	2
232	Screening tests and indices of performance: effects of prevalence. BMJ: British Medical Journal, 2011, 343, d6483-d6483.	2.3	2
233	Observational study design. BMJ, The, 2012, 345, e5856-e5856.	6.0	2
234	Placebo run in periods. BMJ, The, 2012, 344, e3827-e3827.	6.0	2

#	ARTICLE	IF	CITATIONS
235	"n of 1" trials. BMJ: British Medical Journal, 2012, 344, e844-e844.	2.3	2
236	Randomised controlled trials with full factorial designs. BMJ, The, 2012, 345, e5114-e5114.	6.0	2
237	Open label crossover trials. BMJ, The, 2013, 346, f4186-f4186.	6.0	2
238	Generalisation and extrapolation of study results. BMJ, The, 2013, 346, f3022-f3022.	6.0	2
239	The placebo effect. BMJ, The, 2013, 347, f6130-f6130.	6.0	2
240	Kaplan-Meier survival analysis: types of censored observations. BMJ, The, 2013, 347, f4663-f4663.	6.0	2
241	Parametric statistical tests for two related groups: numerical data. BMJ, The, 2014, 348, g124-g124.	6.0	2
242	What are the risks?. BMJ, The, 2015, 350, h2931-h2931.	6.0	2
243	What is significance?. BMJ, The, 2015, 350, h3475-h3475.	6.0	2
244	What are the odds?. BMJ, The, 2015, 350, h2327-h2327.	6.0	2
245	Evaluating the performance of a screening test for depression in primary care. BMJ, The, 2015, 350, h1801-h1801.	6.0	2
246	Preoperative Factors Affecting the Patient-Reported Outcome Measures following Total Knee Replacement: Socioeconomic Factors and Preoperative OKS Have a Clinically Meaningful Effect. Journal of Knee Surgery, 2022, 35, 940-948.	1.6	2
247	40 days and 40 nights: Clinical characteristics of major trauma and orthopaedic injury comparing the incubation and lockdown phases of COVID-19 infection. Bone & Joint Open, 2020, 1, 330-338.	2.6	2
248	Theatre efficiency in COVID-19 pandemic conditions: The collaborative experience of four level 1 major trauma centres in the UK. Bone & Joint Open, 2021, 2, 886-892.	2.6	2
249	Generalisation and extrapolation. BMJ: British Medical Journal, 2010, 340, c717-c717.	2.3	2
250	Internal and external validity. BMJ: British Medical Journal, 2010, 340, c1705-c1705.	2.3	2
251	The log rank test. BMJ: British Medical Journal, 2010, 341, c3773-c3773.	2.3	2
252	Relative risks and confidence intervals. BMJ: British Medical Journal, 2010, 341, c4166-c4166.	2.3	2

#	ARTICLE	IF	CITATIONS
253	Influence of previous delivery mode on perineal trauma risk. International Journal of Gynecology and Obstetrics, 2022, 159, 757-763.	2.3	2
254	Quality of statistics in psychiatric research. British Journal of Psychiatry, 1996, 168, 385-385.	2.8	1
255	Screening tests: indices of performance. BMJ: British Medical Journal, 2011, 342, d3763-d3763.	2.3	1
256	Skewed distributions. BMJ, The, 2012, 345, e7534-e7534.	6.0	1
257	Analysis of outcome measures within treatment groups. BMJ, The, 2012, 345, e7201-e7201.	6.0	1
258	What is risk?. BMJ, The, 2012, 345, e7036-e7036.	6.0	1
259	Parametric statistical tests for independent groups: numerical data. BMJ, The, 2012, 345, e8145-e8145.	6.0	1
260	Open clinical trials. BMJ, The, 2012, 345, e4749-e4749.	6.0	1
261	Normal ranges. BMJ, The, 2013, 346, f1343-f1343.	6.0	1
262	Analysis of longitudinal studies. BMJ, The, 2013, 346, f363-f363.	6.0	1
263	Treatment allocation by minimisation. BMJ, The, 2013, 347, f6569-f6569.	6.0	1
264	Randomised controlled trials: tests of interaction. BMJ, The, 2014, 349, g6820-g6820.	6.0	1
265	What are randomised consent designs?. BMJ, The, 2014, 349, g4727-g4727.	6.0	1
266	Measuring the performance of screening tests. BMJ, The, 2014, 348, g4438-g4438.	6.0	1
267	Randomised controlled trials: evaluating and communicating treatment effects. BMJ, The, 2014, 348, g1905-g1905.	6.0	1
268	Uncertainty in sample estimates: standard error. BMJ, The, 2015, 350, h3078-h3078.	6.0	1
269	Quantifying treatment effects in randomised controlled trials. BMJ, The, 2015, 350, h420-h420.	6.0	1
270	Randomised controlled trials: understanding power. BMJ, The, 2015, 350, h3229-h3229.	6.0	1



#	ARTICLE	IF	CITATIONS
271	Sleep disorders. Consider nocturnal paroxysmal dystonia.. BMJ: British Medical Journal, 1993, 306, 1476-1477.	2.3	1
272	Sampling III. BMJ: British Medical Journal, 2010, 340, c93-c93.	2.3	1
273	Sample size calculations II. BMJ: British Medical Journal, 2010, 340, c3299-c3299.	2.3	1
274	Meta-analyses IV. BMJ: British Medical Journal, 2011, 342, d540-d540.	2.3	1
275	Meta-analyses V. BMJ: British Medical Journal, 2011, 342, d686-d686.	2.3	1
276	Prospective Phase II Pilot Study of Rabbit Antithymocyte Globulin (ATG, Thymoglobuline) with Ciclosporin for Patients with Acquired Aplastic Anemia and Matched Pair Analysis with Patients Treated with Horse ATG (Lymphoglobuline) and Ciclosporin: A Study From the EBMT Severe Aplastic Anemia Working Party (RATGAA07). Blood, 2011, 118, 2408-2408.	1.4	1
277	Outcome reporting in randomized controlled trials (RCTs) on the pharmacological management of idiopathic overactive bladder (OAB) in women; a systematic review for the development of core outcome sets (COS). International Urogynecology Journal, 2022, 33, 1243-1250.	1.4	1
278	Prevalence, severity, and risk factors of disability among adults living with HIV accessing routine outpatient HIV care in London, United Kingdom (UK): A cross-sectional self-report study. PLoS ONE, 2022, 17, e0267271.	2.5	1
279	Assessments used in cardiology. BMJ: British Medical Journal, 2011, 342, d3129-d3129.	2.3	0
280	Screening tests: indices of performance. BMJ: British Medical Journal, 2011, 342, d4153-d4153.	2.3	0
281	Control treatments. BMJ: British Medical Journal, 2011, 342, d2109-d2109.	2.3	0
282	Open label trials. BMJ: British Medical Journal, 2011, 342, d3427-d3427.	2.3	0
283	Patient preference trials. BMJ: British Medical Journal, 2011, 342, d3602-d3602.	2.3	0
284	Meta-analyses: sources of bias. BMJ: British Medical Journal, 2011, 343, d5085-d5085.	2.3	0
285	Observational study designs. BMJ, The, 2012, 344, e4209-e4209.	6.0	0
286	Sequential trials. BMJ: British Medical Journal, 2012, 344, e2102-e2102.	2.3	0
287	Zelen's design. BMJ, The, 2012, 345, e8505-e8505.	6.0	0
288	Is there an association between adolescent females' skin tone and behaviour regarding sun exposure?. Bone, 2012, 50, S176.	2.9	0

#	ARTICLE	IF	CITATIONS
289	Absolute and relative risks. BMJ, The, 2012, 345, e6252-e6252.	6.0	0
290	Populations and samples. BMJ, The, 2012, 344, e3048-e3048.	6.0	0
291	Statistical tests for independent groups: time to event data. BMJ, The, 2012, 345, e5257-e5257.	6.0	0
292	Units of analysis. BMJ, The, 2013, 346, f2128-f2128.	6.0	0
293	Variables, sample estimates, and population parameters. BMJ, The, 2013, 346, f2019-f2019.	6.0	0
294	Double dummy trials incorporating factorial designs. BMJ, The, 2013, 346, f3539-f3539.	6.0	0
295	What is the standard error of the mean?. BMJ, The, 2013, 346, f532-f532.	6.0	0
296	The purpose of control groups. BMJ, The, 2013, 346, f658-f658.	6.0	0
297	Prognostic scores. BMJ, The, 2014, 348, g282-g282.	6.0	0
298	A comparative study of obstetric anal sphincter injuries in vaginal deliveries of twins and singleton pregnancies. Neurourology and Urodynamics, 2018, 37, 2717-2723.	1.5	0
299	Screening tests. BMJ: British Medical Journal, 2009, 339, b3941-b3941.	2.3	0
300	Screening tests III. BMJ: British Medical Journal, 2009, 339, b4247-b4247.	2.3	0
301	Screening tests II. BMJ: British Medical Journal, 2009, 339, b4030-b4030.	2.3	0
302	Screening tests IV. BMJ: British Medical Journal, 2009, 339, b4365-b4365.	2.3	0
303	Study design. BMJ: British Medical Journal, 2009, 339, b4458-b4458.	2.3	0
304	Random allocation III. BMJ: British Medical Journal, 2009, 339, b5072-b5072.	2.3	0
305	Sampling II. BMJ: British Medical Journal, 2010, 340, b5677-b5677.	2.3	0
306	Placebos. BMJ: British Medical Journal, 2010, 340, c247-c247.	2.3	0

#	ARTICLE	IF	CITATIONS
307	Control groups. BMJ: British Medical Journal, 2010, 340, c391-c391.	2.3	0
308	Hazard ratios. BMJ: British Medical Journal, 2010, 341, c4566-c4566.	2.3	0
309	Endgames: Relative risks and statistical significance. BMJ: British Medical Journal, 2010, 341, c4541-c4541.	2.3	0
310	Meta-analyses VII. BMJ: British Medical Journal, 2011, 342, d1108-d1108.	2.3	0
311	Meta-analyses VI. BMJ: British Medical Journal, 2011, 342, d937-d937.	2.3	0
312	Sampling methods III. BMJ: British Medical Journal, 2011, 342, d1537-d1537.	2.3	0
313	Sampling methods II. BMJ: British Medical Journal, 2011, 342, d1387-d1387.	2.3	0
314	Observational Study Design I. BMJ: British Medical Journal, 2011, 342, d1742-d1742.	2.3	0
315	P193â€fHow did people with rheumatoid arthritis experience the COVID-19 pandemic? Interim qualitative results from the BIORA-PAIN study. Rheumatology, 2022, 61, .	1.9	0
316	Incidence and demographic correlates of eating disorder symptoms in a pregnant population. International Journal of Eating Disorders, 1999, 26, 448-452.	4.0	0