

Roberto Sassi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1850560/publications.pdf>

Version: 2024-02-01

96
papers

5,255
citations

81900

39
h-index

88630

70
g-index

99
all docs

99
docs citations

99
times ranked

4991
citing authors

#	ARTICLE	IF	CITATIONS
1	Negative emotionality as a candidate mediating mechanism linking prenatal maternal mood problems and offspring internalizing behaviour. <i>Development and Psychopathology</i> , 2023, 35, 604-618.	2.3	2
2	<i>DCC</i> gene network in the prefrontal cortex is associated with total brain volume in childhood. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E154-E163.	2.4	8
3	LIVES for families psychological first aid training programme to address COVID-19 psychological distress: a mixed methods acceptability and feasibility protocol. <i>BMJ Open</i> , 2021, 11, e049995.	1.9	2
4	Hypothalamus volume and DNA methylation of stress axis genes in major depressive disorder: A CAN-BIND study report. <i>Psychoneuroendocrinology</i> , 2021, 132, 105348.	2.7	8
5	Prefrontal cortex VAMP1 gene network moderates the effect of the early environment on cognitive flexibility in children. <i>Neurobiology of Learning and Memory</i> , 2021, 185, 107509.	1.9	10
6	Accelerated brain aging in major depressive disorder and antidepressant treatment response: A CAN-BIND report. <i>NeuroImage: Clinical</i> , 2021, 32, 102864.	2.7	13
7	Cognitive Development and Brain Gray Matter Susceptibility to Prenatal Adversities: Moderation by the Prefrontal Cortex Brain-Derived Neurotrophic Factor Gene Co-expression Network. <i>Frontiers in Neuroscience</i> , 2021, 15, 744743.	2.8	7
8	Amygdala 5-HTT Gene Network Moderates the Effects of Postnatal Adversity on Attention Problems: Anatomic-Functional Correlation and Epigenetic Changes. <i>Frontiers in Neuroscience</i> , 2020, 14, 198.	2.8	14
9	An investigation of cortical thickness and antidepressant response in major depressive disorder: A CAN-BIND study report. <i>NeuroImage: Clinical</i> , 2020, 25, 102178.	2.7	10
10	Examining the predictive association of irritability with borderline personality disorder in a clinical sample of female adolescents. <i>Personality and Mental Health</i> , 2020, 14, 167-174.	1.2	1
11	T97. Predicting Functioning and Quality of Life Using Objective and Subjective Measures of Sleep and Biological Rhythms in Major Depressive and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 85, S166.	1.3	0
12	2014 Ontario Child Health Study Findings: Policy Implications for Canada. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 227-231.	1.9	16
13	Changes in the Prevalence of Child and Youth Mental Disorders and Perceived Need for Professional Help between 1983 and 2014: Evidence from the Ontario Child Health Study. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 256-264.	1.9	53
14	Children's Mental Health Need and Expenditures in Ontario: Findings from the 2014 Ontario Child Health Study. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 275-284.	1.9	7
15	The 2014 Ontario Child Health Study's Methodology. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 237-245.	1.9	43
16	Impact of a structured, group-based running programme on clinical, cognitive and social function in youth and adults with complex mood disorders: a 12-week pilot study. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000521.	2.9	2
17	F107. Cortical Thickness Features Differentiate 16-Week Antidepressant Response Profiles in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2019, 85, S254.	1.3	0
18	Six-Month Prevalence of Mental Disorders and Service Contacts among Children and Youth in Ontario: Evidence from the 2014 Ontario Child Health Study. <i>Canadian Journal of Psychiatry</i> , 2019, 64, 246-255.	1.9	152

#	ARTICLE	IF	CITATIONS
19	Tracking Children's Mental Health in the 21st Century: Lessons from the 2014 OCHS. Canadian Journal of Psychiatry, 2019, 64, 232-236.	1.9	9
20	Poverty, Neighbourhood Antisocial Behaviour, and Children's Mental Health Problems: Findings from the 2014 Ontario Child Health Study. Canadian Journal of Psychiatry, 2019, 64, 285-293.	1.9	20
21	Impact of maternal adverse childhood experiences on child socioemotional function in rural Kenya: Mediating role of maternal mental health. Developmental Science, 2019, 22, e12833.	2.4	27
22	Prevalence and Correlates of Youth Suicidal Ideation and Attempts: Evidence from the 2014 Ontario Child Health Study. Canadian Journal of Psychiatry, 2019, 64, 265-274.	1.9	40
23	Prefrontal Cortex Dopamine Transporter Gene Network Moderates the Effect of Perinatal Hypoxic-Ischemic Conditions on Cognitive Flexibility and Brain Gray Matter Density in Children. Biological Psychiatry, 2019, 86, 621-630.	1.3	24
24	Co-designing Services for Youth With Mental Health Issues: Novel Elicitation Approaches. International Journal of Qualitative Methods, The, 2019, 18, 160940691881624.	2.8	25
25	Association of functioning and quality of life with objective and subjective measures of sleep and biological rhythms in major depressive and bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2019, 53, 683-696.	2.3	48
26	Symptomatic and Functional Outcomes and Early Prediction of Response to Escitalopram Monotherapy and Sequential Adjunctive Aripiprazole Therapy in Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2019, 80, .	2.2	61
27	Trends and Predictors of Repeat Mental Health Visits to a Pediatric Emergency Department in Hamilton, Ontario. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2019, 28, 82-90.	0.6	3
28	Association of intracortical myelin and cognitive function in bipolar I disorder. Acta Psychiatrica Scandinavica, 2018, 138, 62-72.	4.5	13
29	The dopamine D4 receptor gene, birth weight, maternal depression, maternal attention, and the prediction of disorganized attachment at 36 months of age: A prospective gene X environment analysis. , 2018, 50, 64-77.		10
30	Effects of a 12-week running programme in youth and adults with complex mood disorders. BMJ Open Sport and Exercise Medicine, 2018, 4, e000314.	2.9	20
31	Prenatal maternal depression and child serotonin transporter linked polymorphic region (<i>5-HTTLPR</i>) and dopamine receptor D4 (<i>DRD4</i>) genotype predict negative emotionality from 3 to 36 months. Development and Psychopathology, 2017, 29, 901-917.	2.3	76
32	The association between biological rhythms, depression, and functioning in bipolar disorder: a large multi-center study. Acta Psychiatrica Scandinavica, 2016, 133, 102-108.	4.5	66
33	2.47 THE DOPAMINE D4 RECEPTOR GENE, BIRTH WEIGHT, EARLY MATERNAL CARE, MATERNAL DEPRESSION OVER THE POSTNATAL TIME PERIOD, AND THE PREDICTION OF DISORGANIZED ATTACHMENT AT 36-MONTHS OF AGE: A PROSPECTIVE GENE X ENVIRONMENT ANALYSIS. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, S135-S136.	0.5	2
34	Gray matter volumes in symptomatic and asymptomatic offspring of parents diagnosed with bipolar disorder. European Child and Adolescent Psychiatry, 2016, 25, 959-967.	4.7	17
35	Cortical thickness in symptomatic and asymptomatic bipolar offspring. Psychiatry Research - Neuroimaging, 2016, 251, 26-33.	1.8	22
36	Cortical thickness in bipolar disorder: a systematic review. Bipolar Disorders, 2016, 18, 4-18.	1.9	175

#	ARTICLE	IF	CITATIONS
37	Biological rhythms are independently associated with quality of life in bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 9.	2.2	19
38	Accuracy of emotion labeling in children of parents diagnosed with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 194, 226-233.	4.1	14
39	The interplay of birth weight, dopamine receptor D4 gene (DRD4), and early maternal care in the prediction of disorganized attachment at 36 months of age. <i>Development and Psychopathology</i> , 2015, 27, 1145-1161.	2.3	28
40	Prenatal depression and 5-HTTLPR interact to predict dysregulation from 3 to 36 months: A differential susceptibility model. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 21-29.	5.2	56
41	Preschool children without 7-repeat DRD4 gene more likely to develop disorganized attachment style. <i>McGill Science Undergraduate Research Journal</i> , 2015, 10, 31-36.	0.2	2
42	Alterations in circadian rhythms are associated with increased lipid peroxidation in females with bipolar disorder. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 715-722.	2.1	29
43	Here/In This Issue and There/Abstract Thinking: "€80 Billion Dollars, Every Year" Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 711-712.	0.5	0
44	Here/In This Issue and There/Abstract Thinking: How Do We Know What We Know? Cautionary Tales in Medical Publishing. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 1-2.	0.5	7
45	In This Issue/Abstract Thinking: Focusing on Resilience. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 1-2.	0.5	12
46	Here/In This Issue and There/Abstract Thinking: From Pixels to Voxels: Television, Brain, and Behavior. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 665-666.	0.5	0
47	Pharmacologic Treatment of Bipolar Disorder in Children and Adolescents. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2012, 21, 911-939.	1.9	39
48	In This Issue/Abstract Thinking: Game On: Is There a Role for Video Games in Clinical Care?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 661-662.	0.5	2
49	In This Issue/Abstract Thinking: Mothers, Babies, and Amygdalae. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 1-2.	0.5	9
50	In This Issue/Abstract Thinking: Got a Raise? Thank Your Kindergarten Teacher. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 1-2.	0.5	19
51	In This Issue/Abstract Thinking: Trauma and the Mind-Body Connection. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 631-632.	0.5	1
52	Self-organized criticality and the predictability of human behavior. <i>New Ideas in Psychology</i> , 2011, 29, 38-48.	1.9	24
53	In This Issue/Abstract Thinking: Assessing the Risk of Suicide Through Prospective Studies. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 87-88.	0.5	0
54	Attention-Deficit Hyperactivity Disorder and gender. <i>Archives of Women's Mental Health</i> , 2010, 13, 29-31.	2.6	11

#	ARTICLE	IF	CITATIONS
55	In This Issue. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 861-862.	0.5	0
56	Orbitofrontal cortex gray matter volumes in bipolar disorder patients: a region-of-interest MRI study. Bipolar Disorders, 2009, 11, 145-153.	1.9	50
57	Abnormal corpus callosum myelination in pediatric bipolar patients. Journal of Affective Disorders, 2008, 108, 297-301.	4.1	56
58	Reply: Lithium and Increased Cortical Gray Matter—More Tissue or More Water?. Biological Psychiatry, 2008, 63, e19.	1.3	2
59	Three-Dimensional Mapping of Hippocampal Anatomy in Adolescents With Bipolar Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 515-525.	0.5	55
60	MRI study of the cerebellum in young bipolar patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 613-619.	4.8	61
61	Three-Dimensional Mapping of Hippocampal Anatomy in Unmedicated and Lithium-Treated Patients with Bipolar Disorder. Neuropsychopharmacology, 2008, 33, 1229-1238.	5.4	148
62	Anatomical measurements of the orbitofrontal cortex in child and adolescent patients with bipolar disorder. Neuroscience Letters, 2007, 413, 183-186.	2.1	65
63	Prefrontal gray matter increases in healthy individuals after lithium treatment: A voxel-based morphometry study. Neuroscience Letters, 2007, 429, 7-11.	2.1	114
64	Greater Cortical Gray Matter Density in Lithium-Treated Patients with Bipolar Disorder. Biological Psychiatry, 2007, 62, 7-16.	1.3	271
65	Fronto-limbic brain structures in suicidal and non-suicidal female patients with major depressive disorder. Molecular Psychiatry, 2007, 12, 360-366.	7.9	282
66	Context processing performance in bipolar disorder patients. Bipolar Disorders, 2007, 9, 230-237.	1.9	38
67	Smaller Cingulate Volumes in Unipolar Depressed Patients. Biological Psychiatry, 2006, 59, 702-706.	1.3	142
68	MRI study of corpus callosum in children and adolescents with bipolar disorder. Psychiatry Research - Neuroimaging, 2006, 146, 83-85.	1.8	44
69	MRI study of thalamus volumes in juvenile patients with bipolar disorder. Depression and Anxiety, 2006, 23, 347-352.	4.1	17
70	Structural brain changes in bipolar disorder using deformation field morphometry. NeuroReport, 2005, 16, 541-544.	1.2	47
71	Developmental abnormalities in striatum in young bipolar patients: a preliminary study. Bipolar Disorders, 2005, 7, 153-158.	1.9	50
72	Obsessive-compulsive symptoms in adults with history of rheumatic fever, Sydenham's chorea and type I diabetes mellitus: preliminary results. Acta Psychiatrica Scandinavica, 2005, 111, 159-161.	4.5	25

#	ARTICLE	IF	CITATIONS
73	1H magnetic resonance spectroscopy investigation of the dorsolateral prefrontal cortex in bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2005, 86, 61-67.	4.1	105
74	Subgenual prefrontal cortex of child and adolescent bipolar patients: a morphometric magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 43-49.	1.8	57
75	1H Magnetic resonance spectroscopy study of dorsolateral prefrontal cortex in unipolar mood disorder patients. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 131-139.	1.8	37
76	Anatomical MRI study of corpus callosum in unipolar depression. <i>Journal of Psychiatric Research</i> , 2005, 39, 347-354.	3.1	85
77	Cingulate Cortex Anatomical Abnormalities in Children and Adolescents With Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2005, 162, 1637-1643.	7.2	128
78	Reduced NAA Levels in the Dorsolateral Prefrontal Cortex of Young Bipolar Patients. <i>American Journal of Psychiatry</i> , 2005, 162, 2109-2115.	7.2	95
79	1H MRS Study of Dorsolateral Prefrontal Cortex in Healthy Individuals before and after Lithium Administration. <i>Neuropsychopharmacology</i> , 2004, 29, 1918-1924.	5.4	69
80	Anatomical MRI study of hippocampus and amygdala in patients with current and remitted major depression. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 141-147.	1.8	173
81	Normal pituitary volumes in children and adolescents with bipolar disorder: A magnetic resonance imaging study. <i>Depression and Anxiety</i> , 2004, 20, 182-186.	4.1	36
82	Anatomic evaluation of the orbitofrontal cortex in major depressive disorder. <i>Biological Psychiatry</i> , 2004, 55, 353-358.	1.3	216
83	Cross-sectional study of abnormal amygdala development in adolescents and young adults with bipolar disorder. <i>Biological Psychiatry</i> , 2004, 56, 399-405.	1.3	150
84	Reduced left anterior cingulate volumes in untreated bipolar patients. <i>Biological Psychiatry</i> , 2004, 56, 467-475.	1.3	177
85	Abnormal left superior temporal gyrus volumes in children and adolescents with bipolar disorder: a magnetic resonance imaging study. <i>Neuroscience Letters</i> , 2004, 363, 65-68.	2.1	98
86	Anatomical MRI study of basal ganglia in major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2003, 124, 129-140.	1.8	96
87	White matter hyperintensities in bipolar and unipolar patients with relatively mild-to-moderate illness severity. <i>Journal of Affective Disorders</i> , 2003, 77, 237-245.	4.1	51
88	MRI investigation of temporal lobe structures in bipolar patients. <i>Journal of Psychiatric Research</i> , 2003, 37, 287-295.	3.1	210
89	Magnetic resonance imaging study of corpus callosum abnormalities in patients with bipolar disorder. <i>Biological Psychiatry</i> , 2003, 54, 1294-1297.	1.3	102
90	Increased gray matter volume in lithium-treated bipolar disorder patients. <i>Neuroscience Letters</i> , 2002, 329, 243-245.	2.1	250

#	ARTICLE	IF	CITATIONS
91	Anatomical MRI Study of Subgenual Prefrontal Cortex in Bipolar and Unipolar Subjects. <i>Neuropsychopharmacology</i> , 2002, 27, 792-799.	5.4	146
92	Decreased pituitary volume in patients with bipolar disorder. <i>Biological Psychiatry</i> , 2001, 50, 271-280.	1.8	125
93	MRI study of thalamic volumes in bipolar and unipolar patients and healthy individuals. <i>Psychiatry Research - Neuroimaging</i> , 2001, 108, 161-168.	1.8	75
94	Emerging therapeutic targets in bipolar mood disorder. <i>Expert Opinion on Therapeutic Targets</i> , 2001, 5, 587-599.	3.4	5
95	Ressonância magnética estrutural nos transtornos afetivos. <i>Revista Brasileira De Psiquiatria</i> , 2001, 23, 11-14.	1.7	5
96	Zipf's Law Organizes a Psychiatric Ward. <i>Journal of Theoretical Biology</i> , 1999, 198, 439-443.	1.7	19