

Mark Matthews

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1850774/publications.pdf>

Version: 2024-02-01

354
papers

20,169
citations

34493

54
h-index

18400

124
g-index

363
all docs

363
docs citations

363
times ranked

23874
citing authors

#	ARTICLE	IF	CITATIONS
1	Schizophrenia. <i>Lancet</i> , The, 2009, 374, 635-645.	6.3	1,820
2	The environment and schizophrenia. <i>Nature</i> , 2010, 468, 203-212.	13.7	1,249
3	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
4	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
5	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
6	Schizophrenia. <i>Nature Reviews Disease Primers</i> , 2015, 1, 15067.	18.1	724
7	Gene-Environment Interactions in Schizophrenia: Review of Epidemiological Findings and Future Directions. <i>Schizophrenia Bulletin</i> , 2008, 34, 1066-1082.	2.3	595
8	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , the, 2019, 6, 427-436.	3.7	528
9	Psychosis as a transdiagnostic and extended phenotype in the general population. <i>World Psychiatry</i> , 2016, 15, 118-124.	4.8	397
10	Almost All Antipsychotics Result in Weight Gain: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e94112.	1.1	382
11	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 618-628.	1.6	340
12	Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and Severity—Implications for Diagnosis and Ultra-High Risk Research. <i>Schizophrenia Bulletin</i> , 2012, 38, 247-257.	2.3	324
13	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	6.0	235
14	The 20-Year Longitudinal Trajectories of Social Functioning in Individuals With Psychotic Disorders. <i>American Journal of Psychiatry</i> , 2017, 174, 1075-1085.	4.0	209
15	A critique of the “ultra-high risk” and “transition” paradigm. <i>World Psychiatry</i> , 2017, 16, 200-206.	4.8	206
16	Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia-related genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9604-9609.	3.3	200
17	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014, 13, 68-77.	4.8	194
18	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. <i>British Journal of Psychiatry</i> , 2016, 209, 361-365.	1.7	193

#	ARTICLE	IF	CITATIONS
19	Defeat stress in rodents: From behavior to molecules. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 59, 111-140.	2.9	185
20	Automatic detection of social rhythms in bipolar disorder. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2016, 23, 538-543.	2.2	183
21	Insight and Psychotic Illness. <i>British Journal of Psychiatry</i> , 1995, 167, 621-628.	1.7	181
22	Introduction: The Extended Psychosis Phenotype--Relationship With Schizophrenia and With Ultrahigh Risk Status for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 227-230.	2.3	176
23	Reviewing reflection. , 2014, , .		158
24	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , the, 2015, 2, 1036-1042.	3.7	158
25	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	4.8	153
26	A time-lagged momentary assessment study on daily life physical activity and affect.. <i>Health Psychology</i> , 2012, 31, 135-144.	1.3	152
27	Design and evaluation guidelines for mental health technologies. <i>Interacting With Computers</i> , 2010, 22, 243-252.	1.0	147
28	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1379-1388.	1.6	147
29	Genetic risk of depression and stress-induced negative affect in daily life. <i>British Journal of Psychiatry</i> , 2007, 191, 218-223.	1.7	146
30	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 451-457.	2.2	144
31	Psychological responses during the COVID-19 outbreak among university students in Bangladesh. <i>PLoS ONE</i> , 2020, 15, e0245083.	1.1	140
32	The evidence-based group-level symptom-reduction model as the organizing principle for mental health care: time for change?. <i>World Psychiatry</i> , 2019, 18, 88-96.	4.8	137
33	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017, 34, 481-493.	2.0	135
34	A Network Approach to Environmental Impact in Psychotic Disorder: Brief Theoretical Framework. <i>Schizophrenia Bulletin</i> , 2016, 42, 870-873.	2.3	128
35	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182.	4.8	127
36	Computers in talk-based mental health interventions. <i>Interacting With Computers</i> , 2007, 19, 545-562.	1.0	114

#	ARTICLE	IF	CITATIONS
37	Affective symptoms and the overactive bladder – A systematic review. <i>Journal of Psychosomatic Research</i> , 2015, 78, 95-108.	1.2	114
38	Semi-Automated Tracking: A Balanced Approach for Self-Monitoring Applications. <i>IEEE Pervasive Computing</i> , 2017, 16, 74-84.	1.1	105
39	In the mood. , 2011, , .		99
40	Psychopathological Mechanisms Linking Childhood Traumatic Experiences to Risk of Psychotic Symptoms: Analysis of a Large, Representative Population-Based Sample. <i>Schizophrenia Bulletin</i> , 2014, 40, S123-S130.	2.3	95
41	Self-monitoring practices, attitudes, and needs of individuals with bipolar disorder: implications for the design of technologies to manage mental health. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2016, 23, 477-484.	2.2	95
42	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. <i>European Neuropsychopharmacology</i> , 2011, 21, 241-247.	0.3	94
43	Beyond DSM and ICD: introducing ‘‘precision diagnosis’’ for psychiatry using momentary assessment technology. <i>World Psychiatry</i> , 2013, 12, 113-117.	4.8	92
44	Towards circadian computing. , 2014, , .		92
45	Personal Investigator: A therapeutic 3D game for adolescent psychotherapy. <i>Interactive Technology and Smart Education</i> , 2005, 2, 73-88.	3.8	85
46	Cognitive rhythms. , 2016, , .		79
47	Designing Mobile Applications to Support Mental Health Interventions. , 2008, , 635-656.		78
48	Mobile phone mood charting for adolescents. <i>British Journal of Guidance and Counselling</i> , 2008, 36, 113-129.	0.6	76
49	Development and Evaluation of a Smartphone-Based Measure of Social Rhythms for Bipolar Disorder. <i>Assessment</i> , 2016, 23, 472-483.	1.9	74
50	Functional urological disorders: a sensitized defence response in the bladder–‘‘gut’’–brain axis. <i>Nature Reviews Urology</i> , 2017, 14, 153-163.	1.9	74
51	MoodLight. , 2015, 2015, 143-153.		73
52	The Exposome Paradigm and the Complexities of Environmental Research in Psychiatry. <i>JAMA Psychiatry</i> , 2018, 75, 985.	6.0	72
53	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021, 10, .	2.8	72
54	Towards Personal Stress Informatics: Comparing Minimally Invasive Techniques for Measuring Daily Stress in the Wild. , 2014, , .		72

#	ARTICLE	IF	CITATIONS
55	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	2.7	69
56	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	0.7	67
57	Moment-to-Moment Transfer of Positive Emotions in Daily Life Predicts Future Course of Depression in Both General Population and Patient Samples. <i>PLoS ONE</i> , 2013, 8, e75655.	1.1	64
58	Behavioral pattern separation and its link to the neural mechanisms of fear generalization. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1720-1729.	1.5	63
59	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014, 55, 1883-1890.	1.5	61
60	Obstetric complications and familial morbid risk of psychiatric disorders. , 1998, 81, 29-36.		60
61	Sensing behavioral symptoms of mental health and delivering personalized interventions using mobile technologies. <i>Depression and Anxiety</i> , 2017, 34, 603-609.	2.0	60
62	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. <i>Schizophrenia Bulletin</i> , 2018, 44, 710-719.	2.3	59
63	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	2.7	58
64	Experimentally Induced Stress Validated by EMG Activity. <i>PLoS ONE</i> , 2014, 9, e95215.	1.1	56
65	An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis. <i>PLoS ONE</i> , 2016, 11, e0162811.	1.1	56
66	Are psychiatric diagnoses of psychosis scientific and useful? The case of schizophrenia. <i>Journal of Mental Health</i> , 2010, 19, 305-317.	1.0	55
67	Validation of a neurofeedback paradigm: Manipulating frontal EEG alpha-activity and its impact on mood. <i>International Journal of Psychophysiology</i> , 2014, 93, 116-120.	0.5	55
68	A Transdiagnostic Network Approach to Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 122-132.	2.3	55
69	Prevalence and correlates of anxiety and depression in frontline healthcare workers treating people with COVID-19 in Bangladesh. <i>BMC Psychiatry</i> , 2021, 21, 271.	1.1	55
70	Association of preceding psychosis risk states and non-psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESIS cohort. <i>World Psychiatry</i> , 2020, 19, 199-205.	4.8	53
71	The impact of electroconvulsive therapy on the tryptophan-kynurenine metabolic pathway. <i>Brain, Behavior, and Immunity</i> , 2015, 48, 48-52.	2.0	52
72	The Complexities of Evaluating the Exposome in Psychiatry: A Data-Driven Illustration of Challenges and Some Propositions for Amendments. <i>Schizophrenia Bulletin</i> , 2018, 44, 1175-1179.	2.3	52

#	ARTICLE	IF	CITATIONS
73	Evidence for Genetic Overlap Between Schizophrenia and Age at First Birth in Women. <i>JAMA Psychiatry</i> , 2016, 73, 497.	6.0	51
74	Childhood negative experiences and subclinical psychosis in adolescence: a longitudinal general population study. <i>Microbial Biotechnology</i> , 2007, 1, 201-207.	0.9	50
75	From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. <i>Psychological Medicine</i> , 2019, 49, 2441-2451.	2.7	49
76	Prevalence of anxiety and depressive symptoms and their association with pelvic floor dysfunctions-A cross sectional cohort study at a Pelvic Care Centre. <i>Neurourology and Urodynamics</i> , 2017, 36, 1816-1823.	0.8	48
77	In Situ Design for Mental Illness. , 2015, , .		47
78	A user-developed, user run recovery programme for people with severe mental illness: A randomised control trial. <i>Psychosis</i> , 2016, 8, 287-300.	0.4	46
79	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	2.3	46
80	Neurofeedback As a Treatment for Major Depressive Disorder – A Pilot Study. <i>PLoS ONE</i> , 2014, 9, e91837.	1.1	45
81	Mobile manifestations of alertness. , 2016, 2016, 465-477.		45
82	Neural responses during extinction learning predict exposure therapy outcome in phobia: results from a randomized-controlled trial. <i>Neuropsychopharmacology</i> , 2020, 45, 534-541.	2.8	45
83	Evidence That a Psychopathology Interactome Has Diagnostic Value, Predicting Clinical Needs: An Experience Sampling Study. <i>PLoS ONE</i> , 2014, 9, e86652.	1.1	44
84	Understanding urbanicity: how interdisciplinary methods help to unravel the effects of the city on mental health. <i>Psychological Medicine</i> , 2021, 51, 1099-1110.	2.7	44
85	Experience Sampling-Based Personalized Feedback and Positive Affect: A Randomized Controlled Trial in Depressed Patients. <i>PLoS ONE</i> , 2015, 10, e0128095.	1.1	43
86	Association of Recent Stressful Life Events With Mental and Physical Health in the Context of Genomic and Exposomic Liability for Schizophrenia. <i>JAMA Psychiatry</i> , 2020, 77, 1296.	6.0	43
87	EEG Changes Due to Experimentally Induced 3G Mobile Phone Radiation. <i>PLoS ONE</i> , 2015, 10, e0129496.	1.1	43
88	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. <i>Schizophrenia Bulletin</i> , 2015, 41, 1084-1094.	2.3	42
89	To continue or not to continue? Antipsychotic medication maintenance versus dose-reduction/discontinuation in first episode psychosis: HAMLETT, a pragmatic multicenter single-blind randomized controlled trial. <i>Trials</i> , 2020, 21, 147.	0.7	41
90	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. <i>American Journal of Psychiatry</i> , 2020, 177, 318-326.	4.0	41

#	ARTICLE	IF	CITATIONS
91	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	1.6	41
92	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38
93	Antidepressant tapering strips to help people come off medication more safely. <i>Psychosis</i> , 2018, 10, 142-145.	0.4	38
94	Mindfulness Training for People With Dementia and Their Caregivers: Rationale, Current Research, and Future Directions. <i>Frontiers in Psychology</i> , 2018, 9, 982.	1.1	38
95	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	2.7	38
96	Hyper-Theory-of-Mind in Children with Psychotic Experiences. <i>PLoS ONE</i> , 2014, 9, e113082.	1.1	38
97	Demonstrating the reliability of transdiagnostic mHealth Routine Outcome Monitoring in mental health services using experience sampling technology. <i>PLoS ONE</i> , 2017, 12, e0186294.	1.1	38
98	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018, 213, 535-541.	1.7	37
99	An ecological momentary intervention incorporating personalised feedback to improve symptoms and social functioning in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2020, 284, 112695.	1.7	37
100	Altered Transfer of Momentary Mental States (ATOMS) as the Basic Unit of Psychosis Liability in Interaction with Environment and Emotions. <i>PLoS ONE</i> , 2013, 8, e54653.	1.1	37
101	Stress reactivity links childhood trauma exposure to an admixture of depressive, anxiety, and psychosis symptoms. <i>Psychiatry Research</i> , 2018, 260, 451-457.	1.7	36
102	The Association between Negative Symptoms, Psychotic Experiences and Later Schizophrenia: A Population-Based Longitudinal Study. <i>PLoS ONE</i> , 2015, 10, e0119852.	1.1	36
103	Flexible Assertive Community Treatment, Severity of Symptoms and Psychiatric Health Service Use, a Real life Observational Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 202-209.	0.6	36
104	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. <i>Lancet Psychiatry</i> , 2022, 9, 413-422.	3.7	36
105	Emotional Experience and Estimates of D2 Receptor Occupancy in Psychotic Patients Treated With Haloperidol, Risperidone, or Olanzapine. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1397-1404.	1.1	35
106	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	2.7	34
107	The Many Continua of Psychosis. <i>JAMA Psychiatry</i> , 2014, 71, 985.	6.0	33
108	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: Replication and extension of a gene-environment interaction. <i>European Neuropsychopharmacology</i> , 2014, 24, 930-938.	0.3	33

#	ARTICLE	IF	CITATIONS
109	Effect of Antipsychotic Type and Dose Changes on Tardive Dyskinesia and Parkinsonism Severity in Patients With a Serious Mental Illness. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e279-e285.	1.1	33
110	Relation between psychotic symptoms, parental care and childhood trauma in severe mental disorders. <i>Psychiatry Research</i> , 2017, 251, 78-84.	1.7	32
111	Quantifying the Changeable Self: The Role of Self-Tracking in Coming to Terms With and Managing Bipolar Disorder. <i>Human-Computer Interaction</i> , 2017, 32, 413-446.	3.1	32
112	The double-edged sword: A mixed methods study of the interplay between bipolar disorder and technology use. <i>Computers in Human Behavior</i> , 2017, 75, 288-300.	5.1	32
113	Evidence That the Impact of Childhood Trauma on IQ Is Substantial in Controls, Moderate in Siblings, and Absent in Patients With Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2017, 43, 316-324.	2.3	32
114	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020, 128, 103592.	1.6	32
115	Default Mode Network Connectivity as a Function of Familial and Environmental Risk for Psychotic Disorder. <i>PLoS ONE</i> , 2015, 10, e0120030.	1.1	31
116	Testing an mHealth Momentary Assessment Routine Outcome Monitoring Application: A Focus on Restoration of Daily Life Positive Mood States. <i>PLoS ONE</i> , 2014, 9, e115254.	1.1	31
117	Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. <i>Psychological Medicine</i> , 2019, 49, 1879-1889.	2.7	30
118	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. <i>JMIR MHealth and UHealth</i> , 2016, 4, e103.	1.8	30
119	Evidence That Transition from Health to Psychotic Disorder Can Be Traced to Semi-Ubiquitous Environmental Effects Operating against Background Genetic Risk. <i>PLoS ONE</i> , 2013, 8, e76690.	1.1	29
120	Social (media) jet lag. , 2015, , .		29
121	Differences in Facial Emotion Recognition between First Episode Psychosis, Borderline Personality Disorder and Healthy Controls. <i>PLoS ONE</i> , 2016, 11, e0160056.	1.1	29
122	Taking part. , 2014, , .		28
123	Levels of Red Blood Cell Fatty Acids in Patients With Psychosis, Their Unaffected Siblings, and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2016, 42, 358-368.	2.3	28
124	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897.	2.7	28
125	Epigenetic Genes and Emotional Reactivity to Daily Life Events: A Multi-Step Gene-Environment Interaction Study. <i>PLoS ONE</i> , 2014, 9, e100935.	1.1	27
126	Personality Compensates for Impaired Quality of Life and Social Functioning in Patients With Psychotic Disorders Who Experienced Traumatic Events. <i>Schizophrenia Bulletin</i> , 2014, 40, 1356-1365.	2.3	27

#	ARTICLE	IF	CITATIONS
127	Differential susceptibility to chronic social defeat stress relates to the number of Dnmt3a-immunoreactive neurons in the hippocampal dentate gyrus. <i>Psychoneuroendocrinology</i> , 2015, 51, 547-556.	1.3	27
128	Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. <i>BMC Psychiatry</i> , 2019, 19, 244.	1.1	27
129	Meta-analysis of auditory P50 sensory gating in schizophrenia and bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020, 300, 111078.	0.9	27
130	Posttraumatic stress disorder during the COVID-19 pandemic: Upcoming challenges in Bangladesh and preventive strategies. <i>International Journal of Social Psychiatry</i> , 2021, 67, 205-206.	1.6	27
131	Prevalence of depression, anxiety and associated factors among school going adolescents in Bangladesh: Findings from a cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0247898.	1.1	27
132	Emotion processing in schizophrenia is state and trait dependent. <i>Schizophrenia Research</i> , 2015, 161, 392-398.	1.1	26
133	White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. <i>PLoS ONE</i> , 2017, 12, e0183695.	1.1	26
134	Clinical guidelines on antidepressant withdrawal urgently need updating. <i>BMJ: British Medical Journal</i> , 2019, 365, l2238.	2.4	26
135	Childhood adversities and psychotic symptoms: The potential mediating or moderating role of neurocognition and social cognition. <i>Schizophrenia Research</i> , 2019, 206, 183-193.	1.1	26
136	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Associationâ€”The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 594-603.	2.3	26
137	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , 2016, 245, 267-275.	1.7	25
138	Mindfulness-based stress reduction in middle-aged and older adults with memory complaints: a mixed-methods study. <i>Aging and Mental Health</i> , 2018, 22, 1113-1120.	1.5	25
139	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. <i>Psychological Medicine</i> , 2019, 49, 1346-1356.	2.7	25
140	Analysis of GWAS-Derived Schizophrenia Genes for Links to Ischemia-Hypoxia Response of the Brain. <i>Frontiers in Psychiatry</i> , 2020, 11, 393.	1.3	25
141	Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. <i>Frontiers in Psychology</i> , 2017, 8, 1908.	1.1	24
142	The Influence of Perceived Stress on Cortical Reactivity: A Proof-Of-Principle Study. <i>PLoS ONE</i> , 2015, 10, e0129220.	1.1	23
143	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. <i>Epigenomics</i> , 2015, 7, 533-537.	1.0	23
144	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23

#	ARTICLE	IF	CITATIONS
145	Bullying victimization and stress sensitivity in help-seeking youth: findings from an experience sampling study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 591-605.	2.8	23
146	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
147	Unraveling the Relationship between Motor Symptoms, Affective States and Contextual Factors in Parkinson's Disease: A Feasibility Study of the Experience Sampling Method. <i>PLoS ONE</i> , 2016, 11, e0151195.	1.1	23
148	Depression: Too Much Negative Affect or Too Little Positive Affect?. <i>Twin Research and Human Genetics</i> , 2007, 10, 19-20.	0.3	22
149	Comparative Study of Clinical and Neuropsychological Characteristics Between Early-, Late and Very-Late-Onset Schizophrenia-Spectrum Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 852-862.	0.6	22
150	Do Current Measures of Polygenic Risk for Mental Disorders Contribute to Population Variance in Mental Health?. <i>Schizophrenia Bulletin</i> , 2020, 46, 1353-1362.	2.3	22
151	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	2.7	22
152	Psychiatry beyond labels: introducing contextual precision diagnosis across stages of psychopathology. <i>Psychological Medicine</i> , 2013, 43, 1563-1567.	2.7	21
153	Evidence that reduced gray matter volume in psychotic disorder is associated with exposure to environmental risk factors. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 100-110.	0.9	21
154	Novel Evidence That Attributing Affectively Salient Signal to Random Noise Is Associated with Psychosis. <i>PLoS ONE</i> , 2014, 9, e102520.	1.1	20
155	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 10915-10939.	1.2	20
156	Towards Horizon 2020: challenges and advances for clinical mental health research & outcome of an expert survey. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1057.	1.0	20
157	Real-Time Representation Versus Response Elicitation in Biosensor Data. , 2015, , .		20
158	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. <i>BMC Psychiatry</i> , 2016, 16, 223.	1.1	20
159	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017, 29, 259-267.	0.6	20
160	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. <i>Journal of Psychiatric Research</i> , 2016, 83, 121-129.	1.5	19
161	Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach. <i>Schizophrenia Research</i> , 2019, 205, 58-62.	1.1	19
162	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19

#	ARTICLE	IF	CITATIONS
163	From Affective Experience to Motivated Action: Tracking Reward-Seeking and Punishment-Avoidant Behaviour in Real-Life. PLoS ONE, 2015, 10, e0129722.	1.1	19
164	Familial covariation of facial emotion recognition and IQ in schizophrenia. Psychiatry Research, 2016, 246, 52-57.	1.7	18
165	Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. Psychological Medicine, 2019, 49, 1799-1809.	2.7	18
166	Functional neuroimaging of associative learning and generalization in specific phobia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 89, 275-285.	2.5	18
167	Outcome of antidepressant drug discontinuation with taperingstrips after 1-5 years. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532095460.	1.2	18
168	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. Molecular Psychiatry, 2021, 26, 5307-5319.	4.1	18
169	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. European Psychiatry, 2021, 64, e25.	0.1	18
170	Predictive Performance of Exposome Score for Schizophrenia in the General Population. Schizophrenia Bulletin, 2021, 47, 277-283.	2.3	18
171	A cognitive intermediate phenotype study confirming possible gene-environment early adversity interaction in psychosis outcome: A general population twin study. Psychosis, 2010, 2, 1-11.	0.4	17
172	Brain-Derived Neurotrophic Factor/FK506-Binding Protein 5 Genotype by Childhood Trauma Interactions Do Not Impact on Hippocampal Volume and Cognitive Performance. PLoS ONE, 2014, 9, e92722.	1.1	17
173	Biogotchil. , 2015, , .		17
174	Neuroticism and facial emotion recognition in healthy adults. Microbial Biotechnology, 2016, 10, 160-164.	0.9	17
175	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. Schizophrenia Research, 2019, 209, 156-163.	1.1	17
176	Psychometric liability to psychosis and childhood adversities are associated with shorter telomere length: A study on schizophrenia patients, unaffected siblings, and non-clinical controls. Journal of Psychiatric Research, 2019, 111, 169-185.	1.5	17
177	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 1376-1385.	2.7	17
178	It is not enough to sing its praises: the very foundations of precision psychiatry may be scientifically unsound and require examination. Psychological Medicine, 2021, 51, 1415-1417.	2.7	17
179	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.	2.3	17
180	Estimating Aggregate Environmental Risk Score in Psychiatry: The Exposome Score for Schizophrenia. Frontiers in Psychiatry, 2021, 12, 671334.	1.3	17

#	ARTICLE	IF	CITATIONS
181	Data Gathering Bias: Trait Vulnerability to Psychotic Symptoms?. PLoS ONE, 2015, 10, e0132442.	1.1	17
182	Jaspers was right after all – delusions are distinct from normal beliefs. British Journal of Psychiatry, 2003, 183, 285-286.	1.7	16
183	MoodRhythm. , 2013, , .		16
184	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. Psychiatry Research, 2018, 261, 116-123.	1.7	16
185	Need for evidence-based early intervention programmes: a public health perspective. Evidence-Based Mental Health, 2018, 21, 128-130.	2.2	16
186	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. Schizophrenia Research, 2019, 208, 82-89.	1.1	16
187	Renaming schizophrenia: 5 – 5. Epidemiology and Psychiatric Sciences, 2019, 28, 254-257.	1.8	16
188	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. Molecular Psychiatry, 2021, 26, 2590-2604.	4.1	16
189	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. Schizophrenia Bulletin, 2021, 47, 915-926.	2.3	16
190	Precision psychiatry: promise for the future or rehash of a fossilised foundation?. Psychological Medicine, 2021, 51, 1409-1411.	2.7	16
191	Aggressive Behavior, Hostility, and Associated Care Needs in Patients With Psychotic Disorders: A 6-Year Follow-Up Study. Frontiers in Psychiatry, 2019, 10, 934.	1.3	16
192	Gender differences in the association between environment and psychosis. Schizophrenia Research, 2022, 243, 120-137.	1.1	16
193	The serotonin transporter 5-HTTLPR polymorphism in the association between sleep quality and affect. European Neuropsychopharmacology, 2014, 24, 1086-1090.	0.3	15
194	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. Schizophrenia Bulletin, 2018, 44, S460-S467.	2.3	15
195	Mindfulness-Based Intervention for People With Dementia and Their Partners: Results of a Mixed-Methods Study. Frontiers in Aging Neuroscience, 2019, 11, 92.	1.7	15
196	Likelihood of mechanistic roles for dopaminergic, serotonergic and glutamatergic receptors in tardive dyskinesia: A comparison of genetic variants in two independent patient populations. SAGE Open Medicine, 2016, 4, 205031211664367.	0.7	14
197	Intimacy and its barriers: A qualitative exploration of intimacy and related struggles among people diagnosed with psychosis. Psychosis, 2017, 9, 301-309.	0.4	14
198	Evidence That the Urban Environment Moderates the Level of Familial Clustering of Positive Psychotic Symptoms. Schizophrenia Bulletin, 2017, 43, 325-331.	2.3	14

#	ARTICLE	IF	CITATIONS
199	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 415.	1.1	14
200	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019, 204, 415-416.	1.1	14
201	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	2.3	14
202	Intelligence, educational attainment, and brain structure in those at familial high risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	1.9	14
203	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	2.7	14
204	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
205	Association of the kynurenine pathway metabolites with clinical, cognitive features and IL-1 ^β levels in patients with schizophrenia spectrum disorder and their siblings. <i>Schizophrenia Research</i> , 2021, 229, 27-37.	1.1	14
206	Psychotic Experiences and Risk of Violence Perpetration and Arrest in the General Population: A Prospective Study. <i>PLoS ONE</i> , 2016, 11, e0159023.	1.1	14
207	Introduction. <i>Schizophrenia Bulletin</i> , 2008, 34, 1064-1065.	2.3	13
208	Psychotic experiences: disadvantaged and different from the norm. <i>British Journal of Psychiatry</i> , 2012, 201, 258-259.	1.7	13
209	Stereotype Awareness, Self-Esteem and Psychopathology in People with Psychosis. <i>PLoS ONE</i> , 2014, 9, e88586.	1.1	13
210	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8-14 Year-Old Children. <i>Frontiers in Psychology</i> , 2016, 7, 330.	1.1	13
211	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	0.3	13
212	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020, 90, 62-76.	1.6	13
213	Does the Brain Detect 3G Mobile Phone Radiation Peaks? An Explorative In-Depth Analysis of an Experimental Study. <i>PLoS ONE</i> , 2015, 10, e0125390.	1.1	13
214	Longitudinal clinical and functional outcome in distinct cognitive subgroups of first-episode psychosis: a cluster analysis. <i>Psychological Medicine</i> , 2023, 53, 2317-2327.	2.7	13
215	The interplay of psychosis and victimisation across the life course: a prospective study in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1363-1374.	1.6	12
216	Does pain hypervigilance further impact the lack of habituation to pain in individuals with chronic pain? A cross-sectional pain ERP study. <i>Journal of Pain Research</i> , 2018, Volume 11, 395-405.	0.8	12

#	ARTICLE	IF	CITATIONS
217	Development of a real-time patient-reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13496.	1.6	12
218	The Experience Sampling Method—Evaluation of treatment effect of escitalopram in IBS with comorbid panic disorder. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13515.	1.6	12
219	Successful use of tapering strips for hyperbolic reduction of antidepressant dose: a cohort study. <i>Therapeutic Advances in Psychopharmacology</i> , 2021, 11, 204512532110393.	1.2	12
220	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	2.4	12
221	Replicated Evidence of Absence of Association between Serum S100B and (Risk of) Psychotic Disorder. <i>PLoS ONE</i> , 2013, 8, e82535.	1.1	11
222	Relevance of Five-Factor Model personality traits for obsessive-compulsive symptoms in patients with psychotic disorders and their un-affected siblings. <i>Psychiatry Research</i> , 2015, 225, 464-470.	1.7	11
223	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps. , 2017, , .		11
224	Putting the psychotherapy spotlight back on the self-reflecting actors who make it work. <i>World Psychiatry</i> , 2019, 18, 292-293.	4.8	11
225	Belgian Superior Health Council advises against the use of the DSM categories. <i>Lancet Psychiatry</i> , 2019, 6, 726.	3.7	11
226	TwinsCan — Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. <i>Twin Research and Human Genetics</i> , 2019, 22, 460-466.	0.3	11
227	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
228	Prevalence and determinants of chewing khat among women in Ethiopia: data from Ethiopian demographic and health survey 2016. <i>BMC Psychiatry</i> , 2021, 21, 127.	1.1	11
229	What makes the psychosis “clinical high risk” state risky: psychosis itself or the co-presence of a non-psychotic disorder?. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e53.	1.8	11
230	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2018, 192, 262-268.	1.1	10
231	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	1.0	10
232	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607.	2.7	10
233	Organization framework and preliminary findings from the Athens First-Episode Psychosis Research Study. <i>Microbial Biotechnology</i> , 2020, 14, 343-355.	0.9	10
234	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	2.7	10

#	ARTICLE	IF	CITATIONS
235	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1125-1134.	1.1	10
236	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
237	Emotion regulation in response to daily negative and positive events in youth: The role of event intensity and psychopathology. <i>Behaviour Research and Therapy</i> , 2021, 144, 103916.	1.6	10
238	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	2.5	10
239	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
240	Schizophrenia as a symptom of psychiatry's reluctance to enter the moral era of medicine. <i>Schizophrenia Research</i> , 2022, 242, 138-140.	1.1	10
241	DSM-5 and the "Psychosis Risk Syndrome": Babylonian confusion. <i>Psychosis</i> , 2010, 2, 100-103.	0.4	9
242	Semi-metric analysis of the functional brain network: Relationship with familial risk for psychotic disorder. <i>NeuroImage: Clinical</i> , 2015, 9, 607-616.	1.4	9
243	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults. <i>Lancet Psychiatry</i> , 2017, 4, 438-439.	3.7	9
244	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 524-532.	3.1	9
245	Trust and the city: Linking urban upbringing to neural mechanisms of trust in psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 138-149.	1.3	9
246	The Community Assessment of Psychic Experiences: Optimal cutoff scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1893.	1.1	9
247	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
248	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 682-691.	2.3	9
249	Association between exposome score for schizophrenia and functioning in first-episode psychosis: results from the Athens first-episode psychosis research study. <i>Psychological Medicine</i> , 2023, 53, 2609-2618.	2.7	9
250	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	2.3	9
251	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	2.7	9
252	Heritability of Intelligence. <i>Twin Research and Human Genetics</i> , 2007, 10, 11-14.	0.3	8

#	ARTICLE	IF	CITATIONS
253	Electrophysiological correlates of automatic spreading of activation in patients with psychotic disorder and first-degree relatives. <i>International Journal of Psychophysiology</i> , 2012, 84, 102-112.	0.5	8
254	The Search for Environmental Mechanisms Underlying the Expression of Psychosis: Introduction. <i>Schizophrenia Bulletin</i> , 2016, 43, sbw178.	2.3	8
255	Circadian Computing: Sensing, Modeling, and Maintaining Biological Rhythms. , 2017, , 35-58.		8
256	Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1045-1054.	1.6	8
257	Psychotic experiences and mood episodes predict each other bidirectionally: a 6-year follow-up study in a community-based population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 331-341.	1.6	8
258	The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 339-346.	2.5	8
259	Network approach of mood and functional gastrointestinal symptom dynamics in relation to childhood trauma in patients with irritable bowel syndrome and comorbid panic disorder. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110261.	1.2	8
260	The genetics of drug-related movement disorders, an umbrella review of meta-analyses. <i>Molecular Psychiatry</i> , 2020, 25, 2237-2250.	4.1	8
261	Symptom-network dynamics in irritable bowel syndrome with comorbid panic disorder using electronic momentary assessment: A randomized controlled trial of escitalopram vs. placebo. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110351.	1.2	8
262	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021, 231, 227-236.	1.1	8
263	Context <i>v.</i> algorithm: evidence that a transdiagnostic framework of contextual clinical characterization is of more clinical value than categorical diagnosis. <i>Psychological Medicine</i> , 2023, 53, 1825-1833.	2.7	8
264	The transdiagnostic dimension of psychosis: implications for psychiatric nosology and research. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 82-6.	0.7	8
265	Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). <i>Noropsikiyatri Arsivi</i> , 2017, 54, 3-10.	0.7	8
266	Delinquency in context; neighbourhood and gender interactions among adolescents. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 148-158.	1.0	7
267	From schizophrenia metafacts to non-schizophrenia facts. <i>Schizophrenia Research</i> , 2011, 127, 16-17.	1.1	7
268	A comparison of indices for identifying the number of clusters in hierarchical clustering: A study on cognition in schizophrenia patients. <i>Communications in Statistics Case Studies Data Analysis and Applications</i> , 2015, 1, 98-113.	0.3	7
269	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	2.7	7
270	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 823-824.	2.8	7

#	ARTICLE	IF	CITATIONS
271	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	2.7	7
272	Functional recovery of individuals with serious mental illnesses: Development and testing of a new short instrument for routine outcome monitoring. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 341-350.	0.8	7
273	My mobile story. , 2011, , .		6
274	Dr. Strangelove, or how we learned to stop worrying and love uncertainty. <i>World Psychiatry</i> , 2020, 19, 395-396.	4.8	6
275	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
276	Preschool Communication: Early Identification of Concerns About Preschool Language Development and Social Participation. <i>Frontiers in Public Health</i> , 2020, 8, 546536.	1.3	6
277	Emerging Processes Within Peer-Support Hearing Voices Groups: A Qualitative Study in the Dutch Context. <i>Frontiers in Psychiatry</i> , 2021, 12, 647969.	1.3	6
278	En attendant Godot: Waiting for the Funeral of "Schizophrenia" and the Baby Shower of the Psychosis Spectrum. <i>Frontiers in Psychiatry</i> , 2021, 12, 618842.	1.3	6
279	Can an experimental white noise task assess psychosis vulnerability in adult healthy controls?. <i>PLoS ONE</i> , 2018, 13, e0192373.	1.1	6
280	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018, 8, e019059.	0.8	6
281	Ecological momentary assessment and other digital technologies for capturing daily life in mental health. , 2022, , 81-108.		6
282	Treatment of hallucinations: A comment. <i>Psychosis</i> , 2013, 5, 98-102.	0.4	5
283	Opportunities for technology in the self-management of mental health. , 2016, , .		5
284	The details of structural disconnectivity in psychotic disorder: A family-based study of non-FA diffusion weighted imaging measures. <i>Brain Research</i> , 2017, 1671, 121-130.	1.1	5
285	Age-related disturbances in DNA (hydroxy)methylation in APP/PS1 mice. <i>Translational Neuroscience</i> , 2018, 9, 190-202.	0.7	5
286	Social Issues in Personal Informatics. , 2018, , .		5
287	Genetic and Environmental Influences on the Affective Regulation Network: A Prospective Experience Sampling Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 602.	1.3	5
288	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676.	1.3	5

#	ARTICLE	IF	CITATIONS
289	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334.	2.3	5
290	Evidence for an interrelated cluster of Hallucinatory experiences in the general population: an incidence study. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	5
291	Resurrection of the Follow-Back Method to Study the Transdiagnostic Origins of Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 583-585.	2.3	5
292	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	1.7	4
293	Comment on Re-Analysis of Data by Terluin, de Boer and de Vet. <i>PLoS ONE</i> , 2016, 11, e0162329.	1.1	4
294	Measures of Psychosis Proneness and Genetic Risk for Schizophrenia. <i>JAMA Psychiatry</i> , 2016, 73, 638.	6.0	4
295	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. <i>Psychiatry Research</i> , 2017, 258, 234-238.	1.7	4
296	Postsurgical Compliance and Eating Behavior 5 Years After Surgery. <i>Bariatric Surgical Patient Care</i> , 2020, 15, 148-154.	0.1	4
297	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	2.3	4
298	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	1.1	4
299	Bone Mineral Density as a Marker of Cumulative Estrogen Exposure in Psychotic Disorder: A 3 Year Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0136320.	1.1	4
300	General psychopathology and its social correlates in the daily lives of youth. <i>Journal of Affective Disorders</i> , 2022, 309, 428-436.	2.0	4
301	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). <i>Twin Research and Human Genetics</i> , 2005, 8, 318-319.	0.3	3
302	Daily life moment-to-moment variation in coping in people with a diagnosis of schizophrenia: state within trait psychosis. <i>Psychosis</i> , 2012, 4, 115-125.	0.4	3
303	A new public health genomics model for common complex diseases, with an application to common behavioral disorders. <i>Personalized Medicine</i> , 2012, 9, 29-38.	0.8	3
304	Biological rhythms and technology. , 2014, , .		3
305	Playing with emotions. , 2014, , .		3
306	Mental disorder: a public health problem stuck in an individual-level brain disease perspective?. <i>World Psychiatry</i> , 2015, 14, 47-48.	4.8	3

#	ARTICLE	IF	CITATIONS
307	Higher schizotypy predicts better metabolic profile in unaffected siblings of patients with schizophrenia. <i>Psychopharmacology</i> , 2018, 235, 1029-1039.	1.5	3
308	Validation of short instruments assessing parental and caregivers'™ perceptions on child health and development for personalized prevention. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 608-630.	0.8	3
309	Study protocol of a randomized, double-blind, placebo-controlled, multi-center trial to treat antipsychotic-induced weight gain: the Metformin-Lifestyle in antipsychotic users (MELIA) trial. <i>BMC Psychiatry</i> , 2021, 21, 4.	1.1	3
310	Negative life events and stress sensitivity in youth's™ daily life: an ecological momentary assessment study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1641-1657.	1.6	3
311	The feasibility of a psychiatric common market. <i>Psychiatric Bulletin</i> , 1994, 18, 193-195.	0.3	2
312	FEATUREThe invisible user. <i>Interactions</i> , 2009, 16, 13-19.	0.8	2
313	Antipsychotic drugs for prevention of relapse. <i>Lancet, The</i> , 2012, 379, 2030-2031.	6.3	2
314	Genotype-based prevention of psychosis onset and schizophrenia: a personalized approach in a target population. <i>Personalized Medicine</i> , 2014, 11, 167-172.	0.8	2
315	Is BDNF's™Val66Met polymorphism associated with psychotic experiences and psychotic disorder outcome? Evidence from a 6 years prospective population-based cohort study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 113-121.	1.1	2
316	Izmir Mental Health Cohort for Gene-Environment Interaction in Psychosis (TÄ¼rkSch): Assessment of the Extended and Transdiagnostic Psychosis Phenotype and Analysis of Attrition in a 6-Year Follow-Up of a Community-Based Sample. <i>Frontiers in Psychiatry</i> , 2019, 10, 554.	1.3	2
317	Microstructural white matter network-connectivity in individuals with psychotic disorder, unaffected siblings and controls. <i>NeuroImage: Clinical</i> , 2019, 23, 101931.	1.4	2
318	White matter microstructure and network-connectivity in emerging adults with subclinical psychotic experiences. <i>Brain Imaging and Behavior</i> , 2020, 14, 1876-1888.	1.1	2
319	Are All Psychotic-Like Experiences Really 'Psychotic'? Response to McLawhorn and Jackson. <i>American Journal of Psychiatry</i> , 2020, 177, 1179-1180.	4.0	2
320	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021, 16, e0253507.	1.1	2
321	The impact of childhood sexual trauma on intimacy and sexuality needs among people with non-affective psychosis. <i>Schizophrenia Research</i> , 2021, 236, 97-103.	1.1	2
322	Serum S100B: A proxy marker for grey and white matter status in the absence and presence of (increased risk of) psychotic disorder?. <i>PLoS ONE</i> , 2017, 12, e0174752.	1.1	2
323	Playing with your data. , 2016, , .		1
324	Blink rate is associated with drug-induced parkinsonism in patients with severe mental illness, but does not meet requirements to serve as a clinical test: the Curacao extrapyramidal syndromes study XIII. <i>Journal of Negative Results in BioMedicine</i> , 2017, 16, 15.	1.4	1

#	ARTICLE	IF	CITATIONS
325	F191. THE GENETICS OF DRUG-RELATED MOVEMENT DISORDERS AN UMBRELLA REVIEW OF META-ANALYSES. Schizophrenia Bulletin, 2018, 44, S295-S295.	2.3	1
326	O10.2. PSYCHOTIC EXPERIENCES ARE ASSOCIATED WITH HEALTH ANXIETY AND FUNCTIONAL SOMATIC SYMPTOMS IN PRE-ADOLESCENCE. Schizophrenia Bulletin, 2018, 44, S103-S103.	2.3	1
327	Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. European Neuropsychopharmacology, 2019, 29, 1374-1385.	0.3	1
328	7.4 PSYCHOTIC EXPERIENCES IN CHILDHOOD AND SUBSEQUENT SUICIDAL BEHAVIOR IN ADOLESCENCE " A COPENHAGEN CHILD COHORT 2000 STUDY. Schizophrenia Bulletin, 2019, 45, S98-S99.	2.3	1
329	7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. Schizophrenia Bulletin, 2019, 45, S98-S98.	2.3	1
330	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. Psychiatry Research, 2019, 271, 421-427.	1.7	1
331	M126. THE MAIN AND INTERACTIVE EFFECTS OF ADULT STRESSFUL LIFE EVENTS WITH GENOMIC AND EXPOSOMIC LIABILITY FOR SCHIZOPHRENIA ON MENTAL AND PHYSICAL HEALTH: A PROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2020, 46, S183-S183.	2.3	1
332	Symptomatic Remission Along the Clinical Psychosis Spectrum: A Historical and Conceptual Review. Noropsikiyatri Arsivi, 2021, 58, S3-S6.	0.2	1
333	Social Defeat, Psychotic Symptoms, and Crime in Young Caribbean Immigrants to Rotterdam. Frontiers in Psychiatry, 2021, 12, 498096.	1.3	1
334	Investigating Associations Between Changes in Mobile Phone Use and Emotions Using the Experience Sampling Method: Pilot Study. JMIR Formative Research, 2018, 2, e12.	0.7	1
335	Movement Disorders and Mortality in Severely Mentally Ill Patients: The Curacao Extrapyramidal Syndromes Study XIV. Schizophrenia Bulletin, 2022, 48, 766-773.	2.3	1
336	Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements. Comprehensive Psychiatry, 2022, 115, 152309.	1.5	1
337	Community psychiatric nurse teams. British Journal of Psychiatry, 1994, 165, 839-840.	1.7	0
338	Mental health challenges for the Netherlands: Research and practice. Journal of Mental Health, 2004, 13, 55-58.	1.0	0
339	Solutions for patients depend on whether we can bridge the divide between social and natural science research approaches in the area of mental health. Revista De Psiquiatr�a Y Salud Mental (English Edition), 2012, 5, 135-138.	0.2	0
340	F4. LINKING LIFE EVENTS WITH NEGATIVE AFFECT AND PSYCHOTIC EXPERIENCES IN DAILY LIVES OF YOUTH: STRESS SENSITIVITY AS A PUTATIVE MECHANISM?. Schizophrenia Bulletin, 2018, 44, S219-S219.	2.3	0
341	S29. CONCORDANCE BETWEEN SELF-REPORT AT INTERVIEW-BASED RATINGS OF PSYCHOTIC EXPERIENCES IN PRE-ADOLESCENCE AND ASSOCIATED PSYCHOPATHOLOGY. Schizophrenia Bulletin, 2018, 44, S334-S334.	2.3	0
342	T12. VITAMIN D STATUS AND PSYCHOTIC DISORDER: ASSOCIATIONS WITH CLINICAL VARIABLES AND RISK FACTORS. Schizophrenia Bulletin, 2018, 44, S117-S117.	2.3	0

#	ARTICLE	IF	CITATIONS
343	T115. REASONING BIAS, WORKING MEMORY PERFORMANCE, AND A TRANSDIAGNOSTIC PHENOTYPE OF AFFECTIVE DISTURBANCES AND PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S160-S161.	2.3	0
344	Points to consider regarding DSM alternatives – Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 895.	3.7	0
345	S94. MUTATION-INTOLERANT GENES AND MONOGENIC DISEASE GENES IN 145 LOCI OF SCHIZOPHRENIA (SCZ) CWAS ARE LINKED TO THE ISCHEMIA-HYPOXIA RESPONSE. <i>Schizophrenia Bulletin</i> , 2019, 45, S342-S343.	2.3	0
346	O6.7. TESTING THE HIGH RISK AND TRANSITION FRAMEWORK IN THE GENERAL POPULATION: POPULATION-BASED MEASURES OF RISK AND TRANSITION FOR PSYCHOSIS 6-YEAR LONGITUDINAL FOLLOW-UP. <i>Schizophrenia Bulletin</i> , 2019, 45, S178-S178.	2.3	0
347	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S122-S122.	2.3	0
348	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019, 45, S165-S166.	2.3	0
349	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
350	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. <i>Schizophrenia Bulletin</i> , 2020, 46, S104-S104.	2.3	0
351	The genetics of drug-related movement disorders (DRMD), reply to comment: Antipsychotic-induced catatonia and neuroleptic malignant syndrome: The dark side of the moon. <i>Molecular Psychiatry</i> , 2021, 26, 6115-6115.	4.1	0
352	Risk Factors for Tremor in a Population of Patients with Severe Mental Illness: An 18-year Prospective Study in a Geographically Representative Sample (The Curacao Extrapyrarnidal Syndromes Study XI). <i>Tremor and Other Hyperkinetic Movements</i> , 2017, 7, 468.	1.1	0
353	Editorial: Gone to Pot: Examining the Association Between Cannabis Use and Medical/Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2022, 13, 837757.	1.3	0
354	A 6-year follow-up study in a community-based population: Is neighbourhood-level social capital associated with the risk of emergence and persistence of psychotic experiences and transition to psychotic disorder?. <i>Psychological Medicine</i> , 2022, , 1-13.	2.7	0