List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1850774/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Schizophrenia. Lancet, The, 2009, 374, 635-645.	13.7	1,820
2	The environment and schizophrenia. Nature, 2010, 468, 203-212.	27.8	1,249
3	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
4	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	27.8	929
5	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. Nature Genetics, 2017, 49, 27-35.	21.4	838
6	Schizophrenia. Nature Reviews Disease Primers, 2015, 1, 15067.	30.5	724
7	Gene-Environment Interactions in Schizophrenia: Review of Epidemiological Findings and Future Directions. Schizophrenia Bulletin, 2008, 34, 1066-1082.	4.3	595
8	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry,the, 2019, 6, 427-436.	7.4	528
9	Psychosis as a transdiagnostic and extended phenotype in the general population. World Psychiatry, 2016, 15, 118-124.	10.4	397
10	Almost All Antipsychotics Result in Weight Gain: A Meta-Analysis. PLoS ONE, 2014, 9, e94112.	2.5	382
11	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2011, 79, 618-628.	2.0	340
12	Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and SeverityImplications for Diagnosis and Ultra-High Risk Research. Schizophrenia Bulletin, 2012, 38, 247-257.	4.3	324
13	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36.	11.0	235
14	The 20-Year Longitudinal Trajectories of Social Functioning in Individuals With Psychotic Disorders. American Journal of Psychiatry, 2017, 174, 1075-1085.	7.2	209
15	A critique of the "ultraâ€high risk―and "transition―paradigm. World Psychiatry, 2017, 16, 200-206.	10.4	206
16	Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia-related genes. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9604-9609.	7.1	200
17	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. World Psychiatry, 2014, 13, 68-77.	10.4	194
18	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. British Journal of Psychiatry, 2016, 209, 361-365.	2.8	193

#	Article	IF	CITATIONS
19	Defeat stress in rodents: From behavior to molecules. Neuroscience and Biobehavioral Reviews, 2015, 59, 111-140.	6.1	185
20	Automatic detection of social rhythms in bipolar disorder. Journal of the American Medical Informatics Association: JAMIA, 2016, 23, 538-543.	4.4	183
21	Insight and Psychotic Illness. British Journal of Psychiatry, 1995, 167, 621-628.	2.8	181
22	Introduction: The Extended Psychosis PhenotypeRelationship With Schizophrenia and With Ultrahigh Risk Status for Psychosis. Schizophrenia Bulletin, 2012, 38, 227-230.	4.3	176
23	Reviewing reflection. , 2014, , .		158
24	Mental health research priorities for Europe. Lancet Psychiatry,the, 2015, 2, 1036-1042.	7.4	158
25	The clinical characterization of the patient with primary psychosis aimed at personalization of management. World Psychiatry, 2021, 20, 4-33.	10.4	153
26	A time-lagged momentary assessment study on daily life physical activity and affect Health Psychology, 2012, 31, 135-144.	1.6	152
27	Design and evaluation guidelines for mental health technologies. Interacting With Computers, 2010, 22, 243-252.	1.5	147
28	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388.	3.1	147
29	Genetic risk of depression and stress-induced negative affect in daily life. British Journal of Psychiatry, 2007, 191, 218-223.	2.8	146
30	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. Acta Psychiatrica Scandinavica, 2007, 115, 451-457.	4.5	144
31	Psychological responses during the COVID-19 outbreak among university students in Bangladesh. PLoS ONE, 2020, 15, e0245083.	2.5	140
32	The evidenceâ€based groupâ€level symptomâ€reduction model as the organizing principle for mental health care: time for change?. World Psychiatry, 2019, 18, 88-96.	10.4	137
33	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. Depression and Anxiety, 2017, 34, 481-493.	4.1	135
34	A Network Approach to Environmental Impact in Psychotic Disorder: Brief Theoretical Framework. Schizophrenia Bulletin, 2016, 42, 870-873.	4.3	128
35	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. World Psychiatry, 2019, 18, 173-182.	10.4	127
36	Computers in talk-based mental health interventions. Interacting With Computers, 2007, 19, 545-562.	1.5	114

#	Article	IF	CITATIONS
37	Affective symptoms and the overactive bladder — A systematic review. Journal of Psychosomatic Research, 2015, 78, 95-108.	2.6	114
38	Semi-Automated Tracking: A Balanced Approach for Self-Monitoring Applications. IEEE Pervasive Computing, 2017, 16, 74-84.	1.3	105
39	In the mood. , 2011, , .		99
40	Psychopathological Mechanisms Linking Childhood Traumatic Experiences to Risk of Psychotic Symptoms: Analysis of a Large, Representative Population-Based Sample. Schizophrenia Bulletin, 2014, 40, S123-S130.	4.3	95
41	Self-monitoring practices, attitudes, and needs of individuals with bipolar disorder: implications for the design of technologies to manage mental health. Journal of the American Medical Informatics Association: JAMIA, 2016, 23, 477-484.	4.4	95
42	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. European Neuropsychopharmacology, 2011, 21, 241-247.	0.7	94
43	Beyond DSM and ICD: introducing "precision diagnosis―for psychiatry using momentary assessment technology. World Psychiatry, 2013, 12, 113-117.	10.4	92
44	Towards circadian computing. , 2014, , .		92
45	Personal Investigator: A therapeutic 3D game for adolecscent psychotherapy. Interactive Technology and Smart Education, 2005, 2, 73-88.	5.6	85
46	Cognitive rhythms. , 2016, , .		79
47	Designing Mobile Applications to Support Mental Health Interventions. , 2008, , 635-656.		78
48	Mobile phone mood charting for adolescents. British Journal of Guidance and Counselling, 2008, 36, 113-129.	1.2	76
49	Development and Evaluation of a Smartphone-Based Measure of Social Rhythms for Bipolar Disorder. Assessment, 2016, 23, 472-483.	3.1	74
50	Functional urological disorders: a sensitized defence response in the bladder–gut–brain axis. Nature Reviews Urology, 2017, 14, 153-163.	3.8	74
51	MoodLight. , 2015, 2015, 143-153.		73
52	The Exposome Paradigm and the Complexities of Environmental Research in Psychiatry. JAMA Psychiatry, 2018, 75, 985.	11.0	72
53	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. ELife, 2021, 10, .	6.0	72
54	Towards Personal Stress Informatics: Comparing Minimally Invasive Techniques for Measuring Daily Stress in the Wild. , 2014, , .		72

#	Article	IF	CITATIONS
55	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. Psychological Medicine, 2019, 49, 1378-1391.	4.5	69
56	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2019, 86, 545-556.	1.3	67
57	Moment-to-Moment Transfer of Positive Emotions in Daily Life Predicts Future Course of Depression in Both General Population and Patient Samples. PLoS ONE, 2013, 8, e75655.	2.5	64
58	Behavioral pattern separation and its link to the neural mechanisms of fear generalization. Social Cognitive and Affective Neuroscience, 2017, 12, 1720-1729.	3.0	63
59	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. Comprehensive Psychiatry, 2014, 55, 1883-1890.	3.1	61
60	Obstetric complications and familial morbid risk of psychiatric disorders. , 1998, 81, 29-36.		60
61	Sensing behavioral symptoms of mental health and delivering personalized interventions using mobile technologies. Depression and Anxiety, 2017, 34, 603-609.	4.1	60
62	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. Schizophrenia Bulletin, 2018, 44, 710-719.	4.3	59
63	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1536-1548.	4.5	58
64	Experimentally Induced Stress Validated by EMG Activity. PLoS ONE, 2014, 9, e95215.	2.5	56
65	An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis. PLoS ONE, 2016, 11, e0162811.	2.5	56
66	Are psychiatric diagnoses of psychosis scientific and useful? The case of schizophrenia. Journal of Mental Health, 2010, 19, 305-317.	1.9	55
67	Validation of a neurofeedback paradigm: Manipulating frontal EEG alpha-activity and its impact on mood. International Journal of Psychophysiology, 2014, 93, 116-120.	1.0	55
68	A Transdiagnostic Network Approach to Psychosis. Schizophrenia Bulletin, 2017, 43, 122-132.	4.3	55
69	Prevalence and correlates of anxiety and depression in frontline healthcare workers treating people with COVID-19 in Bangladesh. BMC Psychiatry, 2021, 21, 271.	2.6	55
70	Association of preceding psychosis risk states and nonâ€psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESISâ€2 cohort. World Psychiatry, 2020, 19, 199-205.	10.4	53
71	The impact of electroconvulsive therapy on the tryptophan–kynurenine metabolic pathway. Brain, Behavior, and Immunity, 2015, 48, 48-52.	4.1	52
72	The Complexities of Evaluating the Exposome in Psychiatry: A Data-Driven Illustration of Challenges and Some Propositions for Amendments. Schizophrenia Bulletin, 2018, 44, 1175-1179.	4.3	52

#	Article	IF	CITATIONS
73	Evidence for Genetic Overlap Between Schizophrenia and Age at First Birth in Women. JAMA Psychiatry, 2016, 73, 497.	11.0	51
74	Childhood negative experiences and subclinical psychosis in adolescence: a longitudinal general population study. Microbial Biotechnology, 2007, 1, 201-207.	1.7	50
75	From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. Psychological Medicine, 2019, 49, 2441-2451.	4.5	49
76	Prevalence of anxiety and depressive symptoms and their association with pelvic floor dysfunctions-A cross sectional cohort study at a Pelvic Care Centre. Neurourology and Urodynamics, 2017, 36, 1816-1823.	1.5	48
77	In Situ Design for Mental Illness. , 2015, , .		47
78	A user-developed, user run recovery programme for people with severe mental illness: A randomised control trial. Psychosis, 2016, 8, 287-300.	0.8	46
79	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. Schizophrenia Bulletin, 2019, 45, 960-965.	4.3	46
80	Neurofeedback As a Treatment for Major Depressive Disorder – A Pilot Study. PLoS ONE, 2014, 9, e91837.	2.5	45
81	Mobile manifestations of alertness. , 2016, 2016, 465-477.		45
82	Neural responses during extinction learning predict exposure therapy outcome in phobia: results from a randomized-controlled trial. Neuropsychopharmacology, 2020, 45, 534-541.	5.4	45
83	Evidence That a Psychopathology Interactome Has Diagnostic Value, Predicting Clinical Needs: An Experience Sampling Study. PLoS ONE, 2014, 9, e86652.	2.5	44
84	Understanding urbanicity: how interdisciplinary methods help to unravel the effects of the city on mental health. Psychological Medicine, 2021, 51, 1099-1110.	4.5	44
85	Experience Sampling-Based Personalized Feedback and Positive Affect: A Randomized Controlled Trial in Depressed Patients. PLoS ONE, 2015, 10, e0128095.	2.5	43
86	Association of Recent Stressful Life Events With Mental and Physical Health in the Context of Genomic and Exposomic Liability for Schizophrenia. JAMA Psychiatry, 2020, 77, 1296.	11.0	43
87	EEG Changes Due to Experimentally Induced 3G Mobile Phone Radiation. PLoS ONE, 2015, 10, e0129496.	2.5	43
88	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. Schizophrenia Bulletin, 2015, 41, 1084-1094.	4.3	42
89	To continue or not to continue? Antipsychotic medication maintenance versus dose-reduction/discontinuation in first episode psychosis: HAMLETT, a pragmatic multicenter single-blind randomized controlled trial. Trials, 2020, 21, 147.	1.6	41
90	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. American Journal of Psychiatry, 2020, 177, 318-326.	7.2	41

#	Article	IF	CITATIONS
91	The EUropean Network of National Schizophrenia Networks Studying Gene–Environment Interactions (EU-GEI): Incidence and First-Episode Case–Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657.	3.1	41
92	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. Schizophrenia Bulletin, 2018, 44, 584-592.	4.3	38
93	Antidepressant tapering strips to help people come off medication more safely. Psychosis, 2018, 10, 142-145.	0.8	38
94	Mindfulness Training for People With Dementia and Their Caregivers: Rationale, Current Research, and Future Directions. Frontiers in Psychology, 2018, 9, 982.	2.1	38
95	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1329-1337.	4.5	38
96	Hyper-Theory-of-Mind in Children with Psychotic Experiences. PLoS ONE, 2014, 9, e113082.	2.5	38
97	Demonstrating the reliability of transdiagnostic mHealth Routine Outcome Monitoring in mental health services using experience sampling technology. PLoS ONE, 2017, 12, e0186294.	2.5	38
98	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. British Journal of Psychiatry, 2018, 213, 535-541.	2.8	37
99	An ecological momentary intervention incorporating personalised feedback to improve symptoms and social functioning in schizophrenia spectrum disorders. Psychiatry Research, 2020, 284, 112695.	3.3	37
100	Altered Transfer of Momentary Mental States (ATOMS) as the Basic Unit of Psychosis Liability in Interaction with Environment and Emotions. PLoS ONE, 2013, 8, e54653.	2.5	37
101	Stress reactivity links childhood trauma exposure to an admixture of depressive, anxiety, and psychosis symptoms. Psychiatry Research, 2018, 260, 451-457.	3.3	36
102	The Association between Negative Symptoms, Psychotic Experiences and Later Schizophrenia: A Population-Based Longitudinal Study. PLoS ONE, 2015, 10, e0119852.	2.5	36
103	Flexible Assertive Community Treatment, Severity of Symptoms and Psychiatric Health Service Use, a Real life Observational Study. Clinical Practice and Epidemiology in Mental Health, 2013, 9, 202-209.	1.2	36
104	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. Lancet Psychiatry,the, 2022, 9, 413-422.	7.4	36
105	Emotional Experience and Estimates of D2Receptor Occupancy in Psychotic Patients Treated With Haloperidol, Risperidone, or Olanzapine. Journal of Clinical Psychiatry, 2011, 72, 1397-1404.	2.2	35
106	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. Psychological Medicine, 2021, 51, 623-633.	4.5	34
107	The Many Continua of Psychosis. JAMA Psychiatry, 2014, 71, 985.	11.0	33
108	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: Replication and extension of a gene–environment interaction. European Neuropsychopharmacology, 2014, 24, 930-938.	0.7	33

#	Article	IF	CITATIONS
109	Effect of Antipsychotic Type and Dose Changes on Tardive Dyskinesia and Parkinsonism Severity in Patients With a Serious Mental Illness. Journal of Clinical Psychiatry, 2017, 78, e279-e285.	2.2	33
110	Relation between psychotic symptoms, parental care and childhood trauma in severe mental disorders. Psychiatry Research, 2017, 251, 78-84.	3.3	32
111	Quantifying the Changeable Self: The Role of Self-Tracking in Coming to Terms With and Managing Bipolar Disorder. Human-Computer Interaction, 2017, 32, 413-446.	4.4	32
112	The double-edged sword: A mixed methods study of the interplay between bipolar disorder and technology use. Computers in Human Behavior, 2017, 75, 288-300.	8.5	32
113	Evidence That the Impact of Childhood Trauma on IQ Is Substantial in Controls, Moderate in Siblings, and Absent in Patients With Psychotic Disorder. Schizophrenia Bulletin, 2017, 43, 316-324.	4.3	32
114	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). Behaviour Research and Therapy, 2020, 128, 103592.	3.1	32
115	Default Mode Network Connectivity as a Function of Familial and Environmental Risk for Psychotic Disorder. PLoS ONE, 2015, 10, e0120030.	2.5	31
116	Testing an mHealth Momentary Assessment Routine Outcome Monitoring Application: A Focus on Restoration of Daily Life Positive Mood States. PLoS ONE, 2014, 9, e115254.	2.5	31
117	Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. Psychological Medicine, 2019, 49, 1879-1889.	4.5	30
118	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. JMIR MHealth and UHealth, 2016, 4, e103.	3.7	30
119	Evidence That Transition from Health to Psychotic Disorder Can Be Traced to Semi-Ubiquitous Environmental Effects Operating against Background Genetic Risk. PLoS ONE, 2013, 8, e76690.	2.5	29
120	Social (media) jet lag. , 2015, , .		29
121	Differences in Facial Emotion Recognition between First Episode Psychosis, Borderline Personality Disorder and Healthy Controls. PLoS ONE, 2016, 11, e0160056.	2.5	29
122	Taking part. , 2014, , .		28
123	Levels of Red Blood Cell Fatty Acids in Patients With Psychosis, Their Unaffected Siblings, and Healthy Controls. Schizophrenia Bulletin, 2016, 42, 358-368.	4.3	28
124	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene–environment interaction. The EUGEI study. Psychological Medicine, 2020, 50, 1884-1897.	4.5	28
125	Epigenetic Genes and Emotional Reactivity to Daily Life Events: A Multi-Step Gene-Environment Interaction Study. PLoS ONE, 2014, 9, e100935.	2.5	27
126	Personality Compensates for Impaired Quality of Life and Social Functioning in Patients With Psychotic Disorders Who Experienced Traumatic Events. Schizophrenia Bulletin, 2014, 40, 1356-1365.	4.3	27

#	Article	IF	CITATIONS
127	Differential susceptibility to chronic social defeat stress relates to the number of Dnmt3a-immunoreactive neurons in the hippocampal dentate gyrus. Psychoneuroendocrinology, 2015, 51, 547-556.	2.7	27
128	Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. BMC Psychiatry, 2019, 19, 244.	2.6	27
129	Meta-analysis of auditory P50 sensory gating in schizophrenia and bipolar disorder. Psychiatry Research - Neuroimaging, 2020, 300, 111078.	1.8	27
130	Posttraumatic stress disorder during the COVID-19 pandemic: Upcoming challenges in Bangladesh and preventive strategies. International Journal of Social Psychiatry, 2021, 67, 205-206.	3.1	27
131	Prevalence of depression, anxiety and associated factors among school going adolescents in Bangladesh: Findings from a cross-sectional study. PLoS ONE, 2021, 16, e0247898.	2.5	27
132	Emotion processing in schizophrenia is state and trait dependent. Schizophrenia Research, 2015, 161, 392-398.	2.0	26
133	White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. PLoS ONE, 2017, 12, e0183695.	2.5	26
134	Clinical guidelines on antidepressant withdrawal urgently need updating. BMJ: British Medical Journal, 2019, 365, l2238.	2.3	26
135	Childhood adversities and psychotic symptoms: The potential mediating or moderating role of neurocognition and social cognition. Schizophrenia Research, 2019, 206, 183-193.	2.0	26
136	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Association—The Example of Cannabis and Psychosis. Schizophrenia Bulletin, 2021, 47, 594-603.	4.3	26
137	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. Psychiatry Research, 2016, 245, 267-275.	3.3	25
138	Mindfulness-based stress reduction in middle-aged and older adults with memory complaints: a mixed-methods study. Aging and Mental Health, 2018, 22, 1113-1120.	2.8	25
139	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. Psychological Medicine, 2019, 49, 1346-1356.	4.5	25
140	Analysis of GWAS-Derived Schizophrenia Genes for Links to Ischemia-Hypoxia Response of the Brain. Frontiers in Psychiatry, 2020, 11, 393.	2.6	25
141	Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. Frontiers in Psychology, 2017, 8, 1908.	2.1	24
142	The Influence of Perceived Stress on Cortical Reactivity: A Proof-Of-Principle Study. PLoS ONE, 2015, 10, e0129220.	2.5	23
143	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. Epigenomics, 2015, 7, 533-537.	2.1	23
144	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. JAMA Psychiatry, 2020, 77, 190.	11.0	23

#	Article	IF	CITATIONS
145	Bullying victimization and stress sensitivity in help-seeking youth: findings from an experience sampling study. European Child and Adolescent Psychiatry, 2021, 30, 591-605.	4.7	23
146	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543.	7.9	23
147	Unraveling the Relationship between Motor Symptoms, Affective States and Contextual Factors in Parkinson's Disease: A Feasibility Study of the Experience Sampling Method. PLoS ONE, 2016, 11, e0151195.	2.5	23
148	Depression: Too Much Negative Affect or Too Little Positive Affect?. Twin Research and Human Genetics, 2007, 10, 19-20.	0.6	22
149	Comparative Study of Clinical and Neuropsychological Characteristics Between Early-, Late and Very-Late-Onset Schizophrenia-Spectrum Disorders. American Journal of Geriatric Psychiatry, 2015, 23, 852-862.	1.2	22
150	Do Current Measures of Polygenic Risk for Mental Disorders Contribute to Population Variance in Mental Health?. Schizophrenia Bulletin, 2020, 46, 1353-1362.	4.3	22
151	Migration history and risk of psychosis: results from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 2972-2984.	4.5	22
152	Psychiatry beyond labels: introducing <i>contextual precision diagnosis </i> across stages of psychopathology. Psychological Medicine, 2013, 43, 1563-1567.	4.5	21
153	Evidence that reduced gray matter volume in psychotic disorder is associated with exposure to environmental risk factors. Psychiatry Research - Neuroimaging, 2018, 271, 100-110.	1.8	21
154	Novel Evidence That Attributing Affectively Salient Signal to Random Noise Is Associated with Psychosis. PLoS ONE, 2014, 9, e102520.	2.5	20
155	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. International Journal of Environmental Research and Public Health, 2014, 11, 10915-10939.	2.6	20
156	Towards Horizon 2020: challenges and advances for clinical mental health research – outcome of an expert survey. Neuropsychiatric Disease and Treatment, 2014, 10, 1057.	2.2	20
157	Real-Time Representation Versus Response Elicitation in Biosensor Data. , 2015, , .		20
158	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. BMC Psychiatry, 2016, 16, 223.	2.6	20
159	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. International Psychogeriatrics, 2017, 29, 259-267.	1.0	20
160	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. Journal of Psychiatric Research, 2016, 83, 121-129.	3.1	19
161	Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach. Schizophrenia Research, 2019, 205, 58-62.	2.0	19
162	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. European Child and Adolescent Psychiatry, 2020, 29, 1251-1264.	4.7	19

#	Article	IF	CITATIONS
163	From Affective Experience to Motivated Action: Tracking Reward-Seeking and Punishment-Avoidant Behaviour in Real-Life. PLoS ONE, 2015, 10, e0129722.	2.5	19
164	Familial covariation of facial emotion recognition and IQ in schizophrenia. Psychiatry Research, 2016, 246, 52-57.	3.3	18
165	Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. Psychological Medicine, 2019, 49, 1799-1809.	4.5	18
166	Functional neuroimaging of associative learning and generalization in specific phobia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 89, 275-285.	4.8	18
167	Outcome of antidepressant drug discontinuation with taperingstrips after 1–5 years. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532095460.	2.7	18
168	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. Molecular Psychiatry, 2021, 26, 5307-5319.	7.9	18
169	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. European Psychiatry, 2021, 64, e25.	0.2	18
170	Predictive Performance of Exposome Score for Schizophrenia in the General Population. Schizophrenia Bulletin, 2021, 47, 277-283.	4.3	18
171	A cognitive intermediate phenotype study confirming possible gene–early adversity interaction in psychosis outcome: A general population twin study. Psychosis, 2010, 2, 1-11.	0.8	17
172	Brain-Derived Neurotrophic Factor/FK506-Binding Protein 5 Genotype by Childhood Trauma Interactions Do Not Impact on Hippocampal Volume and Cognitive Performance. PLoS ONE, 2014, 9, e92722.	2.5	17
173	Biogotchi!. , 2015, , .		17
174	Neuroticism and facial emotion recognition in healthy adults. Microbial Biotechnology, 2016, 10, 160-164.	1.7	17
175	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. Schizophrenia Research, 2019, 209, 156-163.	2.0	17
176	Psychometric liability to psychosis and childhood adversities are associated with shorter telomere length: A study on schizophrenia patients, unaffected siblings, and non-clinical controls. Journal of Psychiatric Research, 2019, 111, 169-185.	3.1	17
177	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 1376-1385.	4.5	17
178	It is not enough to sing its praises: the very foundations of precision psychiatry may be scientifically unsound and require examination. Psychological Medicine, 2021, 51, 1415-1417.	4.5	17
179	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.	4.3	17
180	Estimating Aggregate Environmental Risk Score in Psychiatry: The Exposome Score for Schizophrenia. Frontiers in Psychiatry, 2021, 12, 671334.	2.6	17

#	Article	IF	CITATIONS
181	Data Gathering Bias: Trait Vulnerability to Psychotic Symptoms?. PLoS ONE, 2015, 10, e0132442.	2.5	17
182	Jaspers was right after all – delusions are distinct from normal beliefs. British Journal of Psychiatry, 2003, 183, 285-286.	2.8	16
183	MoodRhythm. , 2013, , .		16
184	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. Psychiatry Research, 2018, 261, 116-123.	3.3	16
185	Need for evidence-based early intervention programmes: a public health perspective. Evidence-Based Mental Health, 2018, 21, 128-130.	4.5	16
186	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. Schizophrenia Research, 2019, 208, 82-89.	2.0	16
187	Renaming schizophrenia: 5 $ ilde{A}$ — 5. Epidemiology and Psychiatric Sciences, 2019, 28, 254-257.	3.9	16
188	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. Molecular Psychiatry, 2021, 26, 2590-2604.	7.9	16
189	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. Schizophrenia Bulletin, 2021, 47, 915-926.	4.3	16
190	Precision psychiatry: promise for the future or rehash of a fossilised foundation?. Psychological Medicine, 2021, 51, 1409-1411.	4.5	16
191	Aggressive Behavior, Hostility, and Associated Care Needs in Patients With Psychotic Disorders: A 6-Year Follow-Up Study. Frontiers in Psychiatry, 2019, 10, 934.	2.6	16
192	Gender differences in the association between environment and psychosis. Schizophrenia Research, 2022, 243, 120-137.	2.0	16
193	The serotonin transporter 5-HTTLPR polymorphism in the association between sleep quality and affect. European Neuropsychopharmacology, 2014, 24, 1086-1090.	0.7	15
194	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. Schizophrenia Bulletin, 2018, 44, S460-S467.	4.3	15
195	Mindfulness-Based Intervention for People With Dementia and Their Partners: Results of a Mixed-Methods Study. Frontiers in Aging Neuroscience, 2019, 11, 92.	3.4	15
196	Likelihood of mechanistic roles for dopaminergic, serotonergic and glutamatergic receptors in tardive dyskinesia: A comparison of genetic variants in two independent patient populations. SAGE Open Medicine, 2016, 4, 205031211664367.	1.8	14
197	Intimacy and its barriers: A qualitative exploration of intimacy and related struggles among people diagnosed with psychosis. Psychosis, 2017, 9, 301-309.	0.8	14
198	Evidence That the Urban Environment Moderates the Level of Familial Clustering of Positive Psychotic Symptoms. Schizophrenia Bulletin, 2017, 43, 325-331.	4.3	14

#	Article	IF	CITATIONS
199	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. BMC Psychiatry, 2017, 17, 415.	2.6	14
200	Evidence that self-reported psychotic experiences in children are clinically relevant. Schizophrenia Research, 2019, 204, 415-416.	2.0	14
201	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.	4.3	14
202	Intelligence, educational attainment, and brain structure in those at familial highâ€risk for schizophrenia or bipolar disorder. Human Brain Mapping, 2022, 43, 414-430.	3.6	14
203	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. Psychological Medicine, 2022, 52, 1910-1922.	4.5	14
204	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. Schizophrenia Bulletin, 2020, 46, 823-833.	4.3	14
205	Association of the kynurenine pathway metabolites with clinical, cognitive features and IL-1Î <sup>2</sup> levels in patients with schizophrenia spectrum disorder and their siblings. Schizophrenia Research, 2021, 229, 27-37.	2.0	14
206	Psychotic Experiences and Risk of Violence Perpetration and Arrest in the General Population: A Prospective Study. PLoS ONE, 2016, 11, e0159023.	2.5	14
207	Introduction. Schizophrenia Bulletin, 2008, 34, 1064-1065.	4.3	13
208	Psychotic experiences: disadvantaged and different from the norm. British Journal of Psychiatry, 2012, 201, 258-259.	2.8	13
209	Stereotype Awareness, Self-Esteem and Psychopathology in People with Psychosis. PLoS ONE, 2014, 9, e88586.	2.5	13
210	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8–14 Year-Old Children. Frontiers in Psychology, 2016, 7, 330.	2.1	13
211	National funding for mental health research in Finland, France, Spain and the United Kingdom. European Neuropsychopharmacology, 2017, 27, 892-899.	0.7	13
212	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. British Journal of Educational Psychology, 2020, 90, 62-76.	2.9	13
213	Does the Brain Detect 3G Mobile Phone Radiation Peaks? An Explorative In-Depth Analysis of an Experimental Study. PLoS ONE, 2015, 10, e0125390.	2.5	13
214	Longitudinal clinical and functional outcome in distinct cognitive subgroups of first-episode psychosis: a cluster analysis. Psychological Medicine, 2023, 53, 2317-2327.	4.5	13
215	The interplay of psychosis and victimisation across the life course: a prospective study in the general population. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1363-1374.	3.1	12
216	Does pain hypervigilance further impact the lack of habituation to pain in individuals with chronic pain? A cross-sectional pain ERP study. Journal of Pain Research, 2018, Volume 11, 395-405.	2.0	12

#	ARTICLE	IF	CITATIONS
217	Development of a realâ€time patientâ€reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. Neurogastroenterology and Motility, 2019, 31, e13496.	3.0	12
218	The Experience Sampling Method—Evaluation of treatment effect of escitalopram in IBS with comorbid panic disorder. Neurogastroenterology and Motility, 2019, 31, e13515.	3.0	12
219	Successful use of tapering strips for hyperbolic reduction of antidepressant dose: a cohort study. Therapeutic Advances in Psychopharmacology, 2021, 11, 204512532110393.	2.7	12
220	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. Translational Psychiatry, 2021, 11, 423.	4.8	12
221	Replicated Evidence of Absence of Association between Serum S100B and (Risk of) Psychotic Disorder. PLoS ONE, 2013, 8, e82535.	2.5	11
222	Relevance of Five-Factor Model personality traits for obsessive–compulsive symptoms in patients with psychotic disorders and their un-affected siblings. Psychiatry Research, 2015, 225, 464-470.	3.3	11
223	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps. , 2017, , .		11
224	Putting the psychotherapy spotlight back on the selfâ€reflecting actors who make it work. World Psychiatry, 2019, 18, 292-293.	10.4	11
225	Belgian Superior Health Council advises against the use of the DSM categories. Lancet Psychiatry,the, 2019, 6, 726.	7.4	11
226	TwinssCan — Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. Twin Research and Human Genetics, 2019, 22, 460-466.	0.6	11
227	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. Psychological Medicine, 2022, 52, 1569-1577.	4.5	11
228	Prevalence and determinants of chewing khat among women in Ethiopia: data from Ethiopian demographic and health survey 2016. BMC Psychiatry, 2021, 21, 127.	2.6	11
229	What makes the psychosis †clinical high risk' state risky: psychosis itself or the co-presence of a non-psychotic disorder?. Epidemiology and Psychiatric Sciences, 2021, 30, e53.	3.9	11
230	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. Schizophrenia Research, 2018, 192, 262-268.	2.0	10
231	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081.	2.4	10
232	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). Psychological Medicine, 2019, 49, 2600-2607.	4.5	10
233	Organization framework and preliminary findings from the Athens Firstâ€Episode Psychosis Research Study. Microbial Biotechnology, 2020, 14, 343-355.	1.7	10
234	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. Psychological Medicine, 2022, 52, 1777-1783.	4.5	10

#	Article	IF	CITATIONS
235	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 1125-1134.	1.5	10
236	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. Schizophrenia Bulletin, 2021, 47, 1018-1028.	4.3	10
237	Emotion regulation in response to daily negative and positive events in youth: The role of event intensity and psychopathology. Behaviour Research and Therapy, 2021, 144, 103916.	3.1	10
238	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110440.	4.8	10
239	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. Schizophrenia Research: Cognition, 2022, 28, 100222.	1.3	10
240	Schizophrenia as a symptom of psychiatry's reluctance to enter the moral era of medicine. Schizophrenia Research, 2022, 242, 138-140.	2.0	10
241	DSMâ€5 and the â€~Psychosis Risk Syndrome': Babylonic confusion. Psychosis, 2010, 2, 100-103.	0.8	9
242	Semi-metric analysis of the functional brain network: Relationship with familial risk for psychotic disorder. NeuroImage: Clinical, 2015, 9, 607-616.	2.7	9
243	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults. Lancet Psychiatry,the, 2017, 4, 438-439.	7.4	9
244	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 524-532.	5.2	9
245	Trust and the city: Linking urban upbringing to neural mechanisms of trust in psychosis. Australian and New Zealand Journal of Psychiatry, 2020, 54, 138-149.	2.3	9
246	The Community Assessment of Psychic Experiences: Optimal cutâ€off scores for detecting individuals with a psychotic disorder. International Journal of Methods in Psychiatric Research, 2021, 30, e1893.	2.1	9
247	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. Schizophrenia Bulletin, 2022, 48, 100-110.	4.3	9
248	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. Schizophrenia Bulletin, 2021, 47, 682-691.	4.3	9
249	Association between exposome score for schizophrenia and functioning in first-episode psychosis: results from the Athens first-episode psychosis research study. Psychological Medicine, 2023, 53, 2609-2618.	4.5	9
250	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). Schizophrenia Bulletin, 2022, 48, 575-589.	4.3	9
251	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. Psychological Medicine, 2023, 53, 3396-3405.	4.5	9
252	Heritability of Intelligence. Twin Research and Human Genetics, 2007, 10, 11-14.	0.6	8

#	Article	IF	CITATIONS
253	Electrophysiological correlates of automatic spreading of activation in patients with psychotic disorder and first-degree relatives. International Journal of Psychophysiology, 2012, 84, 102-112.	1.0	8
254	The Search for Environmental Mechanisms Underlying the Expression of Psychosis: Introduction. Schizophrenia Bulletin, 2016, 43, sbw178.	4.3	8
255	Circadian Computing: Sensing, Modeling, and Maintaining Biological Rhythms. , 2017, , 35-58.		8
256	Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1045-1054.	3.1	8
257	Psychotic experiences and mood episodes predict each other bidirectionally: a 6-year follow-up study in a community-based population. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 331-341.	3.1	8
258	The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 339-346.	4.8	8
259	Network approach of mood and functional gastrointestinal symptom dynamics in relation to childhood trauma in patients with irritable bowel syndrome and comorbid panic disorder. Journal of Psychosomatic Research, 2020, 139, 110261.	2.6	8
260	The genetics of drug-related movement disorders, an umbrella review of meta-analyses. Molecular Psychiatry, 2020, 25, 2237-2250.	7.9	8
261	Symptom-network dynamics in irritable bowel syndrome with comorbid panic disorder using electronic momentary assessment: A randomized controlled trial of escitalopram vs. placebo. Journal of Psychosomatic Research, 2021, 141, 110351.	2.6	8
262	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. Schizophrenia Research, 2021, 231, 227-236.	2.0	8
263	Context <i>v.</i> algorithm: evidence that a transdiagnostic framework of contextual clinical characterization is of more clinical value than categorical diagnosis. Psychological Medicine, 2023, 53, 1825-1833.	4.5	8
264	The transdiagnostic dimension of psychosis: implications for psychiatric nosology and research. Shanghai Archives of Psychiatry, 2015, 27, 82-6.	0.7	8
265	Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). Noropsikiyatri Arsivi, 2017, 54, 3-10.	0.7	8
266	Delinquency in context; neighbourhood and gender interactions among adolescents. Epidemiologia E Psichiatria Sociale, 2010, 19, 148-158.	0.9	7
267	From schizophrenia metafacts to non-schizophrenia facts. Schizophrenia Research, 2011, 127, 16-17.	2.0	7
268	A comparison of indices for identifying the number of clusters in hierarchical clustering: A study on cognition in schizophrenia patients. Communications in Statistics Case Studies Data Analysis and Applications, 2015, 1, 98-113.	0.3	7
269	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. Psychological Medicine, 2021, 51, 2074-2082.	4.5	7
270	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. European Child and Adolescent Psychiatry, 2021, 30, 823-824.	4.7	7

#	Article	IF	CITATIONS
271	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country caseâ ° control study. Psychological Medicine, 2022, 52, 3668-3676.	4.5	7
272	Functional recovery of individuals with serious mental illnesses: Development and testing of a new short instrument for routine outcome monitoring Psychiatric Rehabilitation Journal, 2018, 41, 341-350.	1,1	7
273	My mobile story. , 2011, , .		6
274	Dr. Strangelove, or how we learned to stop worrying and love uncertainty. World Psychiatry, 2020, 19, 395-396.	10.4	6
275	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107.	2.0	6
276	Preschool Communication: Early Identification of Concerns About Preschool Language Development and Social Participation. Frontiers in Public Health, 2020, 8, 546536.	2.7	6
277	Emerging Processes Within Peer-Support Hearing Voices Groups: A Qualitative Study in the Dutch Context. Frontiers in Psychiatry, 2021, 12, 647969.	2.6	6
278	En attendant Godot: Waiting for the Funeral of "Schizophrenia―and the Baby Shower of the Psychosis Spectrum. Frontiers in Psychiatry, 2021, 12, 618842.	2.6	6
279	Can an experimental white noise task assess psychosis vulnerability in adult healthy controls?. PLoS ONE, 2018, 13, e0192373.	2.5	6
280	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. BMJ Open, 2018, 8, e019059.	1.9	6
281	Ecological momentary assessment and other digital technologies for capturing daily life in mental health. , 2022, , 81-108.		6
282	Treatment of hallucinations: A comment. Psychosis, 2013, 5, 98-102.	0.8	5
283	Opportunities for technology in the self-management of mental health. , 2016, , .		5
284	The details of structural disconnectivity in psychotic disorder: A family-based study of non-FA diffusion weighted imaging measures. Brain Research, 2017, 1671, 121-130.	2.2	5
285	Age-related disturbances in DNA (hydroxy)methylation in APP/PS1 mice. Translational Neuroscience, 2018, 9, 190-202.	1.4	5
286	Social Issues in Personal Informatics. , 2018, , .		5
287	Genetic and Environmental Influences on the Affective Regulation Network: A Prospective Experience Sampling Analysis. Frontiers in Psychiatry, 2018, 9, 602.	2.6	5
288	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. Frontiers in Psychiatry, 2019, 10, 676.	2.6	5

#	Article	IF	CITATIONS
289	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. Schizophrenia Bulletin, 2020, 46, 1327-1334.	4.3	5
290	Evidence for an interrelated cluster of Hallucinatory experiences in the general population: an incidence study. Psychological Medicine, 2020, , 1-10.	4.5	5
291	Resurrection of the Follow-Back Method to Study the Transdiagnostic Origins of Psychosis. Schizophrenia Bulletin, 2021, 47, 583-585.	4.3	5
292	Psychosis Research at Maastricht University, The Netherlands. British Journal of Psychiatry, 2003, 183, 559-560.	2.8	4
293	Comment on Re-Analysis of Data by Terluin, de Boer and de Vet. PLoS ONE, 2016, 11, e0162329.	2.5	4
294	Measures of Psychosis Proneness and Genetic Risk for Schizophrenia. JAMA Psychiatry, 2016, 73, 638.	11.0	4
295	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. Psychiatry Research, 2017, 258, 234-238.	3.3	4
296	Postsurgical Compliance and Eating Behavior 5 Years After Surgery. Bariatric Surgical Patient Care, 2020, 15, 148-154.	0.5	4
297	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1653-1662.	4.3	4
298	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. Schizophrenia Research, 2021, 236, 69-79.	2.0	4
299	Bone Mineral Density as a Marker of Cumulative Estrogen Exposure in Psychotic Disorder: A 3 Year Follow-Up Study. PLoS ONE, 2015, 10, e0136320.	2.5	4
300	General psychopathology and its social correlates in the daily lives of youth. Journal of Affective Disorders, 2022, 309, 428-436.	4.1	4
301	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). Twin Research and Human Genetics, 2005, 8, 318-319.	0.6	3
302	Daily life moment-to-moment variation in coping in people with a diagnosis of schizophrenia: state within trait psychosis. Psychosis, 2012, 4, 115-125.	0.8	3
303	A new public health genomics model for common complex diseases, with an application to common behavioral disorders. Personalized Medicine, 2012, 9, 29-38.	1.5	3
304	Biological rhythms and technology. , 2014, , .		3
305	Playing with emotions. , 2014, , .		3
306	Mental disorder: a public health problem stuck in an individual-level brain disease perspective?. World Psychiatry, 2015, 14, 47-48.	10.4	3

#	Article	IF	CITATIONS
307	Higher schizotypy predicts better metabolic profile in unaffected siblings of patients with schizophrenia. Psychopharmacology, 2018, 235, 1029-1039.	3.1	3
308	Validation of short instruments assessing parental and caregivers' perceptions on child health and development for personalized prevention. Clinical Child Psychology and Psychiatry, 2019, 24, 608-630.	1.6	3
309	Study protocol of a randomized, double-blind, placebo-controlled, multi-center trial to treat antipsychotic-induced weight gain: the Metformin-Lifestyle in antipsychotic users (MELIA) trial. BMC Psychiatry, 2021, 21, 4.	2.6	3
310	Negative life events and stress sensitivity in youth's daily life: an ecological momentary assessment study. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1641-1657.	3.1	3
311	The feasibility of a psychiatric common market. Psychiatric Bulletin, 1994, 18, 193-195.	0.3	2
312	FEATUREThe invisible user. Interactions, 2009, 16, 13-19.	1.0	2
313	Antipsychotic drugs for prevention of relapse. Lancet, The, 2012, 379, 2030-2031.	13.7	2
314	Genotype-based prevention of psychosis onset and schizophrenia: a personalized approach in a target population. Personalized Medicine, 2014, 11, 167-172.	1.5	2
315	Is BDNFâ€Val66Met polymorphism associated with psychotic experiences and psychotic disorder outcome? Evidence from a 6 years prospective populationâ€based cohort study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2019, 180, 113-121.	1.7	2
316	Izmir Mental Health Cohort for Gene-Environment Interaction in Psychosis (TürkSch): Assessment of the Extended and Transdiagnostic Psychosis Phenotype and Analysis of Attrition in a 6-Year Follow-Up of a Community-Based Sample. Frontiers in Psychiatry, 2019, 10, 554.	2.6	2
317	Microstructural white matter network-connectivity in individuals with psychotic disorder, unaffected siblings and controls. NeuroImage: Clinical, 2019, 23, 101931.	2.7	2
318	White matter microstructure and network-connectivity in emerging adults with subclinical psychotic experiences. Brain Imaging and Behavior, 2020, 14, 1876-1888.	2.1	2
319	Are All Psychotic-Like Experiences Really "Psychotic�: Response to McLawhorn and Jackson. American Journal of Psychiatry, 2020, 177, 1179-1180.	7.2	2
320	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. PLoS ONE, 2021, 16, e0253507.	2.5	2
321	The impact of childhood sexual trauma on intimacy and sexuality needs among people with non-affective psychosis. Schizophrenia Research, 2021, 236, 97-103.	2.0	2
322	Serum S100B: A proxy marker for grey and white matter status in the absence and presence of (increased risk of) psychotic disorder?. PLoS ONE, 2017, 12, e0174752.	2.5	2
323	Playing with your data. , 2016, , .		1
324	Blink rate is associated with drug-induced parkinsonism in patients with severe mental illness, but does not meet requirements to serve as a clinical test: the Curacao extrapyramidal syndromes study XIII. Journal of Negative Results in BioMedicine, 2017, 16, 15.	1.4	1

#	Article	IF	CITATIONS
325	F191. THE GENETICS OF DRUG-RELATED MOVEMENT DISORDERS AN UMBRELLA REVIEW OF META-ANALYSES. Schizophrenia Bulletin, 2018, 44, S295-S295.	4.3	1
326	O10.2. PSYCHOTIC EXPERIENCES ARE ASSOCIATED WITH HEALTH ANXIETY AND FUNCTIONAL SOMATIC SYMPTOMS IN PRE-ADOLESCENCE. Schizophrenia Bulletin, 2018, 44, S103-S103.	4.3	1
327	Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. European Neuropsychopharmacology, 2019, 29, 1374-1385.	0.7	1
328	7.4 PSYCHOTIC EXPERIENCES IN CHILDHOOD AND SUBSEQUENT SUICIDAL BEHAVIOR IN ADOLESCENCE – A COPENHAGEN CHILD COHORT 2000 STUDY. Schizophrenia Bulletin, 2019, 45, S98-S99.	4.3	1
329	7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. Schizophrenia Bulletin, 2019, 45, S98-S98.	4.3	1
330	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. Psychiatry Research, 2019, 271, 421-427.	3.3	1
331	M126. THE MAIN AND INTERACTIVE EFFECTS OF ADULT STRESSFUL LIFE EVENTS WITH GENOMIC AND EXPOSOMIC LIABILITY FOR SCHIZOPHRENIA ON MENTAL AND PHYSICAL HEALTH: A PROSPECTIVE COHORT STUDY. Schizophrenia Bulletin, 2020, 46, S183-S183.	4.3	1
332	Symptomatic Remission Along the Clinical Psychosis Spectrum: A Historical and Conceptual Review. Noropsikiyatri Arsivi, 2021, 58, S3-S6.	0.3	1
333	Social Defeat, Psychotic Symptoms, and Crime in Young Caribbean Immigrants to Rotterdam. Frontiers in Psychiatry, 2021, 12, 498096.	2.6	1
334	Investigating Associations Between Changes in Mobile Phone Use and Emotions Using the Experience Sampling Method: Pilot Study. JMIR Formative Research, 2018, 2, e12.	1.4	1
335	Movement Disorders and Mortality in Severely Mentally Ill Patients: The Curacao Extrapyramidal Syndromes Study XIV. Schizophrenia Bulletin, 2022, 48, 766-773.	4.3	1
336	Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements. Comprehensive Psychiatry, 2022, 115, 152309.	3.1	1
337	Community psychiatric nurse teams. British Journal of Psychiatry, 1994, 165, 839-840.	2.8	0
338	Mental health challenges for the Netherlands: Research and practice. Journal of Mental Health, 2004, 13, 55-58.	1.9	0
339	Solutions for patients depend on whether we can bridge the divide between social and natural science research approaches in the area of mental health. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 135-138.	0.3	0
340	F4. LINKING LIFE EVENTS WITH NEGATIVE AFFECT AND PSYCHOTIC EXPERIENCES IN DAILY LIVES OF YOUTH: STRESS SENSITIVITY AS A PUTATIVE MECHANISM?. Schizophrenia Bulletin, 2018, 44, S219-S219.	4.3	0
341	S29. CONCORDANCE BETWEEN SELF-REPORT AT INTERVIEW-BASED RATINGS OF PSYCHOTIC EXPERIENCES IN PRE-ADOLESCENCE AND ASSOCIATED PSYCHOPATHOLOGY. Schizophrenia Bulletin, 2018, 44, S334-S334.	4.3	0
342	T12. VITAMIN D STATUS AND PSYCHOTIC DISORDER: ASSOCIATIONS WITH CLINICAL VARIABLES AND RISK FACTORS. Schizophrenia Bulletin, 2018, 44, S117-S117.	4.3	0

#	Article	IF	CITATIONS
343	T115. REASONING BIAS, WORKING MEMORY PERFORMANCE, AND A TRANSDIAGNOSTIC PHENOTYPE OF AFFECTIVE DISTURBANCES AND PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. Schizophrenia Bulletin, 2018, 44, S160-S161.	4.3	0
344	Points to consider regarding DSM alternatives – Authors' reply. Lancet Psychiatry,the, 2019, 6, 895.	7.4	0
345	S94. MUTATION-INTOLERANT GENES AND MONOGENIC DISEASE GENES IN 145 LOCI OF SCHIZOPHRENIA (SCZ) GWAS ARE LINKED TO THE ISCHEMIA-HYPOXIA RESPONSE. Schizophrenia Bulletin, 2019, 45, S342-S343.	4.3	0
346	O6.7. TESTING THE HIGH RISK AND TRANSITION FRAMEWORK IN THE GENERAL POPULATION: POPULATION-BASED MEASURES OF RISK AND TRANSITION FOR PSYCHOSIS 6-YEAR LONGITUDINAL FOLLOW-UP. Schizophrenia Bulletin, 2019, 45, S178-S178.	4.3	0
347	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. Schizophrenia Bulletin, 2019, 45, S122-S122.	4.3	0
348	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. Schizophrenia Bulletin, 2019, 45, S165-S166.	4.3	0
349	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. Schizophrenia Bulletin, 2019, 45, S177-S178.	4.3	0
350	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. Schizophrenia Bulletin, 2020, 46, S104-S104.	4.3	0
351	The genetics of drug-related movement disorders (DRMD), reply to comment: Antipsychotic-induced catatonia and neuroleptic malignant syndrome: The dark side of the moon. Molecular Psychiatry, 2021, 26, 6115-6115.	7.9	0
352	Risk Factors for Tremor in a Population of Patients with Severe Mental Illness: An 18-year Prospective Study in a Geographically Representative Sample (The Curacao Extrapyramidal Syndromes Study XI). Tremor and Other Hyperkinetic Movements, 2017, 7, 468.	2.0	0
353	Editorial: Gone to Pot: Examining the Association Between Cannabis Use and Medical/Psychiatric Disorders. Frontiers in Psychiatry, 2022, 13, 837757.	2.6	0
354	A 6-year follow-up study in a community-based population: Is neighbourhood-level social capital associated with the risk of emergence and persistence of psychotic experiences and transition to psychotic disorder?. Psychological Medicine, 2022, , 1-13.	4.5	0