

Mark Matthews

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1850774/publications.pdf>

Version: 2024-02-01

354
papers

20,169
citations

34493

54
h-index

18400

124
g-index

363
all docs

363
docs citations

363
times ranked

23874
citing authors

#	ARTICLE	IF	CITATIONS
1	Context <i>v.</i> algorithm: evidence that a transdiagnostic framework of contextual clinical characterization is of more clinical value than categorical diagnosis. <i>Psychological Medicine</i> , 2023, 53, 1825-1833.	2.7	8
2	Longitudinal clinical and functional outcome in distinct cognitive subgroups of first-episode psychosis: a cluster analysis. <i>Psychological Medicine</i> , 2023, 53, 2317-2327.	2.7	13
3	Association between exposome score for schizophrenia and functioning in first-episode psychosis: results from the Athens first-episode psychosis research study. <i>Psychological Medicine</i> , 2023, 53, 2609-2618.	2.7	9
4	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. <i>Psychological Medicine</i> , 2023, 53, 3396-3405.	2.7	9
5	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	1.9	14
6	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , 2022, 52, 1777-1783.	2.7	10
7	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
8	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , 2022, 52, 1910-1922.	2.7	14
9	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 1376-1385.	2.7	17
10	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2022, 52, 2972-2984.	2.7	22
11	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2022, 52, 3668-3676.	2.7	7
12	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
13	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	2.5	10
14	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
15	Ecological momentary assessment and other digital technologies for capturing daily life in mental health. , 2022, , 81-108.		6
16	Schizophrenia as a symptom of psychiatry's reluctance to enter the moral era of medicine. <i>Schizophrenia Research</i> , 2022, 242, 138-140.	1.1	10
17	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). <i>Schizophrenia Bulletin</i> , 2022, 48, 575-589.	2.3	9
18	Editorial: Gone to Pot: Examining the Association Between Cannabis Use and Medical/Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2022, 13, 837757.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Movement Disorders and Mortality in Severely Mentally Ill Patients: The Curacao Extrapramidal Syndromes Study XIV. <i>Schizophrenia Bulletin</i> , 2022, 48, 766-773.	2.3	1
20	A 6-year follow-up study in a community-based population: Is neighbourhood-level social capital associated with the risk of emergence and persistence of psychotic experiences and transition to psychotic disorder?. <i>Psychological Medicine</i> , 2022, , 1-13.	2.7	0
21	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
22	Gender differences in the association between environment and psychosis. <i>Schizophrenia Research</i> , 2022, 243, 120-137.	1.1	16
23	Home alone: Social functioning as a transdiagnostic marker of mental health in youth, exploring retrospective and daily life measurements. <i>Comprehensive Psychiatry</i> , 2022, 115, 152309.	1.5	1
24	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. <i>Lancet Psychiatry</i> , the, 2022, 9, 413-422.	3.7	36
25	Negative life events and stress sensitivity in youth's daily life: an ecological momentary assessment study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1641-1657.	1.6	3
26	General psychopathology and its social correlates in the daily lives of youth. <i>Journal of Affective Disorders</i> , 2022, 309, 428-436.	2.0	4
27	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
28	Functional Magnetic Resonance Imaging Connectivity Accurately Distinguishes Cases With Psychotic Disorders From Healthy Controls, Based on Cortical Features Associated With Brain Network Development. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1125-1134.	1.1	10
29	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021, 26, 5307-5319.	4.1	18
30	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2021, 51, 2074-2082.	2.7	7
31	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1329-1337.	2.7	38
32	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 1536-1548.	2.7	58
33	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021, 51, 623-633.	2.7	34
34	Understanding urbanicity: how interdisciplinary methods help to unravel the effects of the city on mental health. <i>Psychological Medicine</i> , 2021, 51, 1099-1110.	2.7	44
35	Bullying victimization and stress sensitivity in help-seeking youth: findings from an experience sampling study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 591-605.	2.8	23
36	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 823-824.	2.8	7

#	ARTICLE	IF	CITATIONS
37	Posttraumatic stress disorder during the COVID-19 pandemic: Upcoming challenges in Bangladesh and preventive strategies. <i>International Journal of Social Psychiatry</i> , 2021, 67, 205-206.	1.6	27
38	Study protocol of a randomized, double-blind, placebo-controlled, multi-center trial to treat antipsychotic-induced weight gain: the Metformin-Lifestyle in antipsychotic users (MELIA) trial. <i>BMC Psychiatry</i> , 2021, 21, 4.	1.1	3
39	Successful use of tapering strips for hyperbolic reduction of antidepressant dose: a cohort study. <i>Therapeutic Advances in Psychopharmacology</i> , 2021, 11, 204512532110393.	1.2	12
40	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.1	18
41	Symptomatic Remission Along the Clinical Psychosis Spectrum: A Historical and Conceptual Review. <i>Noropsikiyatri Arsivi</i> , 2021, 58, S3-S6.	0.2	1
42	Resurrection of the Follow-Back Method to Study the Transdiagnostic Origins of Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 583-585.	2.3	5
43	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021, 10, .	2.8	72
44	A Network of Psychopathological, Cognitive, and Motor Symptoms in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 915-926.	2.3	16
45	Precision psychiatry: promise for the future or rehash of a fossilised foundation?. <i>Psychological Medicine</i> , 2021, 51, 1409-1411.	2.7	16
46	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
47	Symptom-network dynamics in irritable bowel syndrome with comorbid panic disorder using electronic momentary assessment: A randomized controlled trial of escitalopram vs. placebo. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110351.	1.2	8
48	It is not enough to sing its praises: the very foundations of precision psychiatry may be scientifically unsound and require examination. <i>Psychological Medicine</i> , 2021, 51, 1415-1417.	2.7	17
49	Prevalence and determinants of chewing khat among women in Ethiopia: data from Ethiopian demographic and health survey 2016. <i>BMC Psychiatry</i> , 2021, 21, 127.	1.1	11
50	Association of the kynurenine pathway metabolites with clinical, cognitive features and IL-1 β levels in patients with schizophrenia spectrum disorder and their siblings. <i>Schizophrenia Research</i> , 2021, 229, 27-37.	1.1	14
51	Schizophrenia and the Environment: Within-Person Analyses May be Required to Yield Evidence of Unconfounded and Causal Associationâ€”The Example of Cannabis and Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 594-603.	2.3	26
52	Emerging Processes Within Peer-Support Hearing Voices Groups: A Qualitative Study in the Dutch Context. <i>Frontiers in Psychiatry</i> , 2021, 12, 647969.	1.3	6
53	Social Defeat, Psychotic Symptoms, and Crime in Young Caribbean Immigrants to Rotterdam. <i>Frontiers in Psychiatry</i> , 2021, 12, 498096.	1.3	1
54	Prevalence of depression, anxiety and associated factors among school going adolescents in Bangladesh: Findings from a cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0247898.	1.1	27

#	ARTICLE	IF	CITATIONS
55	En attendant Godot: Waiting for the Funeral of “Schizophrenia” and the Baby Shower of the Psychosis Spectrum. <i>Frontiers in Psychiatry</i> , 2021, 12, 618842.	1.3	6
56	Relationship between social cognition, general cognition, and risk for suicide in individuals with a psychotic disorder. <i>Schizophrenia Research</i> , 2021, 231, 227-236.	1.1	8
57	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	2.3	17
58	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1653-1662.	2.3	4
59	Estimating Aggregate Environmental Risk Score in Psychiatry: The Exposome Score for Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 671334.	1.3	17
60	Prevalence and correlates of anxiety and depression in frontline healthcare workers treating people with COVID-19 in Bangladesh. <i>BMC Psychiatry</i> , 2021, 21, 271.	1.1	55
61	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021, 16, e0253507.	1.1	2
62	The genetics of drug-related movement disorders (DRMD), reply to comment: Antipsychotic-induced catatonia and neuroleptic malignant syndrome: The dark side of the moon. <i>Molecular Psychiatry</i> , 2021, 26, 6115-6115.	4.1	0
63	The Community Assessment of Psychic Experiences: Optimal cut-off scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1893.	1.1	9
64	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021, 11, 423.	2.4	12
65	Emotion regulation in response to daily negative and positive events in youth: The role of event intensity and psychopathology. <i>Behaviour Research and Therapy</i> , 2021, 144, 103916.	1.6	10
66	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021, 236, 69-79.	1.1	4
67	The impact of childhood sexual trauma on intimacy and sexuality needs among people with non-affective psychosis. <i>Schizophrenia Research</i> , 2021, 236, 97-103.	1.1	2
68	What makes the psychosis “clinical high risk” state risky: psychosis itself or the co-presence of a non-psychotic disorder?. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e53.	1.8	11
69	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	4.8	153
70	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
71	Predictive Performance of Exposome Score for Schizophrenia in the General Population. <i>Schizophrenia Bulletin</i> , 2021, 47, 277-283.	2.3	18
72	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 682-691.	2.3	9

#	ARTICLE	IF	CITATIONS
73	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020, 90, 62-76.	1.6	13
74	White matter microstructure and network-connectivity in emerging adults with subclinical psychotic experiences. <i>Brain Imaging and Behavior</i> , 2020, 14, 1876-1888.	1.1	2
75	Neural responses during extinction learning predict exposure therapy outcome in phobia: results from a randomized-controlled trial. <i>Neuropsychopharmacology</i> , 2020, 45, 534-541.	2.8	45
76	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , 2020, 50, 1884-1897.	2.7	28
77	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	2.3	14
78	Trust and the city: Linking urban upbringing to neural mechanisms of trust in psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 138-149.	1.3	9
79	Organization framework and preliminary findings from the Athens First-Episode Psychosis Research Study. <i>Microbial Biotechnology</i> , 2020, 14, 343-355.	0.9	10
80	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
81	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19
82	Postsurgical Compliance and Eating Behavior 5 Years After Surgery. <i>Bariatric Surgical Patient Care</i> , 2020, 15, 148-154.	0.1	4
83	An ecological momentary intervention incorporating personalised feedback to improve symptoms and social functioning in schizophrenia spectrum disorders. <i>Psychiatry Research</i> , 2020, 284, 112695.	1.7	37
84	M126. THE MAIN AND INTERACTIVE EFFECTS OF ADULT STRESSFUL LIFE EVENTS WITH GENOMIC AND EXPOSOMIC LIABILITY FOR SCHIZOPHRENIA ON MENTAL AND PHYSICAL HEALTH: A PROSPECTIVE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S183-S183.	2.3	1
85	Outcome of antidepressant drug discontinuation with taperingstrips after 1-5 years. <i>Therapeutic Advances in Psychopharmacology</i> , 2020, 10, 204512532095460.	1.2	18
86	Dr. Strangelove, or how we learned to stop worrying and love uncertainty. <i>World Psychiatry</i> , 2020, 19, 395-396.	4.8	6
87	Do Current Measures of Polygenic Risk for Mental Disorders Contribute to Population Variance in Mental Health?. <i>Schizophrenia Bulletin</i> , 2020, 46, 1353-1362.	2.3	22
88	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
89	Are All Psychotic-Like Experiences Really "Psychotic"? Response to McLawhorn and Jackson. <i>American Journal of Psychiatry</i> , 2020, 177, 1179-1180.	4.0	2
90	Association of Recent Stressful Life Events With Mental and Physical Health in the Context of Genomic and Exposomic Liability for Schizophrenia. <i>JAMA Psychiatry</i> , 2020, 77, 1296.	6.0	43

#	ARTICLE	IF	CITATIONS
91	Network approach of mood and functional gastrointestinal symptom dynamics in relation to childhood trauma in patients with irritable bowel syndrome and comorbid panic disorder. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110261.	1.2	8
92	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. <i>Schizophrenia Bulletin</i> , 2020, 46, S104-S104.	2.3	0
93	Association of preceding psychosis risk states and non-psychotic mental disorders with incidence of clinical psychosis in the general population: a prospective study in the NEMESIS-2 cohort. <i>World Psychiatry</i> , 2020, 19, 199-205.	4.8	53
94	Meta-analysis of auditory P50 sensory gating in schizophrenia and bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020, 300, 111078.	0.9	27
95	Analysis of GWAS-Derived Schizophrenia Genes for Links to Ischemia-Hypoxia Response of the Brain. <i>Frontiers in Psychiatry</i> , 2020, 11, 393.	1.3	25
96	To continue or not to continue? Antipsychotic medication maintenance versus dose-reduction/discontinuation in first episode psychosis: HAMLETT, a pragmatic multicenter single-blind randomized controlled trial. <i>Trials</i> , 2020, 21, 147.	0.7	41
97	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. <i>American Journal of Psychiatry</i> , 2020, 177, 318-326.	4.0	41
98	Blended care in the treatment of subthreshold symptoms of depression and psychosis in emerging adults: A randomised controlled trial of Acceptance and Commitment Therapy in Daily-Life (ACT-DL). <i>Behaviour Research and Therapy</i> , 2020, 128, 103592.	1.6	32
99	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
100	The genetics of drug-related movement disorders, an umbrella review of meta-analyses. <i>Molecular Psychiatry</i> , 2020, 25, 2237-2250.	4.1	8
101	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334.	2.3	5
102	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 645-657.	1.6	41
103	Evidence for an interrelated cluster of Hallucinatory experiences in the general population: an incidence study. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	5
104	Preschool Communication: Early Identification of Concerns About Preschool Language Development and Social Participation. <i>Frontiers in Public Health</i> , 2020, 8, 546536.	1.3	6
105	Psychological responses during the COVID-19 outbreak among university students in Bangladesh. <i>PLoS ONE</i> , 2020, 15, e0245083.	1.1	140
106	Is BDNF Val66Met polymorphism associated with psychotic experiences and psychotic disorder outcome? Evidence from a 6 years prospective population-based cohort study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 113-121.	1.1	2
107	Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach. <i>Schizophrenia Research</i> , 2019, 205, 58-62.	1.1	19
108	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019, 204, 415-416.	1.1	14

#	ARTICLE	IF	CITATIONS
109	DSM outcomes of psychotic experiences and associated risk factors: 6-year follow-up study in a community-based sample. <i>Psychological Medicine</i> , 2019, 49, 1346-1356.	2.7	25
110	Cultural differences in positive psychotic experiences assessed with the Community Assessment of Psychic Experiences-42 (CAPE-42): a comparison of student populations in the Netherlands, Nigeria and Norway. <i>BMC Psychiatry</i> , 2019, 19, 244.	1.1	27
111	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1081.	1.0	10
112	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 960-965.	2.3	46
113	Putting the psychotherapy spotlight back on the self-reflecting actors who make it work. <i>World Psychiatry</i> , 2019, 18, 292-293.	4.8	11
114	Points to consider regarding DSM alternatives – Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 895.	3.7	0
115	Reward anticipation in individuals with subclinical psychotic experiences: A functional MRI approach. <i>European Neuropsychopharmacology</i> , 2019, 29, 1374-1385.	0.3	1
116	S94. MUTATION-INTOLERANT GENES AND MONOGENIC DISEASE GENES IN 145 LOCI OF SCHIZOPHRENIA (SCZ) GWAS ARE LINKED TO THE ISCHEMIA-HYPOXIA RESPONSE. <i>Schizophrenia Bulletin</i> , 2019, 45, S342-S343.	2.3	0
117	Izmir Mental Health Cohort for Gene-Environment Interaction in Psychosis (IzmirSch): Assessment of the Extended and Transdiagnostic Psychosis Phenotype and Analysis of Attrition in a 6-Year Follow-Up of a Community-Based Sample. <i>Frontiers in Psychiatry</i> , 2019, 10, 554.	1.3	2
118	Microstructural white matter network-connectivity in individuals with psychotic disorder, unaffected siblings and controls. <i>NeuroImage: Clinical</i> , 2019, 23, 101931.	1.4	2
119	Belgian Superior Health Council advises against the use of the DSM categories. <i>Lancet Psychiatry</i> , 2019, 6, 726.	3.7	11
120	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , 2019, 10, 676.	1.3	5
121	O6.7. TESTING THE HIGH RISK AND TRANSITION FRAMEWORK IN THE GENERAL POPULATION: POPULATION-BASED MEASURES OF RISK AND TRANSITION FOR PSYCHOSIS 6-YEAR LONGITUDINAL FOLLOW-UP. <i>Schizophrenia Bulletin</i> , 2019, 45, S178-S178.	2.3	0
122	Evidence for interaction between genetic liability and childhood trauma in the development of psychotic symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1045-1054.	1.6	8
123	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	0.7	67
124	Identifying psychosis spectrum disorder from experience sampling data using machine learning approaches. <i>Schizophrenia Research</i> , 2019, 209, 156-163.	1.1	17
125	Clinical guidelines on antidepressant withdrawal urgently need updating. <i>BMJ: British Medical Journal</i> , 2019, 365, l2238.	2.4	26
126	7.4 PSYCHOTIC EXPERIENCES IN CHILDHOOD AND SUBSEQUENT SUICIDAL BEHAVIOR IN ADOLESCENCE – A COPENHAGEN CHILD COHORT 2000 STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S99.	2.3	1

#	ARTICLE	IF	CITATIONS
127	Mindfulness-Based Intervention for People With Dementia and Their Partners: Results of a Mixed-Methods Study. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 92.	1.7	15
128	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S122-S122.	2.3	0
129	7.3 POLYGENIC RISK FOR SCHIZOPHRENIA MODERATES THE INFLUENCE OF CHILDHOOD ADVERSITY ON DAILY-LIFE EMOTIONAL DYSREGULATION AND PSYCHOSIS PRONENESS. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S98.	2.3	1
130	Cortical patterning of abnormal morphometric similarity in psychosis is associated with brain expression of schizophrenia-related genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9604-9609.	3.3	200
131	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182.	4.8	127
132	Longitudinal evidence for a relation between depressive symptoms and quality of life in schizophrenia using structural equation modeling. <i>Schizophrenia Research</i> , 2019, 208, 82-89.	1.1	16
133	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	3.7	528
134	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019, 45, S165-S166.	2.3	0
135	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
136	Psychotic experiences and mood episodes predict each other bidirectionally: a 6-year follow-up study in a community-based population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 331-341.	1.6	8
137	The predictive value of neural reward processing on exposure therapy outcome: Results from a randomized controlled trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 339-346.	2.5	8
138	Psychometric liability to psychosis and childhood adversities are associated with shorter telomere length: A study on schizophrenia patients, unaffected siblings, and non-clinical controls. <i>Journal of Psychiatric Research</i> , 2019, 111, 169-185.	1.5	17
139	TwinsCan â€” Gene-Environment Interaction in Psychotic and Depressive Intermediate Phenotypes: Risk and Protective Factors in a General Population Twin Sample. <i>Twin Research and Human Genetics</i> , 2019, 22, 460-466.	0.3	11
140	Reasoning bias, working memory performance and a transdiagnostic phenotype of affective disturbances and psychotic experiences in the general population. <i>Psychological Medicine</i> , 2019, 49, 1799-1809.	2.7	18
141	The evidence-based group-level symptom-reduction model as the organizing principle for mental health care: time for change?. <i>World Psychiatry</i> , 2019, 18, 88-96.	4.8	137
142	Development of a real-time patient-reported outcome measure for symptom assessment in patients with functional dyspepsia using the experience sampling method. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13496.	1.6	12
143	The Experience Sampling Methodâ€”Evaluation of treatment effect of escitalopram in IBS with comorbid panic disorder. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13515.	1.6	12
144	Validation of short instruments assessing parental and caregiversâ€™ perceptions on child health and development for personalized prevention. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 608-630.	0.8	3

#	ARTICLE	IF	CITATIONS
145	Renaming schizophrenia: 5 Å— 5. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 254-257.	1.8	16
146	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607.	2.7	10
147	From laboratory to life: associating brain reward processing with real-life motivated behaviour and symptoms of depression in non-help-seeking young adults. <i>Psychological Medicine</i> , 2019, 49, 2441-2451.	2.7	49
148	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. <i>Psychiatry Research</i> , 2019, 271, 421-427.	1.7	1
149	Childhood adversities and psychotic symptoms: The potential mediating or moderating role of neurocognition and social cognition. <i>Schizophrenia Research</i> , 2019, 206, 183-193.	1.1	26
150	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 524-532.	3.1	9
151	Functional neuroimaging of associative learning and generalization in specific phobia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 275-285.	2.5	18
152	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019, 49, 1378-1391.	2.7	69
153	Interaction between environmental and familial affective risk impacts psychosis admixture in states of affective dysregulation. <i>Psychological Medicine</i> , 2019, 49, 1879-1889.	2.7	30
154	Aggressive Behavior, Hostility, and Associated Care Needs in Patients With Psychotic Disorders: A 6-Year Follow-Up Study. <i>Frontiers in Psychiatry</i> , 2019, 10, 934.	1.3	16
155	Evidence that reduced gray matter volume in psychotic disorder is associated with exposure to environmental risk factors. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 100-110.	0.9	21
156	Higher schizotypy predicts better metabolic profile in unaffected siblings of patients with schizophrenia. <i>Psychopharmacology</i> , 2018, 235, 1029-1039.	1.5	3
157	Subjective quality of life in psychosis: Evidence for an association with real world functioning?. <i>Psychiatry Research</i> , 2018, 261, 116-123.	1.7	16
158	Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome. <i>Schizophrenia Bulletin</i> , 2018, 44, 710-719.	2.3	59
159	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2018, 192, 262-268.	1.1	10
160	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38
161	Mindfulness-based stress reduction in middle-aged and older adults with memory complaints: a mixed-methods study. <i>Aging and Mental Health</i> , 2018, 22, 1113-1120.	1.5	25
162	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018, 75, 36.	6.0	235

#	ARTICLE	IF	CITATIONS
163	Stress reactivity links childhood trauma exposure to an admixture of depressive, anxiety, and psychosis symptoms. <i>Psychiatry Research</i> , 2018, 260, 451-457.	1.7	36
164	Age-related disturbances in DNA (hydroxy)methylation in APP/PS1 mice. <i>Translational Neuroscience</i> , 2018, 9, 190-202.	0.7	5
165	Social Issues in Personal Informatics. , 2018, , .		5
166	F4. LINKING LIFE EVENTS WITH NEGATIVE AFFECT AND PSYCHOTIC EXPERIENCES IN DAILY LIVES OF YOUTH: STRESS SENSITIVITY AS A PUTATIVE MECHANISM?. <i>Schizophrenia Bulletin</i> , 2018, 44, S219-S219.	2.3	0
167	S29. CONCORDANCE BETWEEN SELF-REPORT AT INTERVIEW-BASED RATINGS OF PSYCHOTIC EXPERIENCES IN PRE-ADOLESCENCE AND ASSOCIATED PSYCHOPATHOLOGY. <i>Schizophrenia Bulletin</i> , 2018, 44, S334-S334.	2.3	0
168	T12. VITAMIN D STATUS AND PSYCHOTIC DISORDER: ASSOCIATIONS WITH CLINICAL VARIABLES AND RISK FACTORS. <i>Schizophrenia Bulletin</i> , 2018, 44, S117-S117.	2.3	0
169	F191. THE GENETICS OF DRUG-RELATED MOVEMENT DISORDERS AN UMBRELLA REVIEW OF META-ANALYSES. <i>Schizophrenia Bulletin</i> , 2018, 44, S295-S295.	2.3	1
170	O10.2. PSYCHOTIC EXPERIENCES ARE ASSOCIATED WITH HEALTH ANXIETY AND FUNCTIONAL SOMATIC SYMPTOMS IN PRE-ADOLESCENCE. <i>Schizophrenia Bulletin</i> , 2018, 44, S103-S103.	2.3	1
171	Genetic and Environmental Influences on the Affective Regulation Network: A Prospective Experience Sampling Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 602.	1.3	5
172	Need for evidence-based early intervention programmes: a public health perspective. <i>Evidence-Based Mental Health</i> , 2018, 21, 128-130.	2.2	16
173	T115. REASONING BIAS, WORKING MEMORY PERFORMANCE, AND A TRANSDIAGNOSTIC PHENOTYPE OF AFFECTIVE DISTURBANCES AND PSYCHOTIC EXPERIENCES IN THE GENERAL POPULATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S160-S161.	2.3	0
174	The Complexities of Evaluating the Exposome in Psychiatry: A Data-Driven Illustration of Challenges and Some Propositions for Amendments. <i>Schizophrenia Bulletin</i> , 2018, 44, 1175-1179.	2.3	52
175	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018, 44, S460-S467.	2.3	15
176	Antidepressant tapering strips to help people come off medication more safely. <i>Psychosis</i> , 2018, 10, 142-145.	0.4	38
177	Mindfulness Training for People With Dementia and Their Caregivers: Rationale, Current Research, and Future Directions. <i>Frontiers in Psychology</i> , 2018, 9, 982.	1.1	38
178	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
179	Does pain hypervigilance further impact the lack of habituation to pain in individuals with chronic pain? A cross-sectional pain ERP study. <i>Journal of Pain Research</i> , 2018, Volume 11, 395-405.	0.8	12
180	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018, 213, 535-541.	1.7	37

#	ARTICLE	IF	CITATIONS
181	The Exposome Paradigm and the Complexities of Environmental Research in Psychiatry. <i>JAMA Psychiatry</i> , 2018, 75, 985.	6.0	72
182	Functional recovery of individuals with serious mental illnesses: Development and testing of a new short instrument for routine outcome monitoring.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 341-350.	0.8	7
183	Can an experimental white noise task assess psychosis vulnerability in adult healthy controls?. <i>PLoS ONE</i> , 2018, 13, e0192373.	1.1	6
184	Investigating Associations Between Changes in Mobile Phone Use and Emotions Using the Experience Sampling Method: Pilot Study. <i>JMIR Formative Research</i> , 2018, 2, e12.	0.7	1
185	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018, 8, e019059.	0.8	6
186	A Transdiagnostic Network Approach to Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 122-132.	2.3	55
187	Semi-Automated Tracking: A Balanced Approach for Self-Monitoring Applications. <i>IEEE Pervasive Computing</i> , 2017, 16, 74-84.	1.1	105
188	Prevalence of anxiety and depressive symptoms and their association with pelvic floor dysfunctions-A cross sectional cohort study at a Pelvic Care Centre. <i>Neurourology and Urodynamics</i> , 2017, 36, 1816-1823.	0.8	48
189	Relation between psychotic symptoms, parental care and childhood trauma in severe mental disorders. <i>Psychiatry Research</i> , 2017, 251, 78-84.	1.7	32
190	Quantifying the Changeable Self: The Role of Self-Tracking in Coming to Terms With and Managing Bipolar Disorder. <i>Human-Computer Interaction</i> , 2017, 32, 413-446.	3.1	32
191	A critique of the "ultra-high risk" and "transition" paradigm. <i>World Psychiatry</i> , 2017, 16, 200-206.	4.8	206
192	The double-edged sword: A mixed methods study of the interplay between bipolar disorder and technology use. <i>Computers in Human Behavior</i> , 2017, 75, 288-300.	5.1	32
193	Evidence That the Impact of Childhood Trauma on IQ Is Substantial in Controls, Moderate in Siblings, and Absent in Patients With Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2017, 43, 316-324.	2.3	32
194	Intimacy and its barriers: A qualitative exploration of intimacy and related struggles among people diagnosed with psychosis. <i>Psychosis</i> , 2017, 9, 301-309.	0.4	14
195	The experience sampling method as an mHealth tool to support self-monitoring, self-insight, and personalized health care in clinical practice. <i>Depression and Anxiety</i> , 2017, 34, 481-493.	2.0	135
196	Functional urological disorders: a sensitized defence response in the bladder-gut-brain axis. <i>Nature Reviews Urology</i> , 2017, 14, 153-163.	1.9	74
197	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017, 29, 259-267.	0.6	20
198	The 20-Year Longitudinal Trajectories of Social Functioning in Individuals With Psychotic Disorders. <i>American Journal of Psychiatry</i> , 2017, 174, 1075-1085.	4.0	209

#	ARTICLE	IF	CITATIONS
199	Behavioral pattern separation and its link to the neural mechanisms of fear generalization. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1720-1729.	1.5	63
200	Circadian Computing: Sensing, Modeling, and Maintaining Biological Rhythms. , 2017, , 35-58.		8
201	The interplay of psychosis and victimisation across the life course: a prospective study in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1363-1374.	1.6	12
202	An experience sampling study on the ecological validity of the SWN-20: Indication that subjective well-being is associated with momentary affective states above and beyond psychosis susceptibility. <i>Psychiatry Research</i> , 2017, 258, 234-238.	1.7	4
203	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults. <i>Lancet Psychiatry</i> , 2017, 4, 438-439.	3.7	9
204	Sensing behavioral symptoms of mental health and delivering personalized interventions using mobile technologies. <i>Depression and Anxiety</i> , 2017, 34, 603-609.	2.0	60
205	The details of structural disconnectivity in psychotic disorder: A family-based study of non-FA diffusion weighted imaging measures. <i>Brain Research</i> , 2017, 1671, 121-130.	1.1	5
206	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	0.3	13
207	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
208	Predicting Psychosis Using the Experience Sampling Method with Mobile Apps. , 2017, , .		11
209	Network Approach to Understanding Emotion Dynamics in Relation to Childhood Trauma and Genetic Liability to Psychopathology: Replication of a Prospective Experience Sampling Analysis. <i>Frontiers in Psychology</i> , 2017, 8, 1908.	1.1	24
210	Evidence That the Urban Environment Moderates the Level of Familial Clustering of Positive Psychotic Symptoms. <i>Schizophrenia Bulletin</i> , 2017, 43, 325-331.	2.3	14
211	White noise speech illusion and psychosis expression: An experimental investigation of psychosis liability. <i>PLoS ONE</i> , 2017, 12, e0183695.	1.1	26
212	Blink rate is associated with drug-induced parkinsonism in patients with severe mental illness, but does not meet requirements to serve as a clinical test: the Curacao extrapyramidal syndromes study XIII. <i>Journal of Negative Results in BioMedicine</i> , 2017, 16, 15.	1.4	1
213	Economic evaluation of an experience sampling method intervention in depression compared with treatment as usual using data from a randomized controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 415.	1.1	14
214	Serum S100B: A proxy marker for grey and white matter status in the absence and presence of (increased risk of) psychotic disorder?. <i>PLoS ONE</i> , 2017, 12, e0174752.	1.1	2
215	Demonstrating the reliability of transdiagnostic mHealth Routine Outcome Monitoring in mental health services using experience sampling technology. <i>PLoS ONE</i> , 2017, 12, e0186294.	1.1	38
216	Effect of Antipsychotic Type and Dose Changes on Tardive Dyskinesia and Parkinsonism Severity in Patients With a Serious Mental Illness. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e279-e285.	1.1	33

#	ARTICLE	IF	CITATIONS
217	Psychological and Biological Validation of a Novel Digital Social Peer Evaluation Experiment (digi-SPEE). <i>Noropsikiyatri Arsivi</i> , 2017, 54, 3-10.	0.7	8
218	Risk Factors for Tremor in a Population of Patients with Severe Mental Illness: An 18-year Prospective Study in a Geographically Representative Sample (The Curacao Extrapyrarnidal Syndromes Study XI). <i>Tremor and Other Hyperkinetic Movements</i> , 2017, 7, 468.	1.1	0
219	Playing with your data. , 2016, , .		1
220	Comment on Re-Analysis of Data by Terluin, de Boer and de Vet. <i>PLoS ONE</i> , 2016, 11, e0162329.	1.1	4
221	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8-14 Year-Old Children. <i>Frontiers in Psychology</i> , 2016, 7, 330.	1.1	13
222	Development and Evaluation of a Smartphone-Based Measure of Social Rhythms for Bipolar Disorder. <i>Assessment</i> , 2016, 23, 472-483.	1.9	74
223	Likelihood of mechanistic roles for dopaminergic, serotonergic and glutamatergic receptors in tardive dyskinesia: A comparison of genetic variants in two independent patient populations. <i>SAGE Open Medicine</i> , 2016, 4, 205031211664367.	0.7	14
224	A user-developed, user run recovery programme for people with severe mental illness: A randomised control trial. <i>Psychosis</i> , 2016, 8, 287-300.	0.4	46
225	Measures of Psychosis Proneness and Genetic Risk for Schizophrenia. <i>JAMA Psychiatry</i> , 2016, 73, 638.	6.0	4
226	The Search for Environmental Mechanisms Underlying the Expression of Psychosis: Introduction. <i>Schizophrenia Bulletin</i> , 2016, 43, sbw178.	2.3	8
227	Cognitive rhythms. , 2016, , .		79
228	Opportunities for technology in the self-management of mental health. , 2016, , .		5
229	Mobile manifestations of alertness. , 2016, 2016, 465-477.		45
230	A Network Approach to Environmental Impact in Psychotic Disorder: Brief Theoretical Framework. <i>Schizophrenia Bulletin</i> , 2016, 42, 870-873.	2.3	128
231	Childhood trauma, BDNF Val66Met and subclinical psychotic experiences. Attempt at replication in two independent samples. <i>Journal of Psychiatric Research</i> , 2016, 83, 121-129.	1.5	19
232	Psychosis as a transdiagnostic and extended phenotype in the general population. <i>World Psychiatry</i> , 2016, 15, 118-124.	4.8	397
233	Familial covariation of facial emotion recognition and IQ in schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 52-57.	1.7	18
234	Psychotic experiences and incident suicidal ideation and behaviour: Disentangling the longitudinal associations from connected psychopathology. <i>Psychiatry Research</i> , 2016, 245, 267-275.	1.7	25

#	ARTICLE	IF	CITATIONS
235	Exposure to environmental factors increases connectivity between symptom domains in the psychopathology network. BMC Psychiatry, 2016, 16, 223.	1.1	20
236	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. British Journal of Psychiatry, 2016, 209, 361-365.	1.7	193
237	Self-monitoring practices, attitudes, and needs of individuals with bipolar disorder: implications for the design of technologies to manage mental health. Journal of the American Medical Informatics Association: JAMIA, 2016, 23, 477-484.	2.2	95
238	Automatic detection of social rhythms in bipolar disorder. Journal of the American Medical Informatics Association: JAMIA, 2016, 23, 538-543.	2.2	183
239	Evidence for Genetic Overlap Between Schizophrenia and Age at First Birth in Women. JAMA Psychiatry, 2016, 73, 497.	6.0	51
240	Levels of Red Blood Cell Fatty Acids in Patients With Psychosis, Their Unaffected Siblings, and Healthy Controls. Schizophrenia Bulletin, 2016, 42, 358-368.	2.3	28
241	Neuroticism and facial emotion recognition in healthy adults. Microbial Biotechnology, 2016, 10, 160-164.	0.9	17
242	Unraveling the Relationship between Motor Symptoms, Affective States and Contextual Factors in Parkinson's Disease: A Feasibility Study of the Experience Sampling Method. PLoS ONE, 2016, 11, e0151195.	1.1	23
243	Psychotic Experiences and Risk of Violence Perpetration and Arrest in the General Population: A Prospective Study. PLoS ONE, 2016, 11, e0159023.	1.1	14
244	Differences in Facial Emotion Recognition between First Episode Psychosis, Borderline Personality Disorder and Healthy Controls. PLoS ONE, 2016, 11, e0160056.	1.1	29
245	An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis. PLoS ONE, 2016, 11, e0162811.	1.1	56
246	Acceptance and Commitment Therapy in Daily Life Training: A Feasibility Study of an mHealth Intervention. JMIR MHealth and UHealth, 2016, 4, e103.	1.8	30
247	Social (media) jet lag., 2015, , .		29
248	A comparison of indices for identifying the number of clusters in hierarchical clustering: A study on cognition in schizophrenia patients. Communications in Statistics Case Studies Data Analysis and Applications, 2015, 1, 98-113.	0.3	7
249	Schizophrenia. Nature Reviews Disease Primers, 2015, 1, 15067.	18.1	724
250	In Situ Design for Mental Illness. , 2015, , .		47
251	Default Mode Network Connectivity as a Function of Familial and Environmental Risk for Psychotic Disorder. PLoS ONE, 2015, 10, e0120030.	1.1	31
252	Experience Sampling-Based Personalized Feedback and Positive Affect: A Randomized Controlled Trial in Depressed Patients. PLoS ONE, 2015, 10, e0128095.	1.1	43

#	ARTICLE	IF	CITATIONS
253	The Influence of Perceived Stress on Cortical Reactivity: A Proof-Of-Principle Study. PLoS ONE, 2015, 10, e0129220.	1.1	23
254	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. Schizophrenia Bulletin, 2015, 41, 1084-1094.	2.3	42
255	Differential susceptibility to chronic social defeat stress relates to the number of Dnmt3a-immunoreactive neurons in the hippocampal dentate gyrus. Psychoneuroendocrinology, 2015, 51, 547-556.	1.3	27
256	Emotion processing in schizophrenia is state and trait dependent. Schizophrenia Research, 2015, 161, 392-398.	1.1	26
257	Relevance of Five-Factor Model personality traits for obsessive-compulsive symptoms in patients with psychotic disorders and their un-affected siblings. Psychiatry Research, 2015, 225, 464-470.	1.7	11
258	Affective symptoms and the overactive bladder – A systematic review. Journal of Psychosomatic Research, 2015, 78, 95-108.	1.2	114
259	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1379-1388.	1.6	147
260	MoodLight. , 2015, 2015, 143-153.		73
261	DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. Epigenomics, 2015, 7, 533-537.	1.0	23
262	The impact of electroconvulsive therapy on the tryptophan-kynurenine metabolic pathway. Brain, Behavior, and Immunity, 2015, 48, 48-52.	2.0	52
263	Mental health research priorities for Europe. Lancet Psychiatry,the, 2015, 2, 1036-1042.	3.7	158
264	Defeat stress in rodents: From behavior to molecules. Neuroscience and Biobehavioral Reviews, 2015, 59, 111-140.	2.9	185
265	Mental disorder: a public health problem stuck in an individual-level brain disease perspective?. World Psychiatry, 2015, 14, 47-48.	4.8	3
266	Semi-metric analysis of the functional brain network: Relationship with familial risk for psychotic disorder. NeuroImage: Clinical, 2015, 9, 607-616.	1.4	9
267	Biogotchi!. , 2015, , .		17
268	Real-Time Representation Versus Response Elicitation in Biosensor Data. , 2015, , .		20
269	Comparative Study of Clinical and Neuropsychological Characteristics Between Early-, Late and Very-Late-Onset Schizophrenia-Spectrum Disorders. American Journal of Geriatric Psychiatry, 2015, 23, 852-862.	0.6	22
270	The transdiagnostic dimension of psychosis: implications for psychiatric nosology and research. Shanghai Archives of Psychiatry, 2015, 27, 82-6.	0.7	8

#	ARTICLE	IF	CITATIONS
271	The Association between Negative Symptoms, Psychotic Experiences and Later Schizophrenia: A Population-Based Longitudinal Study. PLoS ONE, 2015, 10, e0119852.	1.1	36
272	Does the Brain Detect 3G Mobile Phone Radiation Peaks? An Explorative In-Depth Analysis of an Experimental Study. PLoS ONE, 2015, 10, e0125390.	1.1	13
273	EEG Changes Due to Experimentally Induced 3G Mobile Phone Radiation. PLoS ONE, 2015, 10, e0129496.	1.1	43
274	From Affective Experience to Motivated Action: Tracking Reward-Seeking and Punishment-Avoidant Behaviour in Real-Life. PLoS ONE, 2015, 10, e0129722.	1.1	19
275	Data Gathering Bias: Trait Vulnerability to Psychotic Symptoms?. PLoS ONE, 2015, 10, e0132442.	1.1	17
276	Bone Mineral Density as a Marker of Cumulative Estrogen Exposure in Psychotic Disorder: A 3 Year Follow-Up Study. PLoS ONE, 2015, 10, e0136320.	1.1	4
277	Evidence That a Psychopathology Interactome Has Diagnostic Value, Predicting Clinical Needs: An Experience Sampling Study. PLoS ONE, 2014, 9, e86652.	1.1	44
278	Stereotype Awareness, Self-Esteem and Psychopathology in People with Psychosis. PLoS ONE, 2014, 9, e88586.	1.1	13
279	Neurofeedback As a Treatment for Major Depressive Disorder – A Pilot Study. PLoS ONE, 2014, 9, e91837.	1.1	45
280	Brain-Derived Neurotrophic Factor/FK506-Binding Protein 5 Genotype by Childhood Trauma Interactions Do Not Impact on Hippocampal Volume and Cognitive Performance. PLoS ONE, 2014, 9, e92722.	1.1	17
281	Epigenetic Genes and Emotional Reactivity to Daily Life Events: A Multi-Step Gene-Environment Interaction Study. PLoS ONE, 2014, 9, e100935.	1.1	27
282	Novel Evidence That Attributing Affectively Salient Signal to Random Noise Is Associated with Psychosis. PLoS ONE, 2014, 9, e102520.	1.1	20
283	Horizon 2020 Priorities in Clinical Mental Health Research: Results of a Consensus-Based ROAMER Expert Survey. International Journal of Environmental Research and Public Health, 2014, 11, 10915-10939.	1.2	20
284	Towards Horizon 2020: challenges and advances for clinical mental health research – outcome of an expert survey. Neuropsychiatric Disease and Treatment, 2014, 10, 1057.	1.0	20
285	Psychopathological Mechanisms Linking Childhood Traumatic Experiences to Risk of Psychotic Symptoms: Analysis of a Large, Representative Population-Based Sample. Schizophrenia Bulletin, 2014, 40, S123-S130.	2.3	95
286	Personality Compensates for Impaired Quality of Life and Social Functioning in Patients With Psychotic Disorders Who Experienced Traumatic Events. Schizophrenia Bulletin, 2014, 40, 1356-1365.	2.3	27
287	Taking part. , 2014, , .		28
288	Reviewing reflection. , 2014, , .		158

#	ARTICLE	IF	CITATIONS
289	The Many Continua of Psychosis. <i>JAMA Psychiatry</i> , 2014, 71, 985.	6.0	33
290	Biological rhythms and technology. , 2014, , .		3
291	Playing with emotions. , 2014, , .		3
292	Towards circadian computing. , 2014, , .		92
293	A therapeutic application of the experience sampling method in the treatment of depression: a randomized controlled trial. <i>World Psychiatry</i> , 2014, 13, 68-77.	4.8	194
294	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014, 55, 1883-1890.	1.5	61
295	The serotonin transporter 5-HTTLPR polymorphism in the association between sleep quality and affect. <i>European Neuropsychopharmacology</i> , 2014, 24, 1086-1090.	0.3	15
296	Impact of variation in the BDNF gene on social stress sensitivity and the buffering impact of positive emotions: Replication and extension of a geneâ€œenvironment interaction. <i>European Neuropsychopharmacology</i> , 2014, 24, 930-938.	0.3	33
297	Validation of a neurofeedback paradigm: Manipulating frontal EEG alpha-activity and its impact on mood. <i>International Journal of Psychophysiology</i> , 2014, 93, 116-120.	0.5	55
298	Genotype-based prevention of psychosis onset and schizophrenia: a personalized approach in a target population. <i>Personalized Medicine</i> , 2014, 11, 167-172.	0.8	2
299	Almost All Antipsychotics Result in Weight Gain: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e94112.	1.1	382
300	Experimentally Induced Stress Validated by EMG Activity. <i>PLoS ONE</i> , 2014, 9, e95215.	1.1	56
301	Hyper-Theory-of-Mind in Children with Psychotic Experiences. <i>PLoS ONE</i> , 2014, 9, e113082.	1.1	38
302	Testing an mHealth Momentary Assessment Routine Outcome Monitoring Application: A Focus on Restoration of Daily Life Positive Mood States. <i>PLoS ONE</i> , 2014, 9, e115254.	1.1	31
303	Towards Personal Stress Informatics: Comparing Minimally Invasive Techniques for Measuring Daily Stress in the Wild. , 2014, , .		72
304	Treatment of hallucinations: A comment. <i>Psychosis</i> , 2013, 5, 98-102.	0.4	5
305	Beyond DSM and ICD: introducing â€œprecision diagnosisâ€œ for psychiatry using momentary assessment technology. <i>World Psychiatry</i> , 2013, 12, 113-117.	4.8	92
306	MoodRhythm. , 2013, , .		16

#	ARTICLE	IF	CITATIONS
307	Psychiatry beyond labels: introducing contextual precision diagnosis across stages of psychopathology. <i>Psychological Medicine</i> , 2013, 43, 1563-1567.	2.7	21
308	Moment-to-Moment Transfer of Positive Emotions in Daily Life Predicts Future Course of Depression in Both General Population and Patient Samples. <i>PLoS ONE</i> , 2013, 8, e75655.	1.1	64
309	Evidence That Transition from Health to Psychotic Disorder Can Be Traced to Semi-Ubiquitous Environmental Effects Operating against Background Genetic Risk. <i>PLoS ONE</i> , 2013, 8, e76690.	1.1	29
310	Replicated Evidence of Absence of Association between Serum S100B and (Risk of) Psychotic Disorder. <i>PLoS ONE</i> , 2013, 8, e82535.	1.1	11
311	Altered Transfer of Momentary Mental States (ATOMS) as the Basic Unit of Psychosis Liability in Interaction with Environment and Emotions. <i>PLoS ONE</i> , 2013, 8, e54653.	1.1	37
312	Flexible Assertive Community Treatment, Severity of Symptoms and Psychiatric Health Service Use, a Real life Observational Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 202-209.	0.6	36
313	Daily life moment-to-moment variation in coping in people with a diagnosis of schizophrenia: state within trait psychosis. <i>Psychosis</i> , 2012, 4, 115-125.	0.4	3
314	Evidence That Psychotic Symptoms Are Prevalent in Disorders of Anxiety and Depression, Impacting on Illness Onset, Risk, and Severity—Implications for Diagnosis and Ultra-High Risk Research. <i>Schizophrenia Bulletin</i> , 2012, 38, 247-257.	2.3	324
315	Psychotic experiences: disadvantaged and different from the norm. <i>British Journal of Psychiatry</i> , 2012, 201, 258-259.	1.7	13
316	A new public health genomics model for common complex diseases, with an application to common behavioral disorders. <i>Personalized Medicine</i> , 2012, 9, 29-38.	0.8	3
317	A time-lagged momentary assessment study on daily life physical activity and affect.. <i>Health Psychology</i> , 2012, 31, 135-144.	1.3	152
318	Antipsychotic drugs for prevention of relapse. <i>Lancet, The</i> , 2012, 379, 2030-2031.	6.3	2
319	Introduction: The Extended Psychosis Phenotype—Relationship With Schizophrenia and With Ultrahigh Risk Status for Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 227-230.	2.3	176
320	Electrophysiological correlates of automatic spreading of activation in patients with psychotic disorder and first-degree relatives. <i>International Journal of Psychophysiology</i> , 2012, 84, 102-112.	0.5	8
321	Solutions for patients depend on whether we can bridge the divide between social and natural science research approaches in the area of mental health. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2012, 5, 135-138.	0.2	0
322	From schizophrenia metafacts to non-schizophrenia facts. <i>Schizophrenia Research</i> , 2011, 127, 16-17.	1.1	7
323	Early improvement in positive rather than negative emotion predicts remission from depression after pharmacotherapy. <i>European Neuropsychopharmacology</i> , 2011, 21, 241-247.	0.3	94
324	In the mood. , 2011, , .		99

#	ARTICLE	IF	CITATIONS
325	My mobile story. , 2011, , .		6
326	Mindfulness training increases momentary positive emotions and reward experience in adults vulnerable to depression: A randomized controlled trial.. Journal of Consulting and Clinical Psychology, 2011, 79, 618-628.	1.6	340
327	Emotional Experience and Estimates of D2Receptor Occupancy in Psychotic Patients Treated With Haloperidol, Risperidone, or Olanzapine. Journal of Clinical Psychiatry, 2011, 72, 1397-1404.	1.1	35
328	Design and evaluation guidelines for mental health technologies. Interacting With Computers, 2010, 22, 243-252.	1.0	147
329	The environment and schizophrenia. Nature, 2010, 468, 203-212.	13.7	1,249
330	Delinquency in context; neighbourhood and gender interactions among adolescents. Epidemiologia E Psichiatria Sociale, 2010, 19, 148-158.	1.0	7
331	A cognitive intermediate phenotype study confirming possible geneâ€œearly adversity interaction in psychosis outcome: A general population twin study. Psychosis, 2010, 2, 1-11.	0.4	17
332	DSMâ€œ5 and the â€œPsychosis Risk Syndromeâ€œ™: Babylonian confusion. Psychosis, 2010, 2, 100-103.	0.4	9
333	Are psychiatric diagnoses of psychosis scientific and useful? The case of schizophrenia. Journal of Mental Health, 2010, 19, 305-317.	1.0	55
334	FEATUREThe invisible user. Interactions, 2009, 16, 13-19.	0.8	2
335	Schizophrenia. Lancet, The, 2009, 374, 635-645.	6.3	1,820
336	Gene-Environment Interactions in Schizophrenia: Review of Epidemiological Findings and Future Directions. Schizophrenia Bulletin, 2008, 34, 1066-1082.	2.3	595
337	Introduction. Schizophrenia Bulletin, 2008, 34, 1064-1065.	2.3	13
338	Mobile phone mood charting for adolescents. British Journal of Guidance and Counselling, 2008, 36, 113-129.	0.6	76
339	Designing Mobile Applications to Support Mental Health Interventions. , 2008, , 635-656.		78
340	Heritability of Intelligence. Twin Research and Human Genetics, 2007, 10, 11-14.	0.3	8
341	Genetic risk of depression and stress-induced negative affect in daily life. British Journal of Psychiatry, 2007, 191, 218-223.	1.7	146
342	Depression: Too Much Negative Affect or Too Little Positive Affect?. Twin Research and Human Genetics, 2007, 10, 19-20.	0.3	22

#	ARTICLE	IF	CITATIONS
343	Computers in talk-based mental health interventions. <i>Interacting With Computers</i> , 2007, 19, 545-562.	1.0	114
344	Childhood negative experiences and subclinical psychosis in adolescence: a longitudinal general population study. <i>Microbial Biotechnology</i> , 2007, 1, 201-207.	0.9	50
345	Evidence that moment-to-moment variation in positive emotions buffer genetic risk for depression: a momentary assessment twin study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 451-457.	2.2	144
346	Commentary on Residential Location Papers by Whitfield et al. (2005) and Willemsen et al. (2005). <i>Twin Research and Human Genetics</i> , 2005, 8, 318-319.	0.3	3
347	Personal Investigator: A therapeutic 3D game for adolescent psychotherapy. <i>Interactive Technology and Smart Education</i> , 2005, 2, 73-88.	3.8	85
348	Mental health challenges for the Netherlands: Research and practice. <i>Journal of Mental Health</i> , 2004, 13, 55-58.	1.0	0
349	Jaspers was right after all " delusions are distinct from normal beliefs. <i>British Journal of Psychiatry</i> , 2003, 183, 285-286.	1.7	16
350	Psychosis Research at Maastricht University, The Netherlands. <i>British Journal of Psychiatry</i> , 2003, 183, 559-560.	1.7	4
351	Obstetric complications and familial morbid risk of psychiatric disorders. , 1998, 81, 29-36.		60
352	Insight and Psychotic Illness. <i>British Journal of Psychiatry</i> , 1995, 167, 621-628.	1.7	181
353	Community psychiatric nurse teams. <i>British Journal of Psychiatry</i> , 1994, 165, 839-840.	1.7	0
354	The feasibility of a psychiatric common market. <i>Psychiatric Bulletin</i> , 1994, 18, 193-195.	0.3	2