

Ramin Massoumi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1856993/publications.pdf>

Version: 2024-02-01

67
papers

2,982
citations

257450

24
h-index

161849

54
g-index

68
all docs

68
docs citations

68
times ranked

4576
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyld Inhibits Tumor Cell Proliferation by Blocking Bcl-3-Dependent NF- κ B Signaling. <i>Cell</i> , 2006, 125, 665-677.	28.9	451
2	Caspase 8 inhibits programmed necrosis by processing CYLD. <i>Nature Cell Biology</i> , 2011, 13, 1437-1442.	10.3	409
3	Down-regulation of CYLD expression by Snail promotes tumor progression in malignant melanoma. <i>Journal of Experimental Medicine</i> , 2009, 206, 221-232.	8.5	193
4	Reduced expression of CYLD in human colon and hepatocellular carcinomas. <i>Carcinogenesis</i> , 2007, 28, 21-27.	2.8	153
5	CYLD negatively regulates cell-cycle progression by inactivating HDAC6 and increasing the levels of acetylated tubulin. <i>EMBO Journal</i> , 2010, 29, 131-144.	7.8	148
6	The E3 ligase Itch and deubiquitinase Cyld act together to regulate Tak1 and inflammation. <i>Nature Immunology</i> , 2011, 12, 1176-1183.	14.5	141
7	Ubiquitin chain cleavage: CYLD at work. <i>Trends in Biochemical Sciences</i> , 2010, 35, 392-399.	7.5	109
8	CYLD: a deubiquitination enzyme with multiple roles in cancer. <i>Future Oncology</i> , 2011, 7, 285-297.	2.4	103
9	Inactivation of the CYLD Deubiquitinase by HPV E6 Mediates Hypoxia-Induced NF- κ B Activation. <i>Cancer Cell</i> , 2008, 14, 394-407.	16.8	98
10	Regulation of B cell homeostasis and activation by the tumor suppressor gene <i>CYLD</i> . <i>Journal of Experimental Medicine</i> , 2007, 204, 2615-2627.	8.5	91
11	Cylindromatosis and the <i>CYLD</i> gene: new lessons on the molecular principles of epithelial growth control. <i>BioEssays</i> , 2007, 29, 1203-1214.	2.5	66
12	Deubiquitination of β -Tubulin by BAP1 Prevents Chromosome Instability in Breast Cancer Cells. <i>Cancer Research</i> , 2014, 74, 6499-6508.	0.9	63
13	CYLD controls c-MYC expression through the JNK-dependent signaling pathway in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2014, 35, 461-468.	2.8	60
14	The Molecular Basis for Inhibition of Stemlike Cancer Cells by Salinomycin. <i>ACS Central Science</i> , 2018, 4, 760-767.	11.3	58
15	Cylindroma as Tumor of Hair Follicle Origin. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1182-1184.	0.7	54
16	The Role of Leukotriene Receptor Signaling in Inflammation and Cancer. <i>Scientific World Journal</i> , The, 2007, 7, 1413-1421.	2.1	42
17	The E3 ubiquitin ligase Itch inhibits p38 β signaling and skin inflammation through the ubiquitylation of Tab1. <i>Science Signaling</i> , 2015, 8, ra22.	3.6	37
18	Cylindromatosis gene CYLD regulates hepatocyte growth factor expression in hepatic stellate cells through interaction with histone deacetylase 7. <i>Hepatology</i> , 2014, 60, 1066-1081.	7.3	35

#	ARTICLE	IF	CITATIONS
19	Leukotriene D4-induced adhesion of Caco-2 cells is mediated by prostaglandin E2 and upregulation of $\alpha 2 \beta 1$ -integrin. <i>Experimental Cell Research</i> , 2003, 289, 342-351.	2.6	34
20	BAP1 induces cell death via interaction with 14-3-3 in neuroblastoma. <i>Cell Death and Disease</i> , 2018, 9, 458.	6.3	30
21	Multifaceted role of the ubiquitin ligase Itch in immune regulation. <i>Immunology and Cell Biology</i> , 2015, 93, 452-460.	2.3	28
22	$\alpha 2 \beta 1$ integrin signalling enhances cyclooxygenase-2 expression in intestinal epithelial cells. <i>Journal of Cellular Physiology</i> , 2006, 209, 950-958.	4.1	27
23	The Leukotriene Receptor CYSLT1 And 5- Lipoxygenase Are Upregulated In Colon Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2003, 525, 201-204.	1.6	27
24	Leukotriene D4 induces stress-fibre formation in intestinal epithelial cells via activation of RhoA and PKC δ . <i>Journal of Cell Science</i> , 2002, 115, 3509-3515.	2.0	27
25	CD47 Regulates Collagen I-Induced Cyclooxygenase-2 Expression and Intestinal Epithelial Cell Migration. <i>PLoS ONE</i> , 2009, 4, e6371.	2.5	25
26	CYLD Enhances Severe Listeriosis by Impairing IL-6/STAT3-Dependent Fibrin Production. <i>PLoS Pathogens</i> , 2013, 9, e1003455.	4.7	25
27	Cylindromatosisâ€™ A Protective Molecule against Liver Diseases. <i>Medicinal Research Reviews</i> , 2016, 36, 342-359.	10.5	25
28	Leukotriene D4 induces association of active RhoA with phospholipase C- $\beta 1$ in intestinal epithelial cells. <i>Biochemical Journal</i> , 2002, 365, 157-163.	3.7	24
29	Naturally occurring short splice variant of CYLD positively regulates dendritic cell function. <i>Blood</i> , 2009, 113, 5891-5895.	1.4	24
30	A20 and CYLD Do Not Share Significant Overlapping Functions during B Cell Development and Activation. <i>Journal of Immunology</i> , 2012, 189, 4437-4443.	0.8	24
31	NLK-mediated phosphorylation of HDAC1 negatively regulates Wnt signaling. <i>Molecular Biology of the Cell</i> , 2017, 28, 346-355.	2.1	23
32	Leukotriene D(4) induces stress-fibre formation in intestinal epithelial cells via activation of RhoA and PKCdelta. <i>Journal of Cell Science</i> , 2002, 115, 3509-15.	2.0	23
33	The inflammatory mediator leukotriene D4 triggers a rapid reorganisation of the actin cytoskeleton in human intestinal epithelial cells. <i>European Journal of Cell Biology</i> , 1998, 76, 185-191.	3.6	21
34	Leukotriene D4 activates distinct G-proteins in intestinal epithelial cells to regulate stress fibre formation and to generate intracellular Ca ²⁺ mobilisation and ERK1/2 activation. <i>Experimental Cell Research</i> , 2005, 302, 31-39.	2.6	20
35	Tumor Suppressor Function of CYLD in Nonmelanoma Skin Cancer. <i>Journal of Skin Cancer</i> , 2011, 2011, 1-10.	1.2	20
36	Nemo-like kinase regulates the expression of vascular endothelial growth factor (VEGF) in alveolar epithelial cells. <i>Scientific Reports</i> , 2016, 6, 23987.	3.3	19

#	ARTICLE	IF	CITATIONS
37	PKC β 2 and CYLD Are Antagonistic Partners in the NF κ B and NFAT Transactivation Pathways in Primary Mouse CD3+ T Lymphocytes. PLoS ONE, 2013, 8, e53709.	2.5	18
38	Serum Response Factor Controls CYLD Expression via MAPK Signaling Pathway. PLoS ONE, 2011, 6, e19613.	2.5	18
39	Association of Nuclear-Localized Nemo-Like Kinase with Heat-Shock Protein 27 Inhibits Apoptosis in Human Breast Cancer Cells. PLoS ONE, 2014, 9, e96506.	2.5	18
40	Evaluation of NV556, a Novel Cyclophilin Inhibitor, as a Potential Antifibrotic Compound for Liver Fibrosis. Cells, 2019, 8, 1409.	4.1	17
41	Inhibition of mitotic kinase Mps1 promotes cell death in neuroblastoma. Scientific Reports, 2020, 10, 11997.	3.3	17
42	The roles of interleukin α 1 receptor accessory protein in certain inflammatory conditions. Immunology, 2022, 166, 38-46.	4.4	16
43	Reversine inhibits Colon Carcinoma Cell Migration by Targeting JNK1. Scientific Reports, 2018, 8, 11821.	3.3	15
44	Cyclophilin Inhibitor NV556 Reduces Fibrosis and Hepatocellular Carcinoma Development in Mice With Non-Alcoholic Steatohepatitis. Frontiers in Pharmacology, 2019, 10, 1129.	3.5	14
45	Early diagnostic value of Bcl-3 localization in colorectal cancer. BMC Cancer, 2015, 15, 341.	2.6	12
46	Mutated cylindromatosis gene affects the functional state of dendritic cells. European Journal of Immunology, 2010, 40, 2848-2857.	2.9	11
47	Nemo-Like Kinase in Development and Diseases: Insights from Mouse Studies. International Journal of Molecular Sciences, 2020, 21, 9203.	4.1	11
48	Putative role of SUMOylation in controlling the activity of deubiquitinating enzymes in cancer. Future Oncology, 2016, 12, 565-574.	2.4	10
49	CYLD, a mechanosensitive deubiquitinase, regulates TGF β 2 signaling in load-induced bone formation. Bone, 2020, 131, 115148.	2.9	10
50	Preferential Killing of Tetraploid Colon Cancer Cells by Targeting the Mitotic Kinase PLK1. Cellular Physiology and Biochemistry, 2020, 54, 303-320.	1.6	7
51	Gene Expression Signature of Acquired Chemoresistance in Neuroblastoma Cells. International Journal of Molecular Sciences, 2020, 21, 6811.	4.1	5
52	Novel Cyclophilin Inhibitor Decreases Cell Proliferation and Tumor Growth in Models of Hepatocellular Carcinoma. Cancers, 2021, 13, 3041.	3.7	5
53	Decreased expression of nemo-like kinase in melanoma is correlated with increased vascularity and metastasis. Melanoma Research, 2019, 29, 376-381.	1.2	4
54	Deletion of Nemo-like Kinase in T Cells Reduces Single-Positive CD8+ Thymocyte Population. Journal of Immunology, 2020, 205, 1830-1841.	0.8	4

#	ARTICLE	IF	CITATIONS
55	Leukotriene D4 induces AP-1 but not NF κ B signaling in intestinal epithelial cells. Prostaglandins and Other Lipid Mediators, 2008, 85, 100-106.	1.9	3
56	The Central Role of Bcl-3 in Atopic Dermatitis. Journal of Investigative Dermatology, 2009, 129, 2088-2090.	0.7	3
57	Discovery of epi-Enprioline as a Novel Drug for the Treatment of Vincristine Resistant Neuroblastoma. International Journal of Molecular Sciences, 2020, 21, 6577.	4.1	3
58	CYLD and SUMO in neuroblastoma therapy. Oncoscience, 2015, 3, 3-4.	2.2	3
59	The Role of CYLD in Blocking Oncogenic Cell Signaling in Melanoma. Journal of Cancer Therapy, 2013, 04, 32-37.	0.4	1
60	Functional properties of CYLD. International Congress Series, 2007, 1302, 36-42.	0.2	0
61	CYLD-Mediated Upregulation of Hepatocyte Growth Factor Prevents Hepatic Injury and Fibrosis. Journal of Clinical and Experimental Hepatology, 2013, 3, S77.	0.9	0
62	UVB radiation represses CYLD expression in melanocytes. Oncology Letters, 2017, 14, 7262-7268.	1.8	0
63	High expression of CD34 and β 6-integrin contributes to the cancer-initiating cell behaviour in ultraviolet-induced mouse skin squamous cell carcinoma. Journal of Cancer, 2020, 11, 6760-6767.	2.5	0
64	Abstract 5395: The E3 ligase Itch and deubiquitinase Cyld act together to regulate Tak1 and inflammation. , 2012, , .		0
65	Functional Properties of CYLD. , 2013, , 2109-2113.		0
66	Ubiquitin Carboxyl-Terminal Hydrolase CYLD. , 2016, , 1-6.		0
67	Ubiquitin Carboxyl-Terminal Hydrolase CYLD. , 2018, , 5818-5823.		0