
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1858247/publications.pdf Version: 2024-02-01



ΠΙΔΛΚ ΡΑΝΙΑ

| # | Article | IF | CITATIONS |
|----|---|-------------------|--------------|
| 1 | Efficacy of MOF-199 in improvement of permeation, morphological, antifouling and antibacterial characteristics of polyvinylidene fluoride membranes. New Journal of Chemistry, 2022, 46, 7638-7649. | 2.8 | 7 |
| 2 | Examination of the bubble gas transport method to estimate the membrane pore size distribution. Desalination, 2022, 531, 115714. | 8.2 | 12 |
| 3 | Electrochemical sensing of serotonin by silver decorated polypyrrole nanoribbon based electrode synthesized by sodium cholate as soft template. Materials Today Communications, 2022, 31, 103361. | 1.9 | 4 |
| 4 | Versatility of sulfonated poly (vinylidene fluorideâ€coâ€hexafluoropropylene) membranes incorporated with sulfonated octaphenyl polyhedral oligomeric silsesquioxane for vanadium redox flow battery applications. Journal of Applied Polymer Science, 2022, 139, . | 2.6 | 5 |
| 5 | Cellulose acetate ultrafiltration membranes customized with copper oxide nanoparticles for efficient separation with antifouling behavior. Journal of Applied Polymer Science, 2021, 138, 49867. | 2.6 | 22 |
| 6 | Design of an efficient and selective adsorbent of cationic dye through activated carbon - graphene oxide nanocomposite: Study on mechanism and synergy. Materials Chemistry and Physics, 2021, 260, 124090. | 4.0 | 21 |
| 7 | Chemical precipitation enabled UF and MF filtration for lead removal. Journal of Water Process Engineering, 2021, 41, 101987. | 5.6 | 45 |
| 8 | Highly selective customâ€made chitosan based membranes with reduced fuel permeability for direct methanol fuel cells. Journal of Applied Polymer Science, 2021, 138, 51366. | 2.6 | 3 |
| 9 | Pore wetting in membrane distillation: A comprehensive review. Progress in Materials Science, 2021, 122, 100843. | 32.8 | 92 |
| 10 | A reverse approach to evaluate membrane pore size distribution by the bubble gas transport method using fewer experimental data points. Desalination, 2021, 518, 115287. | 8.2 | 3 |
| 11 | Highly permeable, antifouling and antibacterial poly(ether imide) membranes tailored with poly(hexamethylenebiguanide) coated copper oxide nanoparticles. Materials Chemistry and Physics, 2020, 240, 122224. | 4.0 | 36 |
| 12 | Structural, mechanical, and gas barrier properties of poly(ethylene terephthalate) nanohybrid using nanotalc. Journal of Applied Polymer Science, 2020, 137, 48607. | 2.6 | 19 |
| 13 | Potency of nanolay on structural, mechanical and gas barrier properties of poly(ethylene) Tj ETQq1 1 0.784314 | rgBT /Ovei 2.4 | lock 10 Tf 5 |
| 14 | Selective sensing of dopamine by sodium cholate tailored polypyrrole-silver nanocomposite. Synthetic Metals, 2020, 260, 116296. | 3.9 | 25 |
| 15 | CFD-based genetic programming model for liquid entry pressure estimation of hydrophobic membranes. Desalination, 2020, 476, 114231. | 8.2 | 25 |
| 16 | Investigating the efficacy of PVDF membranes customized with sulfonated graphene oxide nanosheets for enhanced permeability and antifouling. Journal of Environmental Chemical Engineering, 2020, 8, 104426. | 6.7 | 17 |
| 17 | Versatility of hydrophilic and antifouling PVDF ultrafiltration membranes tailored with polyhexanide coated copper oxide nanoparticles. Polymer Testing, 2020, 84, 106367. | 4.8 | 35 |
| 18 | The gamut of perspectives, challenges, and recent trends for <i>in situ</i> hydrogels: a smart ophthalmic drug delivery vehicle. Biomaterials Science, 2020, 8, 4665-4691. | 5.4 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Sulfonated poly (vinylidene fluorideâ€coâ€hexafluoropropylene) nanocomposite membranes with high selectivity, stability, and vanadiumâ€ion barrier for vanadium redox flow batteries. Polymers for Advanced Technologies, 2020, 31, 3341-3350. | 3.2 | 6 |
| 20 | Effect of tamarind seed polysaccharide on thermogelation property and drug release profile of poloxamer 407-based ophthalmic formulation. New Journal of Chemistry, 2020, 44, 15708-15715. | 2.8 | 5 |
| 21 | Investigation of the versatility of SPES membranes customized with sulfonated molybdenum disulfide nanosheets for DMFC applications. International Journal of Hydrogen Energy, 2020, 45, 15507-15520. | 7.1 | 16 |
| 22 | Custom-made sulfonated poly (vinylidene fluoride-co-hexafluoropropylene) nanocomposite membranes for vanadium redox flow battery applications. Polymer Testing, 2020, 90, 106685. | 4.8 | 11 |
| 23 | Transport characteristics of liquid-gas interface in a capillary membrane pore. Journal of Membrane Science, 2020, 611, 118387. | 8.2 | 22 |
| 24 | Synthesis of RGO/NiO nanocomposites adopting a green approach and its photocatalytic and antibacterial properties. Materials Chemistry and Physics, 2020, 247, 122906. | 4.0 | 45 |
| 25 | Na-cholate micelle mediated synthesis of polypyrrole nanoribbons for ethanol sensing. Journal of Environmental Chemical Engineering, 2020, 8, 104249. | 6.7 | 10 |
| 26 | Optimization of nanocomposite membrane for vacuum membrane distillation (VMD) using static and continuous flow cells: Effect of nanoparticles and film thickness. Separation and Purification Technology, 2020, 241, 116685. | 7.9 | 29 |
| 27 | Synthesis of sodium cholate mediated rod-like polypyrrole-silver nanocomposite for selective sensing of acetone vapor. Nano Structures Nano Objects, 2020, 21, 100419. | 3.5 | 16 |
| 28 | Triple-Layered Nanofibrous Metal–Organic Framework-Based Membranes for Desalination by Direct Contact Membrane Distillation. ACS Sustainable Chemistry and Engineering, 2020, 8, 6601-6610. | 6.7 | 40 |
| 29 | Chemically reduced graphene oxide (CRGO) from waste batteries and morphological assessment of CRGO/methyl cellulose transdermal film. Nano Structures Nano Objects, 2020, 22, 100454. | 3.5 | 6 |
| 30 | Green approaches to synthesize reduced graphene oxide and assessment of its electricalÂproperties. Nano Structures Nano Objects, 2019, 19, 100362. | 3.5 | 17 |
| 31 | Improvement in mechanical and structural properties of poly(ethylene terephthalate) nanohybrid. SN Applied Sciences, 2019, 1, 1. | 2.9 | 11 |
| 32 | Sulfonated poly (ether sulfone) composite membranes customized with polydopamine coated molybdenum disulfide nanosheets for renewable energy devices. Polymer, 2019, 175, 255-264. | 3.8 | 11 |
| 33 | The performance of polyvinylidene fluoride - polytetrafluoroethylene nanocomposite distillation membranes: An experimental and numerical study. Separation and Purification Technology, 2019, 226, 192-208. | 7.9 | 30 |
| 34 | Effects of operating parameters and coexisting ions on the efficiency of heavy metal ions removal by nano-fibrous metal-organic framework membrane filtration process. Science of the Total Environment, 2019, 674, 355-362. | 8.0 | 192 |
| 35 | Polythiophenes: An emerging class of promising water purifying materials. European Polymer Journal, 2019, 116, 370-385. | 5.4 | 23 |
| 36 | Cellulose acetate nanocomposite ultrafiltration membranes tailored with hydrous manganese dioxide nanoparticles for water treatment applications. Polymers for Advanced Technologies, 2019, 30, 1943-1950. | 3.2 | 27 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Polydopamine layered poly (ether imide) ultrafiltration membranes tailored with silver nanoparticles designed for better permeability, selectivity and antifouling. Journal of Industrial and Engineering Chemistry, 2019, 76, 141-149. | 5.8 | 53 |
| 38 | Tailored polymer nanocomposite membranes based on carbon, metal oxide and silicon nanomaterials: a review. Journal of Materials Chemistry A, 2019, 7, 8723-8745. | 10.3 | 112 |
| 39 | Nano CuO/g-C3N4 sheets-based ultrafiltration membrane with enhanced interfacial affinity, antifouling and protein separation performances for water treatment application. Journal of Environmental Sciences, 2019, 82, 57-69. | 6.1 | 106 |
| 40 | Green synthesis of cadmium oxide decorated reduced graphene oxide nanocomposites and its electrical and antibacterial properties. Materials Science and Engineering C, 2019, 99, 696-709. | 7.3 | 62 |
| 41 | Carbon Nanomaterials in Renewable Energy Production and Storage Applications. Environmental Chemistry for A Sustainable World, 2019, , 51-104. | 0.5 | 14 |
| 42 | Cellulose acetate ultrafiltration membranes customized with bio-inspired polydopamine coating and <i>in situ</i> immobilization of silver nanoparticles. New Journal of Chemistry, 2019, 43, 4216-4225. | 2.8 | 31 |
| 43 | Effects of multi-walled carbon nanotubes (MWCNTs) and integrated MWCNTs/SiO2 nano-additives on PVDF polymeric membranes for vacuum membrane distillation. Separation and Purification Technology, 2019, 217, 154-163. | 7.9 | 60 |
| 44 | Mechanical and wear behaviour of poly(vinylidene fluoride)/clay nanocomposite. Journal of Materials Research and Technology, 2019, 8, 5874-5881. | 5.8 | 25 |
| 45 | PFOM fillers embedded PVDF/cellulose dual-layered membranes with hydrophobic–hydrophilic channels for desalination <i>via</i> direct contact membrane distillation process. RSC Advances, 2019, 9, 41462-41474. | 3.6 | 12 |
| 46 | Sulfonated poly(phenylene ether ether sulfone) membrane tailored with layerâ€byâ€layer selfâ€assembly of poly(diallyldimethylammonium chloride) and phosphotungstic acid for DMFC applications. Journal of Applied Polymer Science, 2019, 136, 47344. | 2.6 | 12 |
| 47 | Modeling of pore wetting in vacuum membrane distillation. Journal of Membrane Science, 2019, 572, 332-342. | 8.2 | 33 |
| 48 | Using renewable n-octanol in a non-road diesel engine with some modifications. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2019, 41, 1194-1208. | 2.3 | 58 |
| 49 | Investigating the usefulness of chitosan based proton exchange membranes tailored with exfoliated molybdenum disulfide nanosheets for clean energy applications. Carbohydrate Polymers, 2019, 208, 504-512. | 10.2 | 44 |
| 50 | The rubber–filler interaction and reinforcement in styrene butadiene rubber/devulcanize natural rubber composites with silica–graphene oxide. Polymer Composites, 2019, 40, E1559. | 4.6 | 29 |
| 51 | Customized antifouling polyacrylonitrile ultrafiltration membranes for effective removal of organic contaminants from aqueous stream. Journal of Chemical Technology and Biotechnology, 2019, 94, 859-868. | 3.2 | 29 |
| 52 | Studies on green synthesized silver nanoparticles using Abelmoschus esculentus (L.) pulp extract having anticancer (in vitro) and antimicrobial applications. Arabian Journal of Chemistry, 2019, 12, 2572-2584. | 4.9 | 98 |
| 53 | Prediction of emissions and performance of a diesel engine fueled with n-octanol/diesel blends using response surface methodology. Journal of Cleaner Production, 2018, 184, 423-439. | 9.3 | 110 |
| 54 | Metal–Organic Frameworks Supported on Nanofiber for Desalination by Direct Contact Membrane Distillation. ACS Applied Materials & Interfaces, 2018, 10, 11251-11260. | 8.0 | 96 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Metal–organic frameworks supported on nanofibers to remove heavy metals. Journal of Materials Chemistry A, 2018, 6, 4550-4555. | 10.3 | 261 |
| 56 | Development of active packaging material based on cellulose acetate butyrate/polyethylene glycol/aryl ammonium cation modified clay. Carbohydrate Polymers, 2018, 187, 8-18. | 10.2 | 24 |
| 57 | Synthesis of methylcellulose/cellulose nano-crystals nanocomposites: Material properties and study of sustained release of ketorolac tromethamine. Carbohydrate Polymers, 2018, 188, 168-180. | 10.2 | 40 |
| 58 | Tailored SPVdF-co-HFP/SGO nanocomposite proton exchange membranes for direct methanol fuel cells. Polymer, 2018, 140, 22-32. | 3.8 | 54 |
| 59 | Bio-derived cellulose nanofibril reinforced poly(N-isopropylacrylamide)-g-guar gum nanocomposite: An avant-garde biomaterial as a transdermal membrane. Polymer, 2018, 135, 85-102. | 3.8 | 41 |
| 60 | Jute cellulose nano-fibrils/hydroxypropylmethylcellulose nanocomposite: A novel material with potential for application in packaging and transdermal drug delivery system. Industrial Crops and Products, 2018, 112, 633-643. | 5.2 | 91 |
| 61 | Tailoring the Efficacy of Multifunctional Biopolymeric Graphene Oxide Quantum Dot-Based Nanomaterial as Nanocargo in Cancer Therapeutic Application. ACS Biomaterials Science and Engineering, 2018, 4, 514-531. | 5.2 | 43 |
| 62 | Engineered Cellular Uptake and Controlled Drug Delivery Using Two Dimensional Nanoparticle and Polymer for Cancer Treatment. Molecular Pharmaceutics, 2018, 15, 679-694. | 4.6 | 49 |
| 63 | Biodegradable toughened nanohybrid shape memory polymer for smart biomedical applications. Nanoscale, 2018, 10, 9917-9934. | 5.6 | 79 |
| 64 | Synergic effects of hydrophilic and hydrophobic nanoparticles on performance of nanocomposite distillation membranes: An experimental and numerical study. Separation and Purification Technology, 2018, 202, 45-58. | 7.9 | 35 |
| 65 | Custom-made PEI/exfoliated-MoS 2 nanocomposite ultrafiltration membranes for separation of bovine serum albumin and humic acid. Materials Science and Engineering C, 2018, 83, 108-114. | 7.3 | 44 |
| 66 | Fabrication of novel aromatic amine functionalized nanofiltration (NF) membranes and testing its dye removal and desalting ability. Polymer Testing, 2018, 72, 1-10. | 4.8 | 28 |
| 67 | Biosurfactant tailored synthesis of porous polypyrrole nanostructures: A facile approach towards CO2 adsorption and dopamine sensing. Synthetic Metals, 2018, 245, 209-222. | 3.9 | 21 |
| 68 | Sulfonated poly (ether sulfone)/poly (vinyl alcohol) blend membranes customized with tungsten disulfide nanosheets for DMFC applications. Polymer, 2018, 155, 42-49. | 3.8 | 36 |
| 69 | Custom-made sulfonated poly (ether sulfone) nanocomposite proton exchange membranes using exfoliated molybdenum disulfide nanosheets for DMFC applications. Polymer, 2018, 147, 48-55. | 3.8 | 51 |
| 70 | Development of an auto-phase separable and reusable graphene oxide-potato starch based cross-linked bio-composite adsorbent for removal of methylene blue dye. International Journal of Biological Macromolecules, 2018, 116, 1037-1048. | 7.5 | 43 |
| 71 | Insight Studies on Metal-Organic Framework Nanofibrous Membrane Adsorption and Activation for Heavy Metal Ions Removal from Aqueous Solution. ACS Applied Materials & Interfaces, 2018, 10, 18619-18629. | 8.0 | 347 |
| 72 | Experiment and modeling for flux and permeate concentration of heavy metal ion in adsorptive membrane filtration using a metal-organic framework incorporated nanofibrous membrane. Chemical Engineering Journal, 2018, 352, 737-744. | 12.7 | 151 |

Διρακ Rana

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Polymer Electrolyte Membranes for Microbial Fuel Cells: A Review. Polymer Reviews, 2018, 58, 610-629. | 10.9 | 37 |
| 74 | Fabrication of anti-fouling PVDF nanocomposite membranes using manganese dioxide nanospheres with tailored morphology, hydrophilicity and permeation. New Journal of Chemistry, 2018, 42, 15803-15810. | 2.8 | 36 |
| 75 | A facile comparative approach towards utilization of waste cotton lint for the synthesis of nano-crystalline cellulose crystals along with acid recovery. International Journal of Biological Macromolecules, 2018, 109, 1246-1252. | 7.5 | 39 |
| 76 | Studies of the kinetics and mechanism of the removal process of proflavine dye through adsorption by graphene oxide. Journal of Molecular Liquids, 2017, 230, 696-704. | 4.9 | 47 |
| 77 | Effect of gellan gum on the thermogelation property and drug release profile of Poloxamer 407 based ophthalmic formulation. International Journal of Biological Macromolecules, 2017, 102, 258-265. | 7.5 | 62 |
| 78 | Novel shape memory behaviour in IPDI based polyurethanes: Influence of nanoparticle. Polymer, 2017, 110, 95-104. | 3.8 | 26 |
| 79 | Tailored PVDF nanocomposite membranes using exfoliated MoS ₂ nanosheets for improved permeation and antifouling performance. New Journal of Chemistry, 2017, 41, 14315-14324. | 2.8 | 44 |
| 80 | An ex situ approach to fabricating nanosilica reinforced polyacrylamide grafted guar gum nanocomposites as an efficient biomaterial for transdermal drug delivery application. New Journal of Chemistry, 2017, 41, 9461-9471. | 2.8 | 35 |
| 81 | Cellulose nanofibrils/chitosan based transdermal drug delivery vehicle for controlled release of ketorolac tromethamine. New Journal of Chemistry, 2017, 41, 15312-15319. | 2.8 | 64 |
| 82 | Effect of nanoparticle on the mechanical and gas barrier properties of thermoplastic polyurethane. Applied Clay Science, 2017, 146, 468-474. | 5.2 | 28 |
| 83 | Studies on carboxylated graphene oxide incorporated polyetherimide mixed matrix ultrafiltration membranes. Materials Chemistry and Physics, 2017, 186, 146-158. | 4.0 | 41 |
| 84 | Zero thermal input membrane distillation, a zero-waste and sustainable solution for freshwater shortage. Applied Energy, 2017, 187, 910-928. | 10.1 | 35 |
| 85 | Reversible Bidirectional Shape Memory Effect in Polyurethanes through Molecular Flipping. Macromolecules, 2016, 49, 4889-4897. | 4.8 | 67 |
| 86 | Functionalized MWCNTs in improving the performance and biocompatibility of potential hemodialysis membranes. RSC Advances, 2016, 6, 63156-63170. | 3.6 | 18 |
| 87 | The heat and mass transfer of vacuum membrane distillation: Effect of active layer morphology with and without support material. Separation and Purification Technology, 2016, 164, 56-62. | 7.9 | 36 |
| 88 | Separation of oil/water emulsions using nano MgO anchored hybrid ultrafiltration membranes for environmental abatement. Journal of Applied Polymer Science, 2016, 133, . | 2.6 | 33 |
| 89 | Cross-linked methyl cellulose/graphene oxide rate controlling membranes for in vitro and ex vivo permeation studies of diltiazem hydrochloride. RSC Advances, 2016, 6, 36136-36145. | 3.6 | 22 |
| 90 | Physical and electrical characterization of reduced graphene oxide synthesized adopting green route. Bulletin of Materials Science, 2016, 39, 543-550. | 1.7 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Nanocomposite films based on cellulose acetate/polyethylene glycol/modified montmorillonite as nontoxic active packaging material. RSC Advances, 2016, 6, 92569-92578. | 3.6 | 36 |
| 92 | Effects of Polymer Ratio and Film-Penetration Time on the Properties and Performance of Nanocomposite PVDF Membranes in Membrane Distillation. Industrial & Engineering Chemistry Research, 2016, 55, 9971-9982. | 3.7 | 7 |
| 93 | Superior biomaterials using diamine modified graphene grafted polyurethane. Polymer, 2016, 106, 109-119. | 3.8 | 34 |
| 94 | In situ fluorescence of lac dye stabilized gold nanoparticles; DNA binding assay and toxicity study. New Journal of Chemistry, 2016, 40, 7121-7131. | 2.8 | 19 |
| 95 | Graphene as a chain extender of polyurethanes for biomedical applications. RSC Advances, 2016, 6, 58628-58640. | 3.6 | 27 |
| 96 | Development of Membrane-Based Desiccant Fiber for Vacuum Desiccant Cooling. ACS Applied Materials & Interfaces, 2016, 8, 15778-15787. | 8.0 | 10 |
| 97 | Synthesis and characterization of graphene from waste dry cell battery for electronic applications. RSC Advances, 2016, 6, 10557-10564. | 3.6 | 69 |
| 98 | Green one step morphosynthesis of silver nanoparticles and their antibacterial and anticancerous activities. New Journal of Chemistry, 2016, 40, 2749-2762. | 2.8 | 31 |
| 99 | Layered double hydroxides as effective carrier for anticancer drugs and tailoring of release rate through interlayer anions. Journal of Controlled Release, 2016, 224, 186-198. | 9.9 | 121 |
| 100 | Effects of hydrophilic silica nanoparticles and backing material in improving the structure and performance of VMD PVDF membranes. Separation and Purification Technology, 2016, 157, 60-71. | 7.9 | 55 |
| 101 | Studies on synthesis of reduced graphene oxide (RGO) via green route and its electrical property. Materials Research Bulletin, 2016, 79, 41-51. | 5.2 | 101 |
| 102 | Microstructure of polyacrylonitrile-based activated carbon fibers prepared from solvent-free coagulation process. Journal of Applied Research and Technology, 2016, 14, 54-61. | 0.9 | 25 |
| 103 | Nanoclay and swift heavy ions induced piezoelectric and conducting nanochannel based polymeric membrane for fuel cell. Journal of Power Sources, 2016, 301, 338-347. | 7.8 | 20 |
| 104 | Enhanced performance of PVDF nanocomposite membrane by nanofiber coating: A membrane for sustainable desalination through MD. Water Research, 2016, 89, 39-49. | 11.3 | 94 |
| 105 | Effects of Inorganic Nano-Additives on Properties and Performance of Polymeric Membranes in Water Treatment. Separation and Purification Reviews, 2016, 45, 141-167. | 5.5 | 78 |
| 106 | Studies on methylcellulose/pectin/montmorillonite nanocomposite films and their application possibilities. Carbohydrate Polymers, 2016, 136, 1218-1227. | 10.2 | 89 |
| 107 | Performances of poly(vinylidene fluoride- <i>co</i> -hexafluoropropylene) ultrafiltration membranes modified with poly(vinyl pyrrolidone). Polymer Engineering and Science, 2015, 55, 2482-2492. | 3.1 | 13 |
| 108 | Study on structure and vacuum membrane distillation performance of PVDF membranes: II. Influence of molecular weight. Chemical Engineering Journal, 2015, 276, 174-184. | 12.7 | 59 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|--------------------|
| 109 | Effects of hydrophilic CuO nanoparticles on properties and performance of PVDF VMD membranes. Desalination, 2015, 369, 75-84. | 8.2 | 83 |
| 110 | Development of solid super desiccants based on a polymeric superabsorbent hydrogel composite. RSC Advances, 2015, 5, 59583-59590. | 3.6 | 36 |
| 111 | Enhancements of Catalyst Distribution and Functioning Upon Utilization of Conducting Polymers as Supporting Matrices in DMFCs: A Review. Polymer Reviews, 2015, 55, 1-56. | 10.9 | 74 |
| 112 | Physical and electrochemical characterization of reduced graphene oxide/silver nanocomposites synthesized by adopting a green approach. RSC Advances, 2015, 5, 25357-25364. | 3.6 | 63 |
| 113 | Functionalized poly(vinylidene fluoride) nanohybrid for superior fuel cell membrane. Journal of Membrane Science, 2015, 481, 124-136. | 8.2 | 39 |
| 114 | Graphene Oxide Nanocomposite Incorporated Poly(ether imide) Mixed Matrix Membranes for in Vitro Evaluation of Its Efficacy in Blood Purification Applications. Industrial & Engineering Chemistry Research, 2015, 54, 7899-7913. | 3.7 | 38 |
| 115 | Dextrin-mediated synthesis of Ag NPs for colorimetric assays of Cu 2+ ion and Au NPs for catalytic activity. International Journal of Biological Macromolecules, 2015, 80, 309-316. | 7.5 | 31 |
| 116 | Effects of superhydrophobic SiO2 nanoparticles on the performance of PVDF flat sheet membranes for vacuum membrane distillation. Desalination, 2015, 373, 47-57. | 8.2 | 157 |
| 117 | Influence of graphene on self-assembly of polyurethane and evaluation of its biomedical properties. Polymer, 2015, 65, 183-192. | 3.8 | 35 |
| 118 | Investigation on Sodium Benzoate Release from Poly(Butylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Ad Antimicrobial Activity. Journal of Food Science, 2015, 80, E602-9. | lipateâ€Co 3.1 | oâ€Terephtha 35 |
| 119 | A poly(vinylidene fluoride-co-hexafluoro propylene) nanohybrid membrane using swift heavy ion irradiation for fuel cell applications. Journal of Materials Chemistry A, 2015, 3, 10413-10424. | 10.3 | 27 |
| 120 | Effect of carrageenan and potassium chloride on an in situ gelling ophthalmic drug delivery system based on methylcellulose. RSC Advances, 2015, 5, 60386-60391. | 3.6 | 24 |
| 121 | Effect of methyl cellulose on gelation behavior and drug release from poloxamer based ophthalmic formulations. International Journal of Biological Macromolecules, 2015, 72, 706-710. | 7.5 | 53 |
| 122 | Study on the structure and vacuum membrane distillation performance of PVDF composite membranes: I. Influence of blending. Separation and Purification Technology, 2014, 133, 303-312. | 7.9 | 56 |
| 123 | Nonlinear Viscoelasticity of One Dimensional Filler Reinforced Elastomer Composites. Advances in Polymer Science, 2014, , 15-41. | 0.8 | 8 |
| 124 | Assessment of morphology and property of graphene oxide-hydroxypropylmethylcellulose nanocomposite films. International Journal of Biological Macromolecules, 2014, 66, 338-345. | 7.5 | 31 |
| 125 | Antibacterial activity of Ag–Au alloy NPs and chemical sensor property of Au NPs synthesized by dextran. Carbohydrate Polymers, 2014, 107, 151-157. | 10.2 | 57 |
| 126 | In situ synthesis of a reduced graphene oxide/cuprous oxide nanocomposite: a reusable catalyst. RSC Advances, 2014, 4, 52044-52052. | 3.6 | 57 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|------------------|
| 127 | Anticancer (in vitro) and antimicrobial effect of gold nanoparticles synthesized using Abelmoschus esculentus (L.) pulp extract via a green route. RSC Advances, 2014, 4, 37838. | 3.6 | 111 |
| 128 | Development of novel charged surface modifying macromolecule blended PES membranes to remove EDCs and PPCPs from drinking water sources. Journal of Materials Chemistry A, 2014, 2, 10059-10072. | 10.3 | 129 |
| 129 | Criteria for the selection of a support material to fabricate coated membranes for a life support device. RSC Advances, 2014, 4, 38711-38717. | 3.6 | 30 |
| 130 | Poloxamer and gelatin gel guided polyaniline nanofibers: synthesis and characterization. Polymer International, 2014, 63, 1505-1512. | 3.1 | 17 |
| 131 | Green synthesis of silver nanoparticles-based nanofluids and investigation of their antimicrobial activities. Microfluidics and Nanofluidics, 2014, 16, 541-551. | 2.2 | 39 |
| 132 | Review: the characterization of electrospun nanofibrous liquid filtration membranes. Journal of Materials Science, 2014, 49, 6143-6159. | 3.7 | 85 |
| 133 | Preparation of ZnIn2S4/K2La2Ti3O10 composites and their photocatalytic H2 evolution from aqueous Na2S/Na2SO3 under visible light irradiation. Catalysis Communications, 2014, 48, 55-59. | 3.3 | 71 |
| 134 | Taro corms mucilage/HPMC based transdermal patch: An efficient device for delivery of diltiazem hydrochloride. International Journal of Biological Macromolecules, 2014, 66, 158-165. | 7.5 | 56 |
| 135 | Antimicrobial activity and biodegradation behavior of poly(butylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 | 0 422 Td 2.6 | (adipateâ€< |
| 136 | Pharmaceutical and personal care products removal from drinking water by modified cellulose acetate membrane: Field testing. Chemical Engineering Journal, 2013, 225, 848-856. | 12.7 | 54 |
| 137 | Effect of clay concentration on morphology and properties of hydroxypropylmethylcellulose films. Carbohydrate Polymers, 2013, 96, 57-63. | 10.2 | 46 |
| 138 | Effect of poly(vinyl pyrrolidone) on the morphology and physical properties of poly(vinyl) Tj ETQq0 0 0 rgBT /Over International, 2013, 23, 579-587. | lock 10 Tf 4.4 | 50 307 Td 121 |
| 139 | Development of plasma and/or chemically induced graft co-polymerized electrospun poly(vinylidene) Tj ETQq1 1 (|).784314 7.9 | rgBT /Overlo |
| 140 | Effect of PEG–salt mixture on the gelation temperature and morphology of MC gel for sustained delivery of drug. Carbohydrate Polymers, 2013, 91, 529-536. | 10.2 | 30 |
| 141 | Effect of xanthan gum and guar gum on in situ gelling ophthalmic drug delivery system based on poloxamer-407. International Journal of Biological Macromolecules, 2013, 62, 117-123. | 7.5 | 96 |
| 142 | <i>In situ</i> fabrication of polyanilineâ€silver nanocomposites using soft template of sodium alginate. Journal of Applied Polymer Science, 2013, 129, 3551-3557. | 2.6 | 18 |
| 143 | Enhanced visible-light-responsive photocatalytic property of PbS-sensitized K4Nb6O17 nanocomposite photocatalysts. Applied Surface Science, 2013, 276, 823-831. | 6.1 | 60 |
| 144 | Dielectric relaxation in polyvinyl alcohol–polypyrrole–multiwall carbon nanotube composites below room temperature. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2013, 4, 025005. | 1.5 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Green Synthesis of Silver Nanoparticles Using <i>Paederia foetida L.</i> Leaf Extract and Assessment of Their Antimicrobial Activities. International Journal of Green Nanotechnology, 2012, 4, 230-239. | 0.3 | 43 |
| 146 | Strategies for effective oral insulin delivery with modified chitosan nanoparticles: A review. Progress in Polymer Science, 2012, 37, 1457-1475. | 24.7 | 185 |
| 147 | Towards antibiofouling ultrafiltration membranes by blending silver containing surface modifying macromolecules. Chemical Communications, 2012, 48, 693-695. | 4.1 | 118 |
| 148 | Effect of PVA on the gel temperature of MC and release kinetics of KT from MC based ophthalmic formulations. International Journal of Biological Macromolecules, 2012, 50, 565-572. | 7.5 | 36 |
| 149 | Synergistic effect of salt mixture on the gelation temperature and morphology of methylcellulose hydrogel. International Journal of Biological Macromolecules, 2012, 51, 831-836. | 7.5 | 49 |
| 150 | Electrical transport properties of the composite of multiwall carbon nanotube–polypyrrole–polyvinyl alcohol below room temperature. Polymer Composites, 2012, 33, 343-352. | 4.6 | 18 |
| 151 | Preparation and characterization of surface modified electrospun membranes for higher filtration flux. Journal of Membrane Science, 2012, 390-391, 235-242. | 8.2 | 75 |
| 152 | Influence of electrospun fiber size on the separation efficiency of thin film nanofiltration composite membrane. Journal of Membrane Science, 2012, 392-393, 101-111. | 8.2 | 149 |
| 153 | Comparison of cellulose acetate (CA) membrane and novel CA membranes containing surface modifying macromolecules to remove pharmaceutical and personal care product micropollutants from drinking water. Journal of Membrane Science, 2012, 409-410, 346-354. | 8.2 | 126 |
| 154 | Synthesis of PbS–K2La2Ti3O10 composite and its photocatalytic activity for hydrogen production. Progress in Natural Science: Materials International, 2012, 22, 120-125. | 4.4 | 55 |
| 155 | Novel surface modifying macromolecules (SMMs) blended polysulfone gas separation membranes by phase inversion technique. Journal of Applied Polymer Science, 2012, 124, 2287-2299. | 2.6 | 17 |
| 156 | Influence of novel surface modifying macromolecules and coagulation media on the gas permeation properties of different polymeric gas separation membranes. Journal of Applied Polymer Science, 2012, 124, 2300-2310. | 2.6 | 6 |
| 157 | Development of antifouling thin-film-composite membranes for seawater desalination. Journal of Membrane Science, 2011, 367, 110-118. | 8.2 | 155 |
| 158 | Membrane Transport Models. , 2010, , 1041-1047. | | 5 |
| 159 | Performance of a newly developed hydrophilic additive blended with different ultrafiltration base polymers. Journal of Applied Polymer Science, 2010, 116, 2205-2215. | 2.6 | 8 |
| 160 | Key factors affecting the manufacture of hydrophobic ultrafiltration membranes for surface water treatment. Journal of Applied Polymer Science, 2010, 116, 2626-2637. | 2.6 | 1 |
| 161 | Relationship between surface structure and separation performance of poly(ether sulfone) ultra-filtration membranes blended with surface modifying macromolecules. Separation and Purification Technology, 2010, 72, 123-132. | 7.9 | 69 |
| 162 | Removal of disinfection byproducts from water by carbonized electrospun nanofibrous membranes. Separation and Purification Technology, 2010, 74, 202-212. | 7.9 | 66 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Modeling the Rejection Performance of Hollow Fiber Nanofiltration Membranes Modified by Negatively Charged-Modifying Macromolecule. , 2010, , . | | ο |
| 164 | Influence of surface modifying macromolecules on the surface properties of poly(ether sulfone) ultra-filtration membranes. Journal of Membrane Science, 2009, 338, 84-91. | 8.2 | 83 |