

Masako Hosoi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1859357/publications.pdf>

Version: 2024-02-01

44
papers

1,180
citations

331670

21
h-index

395702

33
g-index

45
all docs

45
docs citations

45
times ranked

1377
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychological Traits of Patients With Depression Comorbid With Chronic Pain: Are Complaint and Competitive Tendency Related to Pain?. <i>Frontiers in Psychiatry</i> , 2022, 13, 825422.	2.6	0
2	Association between chronic low back pain and regional brain atrophy in a Japanese older population: the Hisayama Study. <i>Pain</i> , 2022, 163, 2185-2193.	4.2	8
3	CD206 Expression in Induced Microglia-Like Cells From Peripheral Blood as a Surrogate Biomarker for the Specific Immune Microenvironment of Neurosurgical Diseases Including Glioma. <i>Frontiers in Immunology</i> , 2021, 12, 670131.	4.8	13
4	A Novel Exercise Facilitation Method in Combination with Cognitive Behavioral Therapy Using the Ikiiki Rehabilitation Notebook for Intractable Chronic Pain: Technical Report and 22 Cases. <i>Healthcare (Switzerland)</i> , 2021, 9, 1209.	2.0	2
5	The effectiveness of Pictorial Representation of Illness and Self Measure (PRISM) for the assessment of the suffering and quality of interpersonal relationships of patients with chronic pain. <i>BioPsychoSocial Medicine</i> , 2021, 15, 22.	2.1	1
6	Emotional Loneliness Is Associated With a Risk of Dementia in a General Japanese Older Population: The Hisayama Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 76, 1756-1766.	3.9	13
7	Parenting style during childhood is associated with the development of chronic pain and a patient's need for psychosomatic treatment in adulthood. <i>Medicine (United States)</i> , 2020, 99, e21230.	1.0	12
8	Involvement of exchange protein directly activated by cAMP and tumor progression locus 2 in IL-1 β production in microglial cells following activation of β ² -adrenergic receptors. <i>Journal of Pharmacological Sciences</i> , 2020, 143, 133-140.	2.5	14
9	Editorial: Alexithymia: State of the Art and Controversies. <i>Clinical and Neuroscientific Evidence. Frontiers in Psychology</i> , 2019, 10, 1209.	2.1	10
10	Effects of Weight Loss on Sweet Taste Preference and Palatability following Cognitive Behavioral Therapy for Women with Obesity. <i>Obesity Facts</i> , 2019, 12, 529-542.	3.4	15
11	Fibromyalgia and microglial TNF- α : Translational research using human blood induced microglia-like cells. <i>Scientific Reports</i> , 2017, 7, 11882.	3.3	34
12	Anger Management for Chronic Pain Patients. <i>The Journal of Japan Society for Clinical Anesthesia</i> , 2017, 37, 388-396.	0.0	1
13	The Effect of Guidance regarding Home Exercise and ADL on Adolescent Females Suffering from Adverse Effects after HPV Vaccination in Japanese Multidisciplinary Pain Centers. <i>Pain Research and Management</i> , 2016, 2016, 1-6.	1.8	3
14	Perceived inadequate care and excessive overprotection during childhood are associated with greater risk of sleep disturbance in adulthood: the Hisayama Study. <i>BMC Psychiatry</i> , 2016, 16, 215.	2.6	14
15	Family dysfunction. <i>Medicine (United States)</i> , 2016, 95, e5495.	1.0	11
16	Paternal and maternal bonding styles in childhood are associated with the prevalence of chronic pain in a general adult population: the Hisayama Study. <i>BMC Psychiatry</i> , 2015, 15, 181.	2.6	36
17	Alexithymia Is Associated with Greater Risk of Chronic Pain and Negative Affect and with Lower Life Satisfaction in a General Population: The Hisayama Study. <i>PLoS ONE</i> , 2014, 9, e90984.	2.5	79
18	Reduction of Group II Metabotropic Glutamate Receptors during Development of Benzodiazepine Dependence. <i>Pharmacology</i> , 2013, 91, 145-152.	2.2	10

#	ARTICLE	IF	CITATIONS
19	Alexithymia and Chronic Pain. <i>Clinical Journal of Pain</i> , 2013, 29, 354-361.	1.9	31
20	Cognitions, metacognitions, and chronic pain.. <i>Rehabilitation Psychology</i> , 2012, 57, 207-213.	1.3	24
21	Pain Questionnaire Development Focusing on Cross-Cultural Equivalence to the Original Questionnaire: The Japanese Version of the Short-Form McGill Pain Questionnaire. <i>Pain Medicine</i> , 2012, 13, 541-551.	1.9	22
22	Global Catastrophizing vs Catastrophizing Subdomains: Assessment and Associations with Patient Functioning. <i>Pain Medicine</i> , 2012, 13, 677-687.	1.9	39
23	A Multidimensional Measure of Pain Interference. <i>Clinical Journal of Pain</i> , 2011, 27, 338-343.	1.9	73
24	Relationships among alexithymia and pain intensity, pain interference, and vitality in persons with neuromuscular disease: Considering the effect of negative affectivity. <i>Pain</i> , 2010, 149, 273-277.	4.2	59
25	Childhood physical abuse in outpatients with psychosomatic symptoms. <i>BioPsychoSocial Medicine</i> , 2008, 2, 8.	2.1	11
26	Anandamide Inhibition of 5-HT _{3A} Receptors Varies with Receptor Density and Desensitization. <i>Molecular Pharmacology</i> , 2008, 73, 314-322.	2.3	34
27	Genetic polymorphisms in the 5-hydroxytryptamine type 3B receptor gene and paroxetine-induced nausea. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 261-267.	2.1	53
28	Edrophonium Provocative Testing for the Evaluation of Upper Gastrointestinal Hypersensitivity in Patients with Nonulcer Dyspepsia. <i>Digestive Diseases and Sciences</i> , 2006, 51, 1302-1306.	2.3	2
29	Enzyme-digested Fucoïdan Extracts Derived from Seaweed Mozuku of <i>Cladosiphon novae-caledoniae</i> kyllin Inhibit Invasion and Angiogenesis of Tumor Cells. <i>Cytotechnology</i> , 2005, 47, 117-126.	1.6	123
30	Comparison of the Esophageal Manometric Characteristics of Idiopathic and Reflux-Associated Esophageal Spasm: Evaluation by 24-Hour Ambulatory Esophageal Motility and pH Monitoring. <i>Digestive Diseases and Sciences</i> , 2003, 48, 2124-2131.	2.3	15
31	Dynorphin A inhibits NMDA receptors through a pH-dependent mechanism. <i>Molecular and Cellular Neurosciences</i> , 2003, 24, 525-537.	2.2	13
32	Distinct Molecular Basis for Differential Sensitivity of the Serotonin Type 3A Receptor to Ethanol in the Absence and Presence of Agonist. <i>Journal of Biological Chemistry</i> , 2002, 277, 46256-46264.	3.4	27
33	Hyperalgesic response to noxious stimulation in genetically polydipsic mice. <i>Brain Research</i> , 1999, 846, 171-176.	2.2	2
34	Prostaglandin E2 has antinociceptive effect through EP1 receptor in the ventromedial hypothalamus in rats. <i>Pain</i> , 1999, 83, 221-227.	4.2	32
35	Treating nonulcer dyspepsia considering both functional disorders of the digestive system and psychiatric conditions. <i>Digestive Diseases and Sciences</i> , 1998, 43, 1241-1247.	2.3	21
36	Prostaglandin E receptor EP3 subtype is involved in thermal hyperalgesia through its actions in the preoptic hypothalamus and the diagonal band of Broca in rats. <i>Pain</i> , 1997, 71, 303-311.	4.2	41

#	ARTICLE	IF	CITATIONS
37	Biphasic alteration in the trigeminal nociceptive neuronal responses after intracerebroventricular injection of prostaglandin E2 in rats. <i>Brain Research</i> , 1997, 749, 354-357.	2.2	10
38	Biphasic modulation in the trigeminal nociceptive neuronal responses by the intracerebroventricular prostaglandin E2 may be mediated through different EP receptors subtypes in rats. <i>Brain Research</i> , 1997, 771, 278-284.	2.2	25
39	1930 Intracerebroventricular injection of prostaglandin e2 induces bmodal effects on nociceptive neuronal responses in the trigeminal nucleus caudalis in rats: The possible involvement of different types of ep-receptors. <i>Neuroscience Research</i> , 1996, 25, S218.	1.9	2
40	Psychosomatic treatment of phantom limb pain with post-traumatic stress disorder: a case report. <i>Pain</i> , 1996, 66, 385-388.	4.2	23
41	Intracerebroventricular Injection of Tumor Necrosis Factor- α Induces Thermal Hyperalgesia in Rats. <i>NeuroImmunoModulation</i> , 1996, 3, 135-140.	1.8	46
42	Inhibition of peripheral interleukin-10-induced hyperalgesia by the intracerebroventricular administration of diclofenac and α -melanocyte-stimulating hormone. <i>Brain Research</i> , 1996, 736, 237-242.	2.2	6
43	Intracerebroventricular injection of interleukin-6 induces thermal hyperalgesia in rats. <i>Brain Research</i> , 1995, 692, 123-128.	2.2	120
44	The opposing effects of interleukin-1 β microinjected into the preoptic hypothalamus and the ventromedial hypothalamus on nociceptive behavior in rats. <i>Brain Research</i> , 1995, 700, 271-278.	2.2	50