

Kenan Aksu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1863565/publications.pdf>

Version: 2024-02-01

81
papers

2,667
citations

159585

30
h-index

197818

49
g-index

81
all docs

81
docs citations

81
times ranked

3604
citing authors

#	ARTICLE	IF	CITATIONS
1	Pregnancy in Takayasu's arteritis has a high risk of hypertension-related fetomaternal complications: A retrospective study of a Turkish cohort. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 140-146.	1.9	2
2	Metabolic syndrome is associated with increased cardiovascular risk and disease damage in patients with Takayasu arteritis. <i>International Journal of Rheumatic Diseases</i> , 2022, 25, 775-780.	1.9	5
3	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99.	6.2	26
4	Genetic Association of a Gain-of-Function <i>IFNGR1</i> Polymorphism and the Intergenic Region <i>LNCAROD/DKK1</i> With Behçet's Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 1244-1252.	5.6	21
5	Biologic treatments in Takayasu's Arteritis: A comparative study of tumor necrosis factor inhibitors and tocilizumab. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 1224-1229.	3.4	15
6	Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 532-536.	0.8	0
7	Disease characteristics of psoriatic arthritis patients may differ according to age at psoriasis onset: cross-sectional data from the Psoriatic Arthritis-International Database. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 532-536.	0.8	8
8	Predictive factors for workday loss in Behçet's syndrome: A multicenter study. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 240-246.	1.9	7
9	Large joint and lower extremity involvement have higher impact on disease outcomes in oligoarticular psoriatic arthritis. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1094-1099.	1.9	0
10	Moderation analysis exploring associations between age and mucocutaneous activity in Behçet's syndrome: A multicenter study from Turkey. <i>Journal of Dermatology</i> , 2020, 47, 1403-1410.	1.2	4
11	The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. <i>Turkish Journal of Medical Sciences</i> , 2019, 49, 472-477.	0.9	23
12	AB0575...THE EFFECT OF METABOLIC SYNDROME ON CARDIOVASCULAR DISEASE AND CUMULATIVE ORGAN DAMAGE IN TAKAYASU'S ARTERITIS. , 2019, , .		0
13	Diagnosis and differential diagnosis of large-vessel vasculitides. <i>Rheumatology International</i> , 2019, 39, 169-185.	3.0	49
14	Exon 2: Is it the good police in familial mediterranean fever?. <i>European Journal of Rheumatology</i> , 2019, 6, 33-36.	0.6	10
15	Oral ulcer activity assessment with the composite index according to different treatment modalities in Behçet's syndrome: a multicentre study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 121, 98-104.	0.8	3
16	Discrepancies between vascular and systemic inflammation in large vessel vasculitis: an important problem revisited. <i>Rheumatology</i> , 2018, 57, 784-790.	1.9	26
17	Comparison of early versus late onset familial Mediterranean fever. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 880-884.	1.9	25
18	Nationwide Experience With Off-Label Use of Interleukin-1 Targeting Treatment in Familial Mediterranean Fever Patients. <i>Arthritis Care and Research</i> , 2018, 70, 1090-1094.	3.4	48

#	ARTICLE	IF	CITATIONS
19	Takayasu arteritis: an update. Turkish Journal of Medical Sciences, 2018, 48, 681-697.	0.9	47
20	Frequency of pulmonary hypertension in transthoracic echocardiography screening is not increased in Takayasu arteritis: Experience from a single center in Turkey. European Journal of Rheumatology, 2018, 5, 249-253.	0.6	7
21	What is new in management of Takayasu arteritis?. Presse Medicale, 2017, 46, e229-e235.	1.9	14
22	HEMOPHAGOCYTIC LYMPHOHISTIOCYTOSIS IN ADULTS: LOW INCIDENCE OF PRIMARY NEOPLASM AS A TRIGGER IN A CASE SERIES FROM TURKEY. Mediterranean Journal of Hematology and Infectious Diseases, 2017, 10, e2018047.	1.3	3
23	Remarkable damage along with poor quality of life in Takayasu arteritis: cross-sectional results of a long-term followed-up multicentre cohort. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 77-82.	0.8	7
24	Assessment of the New 2012 EULAR/ACR Clinical Classification Criteria for Polymyalgia Rheumatica: A Prospective Multicenter Study. Journal of Rheumatology, 2016, 43, 893-900.	2.0	36
25	Plasma pentraxin-3 levels in patients with Takayasu's arteritis during routine follow-up. Clinical and Experimental Rheumatology, 2016, 34, S73-6.	0.8	10
26	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> / <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. Arthritis and Rheumatology, 2015, 67, 1361-1368.	5.6	79
27	Assessment of Patients with Takayasu Arteritis in Routine Practice with Indian Takayasu Clinical Activity Score. Journal of Rheumatology, 2015, 42, 1443-1447.	2.0	19
28	Incidence of Cyclophosphamide-induced Urotoxicity and Protective Effect of Mesna in Rheumatic Diseases. Journal of Rheumatology, 2015, 42, 1661-1666.	2.0	43
29	TLR2 and TLR4 gene expression levels and associated factors during acute attack and attack-free periods in familial Mediterranean fever. Clinical Rheumatology, 2015, 34, 785-790.	2.2	6
30	Right ventricular endomyocardial fibrosis mimicking Ebstein anomaly in a patient with Behçet's disease: case report and review of the literature. Modern Rheumatology, 2014, 24, 532-536.	1.8	12
31	Diagnostic dilemma of paraneoplastic arthritis: case series. International Journal of Rheumatic Diseases, 2014, 17, 640-645.	1.9	36
32	Autoimmune thyroid disease in ankylosing spondylitis. Clinical Rheumatology, 2014, 33, 955-961.	2.2	15
33	Management of Takayasu arteritis: a systematic review. Rheumatology, 2014, 53, 793-801.	1.9	173
34	Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. Rheumatology, 2014, 53, 741-745.	1.9	96
35	Periodontal therapy in chronic periodontitis lowers gingival crevicular fluid interleukin-1beta and DAS28 in rheumatoid arthritis patients. Rheumatology International, 2013, 33, 2607-2616.	3.0	64
36	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. American Journal of Human Genetics, 2013, 93, 298-305.	6.2	143

#	ARTICLE	IF	CITATIONS
37	Gingival crevicular fluid and serum levels of APRIL, BAFF and TNF-alpha in rheumatoid arthritis and osteoporosis patients with periodontal disease. <i>Archives of Oral Biology</i> , 2013, 58, 1302-1308.	1.8	14
38	The frequency of sicca symptoms and Sjögren's syndrome in patients with systemic sclerosis. <i>International Journal of Rheumatic Diseases</i> , 2013, 16, 88-92.	1.9	40
39	Impaired quality of life, disability and mental health in Takayasu's arteritis. <i>Rheumatology</i> , 2013, 52, 1898-1904.	1.9	53
40	Pauci-immune necrotizing crescentic glomerulonephritis with crescentic and full moon extracapillary proliferation: Clinico-pathologic correlation and follow-up study. <i>Pathology Research and Practice</i> , 2013, 209, 75-82.	2.3	20
41	Identification of multiple independent susceptibility loci in the HLA region in Behçet's disease. <i>Nature Genetics</i> , 2013, 45, 319-324.	21.4	130
42	Gingival Crevicular Fluid, Serum Levels of Receptor Activator of Nuclear Factor- κ B Ligand, Osteoprotegerin, and Interleukin-17 in Patients With Rheumatoid Arthritis and Osteoporosis and With Periodontal Disease. <i>Journal of Periodontology</i> , 2013, 84, 1627-1637.	3.4	38
43	Inflammation-Induced Thrombosis: Mechanisms, Disease Associations and Management. <i>Current Pharmaceutical Design</i> , 2012, 18, 1478-1493.	1.9	227
44	A panel of oxidative stress assays does not provide supplementary diagnostic information in Behçet's disease patients. <i>Journal of Inflammation</i> , 2012, 9, 13.	3.4	6
45	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	3.5	60
46	Right ventricular endomyocardial fibrosis mimicking Ebstein anomaly in a patient with Behçet's disease: case report and review of the literature. <i>Modern Rheumatology</i> , 2012, , 1.	1.8	0
47	Interstitial cystitis: a rare manifestation of primary Sjögren's syndrome, successfully treated with low dose cyclosporine. <i>Rheumatology International</i> , 2012, 32, 1215-1218.	3.0	21
48	Coexistence of Takayasu's arteritis with familial Mediterranean fever. <i>Rheumatology International</i> , 2012, 32, 1675-1678.	3.0	11
49	Acute presentation of autoimmune hepatitis in a patient with myasthenia gravis, thymoma, Hashimoto thyroiditis and connective tissue disorder. <i>Hepatology Research</i> , 2012, 42, 835-839.	3.4	13
50	PDCD1 polymorphisms are not associated with Takayasu's arteritis in Turkey. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S11-4.	0.8	4
51	Non-Hodgkin's lymphoma following treatment with etanercept in ankylosing spondylitis. <i>Rheumatology International</i> , 2011, 31, 1645-1647.	3.0	22
52	Coexistence of vasculitides with Familial Mediterranean Fever. <i>Rheumatology International</i> , 2011, 31, 1263-1274.	3.0	82
53	A putative functional variant within the <i>UBAC2</i> gene is associated with increased risk of Behçet's disease. <i>Arthritis and Rheumatism</i> , 2011, 63, 3607-3612.	6.7	39
54	Neurological Symptoms and Signs in Behçet Disease. <i>Neurologist</i> , 2011, 17, 147-150.	0.7	15

#	ARTICLE	IF	CITATIONS
55	Cigarette smoking in primary Sjögren's syndrome: positive association only with ANA positivity. <i>Modern Rheumatology</i> , 2011, 21, 602-607.	1.8	18
56	Assessment of latent tuberculosis infection in Takayasu arteritis with tuberculin skin test and Quantiferon-TB Gold test. <i>Rheumatology International</i> , 2010, 30, 1483-1487.	3.0	35
57	Assessment of disease activity and progression in Takayasu's arteritis with Disease Extent Index-Takayasu. <i>Rheumatology</i> , 2010, 49, 1889-1893.	1.9	97
58	The plasma levels of activated thrombin activatable fibrinolysis inhibitor and thrombomodulin in Behçet Disease and their association with thrombosis. <i>Thrombosis Research</i> , 2010, 126, 207-210.	1.7	11
59	Clinical history for inflammatory back pain in ankylosing spondylitis: the sensitivity, specificity and consistency of clinical features. <i>Rheumatology International</i> , 2009, 29, 349-351.	3.0	5
60	Serum and bronchoalveolar lavage fluid nitric oxide levels in diffuse systemic sclerosis. <i>Rheumatology International</i> , 2009, 29, 605-606.	3.0	0
61	Gingival Crevicular Fluid MMP-8 and α_1 and TIMP-1 Levels in Patients With Rheumatoid Arthritis and Inflammatory Periodontal Disease. <i>Journal of Periodontology</i> , 2009, 80, 1307-1314.	3.4	60
62	Telomerase activity in connective tissue diseases: elevated in rheumatoid arthritis, but markedly decreased in systemic sclerosis. <i>Rheumatology International</i> , 2008, 28, 579-583.	3.0	30
63	Quality of life in patients with Takayasu's arteritis is impaired and comparable with rheumatoid arthritis and ankylosing spondylitis patients. <i>Clinical Rheumatology</i> , 2008, 27, 859-865.	2.2	36
64	Renal Behçet's Disease: An Update. <i>Seminars in Arthritis and Rheumatism</i> , 2008, 38, 241-248.	3.4	49
65	Behçet's Disease-Associated Aneurysm of the Internal Carotid Artery within the Cavernous Sinus: Report of a Patient. <i>Neuro-Ophthalmology</i> , 2007, 31, 19-22.	1.0	0
66	Coexistence of Sjogren's syndrome and familial Mediterranean fever. <i>APLAR Journal of Rheumatology</i> , 2007, 10, 244-245.	0.2	2
67	Hodgkin's lymphoma following treatment with etanercept in ankylosing spondylitis. <i>Rheumatology International</i> , 2007, 28, 185-187.	3.0	22
68	Interleukin (IL)-12, IL-2, and IL-6 Gene Polymorphisms in Takayasu's Arteritis from Turkey. <i>Human Immunology</i> , 2006, 67, 735-740.	2.4	47
69	Evaluation of t-PA, PAI-2, IL-1 β and PGE2 in gingival crevicular fluid of rheumatoid arthritis patients with periodontal disease. <i>Journal of Clinical Periodontology</i> , 2006, 33, 605-611.	4.9	52
70	Endothelial functions in Behçet's disease. <i>Rheumatology International</i> , 2006, 26, 304-308.	3.0	44
71	Reactive arthritis following tetanus and rabies vaccinations. <i>Rheumatology International</i> , 2006, 27, 209-210.	3.0	12
72	Arthritis as a presenting symptom in a hypogammaglobulinemic patient with thymectomy. <i>Rheumatology International</i> , 2006, 27, 263-267.	3.0	0

#	ARTICLE	IF	CITATIONS
73	Urinary N-acetyl- β -D-glucosaminidase (NAG) in lupus nephritis and rheumatoid arthritis. <i>Journal of Clinical Laboratory Analysis</i> , 2005, 19, 172-176.	2.1	15
74	Platelet-activating factor and P-selectin activities in thrombotic and nonthrombotic Behçet's patients. <i>Rheumatology International</i> , 2005, 25, 326-331.	3.0	22
75	Nasal <i>Staphylococcus aureus</i> carriage is not increased in Behçet's disease. <i>Rheumatology International</i> , 2005, 25, 567-568.	3.0	3
76	Thrombin activatable fibrinolysis inhibitor in Behçet's disease. <i>Thrombosis Research</i> , 2005, 115, 287-292.	1.7	27
77	Increased excretions of glycosaminoglycans and heparan sulfate in lupus nephritis and rheumatoid arthritis. <i>Rheumatology International</i> , 2003, 23, 221-225.	3.0	11
78	Microembolus Detection in Patients With Takayasu's Arteritis. <i>Stroke</i> , 2002, 33, 712-716.	2.0	42
79	Detection of Microembolic Signals in Patients with Neuropsychiatric Lupus erythematosus. <i>European Neurology</i> , 2002, 47, 131-135.	1.4	31
80	Cardiovascular Involvement in Behçet's Disease.. <i>International Heart Journal</i> , 2002, 43, 389-398.	0.6	109
81	Hypothalamus-Hypophysis-Thyroid Axis, Triiodothyronine and Antithyroid Antibodies in Patients with Primary and Secondary Sjögren's Syndrome. <i>Clinical Rheumatology</i> , 2001, 20, 44-48.	2.2	10