

Lorenzo Nanetti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1865652/publications.pdf>

Version: 2024-02-01

47
papers

1,624
citations

394421

19
h-index

315739

38
g-index

48
all docs

48
docs citations

48
times ranked

2479
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term disease progression in spinocerebellar ataxia types 1, 2, 3, and 6: a longitudinal cohort study. <i>Lancet Neurology, The</i> , 2015, 14, 1101-1108.	10.2	213
2	Biological and clinical characteristics of individuals at risk for spinocerebellar ataxia types 1, 2, 3, and 6 in the longitudinal RISCA study: analysis of baseline data. <i>Lancet Neurology, The</i> , 2013, 12, 650-658.	10.2	167
3	Biological and clinical characteristics of the European Friedreich's Ataxia Consortium for Translational Studies (EFACTS) cohort: a cross-sectional analysis of baseline data. <i>Lancet Neurology, The</i> , 2015, 14, 174-182.	10.2	159
4	Overlapping phenotypes in complex spastic paraplegias SPG11, SPG15, SPG35 and SPG48. <i>Brain</i> , 2014, 137, 1907-1920.	7.6	133
5	SYNE1 ataxia is a common recessive ataxia with major non-cerebellar features: a large multi-centre study. <i>Brain</i> , 2016, 139, 1378-1393.	7.6	87
6	Prediction of the age at onset in spinocerebellar ataxia type 1, 2, 3 and 6. <i>Journal of Medical Genetics</i> , 2014, 51, 479-486.	3.2	85
7	Survival in patients with spinocerebellar ataxia types 1, 2, 3, and 6 (EUROSCA): a longitudinal cohort study. <i>Lancet Neurology, The</i> , 2018, 17, 327-334.	10.2	69
8	Erythropoietin in Friedreich ataxia: No effect on frataxin in a randomized controlled trial. <i>Movement Disorders</i> , 2012, 27, 446-449.	3.9	57
9	Progression characteristics of the European Friedreich's Ataxia Consortium for Translational Studies (EFACTS): a 4-year cohort study. <i>Lancet Neurology, The</i> , 2021, 20, 362-372.	10.2	53
10	Safety and tolerability of carbamylated erythropoietin in Friedreich's ataxia. <i>Movement Disorders</i> , 2014, 29, 935-939.	3.9	46
11	Rare association of motor neuron disease and spinocerebellar ataxia type 2 (SCA2): a new case and review of the literature. <i>Journal of Neurology</i> , 2009, 256, 1926-1928.	3.6	42
12	Conversion of individuals at risk for spinocerebellar ataxia types 1, 2, 3, and 6 to manifest ataxia (RISCA): a longitudinal cohort study. <i>Lancet Neurology, The</i> , 2020, 19, 738-747.	10.2	41
13	Expanding sialidosis spectrum by genome-wide screening. <i>Neurology</i> , 2014, 82, 2003-2006.	1.1	37
14	Long-term evolution of patient-reported outcome measures in spinocerebellar ataxias. <i>Journal of Neurology</i> , 2018, 265, 2040-2051.	3.6	34
15	SETX mutations are a frequent genetic cause of juvenile and adult onset cerebellar ataxia with neuropathy and elevated serum alpha-fetoprotein. <i>Orphanet Journal of Rare Diseases</i> , 2013, 8, 123.	2.7	31
16	ATAXIN2 CAG-repeat length in Italian patients with amyotrophic lateral sclerosis: risk factor or variant phenotype? Implication for genetic testing and counseling. <i>Neurobiology of Aging</i> , 2012, 33, 1847.e15-1847.e21.	3.1	27
17	A recessive ataxia diagnosis algorithm for the next generation sequencing era. <i>Annals of Neurology</i> , 2017, 82, 892-899.	5.3	27
18	Body Mass Index Decline Is Related to Spinocerebellar Ataxia Disease Progression. <i>Movement Disorders Clinical Practice</i> , 2017, 4, 689-697.	1.5	25

#	ARTICLE	IF	CITATIONS
19	Digenic inheritance of STUB1 variants and TBP polyglutamine expansions explains the incomplete penetrance of SCA17 and SCA48. <i>Genetics in Medicine</i> , 2022, 24, 29-40.	2.4	24
20	Cortical thickness, stance control, and arithmetic skill: An exploratory study in premanifest Huntington disease. <i>Parkinsonism and Related Disorders</i> , 2018, 51, 17-23.	2.2	22
21	ANO10 mutational screening in recessive ataxia: genetic findings and refinement of the clinical phenotype. <i>Journal of Neurology</i> , 2019, 266, 378-385.	3.6	22
22	Co-occurrence of amyotrophic lateral sclerosis and Charcot-Marie-Tooth disease type 2A in a patient with a novel mutation in the mitofusin-2 gene. <i>Neuromuscular Disorders</i> , 2011, 21, 129-131.	0.6	19
23	From congenital microcephaly to adult onset cerebellar ataxia: Distinct and overlapping phenotypes in patients with <i>PNKP</i> gene mutations. <i>American Journal of Medical Genetics, Part A</i> , 2019, 179, 2277-2283.	1.2	18
24	Progression of Cerebellar Atrophy in Spinocerebellar Ataxia Type 2 Gene Carriers: A Longitudinal MRI Study in Preclinical and Early Disease Stages. <i>Frontiers in Neurology</i> , 2020, 11, 616419.	2.4	16
25	Late-onset Huntington's disease with 40-42 CAG expansion. <i>Neurological Sciences</i> , 2020, 41, 869-876.	1.9	15
26	Prediction of Survival With Long-Term Disease Progression in Most Common Spinocerebellar Ataxia. <i>Movement Disorders</i> , 2019, 34, 1220-1227.	3.9	14
27	Choice-option evaluation is preserved in early Huntington and Parkinson's disease. <i>NeuroReport</i> , 2011, 22, 753-757.	1.2	13
28	Spinocerebellar Ataxia Type 1: One-Year Longitudinal Study to Identify Clinical and MRI Measures of Disease Progression in Patients and Presymptomatic Carriers. <i>Cerebellum</i> , 2022, 21, 133-144.	2.5	13
29	MRI Evidence of Cerebellar and Extraocular Muscle Atrophy Differently Contributing to Eye Movement Abnormalities in SCA2 and SCA28 Diseases. , 2016, 57, 2714.		11
30	Stance instability in preclinical SCA1 mutation carriers: A 4-year prospective posturography study. <i>Gait and Posture</i> , 2017, 57, 11-14.	1.4	11
31	Frontal cortex BOLD signal changes in premanifest Huntington disease. <i>Neurology</i> , 2014, 83, 65-72.	1.1	10
32	Multiple system atrophy and CAG repeat length: A genetic screening of polyglutamine disease genes in Italian patients. <i>Neuroscience Letters</i> , 2018, 678, 37-42.	2.1	10
33	Fiberoptic endoscopic evaluation of swallowing in early-to-advanced stage Huntington's disease. <i>Scientific Reports</i> , 2020, 10, 15242.	3.3	10
34	Frequency and distribution of polyQ disease intermediate-length repeat alleles in healthy Italian population. <i>Neurological Sciences</i> , 2020, 41, 1475-1482.	1.9	10
35	Monitoring disease progression in spinocerebellar ataxias: implications for treatment and clinical research. <i>Expert Review of Neurotherapeutics</i> , 2017, 17, 919-931.	2.8	8
36	<i>PEX7</i> Mutations Cause Congenital Cataract Retinopathy and Late-Onset Ataxia and Cognitive		

#	ARTICLE	IF	CITATIONS
37	Lower limb areflexia without central and peripheral conduction abnormalities is highly suggestive of Gerstmann-Strussler-Scheinker disease Pro102Leu. <i>Journal of the Neurological Sciences</i> , 2011, 302, 85-88.	0.6	6
38	Cerebellar Involvement in Patients with Mild to Moderate Myoclonus Due to EPM1: Structural and Functional MRI Findings in Comparison with Healthy Controls and Ataxic Patients. <i>Brain Topography</i> , 2017, 30, 380-389.	1.8	5
39	Huntingtin gene CAG repeat size affects autism risk: Family-based and case-control association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 341-351.	1.7	5
40	Homozygous variant in <i>OTX2</i> and possible genetic modifiers identified in a patient with combined pituitary hormone deficiency, ocular involvement, myopathy, ataxia, and mitochondrial impairment. <i>American Journal of Medical Genetics, Part A</i> , 2019, 179, 827-831.	1.2	4
41	Cortical network dysfunction revealed by magnetoencephalography in carriers of spinocerebellar ataxia 1 or 2 mutation. <i>Clinical Neurophysiology</i> , 2020, 131, 1548-1555.	1.5	4
42	Spastic paraplegia type 46: novel and recurrent <i>GBA2</i> gene variants in a compound heterozygous Italian patient with spastic ataxia phenotype. <i>Neurological Sciences</i> , 2021, 42, 4741-4745.	1.9	4
43	Very Late-Onset Friedreich Ataxia with Laryngeal Dystonia. <i>Case Reports in Neurology</i> , 2014, 6, 287-290.	0.7	3
44	In vitro dexamethasone treatment does not induce alternative ATM transcripts in cells from Ataxia-Telangiectasia patients. <i>Scientific Reports</i> , 2020, 10, 20182.	3.3	3
45	Slowly progressive sensory hemisyndrome: unusual presentation of paraneoplastic sensory neuronopathy. <i>Journal of the Peripheral Nervous System</i> , 2010, 15, 73-74.	3.1	2
46	Somatosensory Conduction Pathway in Spastic Paraplegia Type 5. <i>Journal of Clinical Neurology</i>		