## Carmen Navarro

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1867164/publications.pdf

Version: 2024-02-01

198 papers 19,234 citations

79 h-index

6592

130 g-index

206 all docs

206 docs citations

times ranked

206

28101 citing authors

#	Article	lF	Citations
1	The genetic architecture of type 2 diabetes. Nature, 2016, 536, 41-47.	13.7	952
2	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916.	3.0	716
3	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. BMJ: British Medical Journal, 2005, 330, 991.	2.4	614
4	Lung cancer susceptibility locus at 5p15.33. Nature Genetics, 2008, 40, 1404-1406.	9.4	514
5	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. Nature Genetics, 2010, 42, 978-984.	9.4	493
6	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 920-931.	3.0	485
7	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. Nature Genetics, 2015, 47, 1415-1425.	9.4	365
8	Association Between Low-Density Lipoprotein Cholesterol–Lowering Genetic Variants and Risk of Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2016, 316, 1383.	3.8	310
9	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 345-354.	3.0	301
10	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC–EURGAST). International Journal of Cancer, 2006, 118, 2559-2566.	2.3	292
11	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	2.2	285
12	Evaluation of Human Papillomavirus Antibodies and Risk of Subsequent Head and Neck Cancer. Journal of Clinical Oncology, 2013, 31, 2708-2715.	0.8	280
13	Adherence to the Mediterranean Diet and Risk of Coronary Heart Disease in the Spanish EPIC Cohort Study. American Journal of Epidemiology, 2009, 170, 1518-1529.	1.6	272
14	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452.	2.2	251
15	Consumption of Vegetables and Fruits and Risk of Breast Cancer. JAMA - Journal of the American Medical Association, 2005, 293, 183.	3.8	227
16	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. Nature Genetics, 2011, 43, 60-65.	9.4	220
17	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2012, 7, e39361.	1.1	218
18	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 91, 381-390.	2.2	198

#	Article	IF	CITATIONS
19	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. Journal of the National Cancer Institute, 2011, 103, 1686-1695.	3.0	197
20	Physical Activity and Risk of Colon and Rectal Cancers: The European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2398-2407.	1.1	190
21	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 331-346.	2.2	188
22	Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). American Journal of Clinical Nutrition, 2007, 85, 1634-1642.	2.2	183
23	Legionnaires' Disease Outbreak in Murcia, Spain. Emerging Infectious Diseases, 2003, 9, 915-921.	2.0	181
24	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. PLoS Medicine, 2014, 11, e1001647.	3.9	180
25	Estimation of Dietary Sources and Flavonoid Intake in a Spanish Adult Population (EPIC-Spain). Journal of the American Dietetic Association, 2010, 110, 390-398.	1.3	176
26	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2006, 118, 728-738.	2.3	173
27	Coffee Drinking and Mortality in 10 European Countries. Annals of Internal Medicine, 2017, 167, 236-247.	2.0	168
28	TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. Cancer Research, 2006, 66, 6871-6876.	0.4	158
29	A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. PLoS Genetics, 2011, 7, e1001333.	1.5	158
30	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 645-657.	2.3	158
31	Population-based multicase-control study in common tumors in Spain (MCC-Spain): rationale and study design. Gaceta Sanitaria, 2015, 29, 308-315.	0.6	158
32	Serum B Vitamin Levels and Risk of Lung Cancer. JAMA - Journal of the American Medical Association, 2010, 303, 2377.	3.8	147
33	Concentrations of resveratrol and derivatives in foods and estimation of dietary intake in a Spanish population: European Prospective Investigation into Cancer and Nutrition (EPIC)-Spain cohort. British Journal of Nutrition, 2008, 100, 188-196.	1.2	137
34	Olive oil intake and mortality within the Spanish population (EPIC-Spain). American Journal of Clinical Nutrition, 2012, 96, 142-149.	2.2	137
35	Dietary patterns among older Europeans: the EPIC-Elderly study. British Journal of Nutrition, 2005, 94, 100-113.	1.2	136
36	Fruit and Vegetable Consumption and Mortality. American Journal of Epidemiology, 2013, 178, 590-602.	1.6	135

#	Article	lF	CITATIONS
37	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). British Journal of Nutrition, 2011, 106, 1581-1591.	1.2	130
38	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. Journal of Clinical Oncology, 2012, 30, 4550-4557.	0.8	129
39	Physical Activity and Breast Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 36-42.	1.1	127
40	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. International Journal of Epidemiology, 2012, 41, 1162-1173.	0.9	127
41	Fruits and vegetables and lung cancer: Findings from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2004, 108, 269-276.	2.3	124
42	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) Tj ETQq0 0 0 rgB	T /Overloo	:k 10 Tf 50 5 121
43	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2394-2403.	2.3	118
44	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2013, 42, 1772-1790.	0.9	117
45	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2012, 96, 164-174.	2.2	116
46	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2007, 121, 1103-1114.	2.3	115
47	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. Journal of Clinical Oncology, 2014, 32, 1347-1355.	0.8	115
48	CagA+Helicobacter pyloriinfection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	2.3	114
49	Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPICâ€EURGAST) study after a longer followâ€up. International Journal of Cancer, 2012, 131, 2910-2919.	2.3	114
50	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2562-2569.	1.1	113
51	Social Inequalities and Mortality in Europe – Results from a Large Multi-National Cohort. PLoS ONE, 2012, 7, e39013.	1.1	113
52	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. American Journal of Clinical Nutrition, 2011, 93, 826-835.	2.2	112
53	Is the Association with Fiber from Foods in Colorectal Cancer Confounded by Folate Intake?. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 1552-1556.	1.1	110
54	DNA Adducts and Lung Cancer Risk: A Prospective Study. Cancer Research, 2005, 65, 8042-8048.	0.4	109

#	Article	IF	CITATIONS
55	Region-Specific Nutrient Intake Patterns Exhibit a Geographical Gradient within and between European Countries. Journal of Nutrition, 2010, 140, 1280-1286.	1.3	108
56	Polychlorinated biphenyls in Spanish adults: Determinants of serum concentrations. Environmental Research, 2009, 109, 620-628.	3.7	107
57	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 407-418.	1.6	107
58	Fish consumption patterns and hair mercury levels in children and their mothers in 17 EU countries. Environmental Research, 2015, 141, 58-68.	3.7	107
59	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 879-885.	1.1	106
60	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 119, 659-667.	2.3	104
61	Intake of fried foods is associated with obesity in the cohort of Spanish adults from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2007, 86, 198-205.	2.2	104
62	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2007, 18, 361-373.	0.8	104
63	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029.	1.1	102
64	Colorectal cancer risk and nitrate exposure through drinking water and diet. International Journal of Cancer, 2016, 139, 334-346.	2.3	101
65	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. Science Translational Medicine, 2016, 8, 341ra76.	5.8	100
66	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2009, 90, 602-612.	2.2	98
67	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2007, 120, 2656-2664.	2.3	96
68	Validez del diagnóstico referido de diabetes, hipertensión e hiperlipemia en población adulta española. Resultados del estudio DINO. Revista Espanola De Cardiologia, 2009, 62, 143-152.	0.6	96
69	Healthy lifestyle and risk of breast cancer among postmenopausal women in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition cohort study. International Journal of Cancer, 2015, 136, 2640-2648.	2.3	95
70	Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). Cancer Causes and Control, 2010, 21, 1213-1225.	0.8	93
71	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. Hepatology, 2014, 60, 1222-1230.	3.6	91
72	Recent Changes in Breast Cancer Incidence in Spain, 1980–2004. Journal of the National Cancer Institute, 2009, 101, 1584-1591.	3.0	90

#	Article	IF	CITATIONS
73	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2011, 94, 1266-1275.	2.2	90
74	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1121-1127.	1.1	88
75	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2013, 8, e72715.	1.1	85
76	Phytosterol plasma concentrations and coronary heart disease in the prospective Spanish EPIC cohort. Journal of Lipid Research, 2010, 51, 618-624.	2.0	84
77	Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. Journal of the National Cancer Institute, 2014, 106, dju097.	3.0	84
78	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. British Journal of Nutrition, 2012, 108, 2075-2082.	1,2	83
79	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 103, 454-464.	2.2	83
80	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2012, 96, 1398-1408.	2.2	81
81	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. Human Molecular Genetics, 2012, 21, 456-462.	1.4	81
82	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. Clinical Cancer Research, 2016, 22, 4664-4675.	3.2	80
83	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Haematologica, 2008, 93, 1666-1677.	1.7	78
84	Accuracy of Self-Reported Diabetes, Hypertension, and Hyperlipidemia in the Adult Spanish Population. DINO Study Findings. Revista Espanola De Cardiologia (English Ed ), 2009, 62, 143-152.	0.4	75
85	Prostate Cancer (PCa) Risk Variants and Risk of Fatal PCa in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. European Urology, 2014, 65, 1069-1075.	0.9	75
86	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 118, 3133-3139.	2.3	73
87	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2278-2286.	1.1	73
88	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 131, E544-54.	2.3	73
89	Dietary Intake of Polycyclic Aromatic Hydrocarbons in a Spanish Population. Journal of Food Protection, 2005, 68, 2190-2195.	0.8	72
90	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1328-1340.	1.1	72

#	Article	IF	CITATIONS
91	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Human Biology, 2011, 38, 194-202.	0.4	72
92	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 1667-1678.	2.3	72
93	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	2.2	70
94	Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. BMJ: British Medical Journal, 2012, 344, e363-e363.	2.4	69
95	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. International Journal of Cancer, 2015, 136, 1218-1227.	2.3	69
96	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. International Journal of Epidemiology, 2008, 37, 1316-1325.	0.9	68
97	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2012, 96, 345-355.	2.2	67
98	Combined effects of smoking and HPV16 in oropharyngeal cancer. International Journal of Epidemiology, 2016, 45, 752-761.	0.9	67
99	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. BMC Medicine, 2015, 13, 107.	2.3	66
100	Haplotype Analysis of the HSD17B1 Gene and Risk of Breast Cancer: A Comprehensive Approach to Multicenter Analyses of Prospective Cohort Studies. Cancer Research, 2006, 66, 2468-2475.	0.4	64
101	Occupation and skin cancer: the results of the HELIOS-I multicenter case-control study. BMC Public Health, 2007, 7, 180.	1.2	64
102	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 208-214.	1.1	64
103	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC–EURGAST). Cancer Letters, 2011, 311, 85-95.	3.2	62
104	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2416-2424.	1.1	60
105	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. International Journal of Cancer, 2014, 135, 2887-2899.	2.3	60
106	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2549-2561.	1.1	59
107	Dietary Flavonoid and Lignan Intake and Mortality in a Spanish Cohort. Epidemiology, 2013, 24, 726-733.	1.2	58
108	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	1.8	58

#	Article	IF	CITATIONS
109	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 2427-2434.	1.1	57
110	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. Cancer Causes and Control, 2010, 21, 657-669.	0.8	57
111	Characterizing Associations and SNP-Environment Interactions for GWAS-Identified Prostate Cancer Risk Markersâ€"Results from BPC3. PLoS ONE, 2011, 6, e17142.	1.1	57
112	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2007, 14, 81-90.	1.6	56
113	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. Journal of Epidemiology and Community Health, 2013, 67, 71-75.	2.0	56
114	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Carcinogenesis, 2012, 33, 361-367.	1.3	55
115	Healthy Lifestyle and Risk of Cancer in the European Prospective Investigation Into Cancer and Nutrition Cohort Study. Medicine (United States), 2016, 95, e2850.	0.4	55
116	CYP17 Genetic Variation and Risk of Breast and Prostate Cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2237-2246.	1.1	54
117	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2007, 166, 912-923.	1.6	53
118	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition Study. Journal of Clinical Oncology, 2015, 33, 877-884.	0.8	53
119	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2011, 129, 449-459.	2.3	51
120	Serum levels of organochlorine pesticides in healthy adults from five regions of Spain. Chemosphere, 2009, 76, 1518-1524.	4.2	50
121	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. Nature Communications, 2016, 7, 10979.	5 <b>.</b> 8	50
122	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844.	2.3	50
123	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 555-559.	1.1	45
124	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2015, 137, 2705-2714.	2.3	45
125	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. International Journal of Cancer, 2014, 135, 440-452.	2.3	44
126	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2011, 173, 26-37.	1.6	43

#	Article	IF	CITATIONS
127	An epidemiological model for prediction of endometrial cancer risk in Europe. European Journal of Epidemiology, 2016, 31, 51-60.	2.5	43
128	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 2643-2651.	2.3	42
129	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). American Journal of Clinical Nutrition, 2011, 94, 1304-1313.	2.2	41
130	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2012, 131, 2465-2469.	2.3	41
131	Risk Model for Colorectal Cancer in Spanish Population Using Environmental and Genetic Factors: Results from the MCC-Spain study. Scientific Reports, 2017, 7, 43263.	1.6	41
132	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. International Journal of Cancer, 2012, 130, 622-630.	2.3	40
133	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 28-38.	1.1	39
134	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. Public Health Nutrition, 2006, 9, 785-791.	1.1	38
135	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1384-1393.	1.6	38
136	Physical Activity and Risk of Cerebrovascular Disease in the European Prospective Investigation Into Cancer and Nutrition-Spain Study. Stroke, 2013, 44, 111-118.	1.0	38
137	Mediterranean Diet and Risk of Dementia and Alzheimer's Disease in the EPIC-Spain Dementia Cohort Study. Nutrients, 2021, 13, 700.	1.7	38
138	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1282-1287.	1.1	37
139	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 130, 2654-2663.	2.3	37
140	Smoking, Porphyromonas gingivalis and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested case–control study. BMC Musculoskeletal Disorders, 2015, 16, 331.	0.8	37
141	Endogenous Sex Steroids and Risk of Cervical Carcinoma: Results from the EPIC Study. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2532-2540.	1.1	36
142	Genetic Variation in the Vitamin D Pathway in Relation to Risk of Prostate Cancerâ€"Results from the Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 688-696.	1.1	36
143	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. BMC Endocrine Disorders, 2013, 13, 7.	0.9	34
144	Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. PLoS ONE, 2015, 10, e0137293.	1.1	33

#	Article	IF	CITATIONS
145	Cultural adaptation of the Latin American version of the World Health Organization Composite International Diagnostic Interview (WHO-CIDI) (v 3.0) for use in Spain. Gaceta Sanitaria, 2013, 27, 325-331.	0.6	32
146	Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. European Journal of Nutrition, 2015, 54, 365-375.	1.8	32
147	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. Preventive Medicine, 2016, 85, 106-112.	1.6	32
148	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2055-2065.	1.1	31
149	Sequence data and association statistics from 12,940 type 2 diabetes cases and controls. Scientific Data, 2017, 4, 170179.	2.4	31
150	Sources of Pre-Analytical Variations in Yield of DNA Extracted from Blood Samples: Analysis of 50,000 DNA Samples in EPIC. PLoS ONE, 2012, 7, e39821.	1.1	31
151	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	1.1	30
152	High adherence to the Western, Prudent, and Mediterranean dietary patterns and risk of gastric adenocarcinoma: MCC-Spain study. Gastric Cancer, 2018, 21, 372-382.	2.7	30
153	Aromatic DNA Adducts and Risk of Gastrointestinal Cancers: A Case–Cohort Study within the EPIC–Spain. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 685-692.	1.1	29
154	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Carcinogenesis, 2013, 34, 1244-1250.	1.3	29
155	Prevalence of diabetes in Murcia (Spain): A Mediterranean area characterised by obesity. Diabetes Research and Clinical Practice, 2006, 71, 202-209.	1.1	28
156	Aromatic DNA adducts and polymorphisms in metabolic genes in healthy adults: findings from the EPIC-Spain cohort. Carcinogenesis, 2009, 30, 968-976.	1.3	28
157	Is hospital discharge administrative data an appropriate source of information for cancer registries purposes? Some insights from four Spanish registries. BMC Health Services Research, 2010, 10, 9.	0.9	28
158	Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. European Journal of Nutrition, 2019, 58, 2003-2010.	1.8	28
159	Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. Journal of Nutritional Biochemistry, 2011, 22, 487-494.	1.9	27
160	Prevalence of metabolic syndrome in Murcia Region, a southern European Mediterranean area with low cardiovascular risk and high obesity. BMC Public Health, 2011, 11, 562.	1.2	27
161	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 2971-2979.	2.3	26
162	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1043-1045.	1.1	25

#	Article	IF	Citations
163	Influence of the introduction of the ICD-10 on tendencies of mortality by causes (1980–2004). Gaceta Sanitaria, 2009, 23, 144-146.	0.6	25
164	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). Occupational and Environmental Medicine, 2011, 68, 77-81.	1.3	24
165	Ovarian cancer early detection by circulating <scp>CA</scp> 125 in the context of antiâ€ <scp>CA</scp> 125 autoantibody levels: Results from the <scp>EPIC</scp> cohort. International Journal of Cancer, 2018, 142, 1355-1360.	2.3	24
166	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. Journal of the National Cancer Institute, 2014, 106, .	3.0	23
167	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1360-1369.	1.1	23
168	Smoking and myocardial infarction case-fatality: hospital and population approach. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 561-567.	3.1	21
169	Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. Clinical Gastroenterology and Hepatology, 2013, 11, 1486-1492.	2.4	21
170	Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. Atherosclerosis, 2010, 211, 531-538.	0.4	20
171	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Cancer Causes and Control, 2014, 25, 639-646.	0.8	20
172	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835.	0.9	19
173	Effects of public health interventions on industrial emissions and ambient air in Cartagena, Spain. Environmental Science and Pollution Research, 2009, 16, 152-161.	2.7	18
174	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of Clinical Oncology, 2017, 35, 1297-1303.	0.8	18
175	Changes in smoking habits in adults: results from a prospective study in Spain. Annals of Epidemiology, 2004, 14, 235-243.	0.9	17
176	Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Occupational and Environmental Medicine, 2013, 70, 464-470.	1.3	16
177	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. European Journal of Epidemiology, 2013, 28, 677-688.	2.5	15
178	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13·8-year follow-up study. Public Health Nutrition, 2016, 19, 674-681.	1,1	15
179	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPICâ€Spain). Molecular Nutrition and Food Research, 2017, 61, 1600649.	1.5	15
180	Helicobacter pylori seroprevalence in Spain: influence of adult and childhood sociodemographic factors. European Journal of Cancer Prevention, 2019, 28, 294-303.	0.6	15

#	Article	IF	Citations
181	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2209-2219.	1.1	14
182	Trends in prostate cancer survival in Spain: results from population-based cancer registries. Clinical and Translational Oncology, 2012, 14, 458-464.	1.2	14
183	Helicobacter pylori serological biomarkers of gastric cancer risk in the MCC-Spain case-control Study. Cancer Epidemiology, 2017, 50, 76-84.	0.8	14
184	Menstrual and Reproductive Factors and Risk of Gastric and Colorectal Cancer in Spain. PLoS ONE, 2016, 11, e0164620.	1.1	14
185	Post-Traumatic Stress Disorder and other mental disorders in the general population after Lorca's earthquakes, 2011 (Murcia, Spain): A cross-sectional study. PLoS ONE, 2017, 12, e0179690.	1.1	14
186	Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort. Carcinogenesis, 2014, 35, 2047-2054.	1.3	12
187	Association of alcohol dehydrogenase polymorphisms and lifeâ€style factors with excessive alcohol intake within the ⟨scp⟩S⟨/scp⟩panish population (⟨scp⟩EPIC⟨/scp⟩â€⟨scp⟩S⟨/scp⟩pain). Addiction, 2012, 107, 2117-2127.	1.7	11
188	Cardiovascular risk estimated after 13 years of follow-up in a low-incidence Mediterranean region with high-prevalence of cardiovascular risk factors. BMC Public Health, 2010, 10, 640.	1.2	10
189	Influence of Dopaminergic System Genetic Variation and Lifestyle Factors on Excessive Alcohol Consumption. Alcohol and Alcoholism, 2016, 51, 258-267.	0.9	10
190	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. Cancer Causes and Control, 2016, 27, 919-927.	0.8	9
191	Aromatic DNA adducts in relation to dietary and other lifestyle factors in Spanish adults. European Food Research and Technology, 2009, 229, 549-559.	1.6	8
192	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. European Journal of Public Health, 2016, 26, 439-445.	0.1	7
193	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. International Journal of Public Health, 2013, 58, 65-77.	1.0	6
194	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1089-1092.	1.1	6
195	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. DNA Repair, 2009, 8, 60-71.	1.3	4
196	Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after Lorca's earthquakes (Murcia, Spain) Psychiatry Research, 2019, 282, 112640.	1.7	3
197	Childhood adversities and suicidal behavior in the general population. The cross-sectional PEGASUS-Murcia Project. Revista De PsiquiatrÃa Y Salud Mental, 2024, 17, 11-18.	1.0	3
198	Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). BMJ Open, 2019, 9, e030328.	0.8	1