

Bin Tian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1870573/publications.pdf>

Version: 2024-02-01

181
papers

15,425
citations

18482

62
h-index

20961

115
g-index

189
all docs

189
docs citations

189
times ranked

18716
citing authors

#	ARTICLE	IF	CITATIONS
1	CRISPRpas: programmable regulation of alternative polyadenylation by dCas9. <i>Nucleic Acids Research</i> , 2022, 50, e25-e25.	14.5	9
2	Alternative polyadenylation dysregulation contributes to the differentiation block of acute myeloid leukemia. <i>Blood</i> , 2022, 139, 424-438.	1.4	11
3	Neuronal Cells Display Distinct Stability Controls of Alternative Polyadenylation mRNA Isoforms, Long Non-Coding RNAs, and Mitochondrial RNAs. <i>Frontiers in Genetics</i> , 2022, 13, .	2.3	3
4	ADAR1 downregulation by autophagy drives senescence independently of RNA editing by enhancing p16INK4a levels. <i>Nature Cell Biology</i> , 2022, 24, 1202-1210.	10.3	19
5	SETX (senataxin), the helicase mutated in AOA2 and ALS4, functions in autophagy regulation. <i>Autophagy</i> , 2021, 17, 1889-1906.	9.1	34
6	A CRISPR RNA-binding protein screen reveals regulators of RUNX1 isoform generation. <i>Blood Advances</i> , 2021, 5, 1310-1323.	5.2	5
7	Alternative 3' UTRs play a widespread role in translation-independent mRNA association with the endoplasmic reticulum. <i>Cell Reports</i> , 2021, 36, 109407.	6.4	14
8	MAAPER: model-based analysis of alternative polyadenylation using 3' end-linked reads. <i>Genome Biology</i> , 2021, 22, 222.	8.8	12
9	SCAPTURE: a deep learning-embedded pipeline that captures polyadenylation information from 3' tag-based RNA-seq of single cells. <i>Genome Biology</i> , 2021, 22, 221.	8.8	15
10	Modulation of alternative cleavage and polyadenylation events by dCas9-mediated CRISPRpas. <i>Methods in Enzymology</i> , 2021, 655, 459-482.	1.0	2
11	Preface. <i>Methods in Enzymology</i> , 2021, 655, xix-xx.	1.0	0
12	A complex pattern of post-divergence expansion, contraction, introgression, and asynchronous responses to Pleistocene climate changes in two <i>Dipeltaster</i> species from western China. <i>Journal of Systematics and Evolution</i> , 2020, 58, 247-262.	3.1	13
13	Thioredoxin-1 maintains mitochondrial function via mechanistic target of rapamycin signalling in the heart. <i>Cardiovascular Research</i> , 2020, 116, 1742-1755.	3.8	18
14	3' READS + RIP defines differential Staufen1 binding to alternative 3' UTR isoforms and reveals structures and sequence motifs influencing binding and polysome association. <i>Rna</i> , 2020, 26, 1621-1636.	3.5	8
15	ALS/FTD-associated protein FUS induces mitochondrial dysfunction by preferentially sequestering respiratory chain complex mRNAs. <i>Genes and Development</i> , 2020, 34, 785-805.	5.9	46
16	Identification of candidate chromosome region of <i>Sbwm1</i> for Soil-borne wheat mosaic virus resistance in wheat. <i>Scientific Reports</i> , 2020, 10, 8119.	3.3	10
17	Widespread transcript shortening through alternative polyadenylation in secretory cell differentiation. <i>Nature Communications</i> , 2020, 11, 3182.	12.8	34
18	U1 snRNP regulates chromatin retention of noncoding RNAs. <i>Nature</i> , 2020, 580, 147-150.	27.8	150

#	ARTICLE	IF	CITATIONS
19	APalyzer: a bioinformatics package for analysis of alternative polyadenylation isoforms. <i>Bioinformatics</i> , 2020, 36, 3907-3909.	4.1	44
20	Phylogeographic Analyses of the East Asian Endemic Genus <i>Prinsepia</i> and the Role of the East Asian Monsoon System in Shaping a North-South Divergence Pattern in China. <i>Frontiers in Genetics</i> , 2019, 10, 128.	2.3	11
21	New means to an end: mRNA export activity impacts alternative polyadenylation. <i>Transcription</i> , 2019, 10, 207-211.	3.1	0
22	Gene editing of the wheat homologs of <i>TONNEAU1</i> recruiting motif encoding gene affects grain shape and weight in wheat. <i>Plant Journal</i> , 2019, 100, 251-264.	5.7	97
23	Host-derived gene silencing of parasite fitness genes improves resistance to soybean cyst nematodes in stable transgenic soybean. <i>Theoretical and Applied Genetics</i> , 2019, 132, 2651-2662.	3.6	15
24	Paf1C regulates RNA polymerase II progression by modulating elongation rate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 14583-14592.	7.1	83
25	hnRNPC regulates cancer-specific alternative cleavage and polyadenylation profiles. <i>Nucleic Acids Research</i> , 2019, 47, 7580-7591.	14.5	86
26	A deletion mutation in TaHRC confers Fhb1 resistance to Fusarium head blight in wheat. <i>Nature Genetics</i> , 2019, 51, 1099-1105.	21.4	258
27	Regulation of Intronic Polyadenylation by PCF11 Impacts mRNA Expression of Long Genes. <i>Cell Reports</i> , 2019, 26, 2766-2778.e6.	6.4	77
28	<i>ALYREF</i> links 3' end processing to nuclear export of non-polyadenylated mRNA s. <i>EMBO Journal</i> , 2019, 38, .	7.8	30
29	The mRNA Export Receptor NXF1 Coordinates Transcriptional Dynamics, Alternative Polyadenylation, and mRNA Export. <i>Molecular Cell</i> , 2019, 74, 118-131.e7.	9.7	34
30	Glycogen Synthase Kinase-3 Promotes Fatty Acid Uptake and Lipotoxic Cardiomyopathy. <i>Cell Metabolism</i> , 2019, 29, 1119-1134.e12.	16.2	77
31	Aphid vectors impose a major bottleneck on Soybean dwarf virus populations for horizontal transmission in soybean. <i>Phytopathology Research</i> , 2019, 1, .	2.4	2
32	Allelochemicals targeted to balance competing selections in African agroecosystems. <i>Nature Plants</i> , 2019, 5, 1229-1236.	9.3	41
33	A Translation-Activating Function of MIWI/piRNA during Mouse Spermiogenesis. <i>Cell</i> , 2019, 179, 1566-1581.e16.	28.9	136
34	Biolistic Transformation of Wheat. <i>Methods in Molecular Biology</i> , 2019, 1864, 117-130.	0.9	10
35	Hippo Deficiency Leads to Cardiac Dysfunction Accompanied by Cardiomyocyte Dedifferentiation During Pressure Overload. <i>Circulation Research</i> , 2019, 124, 292-305.	4.5	82
36	PolyA_DB 3 catalogs cleavage and polyadenylation sites identified by deep sequencing in multiple genomes. <i>Nucleic Acids Research</i> , 2018, 46, D315-D319.	14.5	172

#	ARTICLE	IF	CITATIONS
37	Expression of a rice soluble starch synthase gene in transgenic wheat improves the grain yield under heat stress conditions. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2018, 54, 216-227.	2.1	50
38	Transcriptome 3' end organization by PCF11 links alternative polyadenylation to formation and neuronal differentiation of neuroblastoma. <i>Nature Communications</i> , 2018, 9, 5331.	12.8	75
39	Common mechanism of transcription termination at coding and noncoding RNA genes in fission yeast. <i>Nature Communications</i> , 2018, 9, 4364.	12.8	35
40	Analysis of alternative cleavage and polyadenylation in mature and differentiating neurons using RNA-seq data. <i>Quantitative Biology</i> , 2018, 6, 253-266.	0.5	28
41	The <i>C9ORF72</i> Gene, Implicated in Amyotrophic Lateral Sclerosis and Frontotemporal Dementia, Encodes a Protein That Functions in Control of Endothelin and Glutamate Signaling. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	26
42	A compendium of conserved cleavage and polyadenylation events in mammalian genes. <i>Genome Research</i> , 2018, 28, 1427-1441.	5.5	81
43	Cellular stress alters 3'UTR landscape through alternative polyadenylation and isoform-specific degradation. <i>Nature Communications</i> , 2018, 9, 2268.	12.8	104
44	FIP1L1 Regulates Alternative Polyadenylation of Leukemia-Associated Genes in Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 3882-3882.	1.4	3
45	NF2 Activates Hippo Signaling and Promotes Ischemia/Reperfusion Injury in Heart. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, OR2-1.	0.0	0
46	RNA-seq methods for transcriptome analysis. <i>Wiley Interdisciplinary Reviews RNA</i> , 2017, 8, e1364.	6.4	433
47	Differentiation in drought tolerance mirrors the geographic distributions of alpine plants on the Qinghai-Tibet Plateau and adjacent highlands. <i>Scientific Reports</i> , 2017, 7, 42466.	3.3	10
48	Novel mouse models of oculopharyngeal muscular dystrophy (OPMD) reveal early onset mitochondrial defects and suggest loss of PABPN1 may contribute to pathology. <i>Human Molecular Genetics</i> , 2017, 26, 3235-3252.	2.9	42
49	Tudor-SN-mediated endonucleolytic decay of human cell microRNAs promotes G ¹ /S phase transition. <i>Science</i> , 2017, 356, 859-862.	12.6	77
50	Dynamic landscape of alternative polyadenylation during retinal development. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 1721-1739.	5.4	20
51	Distinct regulation of alternative polyadenylation and gene expression by nuclear poly(A) polymerases. <i>Nucleic Acids Research</i> , 2017, 45, 8930-8942.	14.5	31
52	Regulation of gene expression by translation factor eIF5A: Hypusine-modified eIF5A enhances nonsense-mediated mRNA decay in human cells. <i>Translation</i> , 2017, 5, e1366294.	2.9	14
53	Transcription elongation rate has a tissue-specific impact on alternative cleavage and polyadenylation in <i>Drosophila melanogaster</i> . <i>Rna</i> , 2017, 23, 1807-1816.	3.5	53
54	Comparative analysis of alternative polyadenylation in <i>S. cerevisiae</i> and <i>S. pombe</i> . <i>Genome Research</i> , 2017, 27, 1685-1695.	5.5	40

#	ARTICLE	IF	CITATIONS
55	An Mtr4/ZFC3H1 complex facilitates turnover of unstable nuclear RNAs to prevent their cytoplasmic transport and global translational repression. <i>Genes and Development</i> , 2017, 31, 1257-1271.	5.9	98
56	ALYREF mainly binds to the 5' and the 3' regions of the mRNA in vivo. <i>Nucleic Acids Research</i> , 2017, 45, 9640-9653.	14.5	87
57	Polyadenylation Site-Based Analysis of Transcript Expression by 3'ENDS+. <i>Methods in Molecular Biology</i> , 2017, 1648, 65-77.	0.9	5
58	MPK1/SLT2 Links Multiple Stress Responses with Gene Expression in Budding Yeast by Phosphorylating Tyr1 of the RNAP II CTD. <i>Molecular Cell</i> , 2017, 68, 913-925.e3.	9.7	32
59	Activity-Dependent Regulation of Alternative Cleavage and Polyadenylation During Hippocampal Long-Term Potentiation. <i>Scientific Reports</i> , 2017, 7, 17377.	3.3	38
60	Are nectar guide colour changes a reliable signal to pollinators that enhances reproductive success?. <i>Plant Ecology and Diversity</i> , 2017, 10, 89-96.	2.4	14
61	Alternative polyadenylation of mRNA precursors. <i>Nature Reviews Molecular Cell Biology</i> , 2017, 18, 18-30.	37.0	848
62	Genome-wide identification of soybean microRNA responsive to soybean cyst nematodes infection by deep sequencing. <i>BMC Genomics</i> , 2017, 18, 572.	2.8	56
63	Host Adaptation of Soybean Dwarf Virus Following Serial Passages on Pea (<i>Pisum sativum</i>) and Soybean (<i>Glycine max</i>). <i>Viruses</i> , 2017, 9, 155.	3.3	6
64	Host-Derived Artificial MicroRNA as an Alternative Method to Improve Soybean Resistance to Soybean Cyst Nematode. <i>Genes</i> , 2016, 7, 122.	2.4	23
65	The Nrd1-like protein Seb1 coordinates cotranscriptional 3' end processing and polyadenylation site selection. <i>Genes and Development</i> , 2016, 30, 1558-1572.	5.9	46
66	Development and Characterization of Novel EST-SSR Markers for <i>Speranskia tuberculata</i> (Euphorbiaceae). <i>Applications in Plant Sciences</i> , 2016, 4, 1600067.	2.1	1
67	Intronic cleavage and polyadenylation regulates gene expression during DNA damage response through U1 snRNA. <i>Cell Discovery</i> , 2016, 2, 16013.	6.7	36
68	Changes of flowering phenology and flower size in rosaceous plants from a biodiversity hotspot in the past century. <i>Scientific Reports</i> , 2016, 6, 28302.	3.3	7
69	KDM5 lysine demethylases are involved in maintenance of 3'UTR length. <i>Science Advances</i> , 2016, 2, e1501662.	10.3	23
70	Alternative cleavage and polyadenylation in spermatogenesis connects chromatin regulation with post-transcriptional control. <i>BMC Biology</i> , 2016, 14, 6.	3.8	72
71	3'ENDS+, a sensitive and accurate method for 3' end sequencing of polyadenylated RNA. <i>Rna</i> , 2016, 22, 1631-1639.	3.5	62
72	NF2 Activates Hippo Signaling and Promotes Ischemia/Reperfusion Injury in the Heart. <i>Circulation Research</i> , 2016, 119, 596-606.	4.5	103

#	ARTICLE	IF	CITATIONS
73	Highly sensitive sequencing reveals dynamic modifications and activities of small RNAs in mouse oocytes and early embryos. <i>Science Advances</i> , 2016, 2, e1501482.	10.3	122
74	Control of embryonic stem cell self-renewal and differentiation via coordinated alternative splicing and translation of YY2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 12360-12367.	7.1	54
75	Alternative Polyadenylation in Triple-Negative Breast Tumors Allows NRAS and c-JUN to Bypass PUMILIO Posttranscriptional Regulation. <i>Cancer Research</i> , 2016, 76, 7231-7241.	0.9	47
76	Dorsal root ganglion transcriptome analysis following peripheral nerve injury in mice. <i>Molecular Pain</i> , 2016, 12, 174480691662904.	2.1	90
77	Subcellular RNA profiling links splicing and nuclear DICER1 to alternative cleavage and polyadenylation. <i>Genome Research</i> , 2016, 26, 24-35.	5.5	70
78	PAF Complex Plays Novel Subunit-Specific Roles in Alternative Cleavage and Polyadenylation. <i>PLoS Genetics</i> , 2016, 12, e1005794.	3.5	55
79	An Ideal PPAR Response Element Bound to and Activated by PPAR α . <i>PLoS ONE</i> , 2015, 10, e0134996.	2.5	33
80	Development and Characterization of EST-SSR Markers in <i>Bombax ceiba</i> (Malvaceae). <i>Applications in Plant Sciences</i> , 2015, 3, 1500001.	2.1	8
81	Systematic Profiling of Poly(A) ⁺ Transcripts Modulated by Core 3' End Processing and Splicing Factors Reveals Regulatory Rules of Alternative Cleavage and Polyadenylation. <i>PLoS Genetics</i> , 2015, 11, e1005166.	3.5	217
82	A post-transcriptional mechanism pacing expression of neural genes with precursor cell differentiation status. <i>Nature Communications</i> , 2015, 6, 7576.	12.8	36
83	Mutant p53 cooperates with the SWI/SNF chromatin remodeling complex to regulate <i>VEGFR2</i> in breast cancer cells. <i>Genes and Development</i> , 2015, 29, 1298-1315.	5.9	115
84	Mapping 3' mRNA Isoforms on a Genomic Scale. <i>Current Protocols in Molecular Biology</i> , 2015, 110, 4.23.1-4.23.17.	2.9	14
85	miR-206 Mediates YAP-Induced Cardiac Hypertrophy and Survival. <i>Circulation Research</i> , 2015, 117, 891-904.	4.5	133
86	RBBP6 isoforms regulate the human polyadenylation machinery and modulate expression of mRNAs with AU-rich 3' UTRs. <i>Genes and Development</i> , 2014, 28, 2248-2260.	5.9	76
87	Threonine-4 of the budding yeast RNAP II CTD couples transcription with Htz1-mediated chromatin remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11924-11931.	7.1	26
88	RNA-Binding Proteins in Regulation of Alternative Cleavage and Polyadenylation. <i>Advances in Experimental Medicine and Biology</i> , 2014, 825, 97-127.	1.6	45
89	Sizing up the poly(A) tail: insights from deep sequencing. <i>Trends in Biochemical Sciences</i> , 2014, 39, 255-257.	7.5	20
90	A post-translational regulatory switch on UPF1 controls targeted mRNA degradation. <i>Genes and Development</i> , 2014, 28, 1900-1916.	5.9	148

#	ARTICLE	IF	CITATIONS
91	Accurate Mapping of Cleavage and Polyadenylation Sites by 3' Region Extraction and Deep Sequencing. <i>Methods in Molecular Biology</i> , 2014, 1125, 119-129.	0.9	20
92	RNAP II CTD tyrosine 1 performs diverse functions in vertebrate cells. <i>ELife</i> , 2014, 3, e02112.	6.0	41
93	Metabolomic analysis of two different models of delayed preconditioning. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 55, 19-26.	1.9	9
94	STAU1 binding 3' UTR IRAlu's complements nuclear retention to protect cells from PKR-mediated translational shutdown. <i>Genes and Development</i> , 2013, 27, 1495-1510.	5.9	109
95	Analysis of alternative cleavage and polyadenylation by 3' region extraction and deep sequencing. <i>Nature Methods</i> , 2013, 10, 133-139.	19.0	386
96	Toward a Genome-Wide Landscape of Translational Control. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013, 5, a012302-a012302.	5.5	50
97	Alternative cleavage and polyadenylation: the long and short of it. <i>Trends in Biochemical Sciences</i> , 2013, 38, 312-320.	7.5	297
98	The Conserved Intronic Cleavage and Polyadenylation Site of CstF-77 Gene Imparts Control of 3' End Processing Activity through Feedback Autoregulation and by U1 snRNP. <i>PLoS Genetics</i> , 2013, 9, e1003613.	3.5	44
99	Increased Oxidative Stress in the Nucleus Caused by Nox4 Mediates Oxidation of HDAC4 and Cardiac Hypertrophy. <i>Circulation Research</i> , 2013, 112, 651-663.	4.5	154
100	Mathematical Modeling of Alternative Polyadenylation in the Human Gene, <i>CSTF3</i> . <i>SIAM Journal on Applied Mathematics</i> , 2013, 73, 1793-1810.	1.8	0
101	Positive and negative feedback loops in the p53 and mRNA 3' processing pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3351-3356.	7.1	50
102	A Polymorphic 3' UTR Element in ATP1B1 Regulates Alternative Polyadenylation and Is Associated with Blood Pressure. <i>PLoS ONE</i> , 2013, 8, e76290.	2.5	17
103	Ablation of sarcolipin results in atrial remodeling. <i>American Journal of Physiology - Cell Physiology</i> , 2012, 302, C1762-C1771.	4.6	42
104	The PARN Deadenylation Targets a Discrete Set of mRNAs for Decay and Regulates Cell Motility in Mouse Myoblasts. <i>PLoS Genetics</i> , 2012, 8, e1002901.	3.5	47
105	Mediator MED23 plays opposing roles in directing smooth muscle cell and adipocyte differentiation. <i>Genes and Development</i> , 2012, 26, 2192-2205.	5.9	63
106	Analysis of <i>C. elegans</i> intestinal gene expression and polyadenylation by fluorescence-activated nuclei sorting and 3'-end-seq. <i>Nucleic Acids Research</i> , 2012, 40, 6304-6318.	14.5	69
107	Suppression of ERR targets by a PPAR α /Sirt1 complex in the failing heart. <i>Cell Cycle</i> , 2012, 11, 856-864.	2.6	29
108	A Probability Similarity Scoring Schema Incorporating Positional Trends in Information Content for DNA Motifs Comparison. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
109	Star-PAP Control of BIK Expression and Apoptosis Is Regulated by Nuclear PIPKÎ± and PKCÎ³ Signaling. <i>Molecular Cell</i> , 2012, 45, 25-37.	9.7	57
110	Mediator Complex Regulates Alternative mRNA Processing via the MED23 Subunit. <i>Molecular Cell</i> , 2012, 45, 459-469.	9.7	145
111	Mutant p53 Disrupts Mammary Tissue Architecture via the Mevalonate Pathway. <i>Cell</i> , 2012, 148, 244-258.	28.9	736
112	Common mechanisms for calorie restriction and adenylyl cyclase type 5 knockout models of longevity. <i>Aging Cell</i> , 2012, 11, 1110-1120.	6.7	27
113	Transcription termination between polo and snap, two closely spaced tandem genes of <i>D. melanogaster</i> . <i>Transcription</i> , 2012, 3, 198-212.	3.1	13
114	The Î±,CstF-64 Polyadenylation Protein Controls Genome Expression in Testis. <i>PLoS ONE</i> , 2012, 7, e48373.	2.5	26
115	Signals for pre-mRNA cleavage and polyadenylation. <i>Wiley Interdisciplinary Reviews RNA</i> , 2012, 3, 385-396.	6.4	192
116	Cardiomyocyte overexpression of the Î± ₁ -adrenergic receptor in the rat phenocopies second but not first window preconditioning. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H1614-H1624.	3.2	16
117	Global analysis reveals multiple pathways for unique regulation of mRNA decay in induced pluripotent stem cells. <i>Genome Research</i> , 2012, 22, 1457-1467.	5.5	41
118	Enhanced Exercise Capacity in Adenylyl Cyclase Type 5 Knockout Mimics Chronic Exercise Training. <i>FASEB Journal</i> , 2012, 26, .	0.5	0
119	Transcriptional activity regulates alternative cleavage and polyadenylation. <i>Molecular Systems Biology</i> , 2011, 7, 534.	7.2	111
120	PPARÎ±-Sirt1 Complex Mediates Cardiac Hypertrophy and Failure through Suppression of the ERR Transcriptional Pathway. <i>Cell Metabolism</i> , 2011, 14, 598-611.	16.2	173
121	Developmental ablation of Id1 and Id3 genes in the vasculature leads to postnatal cardiac phenotypes. <i>Developmental Biology</i> , 2011, 349, 53-64.	2.0	22
122	Comparative Analysis of mRNA Isoform Expression in Cardiac Hypertrophy and Development Reveals Multiple Post-Transcriptional Regulatory Modules. <i>PLoS ONE</i> , 2011, 6, e22391.	2.5	65
123	Endogenous Muscle Atrophy F-Box Mediates Pressure Overload-Induced Cardiac Hypertrophy Through Regulation of Nuclear Factor-Î²B. <i>Circulation Research</i> , 2011, 109, 161-171.	4.5	72
124	H11 Kinase/Heat Shock Protein 22 Deletion Impairs Both Nuclear and Mitochondrial Functions of STAT3 and Accelerates the Transition Into Heart Failure on Cardiac Overload. <i>Circulation</i> , 2011, 124, 406-415.	1.6	98
125	The evolution and expression of the snaR family of small non-coding RNAs. <i>Nucleic Acids Research</i> , 2011, 39, 1485-1500.	14.5	59
126	Acquisition and Transmissibility of U.S. Soybean dwarf virus Isolates by the Soybean Aphid, <i>Aphis glycines</i> . <i>Plant Disease</i> , 2011, 95, 945-950.	1.4	16

#	ARTICLE	IF	CITATIONS
127	A functional human Poly(A) site requires only a potent DSE and an A-rich upstream sequence. <i>EMBO Journal</i> , 2010, 29, 1523-1536.	7.8	78
128	Systematic Analysis of Cis-Elements in Unstable mRNAs Demonstrates that CUGBP1 Is a Key Regulator of mRNA Decay in Muscle Cells. <i>PLoS ONE</i> , 2010, 5, e11201.	2.5	122
129	Molecular mechanisms mediating preconditioning following chronic ischemia differ from those in classical second window. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H752-H762.	3.2	36
130	Alternative polyadenylation of MeCP2: influence of cis-acting elements and trans-acting factors. <i>RNA Biology</i> , 2010, 7, 361-372.	3.1	31
131	Microarray Analysis Provides a Link between Adenylyl Cyclase Type 5 and Pressure Overload Hypertrophy. <i>FASEB Journal</i> , 2010, 24, 1036.16.	0.5	0
132	Reprogramming of 3' UTRs of mRNAs by Alternative Polyadenylation in Generation of Pluripotent Stem Cells from Different Cell Types. <i>PLoS ONE</i> , 2009, 4, e8419.	2.5	245
133	Progressive lengthening of 3' UTRs of mRNAs by alternative polyadenylation during mouse embryonic development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 7028-7033.	7.1	545
134	Mining small RNA structure elements in untranslated regions of human and mouse mRNAs using structure-based alignment. <i>BMC Genomics</i> , 2008, 9, 189.	2.8	15
135	Characterization of a Novel Cardiac Isoform of the Cell Cycle-related Kinase That Is Regulated during Heart Failure. <i>Journal of Biological Chemistry</i> , 2008, 283, 22157-22165.	3.4	23
136	Repetitive Ischemia by Coronary Stenosis Induces a Novel Window of Ischemic Preconditioning. <i>Circulation</i> , 2008, 118, 1961-1969.	1.6	44
137	Phylogenetic analysis of mRNA polyadenylation sites reveals a role of transposable elements in evolution of the 3' UTR of genes. <i>Nucleic Acids Research</i> , 2008, 36, 5581-5590.	14.5	100
138	Distinct roles of GSK-3 α and GSK-3 β phosphorylation in the heart under pressure overload. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 20900-20905.	7.1	129
139	Identification of mRNA Polyadenylation Sites in Genomes Using cDNA Sequences, Expressed Sequence Tags, and Trace. <i>Methods in Molecular Biology</i> , 2008, 419, 23-37.	0.9	14
140	Sex-specific regulation of gene expression in the aging monkey aorta. <i>Physiological Genomics</i> , 2007, 29, 169-180.	2.3	43
141	PolyA_DB 2: mRNA polyadenylation sites in vertebrate genes. <i>Nucleic Acids Research</i> , 2007, 35, D165-D168.	14.5	156
142	Widespread mRNA polyadenylation events in introns indicate dynamic interplay between polyadenylation and splicing. <i>Genome Research</i> , 2007, 17, 156-165.	5.5	184
143	Roles for the Human ATP-dependent Lon Protease in Mitochondrial DNA Maintenance*. <i>Journal of Biological Chemistry</i> , 2007, 282, 17363-17374.	3.4	122
144	RADAR: a web server for RNA data analysis and research. <i>Nucleic Acids Research</i> , 2007, 35, W300-W304.	14.5	22

#	ARTICLE	IF	CITATIONS
145	Loss of polyadenylation protein β , CstF-64 causes spermatogenic defects and male infertility. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20374-20379.	7.1	82
146	Search of the human proteome for endomorphin-1 and endomorphin-2 precursor proteins. Life Sciences, 2007, 81, 1593-1601.	4.3	29
147	Sirt1 Regulates Aging and Resistance to Oxidative Stress in the Heart. Circulation Research, 2007, 100, 1512-1521.	4.5	977
148	Cellular mRNA Activates Transcription Elongation by Displacing 7SK RNA. PLoS ONE, 2007, 2, e1010.	2.5	14
149	Salmonid microarrays identify intestinal genes that reliably monitor P deficiency in rainbow trout aquaculture. Animal Genetics, 2007, 38, 319-331.	1.7	28
150	Alternative mRNA Polyadenylation Can Potentially Affect Detection of Gene Expression by Affymetrix GeneChip?? Arrays. Applied Bioinformatics, 2006, 5, 249-253.	1.6	15
151	Cloning and characterization of a cDNA encoding Ran binding protein from wheat. DNA Sequence, 2006, 17, 136-142.	0.7	8
152	RADAR: An Interactive Web-Based Toolkit for RNA Data Analysis and Research. , 2006, , .		4
153	An intronic polyadenylation site in human and mouse CstF-77 genes suggests an evolutionarily conserved regulatory mechanism. Gene, 2006, 366, 325-334.	2.2	37
154	Thioredoxin1 Upregulates Mitochondrial Proteins Related to Oxidative Phosphorylation and TCA Cycle in the Heart. Antioxidants and Redox Signaling, 2006, 8, 1635-1650.	5.4	47
155	Global changes in gene expression during cardiac hypertrophy: A new direction of cardiac signaling research. Journal of Molecular and Cellular Cardiology, 2006, 41, 219-222.	1.9	8
156	Using emerging genome data to identify conserved bone morphogenetic protein (Bmp) 2 gene expression mechanisms. , 2006, , .		5
157	Prediction of mRNA polyadenylation sites by support vector machine. Bioinformatics, 2006, 22, 2320-2325.	4.1	111
158	Characterization of the Mouse IFN- β Ligand-Receptor System: IFN- β s Exhibit Antitumor Activity against B16 Melanoma. Cancer Research, 2006, 66, 4468-4477.	0.9	229
159	Increased expression of genes promoting cell survival after myocardial infarction in monkeys. FASEB Journal, 2006, 20, A1190.	0.5	0
160	A method for aligning RNA secondary structures and its application to RNA motif detection. BMC Bioinformatics, 2005, 6, 89.	2.6	46
161	Two Gamma Interferon-Activated Site-Like Elements in the Human Cytomegalovirus Major Immediate-Early Promoter/Enhancer Are Important for Viral Replication. Journal of Virology, 2005, 79, 5035-5046.	3.4	41
162	Bioinformatic identification of candidate cis-regulatory elements involved in human mRNA polyadenylation. Rna, 2005, 11, 1485-1493.	3.5	212

#	ARTICLE	IF	CITATIONS
163	Granulin and Granulin Repeats Interact with the Tat ^Δ P-TEFb Complex and Inhibit Tat Transactivation. <i>Journal of Biological Chemistry</i> , 2005, 280, 13648-13657.	3.4	31
164	A large-scale analysis of mRNA polyadenylation of human and mouse genes. <i>Nucleic Acids Research</i> , 2005, 33, 201-212.	14.5	854
165	Alternative polyadenylation of cyclooxygenase-2. <i>Nucleic Acids Research</i> , 2005, 33, 2565-2579.	14.5	80
166	Biochemical characterization of a cinnamoyl-CoA reductase from wheat. <i>Biological Chemistry</i> , 2005, 386, 553-60.	2.5	35
167	Cleavage Site Selection within a Folded Substrate by the ATP-dependent Lon Protease*. <i>Journal of Biological Chemistry</i> , 2005, 280, 25103-25110.	3.4	100
168	Global Analysis of Pub1p Targets Reveals a Coordinate Control of Gene Expression through Modulation of Binding and Stability. <i>Molecular and Cellular Biology</i> , 2005, 25, 5499-5513.	2.3	73
169	Polymorphic CUG Repeats in Human mRNAs and Their Effects on Gene Expression. <i>RNA Biology</i> , 2005, 2, 149-156.	3.1	6
170	Characterization of a wheat histidine-containing phosphotransfer protein (HP) that is regulated by cytokinin-mediated inhibition of leaf senescence. <i>Plant Science</i> , 2005, 168, 1507-1514.	3.6	9
171	Biased alternative polyadenylation in human tissues. <i>Genome Biology</i> , 2005, 6, R100.	9.6	261
172	Tid1, a Cochaperone of the Heat Shock 70 Protein and the Mammalian Counterpart of the Drosophila Tumor Suppressor I(2)tid, Is Critical for Early Embryonic Development and Cell Survival. <i>Molecular and Cellular Biology</i> , 2004, 24, 2226-2236.	2.3	52
173	PolyA_DB: a database for mammalian mRNA polyadenylation. <i>Nucleic Acids Research</i> , 2004, 33, D116-D120.	14.5	102
174	The double-stranded-RNA-binding motif: interference and much more. <i>Nature Reviews Molecular Cell Biology</i> , 2004, 5, 1013-1023.	37.0	229
175	Association between gene expression profile and tumor invasion in oral squamous cell carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 2004, 154, 27-35.	1.0	148
176	Phylogenetics and Functions of the Double-Stranded RNA-Binding Motif: A Genomic Survey. <i>Progress in Molecular Biology and Translational Science</i> , 2003, 74, 123-158.	1.9	13
177	Nuclei and subnuclei gene expression profiling in mammalian brain. <i>Brain Research</i> , 2002, 943, 38-47.	2.2	151
178	Hepatitis C Virus Envelope Protein E2 Does Not Inhibit PKR by Simple Competition with Autophosphorylation Sites in the RNA-Binding Domain. <i>Journal of Virology</i> , 2001, 75, 1265-1273.	3.4	58
179	Functional Characterization of and Cooperation between the Double-stranded RNA-binding Motifs of the Protein Kinase PKR. <i>Journal of Biological Chemistry</i> , 2001, 276, 9936-9944.	3.4	78
180	Binding of Double-stranded RNA to Protein Kinase PKR Is Required for Dimerization and Promotes Critical Autophosphorylation Events in the Activation Loop. <i>Journal of Biological Chemistry</i> , 2001, 276, 24946-24958.	3.4	165

#	ARTICLE	IF	CITATIONS
181	Expanded CUG repeat RNAs form hairpins that activate the double-stranded RNA-dependent protein kinase PKR. <i>Rna</i> , 2000, 6, 79-87.	3.5	225