

Adrian W Gilmore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1873718/publications.pdf>

Version: 2024-02-01

40
papers

5,629
citations

279798

23
h-index

315739

38
g-index

47
all docs

47
docs citations

47
times ranked

5710
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comparison of Single- and Multi-Echo Processing of Functional MRI Data During Overt Autobiographical Recall. <i>Frontiers in Neuroscience</i> , 2022, 16, 854387.	2.8	6
2	Specifying “where” and “what” is critical for testing hippocampal contributions to memory retrieval. <i>Cognitive Neuroscience</i> , 2022, 13, 144-146.	1.4	2
3	A Role for the Anterior Hippocampus in Autobiographical Memory Construction Regardless of Temporal Distance. <i>Journal of Neuroscience</i> , 2022, 42, 6445-6452.	3.6	9
4	Evidence supporting a time-limited hippocampal role in retrieving autobiographical memories. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	33
5	Brain network reorganisation in an adolescent after bilateral perinatal strokes. <i>Lancet Neurology</i> , 2021, 20, 255-256.	10.2	16
6	The stability of visual perspective and vividness during mental time travel. <i>Consciousness and Cognition</i> , 2021, 92, 103116.	1.5	6
7	Precision functional mapping of human memory systems. <i>Current Opinion in Behavioral Sciences</i> , 2021, 40, 52-57.	3.9	19
8	Parallel hippocampal-parietal circuits for self- and goal-oriented processing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	32
9	Dynamic Content Reactivation Supports Naturalistic Autobiographical Recall in Humans. <i>Journal of Neuroscience</i> , 2021, 41, 153-166.	3.6	22
10	Brain networks, dimensionality, and global signal averaging in resting-state fMRI: Hierarchical network structure results in low-dimensional spatiotemporal dynamics. <i>NeuroImage</i> , 2020, 205, 116289.	4.2	40
11	Integrative and Network-Specific Connectivity of the Basal Ganglia and Thalamus Defined in Individuals. <i>Neuron</i> , 2020, 105, 742-758.e6.	8.1	148
12	Individual-specific functional connectivity of the amygdala: A substrate for precision psychiatry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3808-3818.	7.1	96
13	Trait-like variants in human functional brain networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22851-22861.	7.1	153
14	High-fidelity mapping of repetition-related changes in the parietal memory network. <i>NeuroImage</i> , 2019, 199, 427-439.	4.2	10
15	Reply to Spreng et al.: Multiecho fMRI denoising does not remove global motion-associated respiratory signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 19243-19244.	7.1	11
16	Identifying task-general effects of stimulus familiarity in the parietal memory network. <i>Neuropsychologia</i> , 2019, 124, 31-43.	1.6	24
17	A Posterior“Anterior Distinction between Scene Perception and Scene Construction in Human Medial Parietal Cortex. <i>Journal of Neuroscience</i> , 2019, 39, 705-717.	3.6	48
18	Distinct subdivisions of human medial parietal cortex support recollection of people and places. <i>ELife</i> , 2019, 8, .	6.0	79

#	ARTICLE	IF	CITATIONS
19	Recall of people and places reveals regions showing distinct effects of category and familiarity in high-level cortex. <i>Journal of Vision</i> , 2019, 19, 204.	0.3	0
20	Functional Brain Networks Are Dominated by Stable Group and Individual Factors, Not Cognitive or Daily Variation. <i>Neuron</i> , 2018, 98, 439-452.e5.	8.1	665
21	Task-related and resting-state fMRI identify distinct networks that preferentially support remembering the past and imagining the future. <i>Neuropsychologia</i> , 2018, 110, 180-189.	1.6	20
22	BOLD Activity During Correct-Answer Feedback in Cued Recall Predicts Subsequent Retrieval Performance: An fMRI Investigation Using a Partial Trial Design. <i>Cerebral Cortex</i> , 2018, 28, 4008-4022.	2.9	2
23	Three Distinct Sets of Connector Hubs Integrate Human Brain Function. <i>Cell Reports</i> , 2018, 24, 1687-1695.e4.	6.4	113
24	On the Stability of BOLD fMRI Correlations. <i>Cerebral Cortex</i> , 2017, 27, 4719-4732.	2.9	403
25	Are There Multiple Kinds of Episodic Memory? An fMRI Investigation Comparing Autobiographical and Recognition Memory Tasks. <i>Journal of Neuroscience</i> , 2017, 37, 2764-2775.	3.6	74
26	Precision Functional Mapping of Individual Human Brains. <i>Neuron</i> , 2017, 95, 791-807.e7.	8.1	948
27	The parietal memory network activates similarly for true and associative false recognition elicited via the DRM procedure. <i>Cortex</i> , 2017, 87, 96-107.	2.4	30
28	Individual-specific features of brain systems identified with resting state functional correlations. <i>NeuroImage</i> , 2017, 146, 918-939.	4.2	195
29	The Contextual Association Network Activates More for Remembered than for Imagined Events. <i>Cerebral Cortex</i> , 2016, 26, bhu223.	2.9	33
30	Default Mode Network Activity Predicts Early Memory Decline in Healthy Young Adults Aged 18-31. <i>Cerebral Cortex</i> , 2016, 26, 3379-3389.	2.9	16
31	A parietal memory network revealed by multiple MRI methods. <i>Trends in Cognitive Sciences</i> , 2015, 19, 534-543.	7.8	204
32	Functional System and Areal Organization of a Highly Sampled Individual Human Brain. <i>Neuron</i> , 2015, 87, 657-670.	8.1	785
33	The Role of Context in Understanding Similarities and Differences in Remembering and Episodic Future Thinking. <i>Psychology of Learning and Motivation - Advances in Research and Theory</i> , 2015, 63, 45-76.	1.1	7
34	The role of test expectancy in the build-up of proactive interference in long-term memory.. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 2014, 40, 1039-1048.	0.9	39
35	Neural Signatures of Test-Potentiated Learning in Parietal Cortex. <i>Journal of Neuroscience</i> , 2013, 33, 11754-11762.	3.6	53
36	Interactions between Visual Attention and Episodic Retrieval: Dissociable Contributions of Parietal Regions during Gist-Based False Recognition. <i>Neuron</i> , 2012, 75, 1122-1134.	8.1	42

#	ARTICLE	IF	CITATIONS
37	Retrieval failure contributes to gist-based false recognition. <i>Journal of Memory and Language</i> , 2012, 66, 68-78.	2.1	39
38	Solving future problems: Default network and executive activity associated with goal-directed mental simulations. <i>NeuroImage</i> , 2011, 55, 1816-1824.	4.2	202
39	Default network activity, coupled with the frontoparietal control network, supports goal-directed cognition. <i>NeuroImage</i> , 2010, 53, 303-317.	4.2	991
40	Distinct Sets of Internal, External, and Control Connector Hubs Integrate Human Brain Function. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1