

# Wai Kei Jacky Lam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1879505/publications.pdf>

Version: 2024-02-01

33  
papers

1,789  
citations

430874

18  
h-index

414414

32  
g-index

33  
all docs

33  
docs citations

33  
times ranked

2178  
citing authors

#	ARTICLE	IF	CITATIONS
1	High-resolution analysis for urinary DNA jagged ends. <i>Npj Genomic Medicine</i> , 2022, 7, 14.	3.8	4
2	Personalized treatment for hepatocellular carcinoma: Current status and future perspectives. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1197-1206.	2.8	13
3	Single-Molecule Sequencing Enables Long Cell-Free DNA Detection and Direct Methylation Analysis for Cancer Patients. <i>Clinical Chemistry</i> , 2022, 68, 1151-1163.	3.2	22
4	Convolutional neural network for discriminating nasopharyngeal carcinoma and benign hyperplasia on MRI. <i>European Radiology</i> , 2021, 31, 3856-3863.	4.5	27
5	Jagged Ends of Urinary Cell-Free DNA: Characterization and Feasibility Assessment in Bladder Cancer Detection. <i>Clinical Chemistry</i> , 2021, 67, 621-630.	3.2	24
6	Dynamic Changes of Post-Radiotherapy Plasma Epstein-Barr Virus DNA in a Randomized Trial of Adjuvant Chemotherapy Versus Observation in Nasopharyngeal Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 2827-2836.	7.0	13
7	Nasopharyngeal carcinoma: an evolving paradigm. <i>Nature Reviews Clinical Oncology</i> , 2021, 18, 679-695.	27.6	207
8	Intravoxel incoherent motion diffusion-weighted imaging for discrimination of benign and malignant retropharyngeal nodes. <i>Neuroradiology</i> , 2020, 62, 1667-1676.	2.2	10
9	Quantitative T1-weighted MRI of the Head and Neck Discriminates Carcinoma and Benign Hyperplasia in the Nasopharynx. <i>American Journal of Neuroradiology</i> , 2020, 41, 2339-2344.	2.4	6
10	Circulating Tumor DNA in Cancer Management: A Value Proposition. <i>Journal of Applied Laboratory Medicine</i> , 2020, 5, 1017-1026.	1.3	0
11	Towards multi-cancer screening using liquid biopsies. <i>Nature Reviews Clinical Oncology</i> , 2020, 17, 525-526.	27.6	11
12	Sequencing Analysis of Plasma Epstein-Barr Virus DNA Reveals Nasopharyngeal Carcinoma-Associated Single Nucleotide Variant Profiles. <i>Clinical Chemistry</i> , 2020, 66, 598-605.	3.2	10
13	Plasma DNA End-Motif Profiling as a Fragmentomic Marker in Cancer, Pregnancy, and Transplantation. <i>Cancer Discovery</i> , 2020, 10, 664-673.	9.4	152
14	Integrating postradiotherapy plasma Epstein-Barr virus DNA and TNM stage for risk stratification of nasopharyngeal carcinoma to adjuvant therapy. <i>Annals of Oncology</i> , 2020, 31, 769-779.	1.2	60
15	Early Detection of Cancer: Evaluation of MR Imaging Grading Systems in Patients with Suspected Nasopharyngeal Carcinoma. <i>American Journal of Neuroradiology</i> , 2020, 41, 515-521.	2.4	20
16	Circular RNAs as Urinary Biomarkers. <i>Clinical Chemistry</i> , 2019, 65, 1196-1198.	3.2	6
17	Methylation analysis of plasma DNA informs etiologies of Epstein-Barr virus-associated diseases. <i>Nature Communications</i> , 2019, 10, 3256.	12.8	52
18	Topologic Analysis of Plasma Mitochondrial DNA Reveals the Coexistence of Both Linear and Circular Molecules. <i>Clinical Chemistry</i> , 2019, 65, 1161-1170.	3.2	19

#	ARTICLE	IF	CITATIONS
19	Plasma Epstein-Barr virus DNA as an archetypal circulating tumour DNA marker. <i>Journal of Pathology</i> , 2019, 247, 641-649.	4.5	53
20	Complementary roles of MRI and endoscopic examination in the early detection of nasopharyngeal carcinoma. <i>Annals of Oncology</i> , 2019, 30, 977-982.	1.2	52
21	Plasma DNA for early cancer detection – opportunities and challenges. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 5-7.	3.1	5
22	Development and validation of a risk model integrating plasma Epstein-Barr virus DNA (EBV DNA) level and TNM stage for stratification of nasopharyngeal cancer (NPC) to adjuvant therapy. <i>Annals of Oncology</i> , 2019, 30, ix97-ix98.	1.2	2
23	Recent advances in the management of nasopharyngeal carcinoma. <i>F1000Research</i> , 2018, 7, 1829.	1.6	83
24	Sequencing-based counting and size profiling of plasma Epstein-Barr virus DNA enhance population screening of nasopharyngeal carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5115-E5124.	7.1	114
25	Liver- and Colon-Specific DNA Methylation Markers in Plasma for Investigation of Colorectal Cancers with or without Liver Metastases. <i>Clinical Chemistry</i> , 2018, 64, 1239-1249.	3.2	60
26	Analysis of Plasma Epstein-Barr Virus DNA to Screen for Nasopharyngeal Cancer. <i>New England Journal of Medicine</i> , 2017, 377, 513-522.	27.0	531
27	DNA of Erythroid Origin Is Present in Human Plasma and Informs the Types of Anemia. <i>Clinical Chemistry</i> , 2017, 63, 1614-1623.	3.2	63
28	Tracing the tissue of origin of plasma DNA – feasibility and implications. <i>Annals of the New York Academy of Sciences</i> , 2016, 1376, 14-17.	3.8	7
29	Use of transoral nasopharyngeal brush biopsy for Epstein-Barr virus DNA detection of local recurrence of nasopharyngeal carcinoma after radiotherapy. <i>Head and Neck</i> , 2016, 38, E1301-4.	2.0	13
30	Clinical utility of circulating Epstein-Barr virus DNA analysis for the management of nasopharyngeal carcinoma. <i>Chinese Clinical Oncology</i> , 2016, 5, 18-18.	1.2	47
31	Long-term results of endoscopic-assisted cranionasal resection for olfactory neuroblastoma – single centre experience of fourteen patients. <i>Clinical Otolaryngology</i> , 2015, 40, 274-277.	1.2	6
32	Management of pseudoaneurysms of the internal carotid artery in postirradiated nasopharyngeal carcinoma patients. <i>Laryngoscope</i> , 2014, 124, 2292-2296.	2.0	39
33	A Novel <i>Dirofilaria</i> Species Causing Human and Canine Infections in Hong Kong. <i>Journal of Clinical Microbiology</i> , 2012, 50, 3534-3541.	3.9	58