

Elizabeth L Sampson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1882908/publications.pdf>

Version: 2024-02-01

195
papers

17,148
citations

44069

48
h-index

16650

123
g-index

209
all docs

209
docs citations

209
times ranked

16772
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet</i> , The, 2020, 396, 413-446. | 13.7 | 4,658 |
| 2 | Dementia prevention, intervention, and care. <i>Lancet</i> , The, 2017, 390, 2673-2734. | 13.7 | 4,228 |
| 3 | Dementia in the acute hospital: prospective cohort study of prevalence and mortality. <i>British Journal of Psychiatry</i> , 2009, 195, 61-66. | 2.8 | 503 |
| 4 | Risk factors for incident delirium among older people in acute hospital medical units: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2014, 43, 326-333. | 1.6 | 344 |
| 5 | Enteral tube feeding for older people with advanced dementia. <i>The Cochrane Library</i> , 2009, , CD007209. | 2.8 | 253 |
| 6 | Evidence-based clinical practice guidelines on management of pain in older people. <i>Age and Ageing</i> , 2013, 42, 151-153. | 1.6 | 225 |
| 7 | Differences in care received by patients with and without dementia who died during acute hospital admission: a retrospective case note study. <i>Age and Ageing</i> , 2006, 35, 187-189. | 1.6 | 204 |
| 8 | Clinical practice with anti-dementia drugs: A revised (third) consensus statement from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2017, 31, 147-168. | 4.0 | 198 |
| 9 | A systematic review of the prevalence, associations and outcomes of dementia in older general hospital inpatients. <i>International Psychogeriatrics</i> , 2011, 23, 344-355. | 1.0 | 196 |
| 10 | A randomized, double-blind, placebo-controlled trial of donepezil hydrochloride (Aricept) for reducing the incidence of postoperative delirium after elective total hip replacement. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 343-349. | 2.7 | 191 |
| 11 | A systematic review of the scientific evidence for the efficacy of a palliative care approach in advanced dementia. <i>International Psychogeriatrics</i> , 2005, 17, 31-40. | 1.0 | 188 |
| 12 | Detection of delirium in the acute hospital. <i>Age and Ageing</i> , 2010, 39, 131-135. | 1.6 | 186 |
| 13 | Making decisions for people with dementia who lack capacity: qualitative study of family carers in UK. <i>BMJ: British Medical Journal</i> , 2010, 341, c4184-c4184. | 2.3 | 173 |
| 14 | In vivo detection of microglial activation in frontotemporal dementia. <i>Annals of Neurology</i> , 2004, 56, 894-897. | 5.3 | 170 |
| 15 | Grief reactions in dementia carers: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1-17. | 2.7 | 162 |
| 16 | Preferences for end-of-life care: A nominal group study of people with dementia and their family carers. <i>Palliative Medicine</i> , 2013, 27, 409-417. | 3.1 | 162 |
| 17 | Living and dying with advanced dementia: A prospective cohort study of symptoms, service use and care at the end of life. <i>Palliative Medicine</i> , 2018, 32, 668-681. | 3.1 | 162 |
| 18 | Clinical effectiveness of a manual based coping strategy programme (START, STRategies for RelaTives) in promoting the mental health of carers of family members with dementia: pragmatic randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f6276-f6276. | 6.0 | 154 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Advance care planning for people with dementia: a review. <i>International Psychogeriatrics</i> , 2011, 23, 1535-1551. | 1.0 | 144 |
| 20 | Young onset dementia. <i>Postgraduate Medical Journal</i> , 2004, 80, 125-139. | 1.8 | 139 |
| 21 | Pain, agitation, and behavioural problems in people with dementia admitted to general hospital wards. <i>Pain</i> , 2015, 156, 675-683. | 4.2 | 138 |
| 22 | Palliative care for people with dementia. <i>British Medical Bulletin</i> , 2010, 96, 159-174. | 6.9 | 137 |
| 23 | Behavioural and psychiatric symptoms in people with dementia admitted to the acute hospital: prospective cohort study. <i>British Journal of Psychiatry</i> , 2014, 205, 189-196. | 2.8 | 130 |
| 24 | VBM signatures of abnormal eating behaviours in frontotemporal lobar degeneration. <i>NeuroImage</i> , 2007, 35, 207-213. | 4.2 | 122 |
| 25 | End of life care for community dwelling older people with dementia: an integrated review. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 329-337. | 2.7 | 107 |
| 26 | Palliative assessment and advance care planning in severe dementia: An exploratory randomized controlled trial of a complex intervention. <i>Palliative Medicine</i> , 2011, 25, 197-209. | 3.1 | 102 |
| 27 | Prognostic indicators of 6-month mortality in elderly people with advanced dementia: A systematic review. <i>Palliative Medicine</i> , 2013, 27, 389-400. | 3.1 | 95 |
| 28 | Palliative care in dementia: issues and evidence. <i>Advances in Psychiatric Treatment</i> , 2007, 13, 251-260. | 0.5 | 90 |
| 29 | Vulnerability to neuroleptic side effects in frontotemporal lobar degeneration. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 67-72. | 2.7 | 84 |
| 30 | Barriers to providing end-of-life care for people with dementia: a whole-system qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2012, 2, 103-107. | 1.6 | 81 |
| 31 | Advance Care Planning in Dementia: Do Family Carers Know the Treatment Preferences of People with Early Dementia?. <i>PLoS ONE</i> , 2016, 11, e0159056. | 2.5 | 80 |
| 32 | Enteral tube feeding in older people with advanced dementia: Findings from a Cochrane systematic review. <i>International Journal of Palliative Nursing</i> , 2009, 15, 396-404. | 0.5 | 75 |
| 33 | Prospective cohort study of adverse events in older people admitted to the acute general hospital: risk factors and the impact of dementia. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 76-82. | 2.7 | 73 |
| 34 | Challenges and opportunities in understanding dementia and delirium in the acute hospital. <i>PLoS Medicine</i> , 2017, 14, e1002247. | 8.4 | 73 |
| 35 | Palliative care interventions in advanced dementia. <i>The Cochrane Library</i> , 2016, 12, CD011513. | 2.8 | 70 |
| 36 | The Influence of Oral Health Factors on the Quality of Life in Older People: A Systematic Review. <i>Gerontologist</i> , The, 2020, 60, e378-e394. | 3.9 | 70 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Pain and delirium in people with dementia in the acute general hospital setting. <i>Age and Ageing</i> , 2018, 47, 841-846. | 1.6 | 68 |
| 38 | Cost effectiveness of a manual based coping strategy programme in promoting the mental health of family carers of people with dementia (the START (STrategies for RelaTives) study): a pragmatic randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f6342-f6342. | 6.0 | 67 |
| 39 | Drug treatment of delirium: Past, present and future. <i>Journal of Psychosomatic Research</i> , 2008, 65, 273-282. | 2.6 | 66 |
| 40 | Survival of people with dementia after unplanned acute hospital admission: a prospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1015-1022. | 2.7 | 65 |
| 41 | The management of behavioural and psychological symptoms of dementia in the acute general medical hospital: a longitudinal cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 297-305. | 2.7 | 65 |
| 42 | Delirium, Frailty, and Mortality: Interactions in a Prospective Study of Hospitalized Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 415-418. | 3.6 | 60 |
| 43 | Metal protein attenuating compounds for the treatment of Alzheimer's dementia. <i>The Cochrane Library</i> , 2014, , CD005380. | 2.8 | 59 |
| 44 | Implementing the compassion intervention, a model for integrated care for people with advanced dementia towards the end of life in nursing homes: a naturalistic feasibility study. <i>BMJ Open</i> , 2017, 7, e015515. | 1.9 | 58 |
| 45 | The assessment and management of pain in patients with dementia in hospital settings: a multi-case exploratory study from a decision making perspective. <i>BMC Health Services Research</i> , 2016, 16, 427. | 2.2 | 55 |
| 46 | Using sense-making theory to aid understanding of the recognition, assessment and management of pain in patients with dementia in acute hospital settings. <i>International Journal of Nursing Studies</i> , 2016, 53, 152-162. | 5.6 | 54 |
| 47 | Providing quality end-of-life care to older people in the era of COVID-19: perspectives from five countries. <i>International Psychogeriatrics</i> , 2020, 32, 1345-1352. | 1.0 | 54 |
| 48 | Survival of Community-Dwelling Older People: The Effect of Cognitive Impairment and Social Engagement. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 985-991. | 2.6 | 50 |
| 49 | Experiences of end of life amongst family carers of people with advanced dementia: longitudinal cohort study with mixed methods. <i>BMC Geriatrics</i> , 2017, 17, 135. | 2.7 | 50 |
| 50 | Volunteers in Specialist Palliative Care: A Survey of Adult Services in the United Kingdom. <i>Journal of Palliative Medicine</i> , 2014, 17, 568-574. | 1.1 | 48 |
| 51 | Advance care planning in dementia: recommendations for healthcare professionals. <i>Palliative Care</i> , 2019, 12, 117822421982657. | 2.6 | 47 |
| 52 | Delusions in frontotemporal lobar degeneration. <i>Journal of Neurology</i> , 2009, 256, 600-7. | 3.6 | 46 |
| 53 | Improving end-of-life care for people with dementia. <i>British Journal of Psychiatry</i> , 2011, 199, 357-359. | 2.8 | 45 |
| 54 | Supporting families in end-of-life care and bereavement in the COVID-19 era. <i>International Psychogeriatrics</i> , 2020, 32, 1245-1248. | 1.0 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | “Stockholm syndrome”: psychiatric diagnosis or urban myth?. <i>Acta Psychiatrica Scandinavica</i> , 2008, 117, 4-11. | 4.5 | 44 |
| 56 | A qualitative study exploring the difficulties influencing decision making at the end of life for people with dementia. <i>Health Expectations</i> , 2018, 21, 118-127. | 2.6 | 44 |
| 57 | A Volumetric Magnetic Resonance Imaging Study of the Amygdala in Frontotemporal Lobar Degeneration and Alzheimer’s Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 20, 238-244. | 1.5 | 43 |
| 58 | Tools to Assess Pain or Lack of Comfort in Dementia: A Content Analysis. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 659-675.e3. | 1.2 | 41 |
| 59 | Palliative care in advanced dementia; A mixed methods approach for the development of a complex intervention. <i>BMC Palliative Care</i> , 2008, 7, 8. | 1.8 | 40 |
| 60 | Advance Care Planning in Nursing Homes “Improving the Communication Among Patient, Family, and Staff: Results From a Cluster Randomized Controlled Trial (COSMOS). <i>Frontiers in Psychology</i> , 2018, 9, 2284. | 2.1 | 40 |
| 61 | Pain and delirium: mechanisms, assessment, and management. <i>European Geriatric Medicine</i> , 2020, 11, 45-52. | 2.8 | 40 |
| 62 | Context, mechanisms and outcomes in end of life care for people with advanced dementia. <i>BMC Palliative Care</i> , 2016, 15, 31. | 1.8 | 39 |
| 63 | Decision aids to support decision-making in dementia care: a systematic review. <i>International Psychogeriatrics</i> , 2019, 31, 1403-1419. | 1.0 | 38 |
| 64 | The association between C-reactive protein and delirium in 710 acute elderly hospital admissions. <i>International Psychogeriatrics</i> , 2014, 26, 717-724. | 1.0 | 37 |
| 65 | Tools Measuring Quality of Death, Dying, and Care, Completed after Death: Systematic Review of Psychometric Properties. <i>Patient</i> , 2019, 12, 183-197. | 2.7 | 37 |
| 66 | Planning a personalised future with dementia: “the misleading simplicity of advance directives”. <i>Palliative Medicine</i> , 2013, 27, 387-388. | 3.1 | 36 |
| 67 | End-of-life Care for People with Dementia from Ethnic Minority Groups: A Systematic Review. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 351-360. | 2.6 | 35 |
| 68 | Healthcare decision-making: past present and future, in light of a diagnosis of dementia. <i>International Journal of Palliative Nursing</i> , 2017, 23, 4-11. | 0.5 | 35 |
| 69 | Key components of the delirium syndrome and mortality: greater impact of acute change and disorganised thinking in a prospective cohort study. <i>BMC Geriatrics</i> , 2018, 18, 24. | 2.7 | 35 |
| 70 | An ethnographic study of strategies to support discussions with family members on end-of-life care for people with advanced dementia in nursing homes. <i>BMC Palliative Care</i> , 2016, 15, 55. | 1.8 | 34 |
| 71 | Development of a model for integrated care at the end of life in advanced dementia: A whole systems UK-wide approach. <i>Palliative Medicine</i> , 2016, 30, 279-295. | 3.1 | 34 |
| 72 | A co-design process developing heuristics for practitioners providing end of life care for people with dementia. <i>BMC Palliative Care</i> , 2016, 15, 68. | 1.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | What are the barriers to care integration for those at the advanced stages of dementia living in care homes in the UK? Health care professional perspective. <i>Dementia</i> , 2018, 17, 164-179. | 2.0 | 32 |
| 74 | The effect of baseline cognition and delirium on long-term cognitive impairment and mortality: a prospective population-based study. <i>The Lancet Healthy Longevity</i> , 2022, 3, e232-e241. | 4.6 | 31 |
| 75 | Defining end of life in dementia: A systematic review. <i>Palliative Medicine</i> , 2021, 35, 1733-1746. | 3.1 | 30 |
| 76 | Drug therapy for delirium in terminally ill adults. <i>The Cochrane Library</i> , 2020, 1, CD004770. | 2.8 | 28 |
| 77 | Improving the care of people with dementia in general hospitals: evaluation of a whole-system train-the-trainer model. <i>International Psychogeriatrics</i> , 2017, 29, 605-614. | 1.0 | 27 |
| 78 | When Pain Memories Are Lost: A Pilot Study of Semantic Knowledge of Pain in Dementia. <i>Pain Medicine</i> , 2014, 15, 751-757. | 1.9 | 24 |
| 79 | The use of facial expressions for pain assessment purposes in dementia: a narrative review. <i>Neurodegenerative Disease Management</i> , 2016, 6, 119-131. | 2.2 | 24 |
| 80 | Temporal Trends in Analgesic Use in Long-Term Care Facilities: A Systematic Review of International Prescribing. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 376-382. | 2.6 | 24 |
| 81 | TIME to think about delirium: improving detection and management on the acute medical unit. <i>BMJ Open Quality</i> , 2018, 7, e000200. | 1.1 | 23 |
| 82 | Guiding practitioners through end of life care for people with dementia: The use of heuristics. <i>PLoS ONE</i> , 2018, 13, e0206422. | 2.5 | 23 |
| 83 | Metal protein attenuating compounds for the treatment of Alzheimer's disease. , 2008, , CD005380. | | 22 |
| 84 | Metal protein attenuating compounds for the treatment of Alzheimer's dementia. , 2012, , CD005380. | | 21 |
| 85 | Study Protocol: The Behaviour and Pain in Dementia Study (BePAID). <i>BMC Geriatrics</i> , 2011, 11, 61. | 2.7 | 20 |
| 86 | Topographies of "care pathways"™ and "healthscapes"™: reconsidering the multiple journeys of people with a brain tumour. <i>Sociology of Health and Illness</i> , 2018, 40, 410-425. | 2.1 | 19 |
| 87 | Living With an Older Person Dying From Cancer, Lung Disease, or Dementia: Health Outcomes From a General Practice Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 839-848. | 1.2 | 18 |
| 88 | Is preparation for end of life associated with pre-death grief in caregivers of people with dementia?. <i>International Psychogeriatrics</i> , 2020, 32, 753-763. | 1.0 | 18 |
| 89 | Nutrition and hydration for people living with dementia near the end of life: A qualitative systematic review. <i>Journal of Advanced Nursing</i> , 2021, 77, 664-680. | 3.3 | 18 |
| 90 | Exploration of the impact of the COVID-19 pandemic on people with dementia and carers from black and minority ethnic groups. <i>BMJ Open</i> , 2021, 11, e050066. | 1.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Priorities and opportunities for palliative and end of life care in United Kingdom health policies: a national documentary analysis. <i>BMC Palliative Care</i> , 2021, 20, 108. | 1.8 | 18 |
| 92 | Enteral tube feeding for people with severe dementia. <i>The Cochrane Library</i> , 2021, 2021, CD013503. | 2.8 | 18 |
| 93 | Rapid review of decision-making for place of care and death in older people: lessons for COVID-19. <i>Age and Ageing</i> , 2021, 50, 294-306. | 1.6 | 18 |
| 94 | Do interventions that include education on dementia progression improve knowledge, mental health and burden of family carers? A systematic review. <i>Dementia</i> , 2020, 19, 2555-2581. | 2.0 | 17 |
| 95 | A decision aid to support family carers of people living with dementia towards the end of life: Coproduction process, outcome and reflections. <i>Health Expectations</i> , 2021, 24, 1677-1691. | 2.6 | 17 |
| 96 | CoMPASs: IOn programme (Care Of Memory Problems in Advanced Stages of dementia: Improving Our Tj ETQq0 0,0 rgBT /Overlock 10 | 1.9 | 16 |
| 97 | Experiences of advance care planning in Parkinson's disease and atypical parkinsonian disorders: a mixed methods systematic review. <i>European Journal of Neurology</i> , 2020, 27, 1971-1987. | 3.3 | 16 |
| 98 | The effectiveness of interventions to improve the care and management of people with dementia in general hospitals: A systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 463-488. | 2.7 | 16 |
| 99 | Oral health and orofacial pain in people with dementia admitted to acute hospital wards: observational cohort study. <i>BMC Geriatrics</i> , 2018, 18, 121. | 2.7 | 15 |
| 100 | A systematic review and critical appraisal of quality indicators to assess optimal palliative care for older people with dementia. <i>Palliative Medicine</i> , 2019, 33, 415-429. | 3.1 | 15 |
| 101 | Mapping and understanding the decision-making process for providing nutrition and hydration to people living with dementia: a systematic review. <i>BMC Geriatrics</i> , 2020, 20, 520. | 2.7 | 15 |
| 102 | Components of palliative care interventions addressing the needs of people with dementia living in long-term care: A systematic review. <i>Palliative Medicine</i> , 2020, 34, 454-492. | 3.1 | 15 |
| 103 | European palliative care guidelines: how well do they meet the needs of people with impaired cognition?: Table 1. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 301-305. | 1.6 | 14 |
| 104 | Psychometric evaluation of the Cohen&Mansfield Agitation Inventory in an acute general hospital setting. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e158-e165. | 2.7 | 14 |
| 105 | Prevalence and associations of orofacial pain and oral health factors in nursing home residents with and without dementia. <i>Age and Ageing</i> , 2020, 49, 418-424. | 1.6 | 14 |
| 106 | Crying out in pain"A systematic review into the validity of vocalization as an indicator for pain. <i>European Journal of Pain</i> , 2020, 24, 1703-1715. | 2.8 | 14 |
| 107 | Developing an applied model for making decisions towards the end of life about care for someone with dementia. <i>PLoS ONE</i> , 2021, 16, e0252464. | 2.5 | 14 |
| 108 | Towards improved decision support in the assessment and management of pain for people with dementia in hospital: a systematic meta-review and observational study. <i>Health Services and Delivery Research</i> , 2016, 4, 1-162. | 1.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Improving end of life care for people with dementia: a rapid participatory appraisal. <i>BMJ Supportive and Palliative Care</i> , 2012, 2, 108-114. | 1.6 | 13 |
| 110 | A protocol for an exploratory phase I mixed-methods study of enhanced integrated care for care home residents with advanced dementia: the Compassion Intervention. <i>BMJ Open</i> , 2014, 4, e005661-e005661. | 1.9 | 13 |
| 111 | The delirium and population health informatics cohort study protocol: ascertaining the determinants and outcomes from delirium in a whole population. <i>BMC Geriatrics</i> , 2018, 18, 45. | 2.7 | 13 |
| 112 | The role of the memory service in helping carers to prepare for end of life: A mixed methods study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 360-368. | 2.7 | 13 |
| 113 | Empowering Better End-of-Life Dementia Care (EMBED-Care): A mixed methods protocol to achieve integrated person-centred care across settings. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 820-832. | 2.7 | 13 |
| 114 | Healthcare utilization and monetary costs associated with agitation in UK care home residents with advanced dementia: a prospective cohort study. <i>International Psychogeriatrics</i> , 2020, 32, 359-370. | 1.0 | 13 |
| 115 | Awareness in severe Alzheimer's disease: a systematic review. <i>Aging and Mental Health</i> , 2021, 25, 602-612. | 2.8 | 13 |
| 116 | Frailty and dementia: Common but complex comorbidities. <i>Aging and Mental Health</i> , 2012, 16, 269-272. | 2.8 | 12 |
| 117 | Evidence-based intervention to reduce avoidable hospital admissions in care home residents (the Tj ETQq1 1 0.784314 rgBT /Overload trial). <i>BMJ Open</i> , 2019, 9, e026510. | 1.9 | 12 |
| 118 | Social networks, social capital and end-of-life care for people with dementia: a realist review. <i>BMJ Open</i> , 2019, 9, e030703. | 1.9 | 12 |
| 119 | History of deliberate self-harm and its association with mood fluctuation. <i>Journal of Affective Disorders</i> , 2004, 79, 223-227. | 4.1 | 11 |
| 120 | A framework for understanding quality of life in individuals without capacity. <i>Quality of Life Research</i> , 2014, 23, 477-484. | 3.1 | 11 |
| 121 | Social and structural conditions for the avoidance of advance care planning in neuro-oncology: a qualitative study. <i>BMJ Open</i> , 2018, 8, e019057. | 1.9 | 11 |
| 122 | Agitation near the end of life with dementia: An ethnographic study of care. <i>PLoS ONE</i> , 2019, 14, e0224043. | 2.5 | 10 |
| 123 | How do people living with dementia perceive eating and drinking difficulties? A qualitative study. <i>Age and Ageing</i> , 2021, 50, 1820-1828. | 1.6 | 10 |
| 124 | How do factors of sociodemographic, health literacy and dementia experience influence carers' knowledge of dementia?. <i>Dementia</i> , 2022, 21, 1270-1288. | 2.0 | 10 |
| 125 | After the Liverpool Care Pathway's development of heuristics to guide end of life care for people with dementia: protocol of the ALCP study: Figure 1. <i>BMJ Open</i> , 2015, 5, e008832. | 1.9 | 9 |
| 126 | Volunteer activity in specialist paediatric palliative care: a national survey. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 287-293. | 1.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Context, mechanisms and outcomes in end-of-life care for people with advanced dementia: family carers perspective. <i>BMC Palliative Care</i> , 2019, 18, 87. | 1.8 | 9 |
| 128 | Pilot cluster randomised trial of an evidence-based intervention to reduce avoidable hospital admissions in nursing home residents (Better Health in Residents of Care Homes with) <i>Tj ETQq0 0 0 rgBT /Overlock10 Tf 50 697 Td (Nu</i> | 1.0 | 9 |
| 129 | Oral function and its association with nutrition and quality of life in nursing home residents with and without dementia: A cross-sectional study. <i>Gerodontology</i> , 2021, 38, 404-413. | 2.0 | 9 |
| 130 | Palliative care interventions in advanced dementia. <i>The Cochrane Library</i> , 2021, 2021, CD011513. | 2.8 | 9 |
| 131 | Grief in family carers of people living with dementia: A systematic review. <i>International Psychogeriatrics</i> , 2023, 35, 477-508. | 1.0 | 9 |
| 132 | Patterns of unplanned hospital admissions among people with dementia: from diagnosis to the end of life. <i>Age and Ageing</i> , 2022, 51, . | 1.6 | 9 |
| 133 | UK quality statements on end of life care in dementia: a systematic review of research evidence. <i>BMC Palliative Care</i> , 2015, 14, 51. | 1.8 | 8 |
| 134 | The Association between Home Healthcare and Burdensome Transitions at the End-of-Life in People with Dementia: A 12-Year Nationwide Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9255. | 2.6 | 8 |
| 135 | Factors influencing prescription and administration of analgesic medication: A longitudinal study of people with dementia living in care homes. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1354-1361. | 2.7 | 8 |
| 136 | Family caregivers' and professionals' experiences of supporting people living with dementia's nutrition and hydration needs towards the end of life. <i>Health and Social Care in the Community</i> , 2022, 30, 307-318. | 1.6 | 8 |
| 137 | New public health approaches to palliative care, a brave new horizon or an impractical ideal? An Integrative literature review with thematic synthesis. <i>Palliative Care and Social Practice</i> , 2021, 15, 263235242110329. | 1.1 | 8 |
| 138 | Which Facial Descriptors Do Care Home Nurses Use to Infer Whether a Person with Dementia Is in Pain?. <i>Pain Medicine</i> , 2017, 18, pnw281. | 1.9 | 7 |
| 139 | UK end-of-life care services in dementia, initiatives and sustainability: results of a national online survey. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 424-427. | 1.6 | 7 |
| 140 | HOME-based Longitudinal Investigation of the multidisciplinary Team Integrated Care (HOLISTIC): protocol of a prospective nationwide cohort study. <i>BMC Geriatrics</i> , 2020, 20, 511. | 2.7 | 7 |
| 141 | Quality indicators for dementia and older people nearing the end of life: A systematic review. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 3650-3660. | 2.6 | 7 |
| 142 | Challenges faced during the COVID-19 pandemic by family carers of people living with dementia towards the end of life. <i>BMC Health Services Research</i> , 2021, 21, 996. | 2.2 | 7 |
| 143 | Cholinesterase inhibitors for delirium: what is the evidence?. <i>International Psychogeriatrics</i> , 2008, 20, 209-18. | 1.0 | 6 |
| 144 | Opioids for agitation in dementia. <i>The Cochrane Library</i> , 2015, 2015, CD009705. | 2.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Psychiatric liaison service referral patterns during the UK COVID-19 pandemic: An observational study. <i>European Journal of Psychiatry</i> , 2022, 36, 35-42. | 1.3 | 6 |
| 146 | The Human Rights of Older People With Mental Health Conditions and Psychosocial Disability to a Good Death and Dying Well. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 1041-1046. | 1.2 | 6 |
| 147 | Trust and inclusion during the Covid-19 pandemic: Perspectives from Black and South Asian people living with dementia and their carers in the UK. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, . | 2.7 | 6 |
| 148 | Rapid development of a COVID-19 care planning decision-aid for family carers of people living with dementia. <i>Health Expectations</i> , 2022, 25, 1954-1966. | 2.6 | 6 |
| 149 | A precious case from Middle Earth. <i>BMJ: British Medical Journal</i> , 2004, 329, 1435-1436. | 2.3 | 5 |
| 150 | Orofacial Pain During Rest and Chewing in Dementia Patients Admitted to Acute Hospital Wards: Validity Testing of the Orofacial Pain Scale for Non-Verbal Individuals. <i>Journal of Oral and Facial Pain and Headache</i> , 2019, 33, 247-253. | 1.4 | 5 |
| 151 | Social Inequalities in Life Expectancy and Mortality in People With Dementia in the United Kingdom. <i>Alzheimer Disease and Associated Disorders</i> , 2020, 34, 254-261. | 1.3 | 5 |
| 152 | Impact of home healthcare on end-of-life outcomes for people with dementia: a systematic review. <i>BMC Geriatrics</i> , 2022, 22, 80. | 2.7 | 5 |
| 153 | Personal identification (PIN) numbers: a new cause of financial exclusion in older people. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 492-493. | 2.7 | 4 |
| 154 | Development, feasibility, and acceptability of an intervention to improve care for agitation in people living in nursing homes with dementia nearing the end-of-life. <i>International Psychogeriatrics</i> , 2020, 33, 1-13. | 1.0 | 4 |
| 155 | Anticholinergic Burden Does Not Influence Delirium Subtype or the Delirium-Mortality Association in Hospitalized Older Adults: Results from a Prospective Cohort Study. <i>Drugs and Aging</i> , 2021, 38, 233-242. | 2.7 | 4 |
| 156 | Supporting good quality, community-based end-of-life care for people living with dementia: the SEED research programme including feasibility RCT. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-254. | 1.0 | 4 |
| 157 | Multidisciplinary residential home intervention to improve outcomes for frail residents. <i>BMC Health Services Research</i> , 2022, 22, 58. | 2.2 | 4 |
| 158 | The Compassion programme: looking at improving end-of-life care for people with advanced dementia. <i>International Journal of Palliative Nursing</i> , 2012, 18, 212-217. | 0.5 | 3 |
| 159 | The use of PDSA methodology to evaluate and optimise an inner city memory clinic: a quality improvement project. <i>BMC Geriatrics</i> , 2014, 14, 4. | 2.7 | 3 |
| 160 | How do Admiral Nurses and care home staff help people living with dementia and their family carers prepare for end-of-life?. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 405-413. | 2.7 | 3 |
| 161 | A complex intervention to reduce avoidable hospital admissions in nursing homes: a research programme including the BHiRCH-NH pilot cluster RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-200. | 1.0 | 3 |
| 162 | A multidisciplinary simulation programme to improve advance care planning skills and engagement across primary and secondary care. <i>Clinical Medicine</i> , 2022, 22, 51-57. | 1.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Experiences of Carers and People with Dementia from Ethnic Minority Groups Managing Eating and Drinking at Home in the United Kingdom. <i>Nutrients</i> , 2022, 14, 2395. | 4.1 | 3 |
| 164 | Dementia: pharmacological and non-pharmacological treatments and guideline review. , 0, , 217-243. | | 2 |
| 165 | WHY IS INTEGRATED CARE NOT WORKING IN END OF LIFE CARE FOR THOSE WITH ADVANCED DEMENTIA? FROM THE HEALTH CARE PROFESSIONAL PERSPECTIVE. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 113.1-113. | 1.6 | 2 |
| 166 | Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory. <i>PLoS ONE</i> , 2020, 15, e0239181. | 2.5 | 2 |
| 167 | Practical and emotional preparation for death: A mixed methods study investigating experiences of family carers of people with dementia. <i>Dementia</i> , 2022, 21, 934-956. | 2.0 | 2 |
| 168 | Cross-cultural conceptualization of a good end of life with dementia: a qualitative study. <i>BMC Palliative Care</i> , 2022, 21, . | 1.8 | 2 |
| 169 | Hospitals, people with cognitive impairment and agitation: how virtual reality could improve real world care. <i>Age and Ageing</i> , 2022, 51, . | 1.6 | 2 |
| 170 | Counselling Older People: A Systematic Review By Andrew Hill & Alison Brett. Rugby: British Association for Counselling and Psychotherapy. 2004. 92pp. \$18.00 (pb). ISBN 190511401X. <i>British Journal of Psychiatry</i> , 2006, 188, 589-590. | 2.8 | 1 |
| 171 | A QUALITATIVE ANALYSIS OF BARRIERS TO FUTURE CARE DISCUSSIONS WITH FAMILY MEMBERS OF CARE HOME RESIDENTS WITH ADVANCED DEMENTIA. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 112.2-113. | 1.6 | 1 |
| 172 | Which measures assessing quality of death and dying and satisfaction with care at the very end of life have been psychometrically validated? A systematic review. <i>BMJ Supportive and Palliative Care</i> , 2016, 6, 396.2-396. | 1.6 | 1 |
| 173 | Analgesic prescribing in care home residents: how epidemiological studies may inform clinical practice. <i>Pain Management</i> , 2016, 6, 561-568. | 1.5 | 1 |
| 174 | Systematic review of prescribing patterns of analgesic medications for older people living in care homes over time. <i>BMJ Supportive and Palliative Care</i> , 2016, 6, 397.1-397. | 1.6 | 1 |
| 175 | Authors'™ Reply to Montoya et al.ÂComment On: 'Tools Measuring Quality of Death, Dying, and Care, Completed After Death: Systematic Review of Psychometric Properties' Patient, 2019, 12, 169-169. | 2.7 | 1 |
| 176 | Psychiatric liaison team memory pathway: does it achieve the standards set out in NICE clinical guideline 97?. <i>BJPsych Open</i> , 2021, 7, S348-S349. | 0.7 | 1 |
| 177 | Usefulness and acceptability of an animation to raise awareness to grief experienced by carers of individuals with dementia. <i>Dementia</i> , 2021, , 147130122110412. | 2.0 | 1 |
| 178 | Psychotropic prescribing for English care home residents with dementia compared with national guidance: findings from the MARQUE national longitudinal study. <i>BJPsych Open</i> , 2021, 7, . | 0.7 | 1 |
| 179 | Editorial: End of life care in dementia. <i>Dementia</i> , 2009, 8, 417-419. | 2.0 | 0 |
| 180 | SATISFACTION OF CARERS OF PEOPLE WITH ADVANCED DEMENTIA: THEIR EXPERIENCES AT THE OF END OF LIFE. <i>BMJ Supportive and Palliative Care</i> , 2014, 4, 108.1-108. | 1.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Authors' reply. <i>British Journal of Psychiatry</i> , 2015, 206, 166-167. | 2.8 | 0 |
| 182 | Notes from the hospital bedside: reflections on researcher roles and responsibilities at the end of life in dementia. <i>Quality in Ageing and Older Adults</i> , 2017, 18, 201-211. | 0.8 | 0 |
| 183 | DEVELOPMENT OF HEURISTICS TO GUIDE DECISION MAKING AT THE END OF LIFE FOR SOMEONE WITH DEMENTIA. <i>Innovation in Aging</i> , 2017, 1, 266-266. | 0.1 | 0 |
| 184 | Enteral tube feeding for people with severe dementia. <i>The Cochrane Library</i> , 2019, , . | 2.8 | 0 |
| 185 | Palliative Care in Dementia. , 2020, , 223-242. | | 0 |
| 186 | Trends in referrals to liaison psychiatry teams from UK emergency departments for patients over 65. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1415-1422. | 2.7 | 0 |
| 187 | Trends in referrals to liaison psychiatry teams from UK emergency departments for patients over 65. <i>BJPsych Open</i> , 2021, 7, S311-S312. | 0.7 | 0 |
| 188 | Referrals to liaison services for older adults with deliberate self harm during the SARS-CoV-2 national lockdown - a collaborative service evaluation using liaison referral data. <i>BJPsych Open</i> , 2021, 7, S33-S33. | 0.7 | 0 |
| 189 | Practising Evidence-Based Mental Health By John Geddes, Andre Tomlin & Jonathan Price. Edited By Sharon E. Straus. Oxford: Radcliffe Medical Press. 1999. 257 pp. £30.00 (pb). ISBN 1 85775 415 8. <i>British Journal of Psychiatry</i> , 2001, 178, 288-288. | 2.8 | 0 |
| 190 | Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043. | | 0 |
| 191 | Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043. | | 0 |
| 192 | Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043. | | 0 |
| 193 | Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043. | | 0 |
| 194 | Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043. | | 0 |
| 195 | Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043. | | 0 |