
Susan Jowett

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1886120/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Methadone and buprenorphine for the management of opioid dependence: a systematic review and economic evaluation. Health Technology Assessment, 2007, 11, 1-171, iii-iv.	2.8	390
2	Screening versus routine practice in detection of atrial fibrillation in patients aged 65 or over: cluster randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 383.	2.3	326
3	Effect of Self-monitoring and Medication Self-titration on Systolic Blood Pressure in Hypertensive Patients at High Risk of Cardiovascular Disease. JAMA - Journal of the American Medical Association, 2014, 312, 799.	7.4	324
4	A randomised controlled trial and cost-effectiveness study of systematic screening (targeted and) Tj ETQq0 0 0 r aged 65 and over. The SAFE study. Health Technology Assessment, 2005, 9, iii-iv, ix-x, 1-74.	gBT /Overlo 2.8	ock 10 Tf 50 317
5	A systematic review of the effectiveness of adalimumab, etanercept and infliximab for the treatment of rheumatoid arthritis in adults and an economic evaluation of their cost-effectiveness. Health Technology Assessment, 2006, 10, iii-iv, xi-xiii, 1-229.	2.8	305
6	Cost-effectiveness of options for the diagnosis of high blood pressure in primary care: a modelling study. Lancet, The, 2011, 378, 1219-1230.	13.7	296
7	Efficacy of self-monitored blood pressure, with or without telemonitoring, for titration of antihypertensive medication (TASMINH4): an unmasked randomised controlled trial. Lancet, The, 2018, 391, 949-959.	13.7	289
8	Screening to prevent spontaneous preterm birth: systematic reviews of accuracy and effectiveness literature with economic modelling. Health Technology Assessment, 2009, 13, 1-627.	2.8	167
9	Review of the usefulness of contacting other experts when conducting a literature search for systematic reviews. BMJ: British Medical Journal, 1998, 317, 1562-1563.	2.3	146
10	Accuracy of diagnosing atrial fibrillation on electrocardiogram by primary care practitioners and interpretative diagnostic software: analysis of data from screening for atrial fibrillation in the elderly (SAFE) trial. BMJ: British Medical Journal, 2007, 335, 380.	2.3	134
11	Effect of Antihypertensive Medication Reduction vs Usual Care on Short-term Blood Pressure Control in Patients With Hypertension Aged 80 Years and Older. JAMA - Journal of the American Medical Association, 2020, 323, 2039.	7.4	99
12	The Estimation and Inclusion of Presenteeism Costs in Applied Economic Evaluation: A Systematic Review. Value in Health, 2017, 20, 496-506.	0.3	97
13	The extent, quality and impact of patient and public involvement in primary care research: a mixed methods study. Research Involvement and Engagement, 2018, 4, 16.	2.9	87
14	Telemonitoring and self-management in the control of hypertension (TASMINH2): a cost-effectiveness analysis. European Journal of Preventive Cardiology, 2014, 21, 1517-1530.	1.8	81
15	The clinical and cost-effectiveness of corticosteroid injection versus night splints for carpal tunnel syndrome (INSTINCTS trial): an open-label, parallel group, randomised controlled trial. Lancet, The, 2018, 392, 1423-1433.	13.7	74
16	Cost-Effectiveness of Telemonitoring and Self-Monitoring of Blood Pressure for Antihypertensive Titration in Primary Care (TASMINH4). Hypertension, 2019, 73, 1231-1239.	2.7	73
17	Clinical and cost-effectiveness of epoprostenol, iloprost, bosentan, sitaxentan and sildenafil for pulmonary arterial hypertension within their licensed indications: a systematic review and economic evaluation. Health Technology Assessment, 2009, 13, 1-320.	2.8	73
18	Estimating productivity costs using the friction cost approach in practice: a systematic review. European Journal of Health Economics, 2016, 17, 31-44.	2.8	70

#	Article	IF	CITATIONS
19	Outpatient versus inpatient uterine polyp treatment for abnormal uterine bleeding: randomised controlled non-inferiority study. BMJ, The, 2015, 350, h1398-h1398.	6.0	69
20	Self management of patients with mild COPD in primary care: randomised controlled trial. BMJ: British Medical Journal, 2018, 361, k2241.	2.3	64
21	Supported self-management for patients with moderate to severe chronic obstructive pulmonary disease (COPD): an evidence synthesis and economic analysis. Health Technology Assessment, 2015, 19, 1-516.	2.8	64
22	Targeted case finding for chronic obstructive pulmonary disease versus routine practice in primary care (TargetCOPD): a cluster-randomised controlled trial. Lancet Respiratory Medicine,the, 2016, 4, 720-730.	10.7	63
23	Surgical site infection and costs in low- and middle-income countries: A systematic review of the economic burden. PLoS ONE, 2020, 15, e0232960.	2.5	62
24	Systematic review of near patient test evaluations in primary care. BMJ: British Medical Journal, 1999, 319, 824-827.	2.3	58
25	Implementing the NICE osteoarthritis guidelines: a mixed methods study and cluster randomised trial of a model osteoarthritis consultation in primary care - the Management of OsteoArthritis In Consultations (MOSAICS) study protocol. Implementation Science, 2014, 9, 95.	6.9	53
26	Oral naltrexone as a treatment for relapse prevention in formerly opioid-dependent drug users: a systematic review and economic evaluation. Health Technology Assessment, 2007, 11, iii-iv, 1-85.	2.8	53
27	Does a screening trial for spinal cord stimulation in patients with chronic pain of neuropathic origin have clinical utility and cost-effectiveness (TRIAL-STIM)? A randomised controlled trial. Pain, 2020, 161, 2820-2829.	4.2	52
28	Patient self-management of anticoagulation therapy: a trial-based cost-effectiveness analysis. British Journal of Haematology, 2006, 134, 632-639.	2.5	49
29	Proton pump inhibitors: a study of GPs' prescribing. Family Practice, 2001, 18, 333-338.	1.9	43
30	Prophylactic biological mesh reinforcement versus standard closure of stoma site (ROCSS): a multicentre, randomised controlled trial. Lancet, The, 2020, 395, 417-426.	13.7	43
31	Keele Aches and Pains Study protocol: validity, acceptability, and feasibility of the Keele STarT MSK tool for subgrouping musculoskeletal patients in primary care. Journal of Pain Research, 2016, Volume 9, 807-818.	2.0	41
32	A Multinational Investigation of Time and Traveling Costs in Attending Anticoagulation Clinics. Value in Health, 2008, 11, 207-212.	0.3	39
33	A multicentre, pragmatic, parallel group, randomised controlled trial to compare the clinical and cost-effectiveness of three physiotherapy-led exercise interventions for knee osteoarthritis in older adults: the BEEP trial protocol (ISRCTN: 93634563). BMC Musculoskeletal Disorders, 2014, 15, 254.	1.9	38
34	Effectiveness and costs of a vocational advice service to improve work outcomes in patients with musculoskeletal pain in primary care: a cluster randomised trial (SWAP trial ISRCTN 52269669). Pain, 2018, 159, 128-138.	4.2	38
35	Generalizability of Blood Pressure Lowering Trials to Older Patients: Crossâ€ S ectional Analysis. Journal of the American Geriatrics Society, 2020, 68, 2508-2515.	2.6	38
36	Subacromial impingement syndrome and pain: protocol for a randomised controlled trial of exercise and corticosteroid injection (the SUPPORT trial). BMC Musculoskeletal Disorders, 2014, 15, 81.	1.9	37

#	Article	IF	CITATIONS
37	Open-label randomised pragmatic trial (CONTACT) comparing naproxen and low-dose colchicine for the treatment of gout flares in primary care. Annals of the Rheumatic Diseases, 2020, 79, 276-284.	0.9	36
38	Refinement and validation of a tool for stratifying patients with musculoskeletal pain. European Journal of Pain, 2021, 25, 2081-2093.	2.8	36
39	Feasibility and Preliminary Efficacy of Visual Cue Training to Improve Adaptability of Walking after Stroke: Multi-Centre, Single-Blind Randomised Control Pilot Trial. PLoS ONE, 2015, 10, e0139261.	2.5	36
40	A randomised controlled trial of Outpatient versus inpatient Polyp Treatment (OPT) for abnormal uterine bleeding. Health Technology Assessment, 2015, 19, 1-194.	2.8	35
41	An analysis of the complementarity of ICECAP-A and EQ-5D-3ÂL in an adult population of patients with knee pain. Health and Quality of Life Outcomes, 2016, 14, 36.	2.4	34
42	Using mHealth for the management of hypertension in UK primary care: an embedded qualitative study of the TASMINH4 randomised controlled trial. British Journal of General Practice, 2019, 69, e612-e620.	1.4	33
43	Cost-Effectiveness of Optimizing Acute Stroke Care Services for Thrombolysis. Stroke, 2014, 45, 553-562.	2.0	32
44	Cost-effectiveness of self-management of blood pressure in hypertensive patients over 70 years with suboptimal control and established cardiovascular disease or additional cardiovascular risk diseases (TASMIN-SR). European Journal of Preventive Cardiology, 2016, 23, 902-912.	1.8	32
45	Evaluating Acupuncture and Standard carE for pregnant women with Back pain (EASE Back): a feasibility study and pilot randomised trial. Health Technology Assessment, 2016, 20, 1-236.	2.8	31
46	A Systematic Review of Research Guidelines in Decision-Analytic Modeling. Value in Health, 2015, 18, 512-529.	0.3	30
47	Home-based reach-to-grasp training for people after stroke: study protocol for a feasibility randomized controlled trial. Trials, 2013, 14, 109.	1.6	29
48	Optimising outcomes of exercise and corticosteroid injection in patients with subacromial pain (impingement) syndrome: a factorial randomised trial. British Journal of Sports Medicine, 2021, 55, 262-271.	6.7	29
49	A longitudinal assessment of the responsiveness of the ICECAP-A in a randomised controlled trial of a knee pain intervention. Quality of Life Research, 2015, 24, 2319-2331.	3.1	28
50	Prediction of risk of recurrence of venous thromboembolism following treatment for a first unprovoked venous thromboembolism: systematic review, prognostic model and clinical decision rule, and economic evaluation. Health Technology Assessment, 2016, 20, 1-190.	2.8	28
51	An economic evaluation of outpatient versus inpatient polyp treatment for abnormal uterine bleeding. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 625-631.	2.3	27
52	STEMS pilot trial: a pilot cluster randomised controlled trial to investigate the addition of patient direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain. BMJ Open, 2017, 7, e012987.	1.9	27
53	Lee Silverman Voice Treatment versus standard speech and language therapy versus control in Parkinson's disease: a pilot randomised controlled trial (PD COMM pilot). Pilot and Feasibility Studies, 2018, 4, 30.	1.2	27
54	A cluster randomised controlled trial of patient-held medical records for people with schizophrenia receiving shared care. British Journal of General Practice, 2003, 53, 197-203.	1.4	27

#	Article	IF	CITATIONS
55	The costâ€effectiveness of computerâ€assisted anticoagulant dosage: results from the European Action on Anticoagulation (EAA) multicentre study. Journal of Thrombosis and Haemostasis, 2009, 7, 1482-1490.	3.8	26
56	Conservative management, surgery and radiosurgery for treatment of vestibular schwannomas: a modelâ€based approach to costâ€effectiveness. Clinical Otolaryngology, 2014, 39, 22-31.	1.2	26
57	A Comparison of the Validity and Responsiveness of the EQ-5D-5L and SF-6D for Measuring Health Spillovers: A Study of the Family Impact of Meningitis. Medical Decision Making, 2017, 37, 882-893.	2.4	25
58	Self management, joint protection and exercises in hand osteoarthritis: a randomised controlled trial with cost effectiveness analyses. BMC Musculoskeletal Disorders, 2011, 12, 156.	1.9	24
59	Cost Effectiveness of Warfarin Versus Aspirin in Patients Older Than 75 Years With Atrial Fibrillation. Stroke, 2011, 42, 1717-1721.	2.0	24
60	Cost-effectiveness of exercise therapy after corticosteroid injection for moderate to severe shoulder pain due to subacromial impingement syndrome: a trial-based analysis. Rheumatology, 2013, 52, 1485-1491.	1.9	24
61	Economic Evaluation alongside Multinational Studies: A Systematic Review of Empirical Studies. PLoS ONE, 2015, 10, e0131949.	2.5	24
62	Joint protection and hand exercises for hand osteoarthritis: an economic evaluation comparing methods for the analysis of factorial trials. Rheumatology, 2015, 54, 876-883.	1.9	24
63	Patient self-management in primary care patients with mild COPD – protocol of a randomised controlled trial of telephone health coaching. BMC Pulmonary Medicine, 2015, 15, 16.	2.0	23
64	Cost-effectiveness of internet-based training for primary care clinicians on antibiotic prescribing for acute respiratory tract infections in Europe. Journal of Antimicrobial Chemotherapy, 2018, 73, 3189-3198.	3.0	23
65	Risk-based stratified primary care for common musculoskeletal pain presentations (STarT MSK): a cluster-randomised, controlled trial. Lancet Rheumatology, The, 2022, 4, e591-e602.	3.9	23
66	Model-based evaluation of the long-term cost-effectiveness of systematic case-finding for COPD in primary care. Thorax, 2019, 74, 730-739.	5.6	22
67	Systematic Review of Decision Analytic Modelling in Economic Evaluations of Low Back Pain and Sciatica. Applied Health Economics and Health Policy, 2019, 17, 467-491.	2.1	22
68	The effects of implementing a point-of-care electronic template to prompt routine anxiety and depression screening in patients consulting for osteoarthritis (the Primary Care Osteoarthritis) Tj ETQq0 0 0 rgB	T/Osværloc	:k 1202Tf 50 21
69	The prognostic utility of tests of platelet function for the detection of â€~aspirin resistance' in patients with established cardiovascular or cerebrovascular disease: a systematic review and economic evaluation. Health Technology Assessment, 2015, 19, 1-366.	2.8	22
70	Cohort Profile: The Birmingham Chronic Obstructive Pulmonary Disease (COPD) Cohort Study. International Journal of Epidemiology, 2017, 46, dyv350.	1.9	21
71	Valuing productivity costs using the frictionâ€cost approach: Estimating frictionâ€period estimates by occupational classifications for the UK. Health Economics (United Kingdom), 2017, 26, 1862-1868.	1.7	21
72	Does a Screening Trial for Spinal Cord Stimulation in Patients with Chronic Pain of Neuropathic Origin have Clinical Utility and Cost-Effectiveness? (TRIAL-STIM Study): study protocol for a randomised controlled trial. Trials, 2018, 19, 633.	1.6	21

#	Article	lF	CITATIONS
73	Factors associated with costs and health outcomes in patients with Back and leg pain in primary care: a prospective cohort analysis. BMC Health Services Research, 2019, 19, 406.	2.2	21
74	To Trial or Not to Trial Before Spinal Cord Stimulation for Chronic Neuropathic Pain: The Patients' View From the TRIAL-STIM Randomized Controlled Trial. Neuromodulation, 2021, 24, 459-470.	0.8	21
75	The cost-effectiveness of domiciliary non-invasive ventilation in patients with end-stage chronic obstructive pulmonary disease: a systematic review and economic evaluation. Health Technology Assessment, 2015, 19, 1-246.	2.8	21
76	Lee Silverman voice treatment versus standard NHS speech and language therapy versus control in Parkinson's disease (PD COMM pilot): study protocol for a randomized controlled trial. Trials, 2014, 15, 213.	1.6	20
77	Clinical course, characteristics and prognostic indicators in patients presenting with back and leg pain in primary care. The ATLAS study protocol. BMC Musculoskeletal Disorders, 2012, 13, 4.	1.9	19
78	ls screening for AF worthwhile? Stroke risk in a screened population from the SAFE study. Family Practice, 2014, 31, 298-302.	1.9	19
79	Cost-effectiveness analysis of use of a polypill versus usual care or best practice for primary prevention in people at high risk of cardiovascular disease. PLoS ONE, 2017, 12, e0182625.	2.5	19
80	Stratified care versus usual care for management of patients presenting with sciatica in primary care (SCOPiC): a randomised controlled trial. Lancet Rheumatology, The, 2020, 2, e401-e411.	3.9	19
81	A randomised controlled trial and cost effectiveness study of systematic screening (targeted and) Tj ETQq1 1 65s: (SAFE) [ISRCTN19633732]. BMC Cardiovascular Disorders, 2004, 4, 12.	0.784314 rg 1.7	BT /Overloc 18
82	Cost-effectiveness Analysis of the Bone-Anchored Hearing Device. Otology and Neurotology, 2011, 32, 1192-1197.	1.3	18
83	Rationale, design and methods of the Study of Work and Pain (SWAP): a cluster randomised controlled trial testing the addition of a vocational advice service to best current primary care for patients with musculoskeletal pain (ISRCTN 52269669). BMC Musculoskeletal Disorders, 2014, 15, 232.	1.9	18
84	Evaluating acupuncture and standard care for pregnant women with back pain: the EASE Back pilot randomised controlled trial (ISRCTN49955124). Pilot and Feasibility Studies, 2016, 2, 72.	1.2	18
85	How Qualitative Methods Can be Used to Inform Model Development. Pharmacoeconomics, 2017, 35, 607-612.	3.3	18
86	Telemonitoring and/or self-monitoring of blood pressure in hypertension (TASMINH4): protocol for a randomised controlled trial. BMC Cardiovascular Disorders, 2017, 17, 58.	1.7	18
87	Patient self management of oral anticoagulation in routine care in the UK. Journal of Clinical Pathology, 2007, 60, 1263-1267.	2.0	16
88	Targets and self-management for the control of blood pressure in stroke and at risk groups (TASMIN-SR): protocol for a randomised controlled trial. BMC Cardiovascular Disorders, 2013, 13, 21.	1.7	16
89	TargetCOPD: a pragmatic randomised controlled trial of targeted case finding for COPD versusroutine practice in primary care: protocol. BMC Pulmonary Medicine, 2014, 14, 157.	2.0	16
90	Construct Validity and Responsiveness of the Single-Item Presenteeism Question in Patients With Lower Back Pain for the Measurement of Presenteeism. Spine, 2014, 39, 409-416.	2.0	16

#	Article	IF	CITATIONS
91	Home-based Reach-to-Grasp training for people after stroke is feasible: a pilot randomised controlled trial. Clinical Rehabilitation, 2017, 31, 891-903.	2.2	15
92	Hypothetical versus real preferences: results from an opportunistic field experiment. Health Economics (United Kingdom), 2010, 19, 1502-1509.	1.7	14
93	Predicting Out-of-Office Blood Pressure in the Clinic for the Diagnosis of Hypertension in Primary Care. Hypertension, 2018, 71, 250-261.	2.7	14
94	Treatment of fatigue with physical activity and behavioural change support in vasculitis: study protocol for an open-label randomised controlled feasibility study. BMJ Open, 2018, 8, e023769.	1.9	14
95	Protocol for Past BP: a randomised controlled trial of different blood pressure targets for people with a history of stroke of transient ischaemic attack (TIA) in primary care. BMC Cardiovascular Disorders, 2010, 10, 37.	1.7	13
96	Study protocol for a randomised controlled trial of carvedilol versus variceal band ligation in primary prevention of variceal bleeding in liver cirrhosis (CALIBRE trial). BMJ Open Gastroenterology, 2019, 6, e000290.	2.7	13
97	Computer-Based Stratified Primary Care for Musculoskeletal Consultations Compared With Usual Care: Study Protocol for the STarT MSK Cluster Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17939.	1.0	13
98	Visual cue training to improve walking and turning after stroke: a study protocol for a multi-centre, single blind randomised pilot trial. Trials, 2013, 14, 276.	1.6	12
99	The clinical and cost-effectiveness of stratified care for patients with sciatica: the SCOPiC randomised controlled trial protocol (ISRCTN75449581). BMC Musculoskeletal Disorders, 2017, 18, 172.	1.9	12
100	OPtimising Treatment for MIld Systolic hypertension in the Elderly (OPTiMISE): protocol for a randomised controlled non-inferiority trial. BMJ Open, 2018, 8, e022930.	1.9	12
101	Stratified versus usual care for the management of primary care patients with sciatica: the SCOPiC RCT. Health Technology Assessment, 2020, 24, 1-130.	2.8	12
102	Optimal primary care management of clinical osteoarthritis and joint pain in older people: a mixed-methods programme of systematic reviews, observational and qualitative studies, and randomised controlled trials. Programme Grants for Applied Research, 2018, 6, 1-260.	1.0	11
103	Protocol for a systematic review and economic evaluation of the clinical and cost-effectiveness of non-hospital-based non-invasive ventilation (NIV) in patients with stable end-stage COPD with hypercapnic respiratory failure. Systematic Reviews, 2014, 3, 32.	5.3	10
104	Mixed-methods feasibility study of blood pressure self-screening for hypertension detection. BMJ Open, 2019, 9, e027986.	1.9	10
105	Improving Primary Care After Stroke (IPCAS) trial: protocol of a randomised controlled trial to evaluate a novel model of care for stroke survivors living in the community. BMJ Open, 2019, 9, e030285.	1.9	10
106	The STarT Back stratified care model for nonspecific low back pain: a model-based evaluation of long-term cost-effectiveness. Pain, 2021, 162, 702-710.	4.2	10
107	Management of fatigue with physical activity and behavioural change support in vasculitis: a feasibility study. Rheumatology, 2021, 60, 4130-4140.	1.9	10
108	The Effects of Environmental Factors on the Efficiency of Clinical Commissioning Groups in England: A Data Envelopment Analysis. Journal of Medical Systems, 2017, 41, 97.	3.6	9

#	Article	IF	CITATIONS
109	Cost-effectiveness of a model consultation to support self-management in patients with osteoarthritis. Rheumatology, 2018, 57, 1056-1063.	1.9	9
110	Accuracy and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among primary care patients (≥40 years) in China: a cross-sectional screening test accuracy study: findings from the Breathe Well group. BMJ Open, 2021, 11, e051811.	1.9	9
111	Protocol for an observation and implementation study investigating optimisation of the management of stroke and transient ischaemic attack (TIA). BMJ Open, 2012, 2, e001430.	1.9	8
112	Cost-effectiveness analysis of different systolic blood pressure targets for people with a history of stroke or transient ischaemic attack: Economic analysis of the PAST-BP study. European Journal of Preventive Cardiology, 2016, 23, 1590-1598.	1.8	8
113	Cost-effectiveness of domiciliary non-invasive ventilation in patients with chronic obstructive pulmonary disease. Thorax, 2022, 77, 976-986.	5.6	8
114	Economic evaluation of strategies for restarting anticoagulation therapy after a first event of unprovoked venous thromboembolism. Journal of Thrombosis and Haemostasis, 2017, 15, 1591-1600.	3.8	7
115	Understanding and Identifying Key Issues with the Involvement of Clinicians in the Development of Decision-Analytic Model Structures: A Qualitative Study. Pharmacoeconomics, 2018, 36, 1453-1462.	3.3	7
116	The Importance of Model Structure in the Cost-Effectiveness Analysis of Primary Care Interventions for the Management of Hypertension. Value in Health, 2018, 21, 351-363.	0.3	6
117	Routine low-dose continuous or nocturnal oxygen for people with acute stroke: three-arm Stroke Oxygen Supplementation RCT. Health Technology Assessment, 2018, 22, 1-88.	2.8	6
118	Prescribing new drugs: a survey of hospital consultants in the West Midlands. International Journal of Pharmacy Practice, 2011, 8, 285-290.	0.6	5
119	Protocol for a systematic review of the diagnostic and prognostic utility of tests currently available for the detection of aspirin resistance in patients with established cardiovascular or cerebrovascular disease. Systematic Reviews, 2013, 2, 16.	5.3	5
120	Protocol for a systematic review of prognostic models for the recurrence of venous thromboembolism (VTE) following treatment for a first unprovoked VTE. Systematic Reviews, 2013, 2, 91.	5.3	5
121	Aerobic exercise for vasomotor menopausal symptoms: A cost-utility analysis based on the Active Women trial. PLoS ONE, 2017, 12, e0184328.	2.5	5
122	Cost-Effectiveness of Antihypertensive Deprescribing in Primary Care: a Markov Modelling Study Using Data From the OPTiMISE Trial. Hypertension, 2022, 79, 1122-1131.	2.7	5
123	A pilot cluster randomised controlled trial to investigate the addition of direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain: the STEMS pilot trial protocol (ISRCTN23378642). Pilot and Feasibility Studies, 2015, 1, 26.	1.2	4
124	Costâ€Utility Analysis of Routine Anxiety and Depression Screening in Patients Consulting for Osteoarthritis: Results From a Clinical, Randomized Controlled Trial. Arthritis Care and Research, 2018, 70, 1787-1794.	3.4	4
125	Cost–utility analysis of interventions to improve effectiveness of exercise therapy for adults with knee osteoarthritis: the BEEP trial. Rheumatology Advances in Practice, 2018, 2, rky018.	0.7	4
126	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. European Heart Journal, 2019, 40, 3005-3007.	2.2	4

#	Article	IF	CITATIONS
127	Incorporating Household Spillovers in Cost Utility Analysis: A Case Study Using Behavior Change in COPD. International Journal of Technology Assessment in Health Care, 2019, 35, 212-220.	0.5	4
128	Study to evaluate the effectiveness and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among residents (≥40 years) in four cities in China: protocol for a multicentre cross-sectional study on behalf of the Breathe Well group. BMJ Open, 2020, 10, e035738.	1.9	4
129	Prospective randomised trial examining the impact of an educational intervention versus usual care on anticoagulation therapy control based on an SAMe-TT ₂ R ₂ score-guided strategy in anticoagulant-naÃ ⁻ ve Thai patients with atrial fibrillation (TREATS-AF): a study protocol. BMJ Open. 2021. 11. e051987.	1.9	4
130	Home Non-Invasive Ventilation in COPD: A Global Systematic Review. Chronic Obstructive Pulmonary Diseases (Miami, Fla), 2022, , .	0.7	4
131	The cost-effectiveness of different approaches to exercise and corticosteroid injection for subacromial pain (impingement) syndrome. Rheumatology, 2021, 60, 4175-4184.	1.9	3
132	Performance of the EQ-5D-5L Plus Respiratory Bolt-On in the Birmingham Chronic Obstructive Pulmonary Disease Cohort Study. Value in Health, 2021, 24, 1667-1675.	0.3	3
133	COPD case finding: effective, but also cost-effective? – Authors' reply. Lancet Respiratory Medicine,the, 2016, 4, e50.	10.7	2
134	Predictors of pain interference and potential gain from intervention in community dwelling adults with joint pain: A prospective cohort study. Musculoskeletal Care, 2019, 17, 231-240.	1.4	2
135	Economic evaluation of patient direct access to NHS physiotherapy services. Physiotherapy, 2021, 111, 40-47.	0.4	2
136	Lee Silverman Voice Treatment versus standard speech and language therapy versus control in Parkinson's disease: preliminary cost-consequence analysis of the PD COMM pilot randomised controlled trial. Pilot and Feasibility Studies, 2021, 7, 154.	1.2	2
137	Predicting pain and function outcomes in people consulting with shoulder pain: the PANDA-S clinical cohort and qualitative study protocol. BMJ Open, 2021, 11, e052758.	1.9	2
138	Using a rapid prioritisation process to identify health research priorities in LMICs. , 2018, , .		2
139	Effectiveness of Combining Feedback about Lung Age or Exhaled Carbon Monoxide Levels with Very Brief Advice (VBA) and Support for Smoking Cessation in Primary Care Compared to Giving VBA and Support Alone ââ,¬â€œ Protocol for a Randomized Controlled Trial withi. Open Access Macedonian Journal of Medical Sciences. 2020. 8, 27-35.	0.2	2
140	Reconsultation, self-reported health status and costs following treatment at a musculoskeletal Clinical Assessment and Treatment Service (CATS): a 12-month prospective cohort study. BMJ Open, 2016, 6, e011735.	1.9	1
141	A multicentre, randomised controlled trial to compare the clinical and cost-effectiveness of Lee Silverman Voice Treatment versus standard NHS Speech and Language Therapy versus control in Parkinson's disease: a study protocol for a randomised controlled trial. Trials, 2020, 21, 436.	1.6	1
142	Clinical and cost-effectiveness of bracing in symptomatic knee osteoarthritis management: protocol for a multicentre, primary care, randomised, parallel-group, superiority trial. BMJ Open, 2021, 11, e048196.	1.9	1
143	Prevention and treatment of venous thromboembolism in hospital and the community: a research programme including the ExACT RCT. Programme Grants for Applied Research, 2020, 8, 1-104.	1.0	1
144	Case-finding and improving patient outcomes for chronic obstructive pulmonary disease in primary care: the BLISS research programme including cluster RCT. Programme Grants for Applied Research, 2021, 9, 1-148.	1.0	1

#	Article	IF	CITATIONS
145	Do Economic Evaluations in Primary Care Prevention and the Management of Hypertension Conform to Good Practice Guidelines? A Systematic Review. MDM Policy and Practice, 2016, 1, 238146831667172.	0.9	0
146	When has service provision for transient ischaemic attack improved enough? A discrete event simulation economic modelling study. BMJ Open, 2017, 7, e018189.	1.9	0
147	TargetCOPD: A pragmatic randomised controlled trial of targeted case finding for COPD <i>versus</i> routine practice in primary care. , 2015, , .		0
148	Modelling the long-term effects of an active case finding programme for undiagnosed COPD. , 2016, , .		0
149	Effect of screening for undiagnosed COPD on respiratory hospitalisation and mortality; 4 year follow up of the TargetCOPD trial. , 2019, , .		Ο
150	Screening for Undiagnosed COPD; Accuracy of Different Strategies Among Primary Care Patients in China: A Breathe Well Study. SSRN Electronic Journal, 0, , .	0.4	0