

# Susan Jowett

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1886120/publications.pdf>

Version: 2024-02-01

150  
papers

5,922  
citations

117625

34  
h-index

88630

70  
g-index

153  
all docs

153  
docs citations

153  
times ranked

8657  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost-effectiveness of domiciliary non-invasive ventilation in patients with chronic obstructive pulmonary disease. <i>Thorax</i> , 2022, 77, 976-986.	5.6	8
2	Home Non-Invasive Ventilation in COPD: A Global Systematic Review. <i>Chronic Obstructive Pulmonary Diseases (Miami, Fla)</i> , 2022, , .	0.7	4
3	Cost-Effectiveness of Antihypertensive Deprescribing in Primary Care: a Markov Modelling Study Using Data From the OPTIMISE Trial. <i>Hypertension</i> , 2022, 79, 1122-1131.	2.7	5
4	Risk-based stratified primary care for common musculoskeletal pain presentations (STarT MSK): a cluster-randomised, controlled trial. <i>Lancet Rheumatology</i> , The, 2022, 4, e591-e602.	3.9	23
5	To Trial or Not to Trial Before Spinal Cord Stimulation for Chronic Neuropathic Pain: The Patientsâ€™ View From the TRIAL-STIM Randomized Controlled Trial. <i>Neuromodulation</i> , 2021, 24, 459-470.	0.8	21
6	Optimising outcomes of exercise and corticosteroid injection in patients with subacromial pain (impingement) syndrome: a factorial randomised trial. <i>British Journal of Sports Medicine</i> , 2021, 55, 262-271.	6.7	29
7	The cost-effectiveness of different approaches to exercise and corticosteroid injection for subacromial pain (impingement) syndrome. <i>Rheumatology</i> , 2021, 60, 4175-4184.	1.9	3
8	Clinical and cost-effectiveness of bracing in symptomatic knee osteoarthritis management: protocol for a multicentre, primary care, randomised, parallel-group, superiority trial. <i>BMJ Open</i> , 2021, 11, e048196.	1.9	1
9	Economic evaluation of patient direct access to NHS physiotherapy services. <i>Physiotherapy</i> , 2021, 111, 40-47.	0.4	2
10	Refinement and validation of a tool for stratifying patients with musculoskeletal pain. <i>European Journal of Pain</i> , 2021, 25, 2081-2093.	2.8	36
11	Performance of the EQ-5D-5L Plus Respiratory Bolt-On in the Birmingham Chronic Obstructive Pulmonary Disease Cohort Study. <i>Value in Health</i> , 2021, 24, 1667-1675.	0.3	3
12	Lee Silverman Voice Treatment versus standard speech and language therapy versus control in Parkinsonâ€™s disease: preliminary cost-consequence analysis of the PD COMM pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2021, 7, 154.	1.2	2
13	Accuracy and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among primary care patients (â‰¥40 years) in China: a cross-sectional screening test accuracy study: findings from the Breathe Well group. <i>BMJ Open</i> , 2021, 11, e051811.	1.9	9
14	Predicting pain and function outcomes in people consulting with shoulder pain: the PANDA-S clinical cohort and qualitative study protocol. <i>BMJ Open</i> , 2021, 11, e052758.	1.9	2
15	The STarT Back stratified care model for nonspecific low back pain: a model-based evaluation of long-term cost-effectiveness. <i>Pain</i> , 2021, 162, 702-710.	4.2	10
16	Prospective randomised trial examining the impact of an educational intervention versus usual care on anticoagulation therapy control based on an SAMe-TT <sub>2</sub> R <sub>2</sub> score-guided strategy in anticoagulant-naïve Thai patients with atrial fibrillation (TREATS-AF): a study protocol. <i>BMJ Open</i> , 2021, 11, e051987.	1.9	4
17	Management of fatigue with physical activity and behavioural change support in vasculitis: a feasibility study. <i>Rheumatology</i> , 2021, 60, 4130-4140.	1.9	10
18	Case-finding and improving patient outcomes for chronic obstructive pulmonary disease in primary care: the BLISS research programme including cluster RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-148.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Generalizability of Blood Pressure Lowering Trials to Older Patients: Cross-sectional Analysis. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2508-2515.	2.6	38
20	Does a screening trial for spinal cord stimulation in patients with chronic pain of neuropathic origin have clinical utility and cost-effectiveness (TRIAL-STIM)? A randomised controlled trial. <i>Pain</i> , 2020, 161, 2820-2829.	4.2	52
21	Study to evaluate the effectiveness and cost-effectiveness of different screening strategies for identifying undiagnosed COPD among residents (≥40 years) in four cities in China: protocol for a multicentre cross-sectional study on behalf of the Breathe Well group. <i>BMJ Open</i> , 2020, 10, e035738.	1.9	4
22	A multicentre, randomised controlled trial to compare the clinical and cost-effectiveness of Lee Silverman Voice Treatment versus standard NHS Speech and Language Therapy versus control in Parkinson's disease: a study protocol for a randomised controlled trial. <i>Trials</i> , 2020, 21, 436.	1.6	1
23	Surgical site infection and costs in low- and middle-income countries: A systematic review of the economic burden. <i>PLoS ONE</i> , 2020, 15, e0232960.	2.5	62
24	Open-label randomised pragmatic trial (CONTACT) comparing naproxen and low-dose colchicine for the treatment of gout flares in primary care. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 276-284.	0.9	36
25	Stratified care versus usual care for management of patients presenting with sciatica in primary care (SCOPiC): a randomised controlled trial. <i>Lancet Rheumatology</i> , The, 2020, 2, e401-e411.	3.9	19
26	Prophylactic biological mesh reinforcement versus standard closure of stoma site (ROCSS): a multicentre, randomised controlled trial. <i>Lancet</i> , The, 2020, 395, 417-426.	13.7	43
27	Effect of Antihypertensive Medication Reduction vs Usual Care on Short-term Blood Pressure Control in Patients With Hypertension Aged 80 Years and Older. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2039.	7.4	99
28	Computer-Based Stratified Primary Care for Musculoskeletal Consultations Compared With Usual Care: Study Protocol for the STarT MSK Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17939.	1.0	13
29	Prevention and treatment of venous thromboembolism in hospital and the community: a research programme including the ExACT RCT. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-104.	1.0	1
30	Effectiveness of Combining Feedback about Lung Age or Exhaled Carbon Monoxide Levels with Very Brief Advice (VBA) and Support for Smoking Cessation in Primary Care Compared to Giving VBA and Support Alone - Protocol for a Randomized Controlled Trial withi. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2020, 8, 27-35.	0.2	2
31	Stratified versus usual care for the management of primary care patients with sciatica: the SCOPiC RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-130.	2.8	12
32	Factors associated with costs and health outcomes in patients with Back and leg pain in primary care: a prospective cohort analysis. <i>BMC Health Services Research</i> , 2019, 19, 406.	2.2	21
33	Model-based evaluation of the long-term cost-effectiveness of systematic case-finding for COPD in primary care. <i>Thorax</i> , 2019, 74, 730-739.	5.6	22
34	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. <i>European Heart Journal</i> , 2019, 40, 3005-3007.	2.2	4
35	Predictors of pain interference and potential gain from intervention in community dwelling adults with joint pain: A prospective cohort study. <i>Musculoskeletal Care</i> , 2019, 17, 231-240.	1.4	2
36	Mixed-methods feasibility study of blood pressure self-screening for hypertension detection. <i>BMJ Open</i> , 2019, 9, e027986.	1.9	10

#	ARTICLE	IF	CITATIONS
37	Incorporating Household Spillovers in Cost Utility Analysis: A Case Study Using Behavior Change in COPD. <i>International Journal of Technology Assessment in Health Care</i> , 2019, 35, 212-220.	0.5	4
38	Cost-Effectiveness of Telemonitoring and Self-Monitoring of Blood Pressure for Antihypertensive Titration in Primary Care (TASMINH4). <i>Hypertension</i> , 2019, 73, 1231-1239.	2.7	73
39	Study protocol for a randomised controlled trial of carvedilol versus variceal band ligation in primary prevention of variceal bleeding in liver cirrhosis (CALIBRE trial). <i>BMJ Open Gastroenterology</i> , 2019, 6, e000290.	2.7	13
40	Systematic Review of Decision Analytic Modelling in Economic Evaluations of Low Back Pain and Sciatica. <i>Applied Health Economics and Health Policy</i> , 2019, 17, 467-491.	2.1	22
41	Using mHealth for the management of hypertension in UK primary care: an embedded qualitative study of the TASMINH4 randomised controlled trial. <i>British Journal of General Practice</i> , 2019, 69, e612-e620.	1.4	33
42	Improving Primary Care After Stroke (IPCAS) trial: protocol of a randomised controlled trial to evaluate a novel model of care for stroke survivors living in the community. <i>BMJ Open</i> , 2019, 9, e030285.	1.9	10
43	Effect of screening for undiagnosed COPD on respiratory hospitalisation and mortality; 4 year follow up of the TargetCOPD trial. , 2019, , .		0
44	Efficacy of self-monitored blood pressure, with or without telemonitoring, for titration of antihypertensive medication (TASMINH4): an unmasked randomised controlled trial. <i>Lancet</i> , The, 2018, 391, 949-959.	13.7	289
45	Costâ€Utility Analysis of Routine Anxiety and Depression Screening in Patients Consulting for Osteoarthritis: Results From a Clinical, Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2018, 70, 1787-1794.	3.4	4
46	Cost-effectiveness of a model consultation to support self-management in patients with osteoarthritis. <i>Rheumatology</i> , 2018, 57, 1056-1063.	1.9	9
47	The Importance of Model Structure in the Cost-Effectiveness Analysis of Primary Care Interventions for the Management of Hypertension. <i>Value in Health</i> , 2018, 21, 351-363.	0.3	6
48	Effectiveness and costs of a vocational advice service to improve work outcomes in patients with musculoskeletal pain in primary care: a cluster randomised trial (SWAP trial ISRCTN 52269669). <i>Pain</i> , 2018, 159, 128-138.	4.2	38
49	Predicting Out-of-Office Blood Pressure in the Clinic for the Diagnosis of Hypertension in Primary Care. <i>Hypertension</i> , 2018, 71, 250-261.	2.7	14
50	Does a Screening Trial for Spinal Cord Stimulation in Patients with Chronic Pain of Neuropathic Origin have Clinical Utility and Cost-Effectiveness? (TRIAL-STIM Study): study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 633.	1.6	21
51	Optimising Treatment for Mild Systolic hypertension in the Elderly (OPTiMISE): protocol for a randomised controlled non-inferiority trial. <i>BMJ Open</i> , 2018, 8, e022930.	1.9	12
52	The clinical and cost-effectiveness of corticosteroid injection versus night splints for carpal tunnel syndrome (INSTINCTS trial): an open-label, parallel group, randomised controlled trial. <i>Lancet</i> , The, 2018, 392, 1423-1433.	13.7	74
53	Treatment of fatigue with physical activity and behavioural change support in vasculitis: study protocol for an open-label randomised controlled feasibility study. <i>BMJ Open</i> , 2018, 8, e023769.	1.9	14
54	Cost-effectiveness of internet-based training for primary care clinicians on antibiotic prescribing for acute respiratory tract infections in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 3189-3198.	3.0	23

#	ARTICLE	IF	CITATIONS
55	The extent, quality and impact of patient and public involvement in primary care research: a mixed methods study. <i>Research Involvement and Engagement</i> , 2018, 4, 16.	2.9	87
56	Lee Silverman Voice Treatment versus standard speech and language therapy versus control in Parkinson's disease: a pilot randomised controlled trial (PD COMM pilot). <i>Pilot and Feasibility Studies</i> , 2018, 4, 30.	1.2	27
57	Understanding and Identifying Key Issues with the Involvement of Clinicians in the Development of Decision-Analytic Model Structures: A Qualitative Study. <i>Pharmacoeconomics</i> , 2018, 36, 1453-1462.	3.3	7
58	Self management of patients with mild COPD in primary care: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 361, k2241.	2.3	64
59	Cost-utility analysis of interventions to improve effectiveness of exercise therapy for adults with knee osteoarthritis: the BEEP trial. <i>Rheumatology Advances in Practice</i> , 2018, 2, rky018.	0.7	4
60	Routine low-dose continuous or nocturnal oxygen for people with acute stroke: three-arm Stroke Oxygen Supplementation RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-88.	2.8	6
61	Optimal primary care management of clinical osteoarthritis and joint pain in older people: a mixed-methods programme of systematic reviews, observational and qualitative studies, and randomised controlled trials. <i>Programme Grants for Applied Research</i> , 2018, 6, 1-260.	1.0	11
62	Using a rapid prioritisation process to identify health research priorities in LMICs. , 2018, , .		2
63	Cohort Profile: The Birmingham Chronic Obstructive Pulmonary Disease (COPD) Cohort Study. <i>International Journal of Epidemiology</i> , 2017, 46, dyv350.	1.9	21
64	The Estimation and Inclusion of Presenteeism Costs in Applied Economic Evaluation: A Systematic Review. <i>Value in Health</i> , 2017, 20, 496-506.	0.3	97
65	The Effects of Environmental Factors on the Efficiency of Clinical Commissioning Groups in England: A Data Envelopment Analysis. <i>Journal of Medical Systems</i> , 2017, 41, 97.	3.6	9
66	How Qualitative Methods Can be Used to Inform Model Development. <i>Pharmacoeconomics</i> , 2017, 35, 607-612.	3.3	18
67	Valuing productivity costs using the friction-cost approach: Estimating friction-period estimates by occupational classifications for the UK. <i>Health Economics (United Kingdom)</i> , 2017, 26, 1862-1868.	1.7	21
68	Economic evaluation of strategies for restarting anticoagulation therapy after a first event of unprovoked venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1591-1600.	3.8	7
69	STEMS pilot trial: a pilot cluster randomised controlled trial to investigate the addition of patient direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain. <i>BMJ Open</i> , 2017, 7, e012987.	1.9	27
70	When has service provision for transient ischaemic attack improved enough? A discrete event simulation economic modelling study. <i>BMJ Open</i> , 2017, 7, e018189.	1.9	0
71	Telemonitoring and/or self-monitoring of blood pressure in hypertension (TASMINH4): protocol for a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 58.	1.7	18
72	The clinical and cost-effectiveness of stratified care for patients with sciatica: the SCOPiC randomised controlled trial protocol (ISRCTN75449581). <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 172.	1.9	12

#	ARTICLE	IF	CITATIONS
73	Home-based Reach-to-Grasp training for people after stroke is feasible: a pilot randomised controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 891-903.	2.2	15
74	A Comparison of the Validity and Responsiveness of the EQ-5D-5L and SF-6D for Measuring Health Spillovers: A Study of the Family Impact of Meningitis. <i>Medical Decision Making</i> , 2017, 37, 882-893.	2.4	25
75	Aerobic exercise for vasomotor menopausal symptoms: A cost-utility analysis based on the Active Women trial. <i>PLoS ONE</i> , 2017, 12, e0184328.	2.5	5
76	Cost-effectiveness analysis of use of a polypill versus usual care or best practice for primary prevention in people at high risk of cardiovascular disease. <i>PLoS ONE</i> , 2017, 12, e0182625.	2.5	19
77	The effects of implementing a point-of-care electronic template to prompt routine anxiety and depression screening in patients consulting for osteoarthritis (the Primary Care Osteoarthritis) Tj ETQq1 1 0.784314gBT /Overlock 10	1.4	0
78	Keele Aches and Pains Study protocol: validity, acceptability, and feasibility of the Keele STarT MSK tool for subgrouping musculoskeletal patients in primary care. <i>Journal of Pain Research</i> , 2016, Volume 9, 807-818.	2.0	41
79	Evaluating acupuncture and standard care for pregnant women with back pain: the EASE Back pilot randomised controlled trial (ISRCTN49955124). <i>Pilot and Feasibility Studies</i> , 2016, 2, 72.	1.2	18
80	An analysis of the complementarity of ICECAP-A and EQ-5D-3ÅL in an adult population of patients with knee pain. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 36.	2.4	34
81	COPD case finding: effective, but also cost-effective? â€œ Authors' reply. <i>Lancet Respiratory Medicine</i> , 2016, 4, e50.	10.7	2
82	Targeted case finding for chronic obstructive pulmonary disease versus routine practice in primary care (TargetCOPD): a cluster-randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2016, 4, 720-730.	10.7	63
83	Do Economic Evaluations in Primary Care Prevention and the Management of Hypertension Conform to Good Practice Guidelines? A Systematic Review. <i>MDM Policy and Practice</i> , 2016, 1, 238146831667172.	0.9	0
84	Reconsultation, self-reported health status and costs following treatment at a musculoskeletal Clinical Assessment and Treatment Service (CATS): a 12-month prospective cohort study. <i>BMJ Open</i> , 2016, 6, e011735.	1.9	1
85	Cost-effectiveness analysis of different systolic blood pressure targets for people with a history of stroke or transient ischaemic attack: Economic analysis of the PAST-BP study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1590-1598.	1.8	8
86	An economic evaluation of outpatient versus inpatient polyp treatment for abnormal uterine bleeding. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 625-631.	2.3	27
87	Estimating productivity costs using the friction cost approach in practice: a systematic review. <i>European Journal of Health Economics</i> , 2016, 17, 31-44.	2.8	70
88	Cost-effectiveness of self-management of blood pressure in hypertensive patients over 70 years with suboptimal control and established cardiovascular disease or additional cardiovascular risk diseases (TASMIN-SR). <i>European Journal of Preventive Cardiology</i> , 2016, 23, 902-912.	1.8	32
89	Prediction of risk of recurrence of venous thromboembolism following treatment for a first unprovoked venous thromboembolism: systematic review, prognostic model and clinical decision rule, and economic evaluation. <i>Health Technology Assessment</i> , 2016, 20, 1-190.	2.8	28
90	Evaluating Acupuncture and Standard carE for pregnant women with Back pain (EASE Back): a feasibility study and pilot randomised trial. <i>Health Technology Assessment</i> , 2016, 20, 1-236.	2.8	31

#	ARTICLE	IF	CITATIONS
91	Modelling the long-term effects of an active case finding programme for undiagnosed COPD. , 2016, , .		0
92	A pilot cluster randomised controlled trial to investigate the addition of direct access to physiotherapy to usual GP-led primary care for adults with musculoskeletal pain: the STEMS pilot trial protocol (ISRCTN23378642). Pilot and Feasibility Studies, 2015, 1, 26.	1.2	4
93	Economic Evaluation alongside Multinational Studies: A Systematic Review of Empirical Studies. PLoS ONE, 2015, 10, e0131949.	2.5	24
94	Joint protection and hand exercises for hand osteoarthritis: an economic evaluation comparing methods for the analysis of factorial trials. Rheumatology, 2015, 54, 876-883.	1.9	24
95	A Systematic Review of Research Guidelines in Decision-Analytic Modeling. Value in Health, 2015, 18, 512-529.	0.3	30
96	Outpatient versus inpatient uterine polyp treatment for abnormal uterine bleeding: randomised controlled non-inferiority study. BMJ, The, 2015, 350, h1398-h1398.	6.0	69
97	Patient self-management in primary care patients with mild COPD â€œ protocol of a randomised controlled trial of telephone health coaching. BMC Pulmonary Medicine, 2015, 15, 16.	2.0	23
98	A longitudinal assessment of the responsiveness of the ICECAP-A in a randomised controlled trial of a knee pain intervention. Quality of Life Research, 2015, 24, 2319-2331.	3.1	28
99	Feasibility and Preliminary Efficacy of Visual Cue Training to Improve Adaptability of Walking after Stroke: Multi-Centre, Single-Blind Randomised Control Pilot Trial. PLoS ONE, 2015, 10, e0139261.	2.5	36
100	Supported self-management for patients with moderate to severe chronic obstructive pulmonary disease (COPD): an evidence synthesis and economic analysis. Health Technology Assessment, 2015, 19, 1-516.	2.8	64
101	The prognostic utility of tests of platelet function for the detection of â€œaspirin resistanceâ€™ in patients with established cardiovascular or cerebrovascular disease: a systematic review and economic evaluation. Health Technology Assessment, 2015, 19, 1-366.	2.8	22
102	A randomised controlled trial of Outpatient versus inpatient Polyp Treatment (OPT) for abnormal uterine bleeding. Health Technology Assessment, 2015, 19, 1-194.	2.8	35
103	The cost-effectiveness of domiciliary non-invasive ventilation in patients with end-stage chronic obstructive pulmonary disease: a systematic review and economic evaluation. Health Technology Assessment, 2015, 19, 1-246.	2.8	21
104	TargetCOPD: A pragmatic randomised controlled trial of targeted case finding for COPD versus routine practice in primary care. , 2015, , .		0
105	Is screening for AF worthwhile? Stroke risk in a screened population from the SAFE study. Family Practice, 2014, 31, 298-302.	1.9	19
106	Implementing the NICE osteoarthritis guidelines: a mixed methods study and cluster randomised trial of a model osteoarthritis consultation in primary care - the Management of OsteoArthritis In Consultations (MOSAICS) study protocol. Implementation Science, 2014, 9, 95.	6.9	53
107	TargetCOPD: a pragmatic randomised controlled trial of targeted case finding for COPD versus routine practice in primary care: protocol. BMC Pulmonary Medicine, 2014, 14, 157.	2.0	16
108	Telemonitoring and self-management in the control of hypertension (TASMINH2): a cost-effectiveness analysis. European Journal of Preventive Cardiology, 2014, 21, 1517-1530.	1.8	81

#	ARTICLE	IF	CITATIONS
109	Construct Validity and Responsiveness of the Single-Item Presenteeism Question in Patients With Lower Back Pain for the Measurement of Presenteeism. <i>Spine</i> , 2014, 39, 409-416.	2.0	16
110	Conservative management, surgery and radiosurgery for treatment of vestibular schwannomas: a model-based approach to cost-effectiveness. <i>Clinical Otolaryngology</i> , 2014, 39, 22-31.	1.2	26
111	Subacromial impingement syndrome and pain: protocol for a randomised controlled trial of exercise and corticosteroid injection (the SUPPORT trial). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 81.	1.9	37
112	Effect of Self-monitoring and Medication Self-titration on Systolic Blood Pressure in Hypertensive Patients at High Risk of Cardiovascular Disease. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 799.	7.4	324
113	Rationale, design and methods of the Study of Work and Pain (SWAP): a cluster randomised controlled trial testing the addition of a vocational advice service to best current primary care for patients with musculoskeletal pain (ISRCTN 52269669). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 232.	1.9	18
114	A multicentre, pragmatic, parallel group, randomised controlled trial to compare the clinical and cost-effectiveness of three physiotherapy-led exercise interventions for knee osteoarthritis in older adults: the BEEP trial protocol (ISRCTN: 93634563). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 254.	1.9	38
115	Cost-Effectiveness of Optimizing Acute Stroke Care Services for Thrombolysis. <i>Stroke</i> , 2014, 45, 553-562.	2.0	32
116	Protocol for a systematic review and economic evaluation of the clinical and cost-effectiveness of non-hospital-based non-invasive ventilation (NIV) in patients with stable end-stage COPD with hypercapnic respiratory failure. <i>Systematic Reviews</i> , 2014, 3, 32.	5.3	10
117	Lee Silverman voice treatment versus standard NHS speech and language therapy versus control in Parkinson's disease (PD COMM pilot): study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 213.	1.6	20
118	Home-based reach-to-grasp training for people after stroke: study protocol for a feasibility randomized controlled trial. <i>Trials</i> , 2013, 14, 109.	1.6	29
119	Protocol for a systematic review of the diagnostic and prognostic utility of tests currently available for the detection of aspirin resistance in patients with established cardiovascular or cerebrovascular disease. <i>Systematic Reviews</i> , 2013, 2, 16.	5.3	5
120	Targets and self-management for the control of blood pressure in stroke and at risk groups (TASMIN-SR): protocol for a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 21.	1.7	16
121	Protocol for a systematic review of prognostic models for the recurrence of venous thromboembolism (VTE) following treatment for a first unprovoked VTE. <i>Systematic Reviews</i> , 2013, 2, 91.	5.3	5
122	Visual cue training to improve walking and turning after stroke: a study protocol for a multi-centre, single blind randomised pilot trial. <i>Trials</i> , 2013, 14, 276.	1.6	12
123	Cost-effectiveness of exercise therapy after corticosteroid injection for moderate to severe shoulder pain due to subacromial impingement syndrome: a trial-based analysis. <i>Rheumatology</i> , 2013, 52, 1485-1491.	1.9	24
124	Protocol for an observation and implementation study investigating optimisation of the management of stroke and transient ischaemic attack (TIA). <i>BMJ Open</i> , 2012, 2, e001430.	1.9	8
125	Clinical course, characteristics and prognostic indicators in patients presenting with back and leg pain in primary care. The ATLAS study protocol. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 4.	1.9	19
126	Prescribing new drugs: a survey of hospital consultants in the West Midlands. <i>International Journal of Pharmacy Practice</i> , 2011, 8, 285-290.	0.6	5



#	ARTICLE	IF	CITATIONS
127	Cost-effectiveness of options for the diagnosis of high blood pressure in primary care: a modelling study. <i>Lancet, The</i> , 2011, 378, 1219-1230.	13.7	296
128	Cost-effectiveness Analysis of the Bone-Anchored Hearing Device. <i>Otology and Neurotology</i> , 2011, 32, 1192-1197.	1.3	18
129	Self management, joint protection and exercises in hand osteoarthritis: a randomised controlled trial with cost effectiveness analyses. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 156.	1.9	24
130	Cost Effectiveness of Warfarin Versus Aspirin in Patients Older Than 75 Years With Atrial Fibrillation. <i>Stroke</i> , 2011, 42, 1717-1721.	2.0	24
131	Protocol for Past BP: a randomised controlled trial of different blood pressure targets for people with a history of stroke of transient ischaemic attack (TIA) in primary care. <i>BMC Cardiovascular Disorders</i> , 2010, 10, 37.	1.7	13
132	Hypothetical versus real preferences: results from an opportunistic field experiment. <i>Health Economics (United Kingdom)</i> , 2010, 19, 1502-1509.	1.7	14
133	The cost-effectiveness of computer-assisted anticoagulant dosage: results from the European Action on Anticoagulation (EAA) multicentre study. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 1482-1490.	3.8	26
134	Screening to prevent spontaneous preterm birth: systematic reviews of accuracy and effectiveness literature with economic modelling. <i>Health Technology Assessment</i> , 2009, 13, 1-627.	2.8	167
135	Clinical and cost-effectiveness of epoprostenol, iloprost, bosentan, sitaxentan and sildenafil for pulmonary arterial hypertension within their licensed indications: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2009, 13, 1-320.	2.8	73
136	A Multinational Investigation of Time and Traveling Costs in Attending Anticoagulation Clinics. <i>Value in Health</i> , 2008, 11, 207-212.	0.3	39
137	Accuracy of diagnosing atrial fibrillation on electrocardiogram by primary care practitioners and interpretative diagnostic software: analysis of data from screening for atrial fibrillation in the elderly (SAFE) trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 380.	2.3	134
138	Patient self management of oral anticoagulation in routine care in the UK. <i>Journal of Clinical Pathology</i> , 2007, 60, 1263-1267.	2.0	16
139	Screening versus routine practice in detection of atrial fibrillation in patients aged 65 or over: cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 383.	2.3	326
140	Oral naltrexone as a treatment for relapse prevention in formerly opioid-dependent drug users: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2007, 11, iii-iv, 1-85.	2.8	53
141	Methadone and buprenorphine for the management of opioid dependence: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2007, 11, 1-171, iii-iv.	2.8	390
142	Patient self-management of anticoagulation therapy: a trial-based cost-effectiveness analysis. <i>British Journal of Haematology</i> , 2006, 134, 632-639.	2.5	49
143	A systematic review of the effectiveness of adalimumab, etanercept and infliximab for the treatment of rheumatoid arthritis in adults and an economic evaluation of their cost-effectiveness. <i>Health Technology Assessment</i> , 2006, 10, iii-iv, xi-xiii, 1-229.	2.8	305
144	A randomised controlled trial and cost-effectiveness study of systematic screening (targeted and) aged 65 and over. The SAFE study. <i>Health Technology Assessment</i> , 2005, 9, iii-iv, ix-x, 1-74.	2.8	317

#	ARTICLE	IF	CITATIONS
145	A randomised controlled trial and cost effectiveness study of systematic screening (targeted and) Tj ETQq1 1 0.784314 rgBT /Overload 65s: (SAFE) [ISRCTN19633732]. BMC Cardiovascular Disorders, 2004, 4, 12.	1.7	18
146	A cluster randomised controlled trial of patient-held medical records for people with schizophrenia receiving shared care. British Journal of General Practice, 2003, 53, 197-203.	1.4	27
147	Proton pump inhibitors: a study of GPs' prescribing. Family Practice, 2001, 18, 333-338.	1.9	43
148	Systematic review of near patient test evaluations in primary care. BMJ: British Medical Journal, 1999, 319, 824-827.	2.3	58
149	Review of the usefulness of contacting other experts when conducting a literature search for systematic reviews. BMJ: British Medical Journal, 1998, 317, 1562-1563.	2.3	146
150	Screening for Undiagnosed COPD; Accuracy of Different Strategies Among Primary Care Patients in China: A Breathe Well Study. SSRN Electronic Journal, 0, , .	0.4	0