

# Ming Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1897310/publications.pdf>

Version: 2024-02-01

135  
papers

3,442  
citations

172457

29  
h-index

161849

54  
g-index

135  
all docs

135  
docs citations

135  
times ranked

1937  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Photonic Generation of Multi-Band Phase-Coded Microwave Pulses by Polarization Manipulation of Optical Signals. <i>Journal of Lightwave Technology</i> , 2022, 40, 672-680.                                    | 4.6 | 3         |
| 2  | Photonic Generation of Multi-Format Radar Waveforms Based on an Integrated Silicon IQ Modulator. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022, 28, 1-7.                                | 2.9 | 3         |
| 3  | Transmission of dual-chirp microwave signal over fiber with suppression chromatic-dispersion-induced power-fading based on stimulated Brillouin scattering. <i>Optics Communications</i> , 2022, 508, 127787.  | 2.1 | 4         |
| 4  | A Filterless Photonic Approach for DFS and AOA Measurement Using a Push-Pull DPol-MZM. <i>IEEE Photonics Technology Letters</i> , 2022, 34, 19-22.   | 2.5 | 10        |
| 5  | Photonic System for Simultaneous and Unambiguous Measurement of Angle-of-Arrival and Doppler-Frequency-Shift. <i>Journal of Lightwave Technology</i> , 2022, 40, 2321-2328.                                    | 4.6 | 18        |
| 6  | RF Self-Interference Cancellation and Frequency Downconversion With Immunity to Power Fading Based on Optoelectronic Oscillation. <i>Journal of Lightwave Technology</i> , 2022, 40, 3614-3621.                | 4.6 | 6         |
| 7  | Dissipative microwave photonic solitons in spontaneous frequency-hopping optoelectronic oscillators. <i>Photonics Research</i> , 2022, 10, 1280.   | 7.0 | 4         |
| 8  | Microwave-photonics iterative nonlinear gain model for optoelectronic oscillators. <i>Optics Express</i> , 2022, 30, 12131.  | 3.4 | 5         |
| 9  | Photonic Generation of Rectangular and Triangular Microwave Waveforms With Tunable Duty Cycle. <i>IEEE Photonics Technology Letters</i> , 2022, 34, 371-374.   | 2.5 | 4         |
| 10 | Photonic Generation and Antidispersion Transmission of Background-Free Multiband Arbitrarily Phase-Coded Microwave Signals. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022, 70, 2290-2298. | 4.6 | 6         |
| 11 | Narrow linewidth semiconductor laser with a multi-period-delayed feedback photonic circuit. <i>Optics Express</i> , 2022, 30, 15796.   | 3.4 | 3         |
| 12 | Unambiguous measurement of AOA using a DDMZM. <i>Optics Communications</i> , 2022, 514, 128132.  | 2.1 | 5         |
| 13 | Photonics-enabled spiking timing-dependent convolutional neural network for real-time image classification. <i>Optics Express</i> , 2022, 30, 16217.   | 3.4 | 8         |
| 14 | Large Group Delay in Silicon-on-Insulator Chirped Spiral Bragg Grating Waveguide. <i>IEEE Photonics Journal</i> , 2021, 13, 1-5.   | 2.0 | 13        |
| 15 | Microwave photonic injection locking frequency divider based on a tunable optoelectronic oscillator. <i>Optics Express</i> , 2021, 29, 684.  | 3.4 | 10        |
| 16 | Photonic generation of quadruple bandwidth dual-band dual-chirp microwave waveforms with immunity to power fading. <i>Optics Letters</i> , 2021, 46, 868.  | 3.3 | 17        |
| 17 | Photonic Generation and Transmission of Dual-Band Dual-Chirp Microwave Waveforms at C-Band and X-Band With Elimination of Power Fading. <i>IEEE Photonics Journal</i> , 2021, 13, 1-9.                         | 2.0 | 13        |
| 18 | Photonic Image Rejection Mixer Based on Polarization Manipulation of a Broadband Optical Source. <i>IEEE Photonics Journal</i> , 2021, 13, 1-10.   | 2.0 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Broadband frequency-doubled linearly chirped microwave waveform generation based on Fourier domain mode-locked optoelectronic oscillator. , 2021, , .                                |     | 0         |
| 20 | Photonic Scheme for the Generation of Background-Free Phase-Coded Microwave Pulses and Dual-Chirp Microwave Waveforms. IEEE Photonics Journal, 2021, 13, 1-8.                        | 2.0 | 8         |
| 21 | Recent progress of integrated circuits and optoelectronic chips. Science China Information Sciences, 2021, 64, 1.  | 4.3 | 56        |
| 22 | Precise Identification of Wideband Multiple Microwave Frequency Based on Self-Heterodyne Low-Coherence Interferometry. Journal of Lightwave Technology, 2021, 39, 3169-3176.         | 4.6 | 9         |
| 23 | Photonic Generation of Phase-Coded Microwave Signals Based on Fourier Domain Mode Locking. IEEE Photonics Technology Letters, 2021, 33, 433-436.                                     | 2.5 | 9         |
| 24 | Accuracy enhanced microwave frequency measurement based on the machine learning technique. Optics Express, 2021, 29, 19515.  | 3.4 | 5         |
| 25 | High-speed serial deep learning through temporal optical neurons. Optics Express, 2021, 29, 19392.   | 3.4 | 7         |
| 26 | An Up/Downstream Shared Optical Beam Forming Network for Remote Phased Array Antenna. IEEE Photonics Journal, 2021, 13, 1-9.   | 2.0 | 4         |
| 27 | Reconfigurable Photonic generation and transmission of multi-format radar signals. Optics Communications, 2021, 488, 126855.   | 2.1 | 1         |
| 28 | Tutorial on optoelectronic oscillators. APL Photonics, 2021, 6, .  | 5.7 | 32        |
| 29 | Ultrahigh spectral resolution single passband microwave photonic filter. Optics Express, 2021, 29, 28725.  | 3.4 | 7         |
| 30 | Ultra-low V <sub>pp</sub> and high-modulation-depth InP-based electro-optic microring modulator. Journal of Semiconductors, 2021, 42, 082301.  | 3.7 | 8         |
| 31 | Tb/s Fast Random Bit Generation Based on a Broadband Random Optoelectronic Oscillator. IEEE Photonics Technology Letters, 2021, 33, 1223-1226.                                       | 2.5 | 5         |
| 32 | Bandwidth superposition of linearly chirped microwave waveforms based on a Fourier domain mode-locked optoelectronic oscillator. Optics Express, 2021, 29, 36977.                    | 3.4 | 4         |
| 33 | Ultra-fast full-field optical characterization of CW lasers based on optical frequency comb, wavelength-to-time mapping and phase-diversity. Optics Express, 2021, 29, 39874.        | 3.4 | 1         |
| 34 | Photonic-Assisted Radio Frequency Self-Interference Cancellation and Frequency Down-Conversion Based on Polarization Multiplexing Modulation. Applied Optics, 2021, 60, 11217-11221. | 1.8 | 1         |
| 35 | Recent advances in optoelectronic oscillators and quantum microwave photonics. , 2021, , .   |     | 1         |
| 36 | Instantaneous microwave frequency measurement based on non-sliced broadband optical source. Optics Communications, 2020, 458, 124758.  | 2.1 | 6         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Dual-Functional Transmitter for Simultaneous RF/LFM Signal Using a Monolithic Integrated DFB Array. IEEE Photonics Technology Letters, 2020, 32, 239-242.                                       | 2.5  | 2         |
| 38 | Hybrid Fourier-domain mode-locked laser for ultra-wideband linearly chirped microwave waveform generation. Nature Communications, 2020, 11, 3814.   | 12.8 | 42        |
| 39 | Broadband random optoelectronic oscillator. Nature Communications, 2020, 11, 5724.  | 12.8 | 26        |
| 40 | A Compact Multifrequency Measurement System Based on an Integrated Frequency-Scanning Generator. Applied Sciences (Switzerland), 2020, 10, 8571.  | 2.5  | 2         |
| 41 | Optically controlled multi-carrier phase-shift-keying microwave signal generation by using cross-polarization modulation in highly nonlinear fiber. Optics Communications, 2020, 469, 125805.   | 2.1  | 2         |
| 42 | Optoelectronic parametric oscillator. Light: Science and Applications, 2020, 9, 102.  | 16.6 | 18        |
| 43 | Polarization Manipulated Fourier Domain Mode-Locked Optoelectronic Oscillator. Journal of Lightwave Technology, 2020, 38, 5270-5277.  | 4.6  | 18        |
| 44 | Photonic Generation of Dual-Chirp Microwave Waveforms Based on a Tunable Optoelectronic Oscillator. IEEE Photonics Technology Letters, 2020, 32, 599-602.                                       | 2.5  | 7         |
| 45 | Recent advances in optoelectronic oscillators. Advanced Photonics, 2020, 2, 1.  | 11.8 | 83        |
| 46 | Inherent resolution limit on nonlocal wavelength-to-time mapping with entangled photon pairs. Optics Express, 2020, 28, 7488.   | 3.4  | 12        |
| 47 | Dual-chirp microwave waveform transmitter with elimination of power fading for one-to-multibase station fiber transmission. Optics Letters, 2020, 45, 1285.                                     | 3.3  | 13        |
| 48 | Photonic generation of multiband and multi-format microwave signals based on a single modulator. Optics Letters, 2020, 45, 6190.  | 3.3  | 19        |
| 49 | Hybrid frequency-time spectrograph for the spectral measurement of the two-photon state. Optics Letters, 2020, 45, 2993.  | 3.3  | 12        |
| 50 | A versatile single-photon spectrograph for the spectral measurement of the two-photon state. , 2020, , ,  |      | 0         |
| 51 | Microwave photonic frequency down-conversion and channel switching for satellite communication. Optics Letters, 2020, 45, 5000.   | 3.3  | 7         |
| 52 | Simultaneous microwave frequency conversion and idler filtering based on polarization manipulating of an amplified spontaneous emission source. Optics and Laser Technology, 2020, 131, 106388. | 4.6  | 0         |
| 53 | Temporal Cloak Without Synchronization. IEEE Photonics Technology Letters, 2019, 31, 373-376.   | 2.5  | 4         |
| 54 | Optical phase matching of high-order azimuthal WGM in a water droplet resonator. Optics Express, 2019, 27, 33436.   | 3.4  | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Wideband and Continuously Tunable Microwave Photonic Phase Shifter Based on an Active InP/InGaAsP Microring Resonator. , 2019, , .   |     | 3         |
| 56 | Photonic Radio Frequency Self-Interference Cancellation and Harmonic Down-Conversion for In-Band Full-Duplex Radio-Over-Fiber System. IEEE Photonics Journal, 2019, 11, 1-10.  | 2.0 | 23        |
| 57 | A background-free phase-coded microwave pulse generator by optoelectronic oscillation. Optics Communications, 2019, 453, 124318.   | 2.1 | 3         |
| 58 | Fast-Switching Microwave Photonic Filter Using an Integrated Spectrum Shaper. IEEE Photonics Technology Letters, 2019, 31, 269-272.  | 2.5 | 5         |
| 59 | Wideband optical vector network analyzer based on polarization modulation. Optics Communications, 2019, 437, 67-70.  | 2.1 | 3         |
| 60 | Accuracy-Enhanced Wideband Optical Vector Network Analyzer Based on Double-Sideband Modulation. Journal of Lightwave Technology, 2019, 37, 2920-2926.  | 4.6 | 10        |
| 61 | Tunable Single-Notch Microwave Photonic Filter Based on Nonsliced ASE Source. IEEE Photonics Technology Letters, 2019, 31, 731-734.  | 2.5 | 3         |
| 62 | A switchable self-interference cancellation system for dual-band IBFD system using a monolithic integrated DML array. Optics Communications, 2019, 447, 55-60.   | 2.1 | 5         |
| 63 | Ultra-Fast Wavemeter for CW Laser Based on Wavelength-to-Time Mapping. Journal of Lightwave Technology, 2019, 37, 2661-2667.   | 4.6 | 4         |
| 64 | Monolithic integrated 4<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" overflow="scroll" id="d1e126" altimg="si5.gif"><mml:mpace width="1em" class="nbsp" /><mml:mo>Å</mml:mo><mml:mpace width="1em" class="nbsp" /></mml:math>25 Gb/s transmitter optical subassembly at 1.55 <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" overflow="scroll" id="d1e135" altimg="si6.gif"><mml:mi mathvariant="normal">14</mml:mi></mml:math>m. Optics Communications, 2019, 441, 160-164. | 2.1 | 5         |
| 65 | Microwave Downconversion by a Tunable Optoelectronic Oscillator Based on PS-FBG and Polarization-Multiplexed Dual loop. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 2095-2102.   | 4.6 | 15        |
| 66 | Detection of wideband low-power RF signals using a stimulated Brillouin scattering-based optoelectronic oscillator. Optics Communications, 2019, 439, 133-136.   | 2.1 | 17        |
| 67 | Harmonically Fourier Domain Mode-Locked Optoelectronic Oscillator. IEEE Photonics Technology Letters, 2019, 31, 427-430.   | 2.5 | 27        |
| 68 | 1Å<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" id="mml6" display="inline" overflow="scroll" altimg="si6.gif"><mml:mo>Å</mml:mo></mml:math>ÅN hybrid radio frequency photonic splitter based on a dual-polarization dual-parallel Mach Zehnder modulator. Optics Communications, 2019, 431, 10-13.  | 2.1 | 4         |
| 69 | Tunable notch microwave photonic filter based on interferometry of a single low-incoherence source. Applied Optics, 2019, 58, 8039.  | 1.8 | 2         |
| 70 | Large-capacity and low-loss integrated optical buffer. Optics Express, 2019, 27, 11585.  | 3.4 | 17        |
| 71 | Photonic generation of background-free binary phase-coded microwave pulses. Optics Letters, 2019, 44, 94.  | 3.3 | 34        |
| 72 | Chromatic-dispersion-induced power-fading suppression technique for bandwidth-quadrupling dual-chirp microwave signals over fiber transmission. Optics Letters, 2019, 44, 923.   | 3.3 | 24        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Dual-chirp Fourier domain mode-locked optoelectronic oscillator. <i>Optics Letters</i> , 2019, 44, 1912.   | 3.3 | 46        |
| 74 | Multiple-frequency measurement based on a Fourier domain mode-locked optoelectronic oscillator operating around oscillation threshold. <i>Optics Letters</i> , 2019, 44, 3062. | 3.3 | 27        |
| 75 | Optically controlled phase array antenna [Invited]. <i>Chinese Optics Letters</i> , 2019, 17, 052301.  | 2.9 | 4         |
| 76 | Photonic-based microwave hybrid combiner with arbitrarily tunable phase shift and power combining ratio. <i>Optics Letters</i> , 2019, 44, 2012.                               | 3.3 | 5         |
| 77 | FCC-compliant millimeter-wave ultra-wideband pulse generator based on optoelectronic oscillation. <i>Optics Letters</i> , 2019, 44, 3530.                                      | 3.3 | 3         |
| 78 | Arbitrary Waveform Generation Based on Dispersion-Free Wavelength-to-Time Mapping Technique. <i>IEEE Photonics Journal</i> , 2018, 10, 1-9.                                    | 2.0 | 1         |
| 79 | Real-Time Optical Spectrum Fourier Transform With Time-Bandwidth Product Compression. <i>IEEE Photonics Journal</i> , 2018, 10, 1-14.  | 2.0 | 1         |
| 80 | Switchable Microwave Photonic Filter Between Dual-Notch and Dual-Passband Responses. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1894-1897.                           | 2.5 | 5         |
| 81 | Photonic Generation of Ultra-Wideband Signal by Truncating a Continuous Wave into a Pulse. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1862-1865.                     | 2.5 | 4         |
| 82 | Ultrahigh-Q and tunable single-passband microwave photonic filter based on stimulated Brillouin scattering and a fiber ring resonator. <i>Optics Letters</i> , 2018, 43, 4659. | 3.3 | 24        |
| 83 | Tunable Fourier Domain Mode-Locked Optoelectronic Oscillator Using Stimulated Brillouin Scattering. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1842-1845.            | 2.5 | 34        |
| 84 | Toward Monolithic Integration of OEOs: From Systems to Chips. <i>Journal of Lightwave Technology</i> , 2018, 36, 4565-4582.  | 4.6 | 64        |
| 85 | A simple photonic method to generate square and triangular microwave waveforms. <i>Optics Communications</i> , 2018, 426, 654-657.   | 2.1 | 14        |
| 86 | Integrated optoelectronic oscillator. <i>Optics Express</i> , 2018, 26, 12257.   | 3.4 | 87        |
| 87 | Simultaneous frequency upconversion and phase coding of a radio-frequency signal for photonic radars. <i>Optics Letters</i> , 2018, 43, 583.                                   | 3.3 | 19        |
| 88 | Reconfigurable microwave signal processor with a phase shift of $\pi$ . <i>Optics Express</i> , 2018, 26, 10358.   | 3.4 | 1         |
| 89 | RF signal detection by a tunable optoelectronic oscillator based on a PS-FBG. <i>Optics Letters</i> , 2018, 43, 1199.  | 3.3 | 28        |
| 90 | Transmission of dual-chirp microwave waveform over fiber with compensation of dispersion-induced power fading. <i>Optics Letters</i> , 2018, 43, 2466.                         | 3.3 | 45        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Megahertz-resolution programmable microwave shaper. <i>Optics Letters</i> , 2018, 43, 1878.   | 3.3  | 15        |
| 92  | Observation of parity-time symmetry in microwave photonics. <i>Light: Science and Applications</i> , 2018, 7, 38.   | 16.6 | 82        |
| 93  | Reconfigurable microwave photonic mixer based on dual-polarization dual-parallel Mach-Zehnder modulator. <i>Optics Communications</i> , 2018, 428, 131-135.     | 2.1  | 25        |
| 94  | Breaking the limitation of mode building time in an optoelectronic oscillator. <i>Nature Communications</i> , 2018, 9, 1839.                                    | 12.8 | 140       |
| 95  | Switchable microwave photonic filter based on a dual-parallel Mach-Zehnder modulator. <i>Applied Optics</i> , 2018, 57, 4537.                                   | 1.8  | 3         |
| 96  | Time-stretch probing of ultra-fast soliton dynamics related to Q-switched instabilities in mode-locked fiber laser. <i>Optics Express</i> , 2018, 26, 20888.    | 3.4  | 30        |
| 97  | Microwave photonics frequency-to-time mapping based on a Fourier domain mode locked optoelectronic oscillator. <i>Optics Express</i> , 2018, 26, 33582.         | 3.4  | 44        |
| 98  | Fourier domain mode locked optoelectronic oscillator based on the deamplification of stimulated Brillouin scattering. <i>OSA Continuum</i> , 2018, 1, 408.      | 1.8  | 15        |
| 99  | Reconfigurable single-shot incoherent optical signal processing system for chirped microwave signal compression. <i>Science Bulletin</i> , 2017, 62, 242-248.   | 9.0  | 16        |
| 100 | Microwave Photonics for Optical Sensors. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017, 23, 327-339.                                     | 2.9  | 98        |
| 101 | An integrated parity-time symmetric wavelength-tunable single-mode microring laser. <i>Nature Communications</i> , 2017, 8, 15389.                              | 12.8 | 102       |
| 102 | An integrated optoelectronic oscillator. , 2017, , .  |      | 3         |
| 103 | Optical vector network analyzer based on double-sideband modulation. <i>Optics Letters</i> , 2017, 42, 4426.  | 3.3  | 26        |
| 104 | Experimental demonstration of a multi-target detection technique using an X-band optically steered phased array radar. <i>Optics Express</i> , 2016, 24, 14438. | 3.4  | 15        |
| 105 | Wideband dynamic microwave frequency identification system using a low-power ultracompact silicon photonic chip. <i>Nature Communications</i> , 2016, 7, 13004. | 12.8 | 91        |
| 106 | Reconfigurable Optical Signal Processing Based on a Distributed Feedback Semiconductor Optical Amplifier. <i>Scientific Reports</i> , 2016, 6, 19985.           | 3.3  | 19        |
| 107 | Fully characterization of an active optical filter based on an equivalent-phase-shifted DFB-SOA. <i>Optics Communications</i> , 2016, 376, 1-5.                 | 2.1  | 0         |
| 108 | A fully reconfigurable photonic integrated signal processor. <i>Nature Photonics</i> , 2016, 10, 190-195.   | 31.4 | 329       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Microwave photonic bandstop filter with wide tunability and adjustable bandwidth. Optics Express, 2015, 23, 33579.  | 3.4 | 12        |
| 110 | Real-time Fourier transformation of lightwave spectra and application in optical reflectometry. Optics Express, 2015, 23, 32516.  | 3.4 | 6         |
| 111 | Tunable fractional-order photonic differentiator using a distributed feedback semiconductor optical amplifier. Optical Engineering, 2015, 55, 031105.                                       | 1.0 | 7         |
| 112 | Multichannel optical filters with an ultranarrow bandwidth based on sampled Brillouin dynamic gratings. Optics Express, 2014, 22, 4290.   | 3.4 | 16        |
| 113 | Terahertz-bandwidth photonic fractional Hilbert transformer based on a phase-shifted waveguide Bragg grating on silicon. Optics Letters, 2014, 39, 6241.                                    | 3.3 | 28        |
| 114 | Optical Pulse Generation Based on an Optoelectronic Oscillator With Cascaded Nonlinear Semiconductor Optical Amplifiers. IEEE Photonics Journal, 2014, 6, 1-8.                              | 2.0 | 13        |
| 115 | Photonic MMW-UWB Signal Generation via DPMZM-Based Frequency Up-Conversion. IEEE Photonics Technology Letters, 2013, 25, 1875-1878.   | 2.5 | 21        |
| 116 | Single Phase Modulator for Binary Phase-Coded Microwave Signals Generation. IEEE Photonics Technology Letters, 2013, 25, 1867-1870.   | 2.5 | 26        |
| 117 | Spectral Sculpting of Chaotic-UWB Signals Using a Dual-Loop Optoelectronic Oscillator. IEEE Photonics Technology Letters, 2013, 25, 2397-2400.  | 2.5 | 54        |
| 118 | Photonic Generation of Binary Phase-Coded Microwave Signals With Large Frequency Tunability Using a Dual-Parallel Mach-Zehnder Modulator. IEEE Photonics Journal, 2013, 5, 5501507-5501507. | 2.0 | 27        |
| 119 | Photonic generation of widely tunable and background-free binary phase-coded radio-frequency pulses. Optics Letters, 2013, 38, 3441.  | 3.3 | 37        |
| 120 | Superluminal space-to-time mapping in grating-assisted co-directional couplers. Optics Express, 2013, 21, 6249.   | 3.4 | 19        |
| 121 | Integrated waveguide Bragg gratings for microwave photonics signal processing. Optics Express, 2013, 21, 25120.   | 3.4 | 183       |
| 122 | Widely tunable single-bandpass microwave photonic filter based on polarization processing of a nonsliced broadband optical source. Optics Letters, 2013, 38, 4857.                          | 3.3 | 27        |
| 123 | Photonic Generation of Ultrawideband Signals With Large Carrier Frequency Tunability Based on an Optical Carrier Phase-Shifting Method. IEEE Photonics Journal, 2013, 5, 5502007-5502007.   | 2.0 | 12        |
| 124 | Single-shot photonic time-intensity integration based on a time-spectrum convolution system. Optics Letters, 2012, 37, 1355.  | 3.3 | 39        |
| 125 | Tunable Optoelectronic Oscillator Incorporating a High-Q Spectrum-Sliced Photonic Microwave Transversal Filter. IEEE Photonics Technology Letters, 2012, 24, 1251-1253.                     | 2.5 | 89        |
| 126 | Femtometer-resolution wavelength interrogation using an optoelectronic oscillator. , 2012, , .  |     | 5         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | A Narrow-Passband and Frequency-Tunable Microwave Photonic Filter Based on Phase-Modulation to Intensity-Modulation Conversion Using a Phase-Shifted Fiber Bragg Grating. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 1287-1296.          | 4.6 | 167       |
| 128 | Experimental Demonstration of Symmetrical Waveform Generation Based on Amplitude-Only Modulation in a Fiber-Based Temporal Pulse Shaping System. IEEE Photonics Technology Letters, 2011, 23, 715-717.  | 2.5 | 18        |
| 129 | Continuously Tunable Photonic Fractional Temporal Differentiator Based on a Tilted Fiber Bragg Grating. IEEE Photonics Technology Letters, 2011, 23, 251-253.   | 2.5 | 67        |
| 130 | Tilted Fiber Bragg Grating for Chirped Microwave Waveform Generation. IEEE Photonics Technology Letters, 2011, 23, 314-316.   | 2.5 | 27        |
| 131 | Real-Time Interrogation of a Linearly Chirped Fiber Bragg Grating Sensor Based on Chirped Pulse Compression With Improved Resolution and Signal-to-Noise Ratio. Journal of Lightwave Technology, 2011, 29, 1239-1247.   | 4.6 | 40        |
| 132 | Instantaneous Microwave Frequency Measurement Using a Special Fiber Bragg Grating. IEEE Microwave and Wireless Components Letters, 2011, 21, 52-54.   | 3.2 | 59        |
| 133 | Photonic Generation of Continuously Tunable Chirped Microwave Waveforms Based on a Temporal Interferometer Incorporating an Optically Pumped Linearly Chirped Fiber Bragg Grating. IEEE Transactions on Microwave Theory and Techniques, 2011, 59, 3531-3537. | 4.6 | 71        |
| 134 | Experimental Demonstration of a Wideband Photonic Temporal Hilbert Transformer Based on a Single Fiber Bragg Grating. IEEE Photonics Technology Letters, 2010, 22, 1559-1561.   | 2.5 | 61        |
| 135 | All-fiber temporal photonic fractional Hilbert transformer based on a directly designed fiber Bragg grating. Optics Letters, 2010, 35, 223.   | 3.3 | 73        |