Zhi-Gang Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1899852/publications.pdf

Version: 2024-02-01

241 papers 9,850 citations

41344 49 h-index 83 g-index

248 all docs 248 docs citations

times ranked

248

15678 citing authors

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 1 | Local Failure after Prostate SBRT Predominantly Occurs in the PI-RADS 4 or 5 Dominant Intraprostatic Lesion. European Urology Oncology, 2023, 6, 275-281. | 5.4 | 6 |
| 2 | The genomic, transcriptomic, and immunological profiles of perineural invasion in pancreatic ductal adenocarcinoma. Science China Life Sciences, 2023, 66, 183-186. | 4.9 | 2 |
| 3 | A low amino acid environment promotes cell macropinocytosis through the YY1-FGD6 axis in Ras-mutant pancreatic ductal adenocarcinoma. Oncogene, 2022, 41, 1203-1215. | 5.9 | 9 |
| 4 | Emerging experimental models for assessing perineural invasion in human cancers. Cancer Letters, 2022, 535, 215610. | 7.2 | 20 |
| 5 | Implementation Strategies to Increase Clinical Trial Enrollment in a Community-Academic Partnership and Impact on Hispanic Representation: An Interrupted Time Series Analysis. JCO Oncology Practice, 2022, 18, e780-e785. | 2.9 | 11 |
| 6 | Modeling of cancer-related body-wide effects identifies LTB4 as a diagnostic biomarker for pancreatic cancer. EBioMedicine, 2022, 80, 104050. | 6.1 | 7 |
| 7 | Multivalent Polypeptide and Tannic Acid Cooperatively Iron-Coordinated Nanohybrids for Synergistic Cancer Photothermal Ferroptosis Therapy. Biomacromolecules, 2022, 23, 2655-2666. | 5 . 4 | 12 |
| 8 | Terbinafine prevents colorectal cancer growth by inducing dNTP starvation and reducing immune suppression. Molecular Therapy, 2022, 30, 3284-3299. | 8.2 | 12 |
| 9 | Randomized Phase II Trial of Proton Craniospinal Irradiation Versus Photon Involved-Field Radiotherapy for Patients With Solid Tumor Leptomeningeal Metastasis. Journal of Clinical Oncology, 2022, 40, 3858-3867. | 1.6 | 47 |
| 10 | Clinical trial of proton craniospinal irradiation for leptomeningeal metastases. Neuro-Oncology, 2021, 23, 134-143. | 1.2 | 56 |
| 11 | Pathogenic <i>ATM</i> Mutations in Cancer and a Genetic Basis for Radiotherapeutic Efficacy. Journal of the National Cancer Institute, 2021, 113, 266-273. | 6.3 | 38 |
| 12 | Trends in Radiation Therapy for Bone Metastases, 2015 to 2017: Choosing Wisely in the Era of Complex Radiation. International Journal of Radiation Oncology Biology Physics, 2021, 109, 923-931. | 0.8 | 10 |
| 13 | Oral selfâ€management of palbociclib (Ibrance®) using mobile technology protocol. Journal of Advanced Nursing, 2021, 77, 1556-1566. | 3. 3 | 0 |
| 14 | Urinary Outcomes for Men With High Baseline International Prostate Symptom Scores Treated With Prostate SBRT. Advances in Radiation Oncology, 2021, 6, 100582. | 1.2 | 3 |
| 15 | 10-Year Breast Cancer Outcomes in Women â‰\$5 Years of Age. International Journal of Radiation Oncology Biology Physics, 2021, 109, 1007-1018. | 0.8 | 14 |
| 16 | Randomized Phase II Trial of Nivolumab With Stereotactic Body Radiotherapy Versus Nivolumab Alone in Metastatic Head and Neck Squamous Cell Carcinoma. Journal of Clinical Oncology, 2021, 39, 30-37. | 1.6 | 239 |
| 17 | A zwitterionic polypeptide nanocomposite with unique NIR-I/II photoacoustic imaging for NIR-I/II cancer photothermal therapy. Journal of Materials Chemistry B, 2021, 9, 5484-5491. | 5.8 | 10 |
| 18 | Integrated genomic and transcriptomic analysis reveals unique characteristics of hepatic metastases and pro-metastatic role of complement C1q in pancreatic ductal adenocarcinoma. Genome Biology, 2021, 22, 4. | 8.8 | 28 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Identification of a subset of immunosuppressive P2RX1-negative neutrophils in pancreatic cancer liver metastasis. Nature Communications, 2021, 12, 174. | 12.8 | 60 |
| 20 | Deciphering the genomic and IncRNA landscapes of aerobic glycolysis identifies potential therapeutic targets in pancreatic cancer. International Journal of Biological Sciences, 2021, 17, 107-118. | 6.4 | 16 |
| 21 | The short isoform of PRLR suppresses the pentose phosphate pathway and nucleotide synthesis through the NEK9-Hippo axis in pancreatic cancer. Theranostics, 2021, 11, 3898-3915. | 10.0 | 25 |
| 22 | Combined Use of Aspirin and Selective Serotonin Reuptake Inhibitors Is Associated With Lower Risk of Colorectal Cancer: A Nested Case-Control Study. American Journal of Gastroenterology, 2021, 116, 1313-1321. | 0.4 | 5 |
| 23 | Any day, split halfway: Flexibility in scheduling highâ€dose cisplatin—A large retrospective review from a highâ€volume cancer center. International Journal of Cancer, 2021, 149, 139-148. | 5.1 | 1 |
| 24 | Increased Nuclear Transporter KPNA2 Contributes to Tumor Immune Evasion by Enhancing PD-L1 Expression in PDAC. Journal of Immunology Research, 2021, 2021, 1-13. | 2.2 | 7 |
| 25 | Single-cell RNA sequencing reveals that targeting HSP90 suppresses PDAC progression by restraining mitochondrial bioenergetics. Oncogenesis, 2021, 10, 22. | 4.9 | 9 |
| 26 | Association of Ablative Radiation Therapy With Survival Among Patients With Inoperable Pancreatic Cancer. JAMA Oncology, 2021, 7, 735. | 7.1 | 101 |
| 27 | CTHRC1 promotes liver metastasis by reshaping infiltrated macrophages through physical interactions with TGF-I ² receptors in colorectal cancer. Oncogene, 2021, 40, 3959-3973. | 5.9 | 33 |
| 28 | Predictors for post-treatment biopsy outcomes after prostate stereotactic body radiotherapy. Radiotherapy and Oncology, 2021, 159, 33-38. | 0.6 | 18 |
| 29 | Perineural invasion as a risk factor for locoregional recurrence of invasive breast cancer. Scientific Reports, 2021, 11, 12781. | 3.3 | 17 |
| 30 | The physiology, pathology and potential therapeutic application of serotonylation. Journal of Cell Science, 2021, 134, . | 2.0 | 10 |
| 31 | Intensityâ€modulated radiation therapy and doxorubicin in thyroid cancer: A prospective phase 2 trial. Cancer, 2021, 127, 4161-4170. | 4.1 | 8 |
| 32 | Phase 3 Multi-Center, Prospective, Randomized Trial Comparing Single-Dose 24 Gy Radiation Therapy to a 3-Fraction SBRT Regimen in the Treatment of Oligometastatic Cancer. International Journal of Radiation Oncology Biology Physics, 2021, 110, 672-679. | 0.8 | 68 |
| 33 | Nuclear-translocation of ACLY induced by obesity-related factors enhances pyrimidine metabolism through regulating histone acetylation in endometrial cancer. Cancer Letters, 2021, 513, 36-49. | 7.2 | 16 |
| 34 | Ablative radiation therapy for hepatocellular carcinoma is associated with reduced treatment- and tumor-related liver failure and improved survival. Journal of Gastrointestinal Oncology, 2021, 12, 1743-1752. | 1.4 | 6 |
| 35 | Excellent response to very-low-dose radiation (4 Gy) for indolent B-cell lymphomas: is 4 Gy suitable for curable patients?. Blood Advances, 2021, 5, 4185-4197. | 5.2 | 15 |
| 36 | TNPO1-mediated nuclear import of ARID1B promotes tumor growth in ARID1A-deficient gynecologic cancer. Cancer Letters, 2021, 515, 14-27. | 7.2 | 7 |

3

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Influence of hydrogel spacer placement with prostate brachytherapy on rectal and urinary toxicity. BJU International, 2021, , . | 2.5 | 1 |
| 38 | Ultrasmall Zwitterionic Polypeptide-Coordinated Nanohybrids for Highly Efficient Cancer Photothermal Ferrotherapy. ACS Applied Materials & Samp; Interfaces, 2021, 13, 44002-44012. | 8.0 | 13 |
| 39 | Aged neutrophils form mitochondria-dependent vital NETs to promote breast cancer lung metastasis. , 2021, 9, e002875. | | 49 |
| 40 | Reciprocal regulation of LOXL2 and HIF1 \hat{l} ± drives the Warburg effect to support pancreatic cancer aggressiveness. Cell Death and Disease, 2021, 12, 1106. | 6.3 | 22 |
| 41 | Neurotransmitters: emerging targets in cancer. Oncogene, 2020, 39, 503-515. | 5.9 | 120 |
| 42 | Patterns of Recurrence Among Higher-Risk Patients Receiving Daily External Beam Accelerated Partial-Breast Irradiation to 40ÂGy in 10 Fractions. Advances in Radiation Oncology, 2020, 5, 27-33. | 1.2 | 4 |
| 43 | Hypofractionated vs. conventional radiation therapy for stage III non-small cell lung cancer treated without chemotherapy. Acta Oncol $	ilde{A}^3$ gica, 2020, 59, 164-170. | 1.8 | 14 |
| 44 | Loss of Setd2 promotes Kras-induced acinar-to-ductal metaplasia and epithelia–mesenchymal transition during pancreatic carcinogenesis. Gut, 2020, 69, 715-726. | 12.1 | 47 |
| 45 | Early Tolerance and Tumor Control Outcomes with High-dose Ultrahypofractionated Radiation Therapy for Prostate Cancer. European Urology Oncology, 2020, 3, 748-755. | 5.4 | 25 |
| 46 | MELK promotes Endometrial carcinoma progression via activating mTOR signaling pathway. EBioMedicine, 2020, 51, 102609. | 6.1 | 40 |
| 47 | 18F-Fluorocholine PET uptake correlates with pathologic evidence of recurrent tumor after stereotactic radiosurgery for brain metastases. European Journal of Nuclear Medicine and Molecular lmaging, 2020, 47, 1446-1457. | 6.4 | 13 |
| 48 | DCE-MRI perfusion predicts pseudoprogression in metastatic melanoma treated with immunotherapy. Journal of Neuro-Oncology, 2020, 146, 339-346. | 2.9 | 17 |
| 49 | A phase 2 clinical trial†assessing the†efficacy and safety of pembrolizumab and radiotherapy in patients with metastatic tripleâ€negative breast cancer. Cancer, 2020, 126, 850-860. | 4.1 | 116 |
| 50 | Preclinical and first-in-human-brain-cancer applications of [18F]poly (ADP-ribose) polymerase inhibitor PET/MR. Neuro-Oncology Advances, 2020, 2, vdaa119. | 0.7 | 14 |
| 51 | STK3 Suppresses Ovarian Cancer Progression by Activating NF-κB Signaling to Recruit CD8+ T-Cells. Journal of Immunology Research, 2020, 2020, 1-17. | 2.2 | 11 |
| 52 | Strict bladder filling and rectal emptying during prostate SBRT: Does it make a dosimetric or clinical difference?. Radiation Oncology, 2020, 15, 239. | 2.7 | 10 |
| 53 | Inhibiting Importin 4-mediated nuclear import of CEBPD enhances chemosensitivity by repression of PRKDC-driven DNA damage repair in cervical cancer. Oncogene, 2020, 39, 5633-5648. | 5.9 | 20 |
| 54 | Clinical Outcomes of Combined Prostate- and Metastasis-Directed Radiation Therapy for the Treatment of De Novo Oligometastatic Prostate Cancer. Advances in Radiation Oncology, 2020, 5, 1213-1224. | 1.2 | 7 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Genomic characterization of Chinese ovarian clear cell carcinoma identifies driver genes by whole exome sequencing. Neoplasia, 2020, 22, 399-430. | 5.3 | 10 |
| 56 | Early palliative radiation versus observation for high-risk asymptomatic or minimally symptomatic bone metastases: study protocol for a randomized controlled trial. BMC Cancer, 2020, 20, 1115. | 2.6 | 5 |
| 57 | Regional Lymph Node Involvement Among Patients With De Novo Metastatic Breast Cancer. JAMA Network Open, 2020, 3, e2018790. | 5.9 | 10 |
| 58 | Systemic Regulation of Cancer Development by Neuro-Endocrine-Immune Signaling Network at Multiple Levels. Frontiers in Cell and Developmental Biology, 2020, 8, 586757. | 3.7 | 11 |
| 59 | TIMELESS regulates sphingolipid metabolism and tumor cell growth through Sp1/ACER2/S1P axis in ER-positive breast cancer. Cell Death and Disease, 2020, 11, 892. | 6.3 | 26 |
| 60 | Accelerating Prostate Diffusion-weighted MRI Using a Guided Denoising Convolutional Neural Network: Retrospective Feasibility Study. Radiology: Artificial Intelligence, 2020, 2, e200007. | 5.8 | 23 |
| 61 | MPC1 Deficiency Promotes CRC Liver Metastasis via Facilitating Nuclear Translocation of \hat{l}^2 -Catenin. Journal of Immunology Research, 2020, 2020, 1-11. | 2.2 | 6 |
| 62 | Prognostic and predictive value of a five-molecule panel in resected pancreatic ductal adenocarcinoma: A multicentre study. EBioMedicine, 2020, 55, 102767. | 6.1 | 15 |
| 63 | Duration of therapy for locally advanced pancreatic cancer: Does it matter?. Cancer Medicine, 2020, 9, 4572-4580. | 2.8 | 10 |
| 64 | Activation of BK Channels Prevents Hepatic Stellate Cell Activation and Liver Fibrosis Through the Suppression of TGFÎ ² 1/SMAD3 and JAK/STAT3 Profibrotic Signaling Pathways. Frontiers in Pharmacology, 2020, 11, 165. | 3.5 | 19 |
| 65 | Cadherin 13 Inhibits Pancreatic Cancer Progression and Epithelial-mesenchymal Transition by Wnt/β-Catenin Signaling. Journal of Cancer, 2020, 11, 2101-2112. | 2.5 | 16 |
| 66 | Value of [18F]-FDG positron emission tomography in patients with recurrent glioblastoma receiving bevacizumab. Neuro-Oncology Advances, 2020, 2, vdaa050. | 0.7 | 3 |
| 67 | Mitochondrial Protein UQCRC1 is Oncogenic and a Potential Therapeutic Target for Pancreatic Cancer. Theranostics, 2020, 10, 2141-2157. | 10.0 | 36 |
| 68 | Serotonin-RhoA/ROCK axis promotes acinar-to-ductal metaplasia in caerulein-induced chronic pancreatitis. Biomedicine and Pharmacotherapy, 2020, 125, 109999. | 5.6 | 26 |
| 69 | Perineural Invasion Reprograms the Immune Microenvironment through Cholinergic Signaling in Pancreatic Ductal Adenocarcinoma. Cancer Research, 2020, 80, 1991-2003. | 0.9 | 80 |
| 70 | Decreased Hand Motor Resting-State Functional Connectivity in Patients with Glioma: Analysis of Factors including Neurovascular Uncoupling. Radiology, 2020, 294, 610-621. | 7.3 | 18 |
| 71 | Signalling entrains the peripheral circadian clock. Cellular Signalling, 2020, 69, 109433. | 3.6 | 34 |
| 72 | Ikarugamycin inhibits pancreatic cancer cell glycolysis by targeting hexokinase 2. FASEB Journal, 2020, 34, 3943-3955. | 0.5 | 25 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | BCAT2-mediated BCAA catabolism is critical for development of pancreatic ductal adenocarcinoma. Nature Cell Biology, 2020, 22, 167-174. | 10.3 | 117 |
| 74 | Clinical outcomes, local–regional control and the role for metastasis-directed therapies in stage III non-small cell lung cancers treated with chemoradiation and durvalumab. Radiotherapy and Oncology, 2020, 149, 205-211. | 0.6 | 39 |
| 75 | Biodistribution and Dosimetry of Intraventricularly Administered ¹²⁴ I-Omburtamab in Patients with Metastatic Leptomeningeal Tumors. Journal of Nuclear Medicine, 2019, 60, 1794-1801. | 5.0 | 29 |
| 76 | A Pharmacogenomic Landscape in Human Liver Cancers. Cancer Cell, 2019, 36, 179-193.e11. | 16.8 | 127 |
| 77 | Aberrant accumulation of Dickkopf 4 promotes tumor progression via forming the immune suppressive microenvironment in gastrointestinal stromal tumor. Cancer Medicine, 2019, 8, 5352-5366. | 2.8 | 12 |
| 78 | MRI radiomic features are associated with survival in melanoma brain metastases treated with immune checkpoint inhibitors. Neuro-Oncology, 2019, 21, 1578-1586. | 1.2 | 42 |
| 79 | Long-term survival in patients with metastatic head and neck squamous cell carcinoma treated with metastasis-directed therapy. British Journal of Cancer, 2019, 121, 897-903. | 6.4 | 32 |
| 80 | Lysyl oxidase promotes liver metastasis of gastric cancer via facilitating the reciprocal interactions between tumor cells and cancer associated fibroblasts. EBioMedicine, 2019, 49, 157-171. | 6.1 | 61 |
| 81 | Comparison of Radiographic Approaches to Assess Treatment Response in Pituitary Adenomas: Is RECIST or RANO Good Enough?. Journal of the Endocrine Society, 2019, 3, 1693-1706. | 0.2 | 21 |
| 82 | The Diverse Function of PD-1/PD-L Pathway Beyond Cancer. Frontiers in Immunology, 2019, 10, 2298. | 4.8 | 244 |
| 83 | DKK2 Impairs Tumor Immunity Infiltration and Correlates with Poor Prognosis in Pancreatic Ductal Adenocarcinoma. Journal of Immunology Research, 2019, 2019, 1-12. | 2.2 | 8 |
| 84 | THZ1 reveals CDK7-dependent transcriptional addictions in pancreatic cancer. Oncogene, 2019, 38, 3932-3945. | 5.9 | 44 |
| 85 | Exosome-mediated secretion of LOXL4 promotes hepatocellular carcinoma cell invasion and metastasis. Molecular Cancer, 2019, 18, 18. | 19.2 | 162 |
| 86 | Long-Term Pulmonary Outcomes of a Feasibility Study of Inverse-Planned, Multibeam Intensity Modulated Radiation Therapy in Node-Positive Breast Cancer Patients Receiving Regional Nodal Irradiation. International Journal of Radiation Oncology Biology Physics, 2019, 103, 1100-1108. | 0.8 | 39 |
| 87 | Early biochemical predictors of survival in intermediate and high-risk prostate cancer treated with radiation and androgen deprivation therapy. Radiotherapy and Oncology, 2019, 140, 34-40. | 0.6 | 2 |
| 88 | CTHRC1 promotes M2-like macrophage recruitment and myometrial invasion in endometrial carcinoma by integrin-Akt signaling pathway. Clinical and Experimental Metastasis, 2019, 36, 351-363. | 3.3 | 32 |
| 89 | GPAA1 promotes gastric cancer progression via upregulation of GPI-anchored protein and enhancement of ERBB signalling pathway. Journal of Experimental and Clinical Cancer Research, 2019, 38, 214. | 8.6 | 15 |
| 90 | Alternative transcription start site selection in ACSS2 controls its nuclear localization and promotes ribosome biosynthesis in hepatocellular carcinoma. Biochemical and Biophysical Research Communications, 2019, 514, 632-638. | 2.1 | 6 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | NPTX2 promotes colorectal cancer growth and liver metastasis by the activation of the canonical Wnt/β-catenin pathway via FZD6. Cell Death and Disease, 2019, 10, 217. | 6.3 | 55 |
| 92 | GABRP regulates chemokine signalling, macrophage recruitment and tumour progression in pancreatic cancer through tuning KCNN4-mediated Ca ²⁺ signalling in a GABA-independent manner. Gut, 2019, 68, 1994-2006. | 12.1 | 93 |
| 93 | Five-Year Outcomes of a Phase 1 Dose-Escalation Study Using Stereotactic Body Radiosurgery for Patients With Low-Risk and Intermediate-Risk Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2019, 104, 42-49. | 0.8 | 93 |
| 94 | Daily Fractionation of External Beam Accelerated Partial Breast Irradiation to 40ÂGy Is Well Tolerated and Locally Effective. International Journal of Radiation Oncology Biology Physics, 2019, 104, 859-866. | 0.8 | 17 |
| 95 | Transcription factor NFAT5 contributes to the glycolytic phenotype rewiring and pancreatic cancer progression via transcription of PGK1. Cell Death and Disease, 2019, 10, 948. | 6.3 | 48 |
| 96 | The histone demethylase KDM4D promotes hepatic fibrogenesis by modulating Toll-like receptor 4 signaling pathway. EBioMedicine, 2019, 39, 472-483. | 6.1 | 27 |
| 97 | S1P/S1PR3 axis promotes aerobic glycolysis by YAP/c-MYC/PGAM1 axis in osteosarcoma. EBioMedicine, 2019, 40, 210-223. | 6.1 | 76 |
| 98 | Targeting cancer stem cell signature gene SMOC-2 Overcomes chemoresistance and inhibits cell proliferation of endometrial carcinoma. EBioMedicine, 2019, 40, 276-289. | 6.1 | 65 |
| 99 | Volumetric 3D assessment of ablation zones after thermal ablation of colorectal liver metastases to improve prediction of local tumor progression. European Radiology, 2019, 29, 2698-2705. | 4.5 | 91 |
| 100 | Targeting Purinergic Receptor P2Y2 Prevents the Growth of Pancreatic Ductal Adenocarcinoma by Inhibiting Cancer Cell Glycolysis. Clinical Cancer Research, 2019, 25, 1318-1330. | 7.0 | 78 |
| 101 | An Antitumor Immune Response Is Evoked by Partial-Volume Single-Dose Radiation in 2 Murine Models. International Journal of Radiation Oncology Biology Physics, 2019, 103, 697-708. | 0.8 | 62 |
| 102 | Autocrine CTHRC1 activates hepatic stellate cells and promotes liver fibrosis by activating TGF- \hat{l}^2 signaling. EBioMedicine, 2019, 40, 43-55. | 6.1 | 67 |
| 103 | Long-Term Implications of a Positive Posttreatment Biopsy in Patients Treated with External Beam Radiotherapy for Clinically Localized Prostate Cancer. Journal of Urology, 2019, 201, 1127-1133. | 0.4 | 15 |
| 104 | Targeting the tumor microenvironment for pancreatic ductal adenocarcinoma therapy. Chinese Clinical Oncology, 2019, 8, 18-18. | 1.2 | 15 |
| 105 | Clinical significance of programmed death 1/programmed death ligand 1 pathway in gastric neuroendocrine carcinomas. World Journal of Gastroenterology, 2019, 25, 1684-1696. | 3.3 | 29 |
| 106 | Understanding genetic features of pancreatic neoplasm. Chinese Clinical Oncology, 2019, 8, 15-15. | 1.2 | 0 |
| 107 | A Randomized Trial of Mometasone Furoate 0.1% to Reduce High-Grade Acute Radiation Dermatitis in Breast Cancer Patients Receiving Postmastectomy Radiation. International Journal of Radiation Oncology Biology Physics, 2018, 101, 325-333. | 0.8 | 51 |
| 108 | Aberrant upregulation of KLK10 promotes metastasis via enhancement of EMT and FAK/SRC/ERK axis in PDAC. Biochemical and Biophysical Research Communications, 2018, 499, 584-593. | 2.1 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Outcome After Radiation Therapy for Langerhans Cell Histiocytosis Is Dependent on Site of Involvement. International Journal of Radiation Oncology Biology Physics, 2018, 100, 670-678. | 0.8 | 16 |
| 110 | SPON2 Promotes M1-like Macrophage Recruitment and Inhibits Hepatocellular Carcinoma Metastasis by Distinct Integrin–Rho GTPase–Hippo Pathways. Cancer Research, 2018, 78, 2305-2317. | 0.9 | 112 |
| 111 | SRSF10-mediated IL1RAP alternative splicing regulates cervical cancer oncogenesis via mlL1RAP-NF-κB-CD47 axis. Oncogene, 2018, 37, 2394-2409. | 5.9 | 95 |
| 112 | IL22RA1/STAT3 Signaling Promotes Stemness and Tumorigenicity in Pancreatic Cancer. Cancer Research, 2018, 78, 3293-3305. | 0.9 | 85 |
| 113 | SLIT2/ROBO1 axis contributes to the Warburg effect in osteosarcoma through activation of SRC/ERK/c-MYC/PFKFB2 pathway. Cell Death and Disease, 2018, 9, 390. | 6.3 | 76 |
| 114 | Identifying the Optimal Radiation Dose in Locally Advanced Non–Small-cell Lung Cancer Treated With Definitive Radiotherapy Without Concurrent Chemotherapy. Clinical Lung Cancer, 2018, 19, e131-e140. | 2.6 | 10 |
| 115 | Prostate-Specific Antigen (PSA) Bounce After Dose-Escalated External Beam Radiation Therapy Is an Independent Predictor of PSA Recurrence, Metastasis, and Survival in Prostate Adenocarcinoma Patients. International Journal of Radiation Oncology Biology Physics, 2018, 100, 59-67. | 0.8 | 19 |
| 116 | SPARCL1 suppresses osteosarcoma metastasis and recruits macrophages by activation of canonical WNT/β-catenin signaling through stabilization of the WNT–receptor complex. Oncogene, 2018, 37, 1049-1061. | 5.9 | 57 |
| 117 | Paradoxical Activation in the Cerebellum During Language fMRI in Patients with Brain Tumors: Possible Explanations Based on Neurovascular Uncoupling and Functional Reorganization. Cerebellum, 2018, 17, 286-293. | 2.5 | 18 |
| 118 | Overexpression of Rac GTPase Activating Protein 1 Contributes to Proliferation of Cancer Cells by Reducing Hippo Signaling to Promote Cytokinesis. Gastroenterology, 2018, 155, 1233-1249.e22. | 1.3 | 83 |
| 119 | PD-L1 Expression Predicts a Distinct Prognosis in Krukenberg Tumor with Corresponding Origins. Journal of Immunology Research, 2018, 2018, 1-10. | 2.2 | 12 |
| 120 | FGFRL1 Promotes Ovarian Cancer Progression by Crosstalk with Hedgehog Signaling. Journal of Immunology Research, 2018, 2018, 1-11. | 2.2 | 12 |
| 121 | Integrin α9 Suppresses Hepatocellular Carcinoma Metastasis by Rho GTPase Signaling. Journal of Immunology Research, 2018, 2018, 1-11. | 2.2 | 25 |
| 122 | Phosphatidylinositol-3-Kinase Mutations Are Associated With Increased Local Failure in Brain Metastases Treated With Radiation. International Journal of Radiation Oncology Biology Physics, 2018, 101, 833-844. | 0.8 | 1 |
| 123 | Molecular analysis of gastric cancer identifies genomic markers of drug sensitivity in Asian gastric cancer. Journal of Cancer, 2018, 9, 2973-2980. | 2.5 | 10 |
| 124 | Stereotactic body radiation therapy (SBRT) improves local control and overall survival compared to conventionally fractionated radiation for stage I non-small cell lung cancer (NSCLC). Acta Oncol $\tilde{\rm A}^3$ gica, 2018, 57, 1567-1573. | 1.8 | 51 |
| 125 | Baicalein Ameliorates Chronic Stress-Mediated Ovarian Dysfunction by Upregulating the Expression of Gamma-Aminobutyric Acid B2 Receptor. Reproductive and Developmental Medicine, 2018, 2, 21. | 0.5 | 1 |
| 126 | Structural diversity of anti-pancreatic cancer capsimycins identified in mangrove-derived Streptomyces xiamenensis 318 and post-modification via a novel cytochrome P450 monooxygenase. Scientific Reports, 2017, 7, 40689. | 3.3 | 31 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Cholesterol Synthetase DHCR24 Induced by Insulin Aggravates Cancer Invasion and Progesterone Resistance in Endometrial Carcinoma. Scientific Reports, 2017, 7, 41404. | 3.3 | 40 |
| 128 | Expression of key mTOR pathway components in pancreatic ductal adenocarcinoma: A multicenter study for clinicopathologic and prognostic significance. Cancer Letters, 2017, 395, 45-52. | 7.2 | 9 |
| 129 | Definitive Radiotherapy for Local Recurrence of NSCLC After Surgery. Clinical Lung Cancer, 2017, 18, e161-e168. | 2.6 | 17 |
| 130 | Unification of favourable intermediateâ€, unfavourable intermediateâ€, and very highâ€isk stratification criteria for prostate cancer. BJU International, 2017, 120, E87-E95. | 2.5 | 34 |
| 131 | Capecitabine With Mitomycin Reduces Acute Hematologic Toxicity and Treatment Delays in Patients Undergoing Definitive Chemoradiation Using Intensity Modulated Radiation Therapy for Anal Cancer. International Journal of Radiation Oncology Biology Physics, 2017, 98, 1087-1095. | 0.8 | 44 |
| 132 | Increased Serotonin Signaling Contributes to the Warburg Effect in Pancreatic Tumor Cells Under Metabolic Stress and Promotes Growth of Pancreatic Tumors in Mice. Gastroenterology, 2017, 153, 277-291.e19. | 1.3 | 193 |
| 133 | Accelerated Total Lymphoid Irradiation-containing Salvage Regimen for Patients With Refractory and Relapsed Hodgkin Lymphoma: 20ÂYears of Experience. International Journal of Radiation Oncology Biology Physics, 2017, 97, 1066-1076. | 0.8 | 19 |
| 134 | Outcomes of primary refractory diffuse large Bâ€cell lymphoma (DLBCL) treated with salvage chemotherapy and intention to transplant in the rituximab era. British Journal of Haematology, 2017, 176, 591-599. | 2.5 | 46 |
| 135 | Factors influencing the utilization of prophylactic cranial irradiation in patients with limited-stage small cell lung cancer. Advances in Radiation Oncology, 2017, 2, 548-554. | 1.2 | 36 |
| 136 | Integrated expression profiling of potassium channels identifys KCNN4 as a prognostic biomarker of pancreatic cancer. Biochemical and Biophysical Research Communications, 2017, 494, 113-119. | 2.1 | 38 |
| 137 | Intravoxel incoherent motion (IVIM) histogram biomarkers for prediction of neoadjuvant treatment response in breast cancer patients. European Journal of Radiology Open, 2017, 4, 101-107. | 1.6 | 32 |
| 138 | Patterns of failure in limited-stage small cell lung cancer: Implications of TNM stage for prophylactic cranial irradiation. Radiotherapy and Oncology, 2017, 125, 130-135. | 0.6 | 37 |
| 139 | Stereotactic body radiation vs. intensity-modulated radiation for unresectable pancreatic cancer. Acta Oncol \tilde{A}^3 gica, 2017, 56, 1746-1753. | 1.8 | 38 |
| 140 | Comparison of compressed sensing diffusion spectrum imaging and diffusion tensor imaging in patients with intracranial masses. Magnetic Resonance Imaging, 2017, 36, 24-31. | 1.8 | 13 |
| 141 | miRNA-218-loaded carboxymethyl chitosan - Tocopherol nanoparticle to suppress the proliferation of gastrointestinal stromal tumor growth. Materials Science and Engineering C, 2017, 72, 177-184. | 7.3 | 21 |
| 142 | Histologic Subtype in Core Lung Biopsies of Early-Stage Lung Adenocarcinoma is a Prognostic Factor for Treatment Response and Failure Patterns After Stereotactic Body Radiation Therapy. International Journal of Radiation Oncology Biology Physics, 2017, 97, 138-145. | 0.8 | 43 |
| 143 | ITGBL1 Predicts a Poor Prognosis and Correlates EMT Phenotype in Gastric Cancer. Journal of Cancer, 2017, 8, 3764-3773. | 2.5 | 40 |
| 144 | Exemestane Attenuates Hepatic Fibrosis in Rats by Inhibiting Activation of Hepatic Stellate Cells and Promoting the Secretion of Interleukin 10. Journal of Immunology Research, 2017, 2017, 1-9. | 2,2 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Integrator complex subunit 6 (INTS6) inhibits hepatocellular carcinoma growth by Wnt pathway and serve as a prognostic marker. BMC Cancer, 2017, 17, 644. | 2.6 | 14 |
| 146 | Palliative efficacy and local control of conventional radiotherapy for lung metastases. Annals of Palliative Medicine, 2017, 6, S21-S27. | 1.2 | 11 |
| 147 | Targeting mTORC2 component rictor inhibits cell proliferation and promotes apoptosis in gastric cancer. American Journal of Translational Research (discontinued), 2017, 9, 4317-4330. | 0.0 | 12 |
| 148 | Thyroid hormone receptor \hat{l}^21 suppresses proliferation and migration by inhibiting PI3K/Akt signaling in human colorectal cancer cells. Oncology Reports, 2016, 36, 1419-1426. | 2.6 | 20 |
| 149 | Long-term Impact of Androgen-deprivation Therapy on Cardiovascular Morbidity After Radiotherapy for Clinically Localized Prostate Cancer. Urology, 2016, 87, 146-152. | 1.0 | 16 |
| 150 | Infiltration of the basal ganglia by brain tumors is associated with the development of co-dominant language function on fMRI. Brain and Language, 2016, 155-156, 44-48. | 1.6 | 12 |
| 151 | Definition of bulky disease in early stage Hodgkin lymphoma in computed tomography era: prognostic significance of measurements in the coronal and transverse planes. Haematologica, 2016, 101, 1237-1243. | 3.5 | 42 |
| 152 | Altered Resting-State Functional Connectivity in the Hand Motor Network in Glioma Patients. Brain Connectivity, 2016, 6, 587-595. | 1.7 | 39 |
| 153 | Risk factors predicting outcomes for primary refractory hodgkin lymphoma patients treated with salvage chemotherapy and autologous stem cell transplantation. British Journal of Haematology, 2016, 175, 440-447. | 2.5 | 27 |
| 154 | CCBE1 promotes GIST development through enhancing angiogenesis and mediating resistance to imatinib. Scientific Reports, 2016, 6, 31071. | 3.3 | 22 |
| 155 | Long non-coding RNA LINC00628 functions as a gastric cancer suppressor via long-range modulating the expression of cell cycle related genes. Scientific Reports, 2016, 6, 27435. | 3.3 | 21 |
| 156 | Strategy of Using Intratreatment Hypoxia Imaging to Selectively and Safely Guide Radiation Dose De-escalation Concurrent With Chemotherapy for Locoregionally Advanced Human Papillomavirus–Related Oropharyngeal Carcinoma. International Journal of Radiation Oncology Biology Physics, 2016, 96, 9-17. | 0.8 | 121 |
| 157 | Large-volume low apparent diffusion coefficient lesions predict poor survival in bevacizumab-treated glioblastoma patients. Neuro-Oncology, 2016, 18, 735-743. | 1.2 | 28 |
| 158 | Prognostic Value of Preradiotherapy 18F-FDG PET/CT Volumetrics in Limited-Stage Small-Cell Lung Cancer. Clinical Lung Cancer, 2016, 17, 184-188. | 2.6 | 17 |
| 159 | A prospective trial of dynamic contrast-enhanced MRI perfusion and fluorine-18 FDG PET-CT in differentiating brain tumor progression from radiation injury after cranial irradiation. Neuro-Oncology, 2016, 18, 873-880. | 1.2 | 72 |
| 160 | High- and low-dose-rate intraoperative radiotherapy for thoracic malignancies resected with close or positive margins. Brachytherapy, 2016, 15, 208-215. | 0.5 | 3 |
| 161 | Intensity modulated radiation therapy reduces gastrointestinal toxicity in locally advanced pancreas cancer. Practical Radiation Oncology, 2016, 6, 78-85. | 2.1 | 30 |
| 162 | Recurrence Patterns and Second Primary Lung Cancers After Stereotactic Body Radiation Therapy for Early-Stage Non–Small-Cell Lung Cancer: Implications for Surveillance. Clinical Lung Cancer, 2016, 17, 177-183.e2. | 2.6 | 57 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Outcome of Initial Observation in Mantle Cell Lymphoma. Blood, 2016, 128, 1803-1803. | 1.4 | 3 |
| 164 | CXCL12-CXCR7 axis contributes to the invasive phenotype of pancreatic cancer. Oncotarget, 2016, 7, 62006-62018. | 1.8 | 40 |
| 165 | Overexpressed EDIL3 predicts poor prognosis and promotes anchorage-independent tumor growth in human pancreatic cancer. Oncotarget, 2016, 7, 4226-4240. | 1.8 | 30 |
| 166 | Mineralocorticoid receptor suppresses cancer progression and the Warburg effect by modulating the miRâ€338â€3pâ€PKLR axis in hepatocellular carcinoma. Hepatology, 2015, 62, 1145-1159. | 7.3 | 80 |
| 167 | Trophoblast glycoprotein promotes pancreatic ductal adenocarcinoma cell metastasis through Wnt/planar cell polarity signaling. Molecular Medicine Reports, 2015, 12, 503-509. | 2.4 | 13 |
| 168 | Excellent outcomes and lack of prognostic impact of cell of origin for localized diffuse large B-cell lymphoma in the rituximab era. British Journal of Haematology, 2015, 171, 776-783. | 2.5 | 30 |
| 169 | Irradiation for locoregionally recurrent, never-irradiated oral cavity cancers. Head and Neck, 2015, 37, 1633-1641. | 2.0 | 7 |
| 170 | Decreased LKB1 predicts poor prognosis in Pancreatic Ductal Adenocarcinoma. Scientific Reports, 2015, 5, 10575. | 3.3 | 26 |
| 171 | Silencing of MICAL-L2 suppresses malignancy of ovarian cancer by inducing mesenchymal–epithelial transition. Cancer Letters, 2015, 363, 71-82. | 7.2 | 34 |
| 172 | New Anti-Fibrotic Drug Candidates from Mangrove-Derived Streptomyces xiamenensis Suppressing Local Inflammation and Mechanical Stress in Hypertrophic Scars. Journal of Investigative Dermatology Symposium Proceedings, 2015, 17, 40-41. | 0.8 | 5 |
| 173 | High level of serum protein DKK1 predicts poor prognosis for patients with hepatocellular carcinoma after hepatectomy. Hepatic Oncology, 2015, 2, 231-244. | 4.2 | 13 |
| 174 | Elevated Rictor expression is associated with tumor progression and poor prognosis in patients with gastric cancer. Biochemical and Biophysical Research Communications, 2015, 464, 534-540. | 2.1 | 36 |
| 175 | The Effect of Molecular Subtype and Residual Disease on Locoregional Recurrence in Breast Cancer Patients Treated with Neoadjuvant Chemotherapy and Postmastectomy Radiation. Annals of Surgical Oncology, 2015, 22, 495-501. | 1.5 | 44 |
| 176 | Dynamic contrast enhanced T1 MRI perfusion differentiates pseudoprogression from recurrent glioblastoma. Journal of Neuro-Oncology, 2015, 125, 183-190. | 2.9 | 106 |
| 177 | Long-term risk of radionecrosis and imaging changes after stereotactic radiosurgery for brain metastases. Journal of Neuro-Oncology, 2015, 125, 149-156. | 2.9 | 224 |
| 178 | FDG-PET maximum standardized uptake value is prognostic for recurrence and survival after stereotactic body radiotherapy for non-small cell lung cancer. Lung Cancer, 2015, 89, 115-120. | 2.0 | 53 |
| 179 | Hepatic stellate cells activated by acidic tumor microenvironment promote the metastasis of hepatocellular carcinoma via osteopontin. Cancer Letters, 2015, 356, 713-720. | 7.2 | 64 |
| 180 | miR-506 acts as a tumor suppressor by directly targeting the hedgehog pathway transcription factor Gli3 in human cervical cancer. Oncogene, 2015, 34, 717-725. | 5.9 | 130 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 181 | Lysyl oxidase-like 4 (LOXL4) promotes proliferation and metastasis of gastric cancer via FAK/Src pathway. Journal of Cancer Research and Clinical Oncology, 2015, 141, 269-281. | 2.5 | 48 |
| 182 | The Natural History and Predictors of Outcome Following Biochemical Relapse in the Dose Escalation Era for Prostate Cancer Patients Undergoing Definitive External Beam Radiotherapy. European Urology, 2015, 67, 1009-1016. | 1.9 | 147 |
| 183 | TARC Predicts PET-Normalization and Event Free Surival in Relapsed/Refractory Hodgkin Lymphoma Patients Treated with Brentuximab Vedotin. Blood, 2015, 126, 180-180. | 1.4 | 7 |
| 184 | Successful Treatment of Peripheral T-Cell Lymphoma with Allogeneic Stem Cell Transplantation: A Large Single-Center Experience. Blood, 2015, 126, 4392-4392. | 1.4 | 4 |
| 185 | SLITRK3 expression correlation to gastrointestinal stromal tumor risk rating and prognosis. World Journal of Gastroenterology, 2015, 21, 8398. | 3.3 | 16 |
| 186 | Outcomes of Primary Refractory Diffuse Large B-Cell Lymphoma (DLBCL) Treated with Salvage Chemotherapy and Intention to Transplant in the Rituximab Era. Blood, 2015, 126, 1986-1986. | 1.4 | 0 |
| 187 | TEM7 (PLXDC1), a key prognostic predictor for resectable gastric cancer, promotes cancer cell migration and invasion. American Journal of Cancer Research, 2015, 5, 772-81. | 1.4 | 14 |
| 188 | CHRM3 is a novel prognostic factor of poor prognosis in patients with endometrial carcinoma. American Journal of Translational Research (discontinued), 2015, 7, 902-11. | 0.0 | 16 |
| 189 | High-grade ovarian cancer secreting effective exosomes in tumor angiogenesis. International Journal of Clinical and Experimental Pathology, 2015, 8, 5062-70. | 0.5 | 45 |
| 190 | CTHRC1 promotes human colorectal cancer cell proliferation and invasiveness by activating Wnt/PCP signaling. International Journal of Clinical and Experimental Pathology, 2015, 8, 12793-801. | 0.5 | 34 |
| 191 | Elevated autocrine EDIL3 protects hepatocellular carcinoma from anoikis through RGD-mediated integrin activation. Molecular Cancer, 2014, 13, 226. | 19.2 | 41 |
| 192 | Bilateral implant reconstruction does not affect the quality of postmastectomy radiation therapy. Medical Dosimetry, 2014, 39, 18-22. | 0.9 | 26 |
| 193 | Efficacy of concurrent cetuximab vs. 5-fluorouracil/carboplatin or high-dose cisplatin with intensity-modulated radiation therapy (IMRT) for locally-advanced head and neck cancer (LAHNSCC). Oral Oncology, 2014, 50, 947-955. | 1.5 | 51 |
| 194 | Outcomes and Prognostic Factors in Women With $1\ {\rm to}\ 3$ Breast Cancer Brain Metastases Treated With Definitive Stereotactic Radiosurgery. International Journal of Radiation Oncology Biology Physics, 2014, 90, 518-525. | 0.8 | 28 |
| 195 | LRG1 is an independent prognostic factor for endometrial carcinoma. Tumor Biology, 2014, 35, 7125-7133. | 1.8 | 36 |
| 196 | Evaluation of high-risk clinicopathological indicators in gastrointestinal stromal tumors for prognosis and imatinib treatment outcome. BMC Gastroenterology, 2014, 14, 105. | 2.0 | 7 |
| 197 | CTHRC1 Acts as a Prognostic Factor and Promotes Invasiveness of Gastrointestinal Stromal Tumors by Activating Wnt/PCP-Rho Signaling. Neoplasia, 2014, 16, 265-278.e13. | 5.3 | 76 |
| 198 | Monoamine oxidase A suppresses hepatocellular carcinoma metastasis by inhibiting the adrenergic system and its transactivation of EGFR signaling. Journal of Hepatology, 2014, 60, 1225-1234. | 3.7 | 113 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | A Phase 2 Trial of Stereotactic Radiosurgery Boost After Surgical Resection for Brain Metastases. International Journal of Radiation Oncology Biology Physics, 2014, 88, 130-136. | 0.8 | 218 |
| 200 | Microfilament regulatory protein MENA increases activity of RhoA and promotes metastasis of hepatocellular carcinoma. Experimental Cell Research, 2014, 327, 113-122. | 2.6 | 19 |
| 201 | Erlotinib Versus Radiation Therapy for Brain Metastases in Patients With EGFR-Mutant Lung Adenocarcinoma. International Journal of Radiation Oncology Biology Physics, 2014, 89, 322-329. | 0.8 | 91 |
| 202 | DNA methylation-mediated silencing of matricellular protein dermatopontin promotes hepatocellular carcinoma metastasis by $\hat{l}\pm3\hat{l}^21$ integrin-Rho GTPase signaling. Oncotarget, 2014, 5, 6701-6715. | 1.8 | 43 |
| 203 | Dysregulated cell mechanical properties of endometrial stromal cells from endometriosis patients. International Journal of Clinical and Experimental Pathology, 2014, 7, 648-55. | 0.5 | 6 |
| 204 | SERPINA3 promotes endometrial cancer cells growth by regulating G2/M cell cycle checkpoint and apoptosis. International Journal of Clinical and Experimental Pathology, 2014, 7, 1348-58. | 0.5 | 27 |
| 205 | Cytohesin-3 is upregulated in hepatocellular carcinoma and contributes to tumor growth and vascular invasion. International Journal of Clinical and Experimental Pathology, 2014, 7, 2123-32. | 0.5 | 11 |
| 206 | Rictor is an independent prognostic factor for endometrial carcinoma. International Journal of Clinical and Experimental Pathology, 2014, 7, 2068-78. | 0.5 | 9 |
| 207 | PNMA1 promotes cell growth in human pancreatic ductal adenocarcinoma. International Journal of Clinical and Experimental Pathology, 2014, 7, 3827-35. | 0.5 | 13 |
| 208 | Silencing of WISP3 suppresses gastric cancer cell proliferation and metastasis and inhibits Wnt/ \hat{l}^2 -catenin signaling. International Journal of Clinical and Experimental Pathology, 2014, 7, 6447-61. | 0.5 | 17 |
| 209 | HER4 is a novel prognostic biomarker in gastrointestinal stromal tumor specifically originated from stomach. American Journal of Cancer Research, 2014, 4, 838-49. | 1.4 | 3 |
| 210 | Somatostatin receptors in gastrointestinal stromal tumors: new prognostic biomarker and potential therapeutic strategy. American Journal of Translational Research (discontinued), 2014, 6, 831-40. | 0.0 | 13 |
| 211 | Xiamenmycin Attenuates Hypertrophic Scars by Suppressing Local Inflammation and the Effects of Mechanical Stress. Journal of Investigative Dermatology, 2013, 133, 1351-1360. | 0.7 | 48 |
| 212 | Identification of Two Novel Anti-Fibrotic Benzopyran Compounds Produced by Engineered Strains Derived from Streptomyces xiamenensis M1-94P that Originated from Deep-Sea Sediments. Marine Drugs, 2013, 11, 4035-4049. | 4.6 | 16 |
| 213 | Lumican Accelerates Wound Healing by Enhancing $\hat{l}\pm2\hat{l}^21$ Integrin-Mediated Fibroblast Contractility. PLoS ONE, 2013, 8, e67124. | 2.5 | 49 |
| 214 | Diffusion tensor tractography of the arcuate fasciculus in patients with brain tumors: Comparison between deterministic and probabilistic models. Journal of Biomedical Science and Engineering, 2013, 06, 192-200. | 0.4 | 36 |
| 215 | Identification and Characterization of an Anti-Fibrotic Benzopyran Compound Isolated from Mangrove-Derived Streptomyces xiamenensis. Marine Drugs, 2012, 10, 639-654. | 4.6 | 32 |
| 216 | Long-term survival in patients with peripheral T-cell non-Hodgkin lymphomas after allogeneic hematopoietic stem cell transplant. Leukemia and Lymphoma, 2012, 53, 1124-1129. | 1.3 | 41 |

| # | Article | IF | Citations |
|-----|---|--------------|-----------|
| 217 | MCAM is a novel metastasis marker and regulates spreading, apoptosis and invasion of ovarian cancer cells. Tumor Biology, 2012, 33, 1619-1628. | 1.8 | 50 |
| 218 | Serum DKK1 as a protein biomarker for the diagnosis of hepatocellular carcinoma: a large-scale, multicentre study. Lancet Oncology, The, 2012, 13, 817-826. | 10.7 | 337 |
| 219 | Novel pH responsive hydrogels for controlled cell adhesion and triggered surface detachment. Soft Matter, 2012, 8, 9539. | 2.7 | 37 |
| 220 | Tissue microarray analysis reveals protein expression patterns and potential biomarkers of clinical benefit to bortezomib in relapsed/refractory nonâ€Hodgkin lymphoma. British Journal of Haematology, 2012, 158, 290-292. | 2.5 | 2 |
| 221 | Migration of epithelial cells on laminins: RhoA antagonizes directionally persistent migration. European Journal of Cell Biology, 2011, 90, 1-12. | 3.6 | 13 |
| 222 | Epigenetic silencing of WIF-1 in hepatocellular carcinomas. Journal of Cancer Research and Clinical Oncology, 2010, 136, 1161-1167. | 2.5 | 27 |
| 223 | Goodness-of-fit tests for additive mean residual life model under right censoring. Lifetime Data Analysis, 2010, 16, 385-408. | 0.9 | 3 |
| 224 | Integrin $\hat{l}\pm 3$ subunit regulates events linked to epithelial repair, including keratinocyte migration and protein expression. Wound Repair and Regeneration, 2010, 18, 325-334. | 3.0 | 27 |
| 225 | Interval censoring. Statistical Methods in Medical Research, 2010, 19, 53-70. | 1.5 | 136 |
| 226 | Kindlin-1 Is Required for RhoGTPase-Mediated Lamellipodia Formation in Keratinocytes. American Journal of Pathology, 2009, 175, 1442-1452. | 3.8 | 69 |
| 227 | Pre-Treatment p27 and Bcl-6 Staining Levels Correlate with Response to Bortezomib in Non-Hodgkin Lymphoma: Results from a Tissue Microarray Analysis. Blood, 2007, 110, 1294-1294. | 1.4 | 3 |
| 228 | Dissociation of the complex between CD151 and laminin-binding integrins permits migration of epithelial cells. Experimental Cell Research, 2006, 312, 983-995. | 2.6 | 45 |
| 229 | Effects of constitutively active GTPases on fibroblast behavior. Cellular and Molecular Life Sciences, 2006, 63, 82-91. | 5 . 4 | 42 |
| 230 | Interactions of primary fibroblasts and keratinocytes with extracellular matrix proteins: contribution of $\hat{l}\pm2\hat{l}^21$ integrin. Journal of Cell Science, 2006, 119, 1886-1895. | 2.0 | 106 |
| 231 | AtNAC2, a transcription factor downstream of ethylene and auxin signaling pathways, is involved in salt stress response and lateral root development. Plant Journal, 2005, 44, 903-916. | 5.7 | 634 |
| 232 | Evidence for Serine/Threonine and Histidine Kinase Activity in the Tobacco Ethylene Receptor Protein NTHK2. Plant Physiology, 2004, 136, 2971-2981. | 4.8 | 58 |
| 233 | Serine/threonine kinase activity in the putative histidine kinase-like ethylene receptor NTHK1 from tobacco. Plant Journal, 2003, 33, 385-393. | 5.7 | 91 |
| 234 | Spatial Expression and Characterization of a Putative Ethylene Receptor Protein NTHK1 in Tobacco. Plant and Cell Physiology, 2002, 43, 810-815. | 3.1 | 30 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | The Histone Demethylase KDM4D Promotes Hepatic Fibrogenesis by Modulating Toll-Like Receptor 4 Signaling Pathway. SSRN Electronic Journal, 0, , . | 0.4 | O |
| 236 | Autocrine CTHRC1 Activates Hepatic Stellate Cells and Promotes Liver Fibrosis by Activating TGF- \hat{l}^2 Signaling. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 237 | Lysyl Oxidase Enhances Warburg Effect to Mediate Reciprocal Interactions between Tumor Cells and Cancer Associated Fibroblasts in Liver Metastasis of Gastric Cancer. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 238 | Aberrant Accumulation of DKK4 Promotes Tumor Progression via Forming the Immune Suppressive Microenvironment in Gastrointestinal Stromal Tumor. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 239 | Genomic Characterization of Chinese Ovarian Clear Cell Carcinoma Identifies Driver Genes by Whole Exome Sequencing. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 240 | Nuclear-Translocation of ACLY Induced by Obesity Related Factors Enhances Pyrimidine Metabolism Through Regulating Histone Acetylation in Endometrial Cancer. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 241 | TIMELESS Regulates Sphingolipid Metabolism and Tumor Cell Growth Through Sp1/ACER2/S1P Axis in ER-Positive Breast Cancer. SSRN Electronic Journal, 0, , . | 0.4 | 0 |