

Katsumi Mizuta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1900213/publications.pdf>

Version: 2024-02-01

68
papers

1,627
citations

257450

24
h-index

330143

37
g-index

69
all docs

69
docs citations

69
times ranked

1741
citing authors

#	ARTICLE	IF	CITATIONS
1	A seroepidemiologic study of a measles outbreak, Yamagata Prefecture, Japan, 2017: The estimation of spreaders using serological assays in a measles elimination setting. <i>Journal of Infection and Chemotherapy</i> , 2022, , .	1.7	1
2	Recombinant parechovirus A3 possibly causes various clinical manifestations, including myalgia; findings in Yamagata, Japan in 2019. <i>Infectious Diseases</i> , 2022, , 1-19.	2.8	1
3	Longitudinal epidemiology of human coronavirus OC43 in Yamagata, Japan, 2010â€“2017: Two groups based on spike gene appear one after another. <i>Journal of Medical Virology</i> , 2021, 93, 945-951.	5.0	5
4	Growth Kinetics of Influenza C Virus Antigenic Mutants That Escaped from Anti-Hemagglutinin Esterase Monoclonal Antibodies and Viral Antigenic Changes Found in Field Isolates. <i>Viruses</i> , 2021, 13, 401.	3.3	2
5	Isolation of Coxsackievirus A21 from Patients with Acute Respiratory Infection in Yamagata, Japan in 2019. <i>Japanese Journal of Infectious Diseases</i> , 2021, 74, 172-174.	1.2	3
6	Proposal for the Recognition of a New Disease Concept from Japan: Parechovirus A3-Associated Myalgia. <i>Japanese Journal of Infectious Diseases</i> , 2021, 74, 259-272.	1.2	3
7	Seroprevalence of coxsackievirus A21 neutralizing antibodies in Yamagata, Japan, between 1976 and 2019; coxsackievirus A21 has rarely affected young children. <i>Journal of Medical Virology</i> , 2021, , .	5.0	2
8	Development of an Enterovirus 71 Vaccine Efficacy Test Using Human Scavenger Receptor B2 Transgenic Mice. <i>Journal of Virology</i> , 2020, 94, .	3.4	7
9	Antigenic changes among the predominantly circulating C/Sao Paulo lineage strains of influenza C virus in Yamagata, Japan, between 2015 and 2018. <i>Infection, Genetics and Evolution</i> , 2020, 81, 104269.	2.3	4
10	Seroprevalence of parechovirus A1, A3 and A4 antibodies in Yamagata, Japan, between 1976 and 2017. <i>Journal of Medical Microbiology</i> , 2020, 69, 1381-1387.	1.8	6
11	Phylogenetic and antigenic analyses of coxsackievirus A6 isolates in Yamagata, Japan between 2001 and 2017. <i>Vaccine</i> , 2019, 37, 1109-1117.	3.8	13
12	Careful Clinical Surveillance Is Important for the Identification of Parechovirus Type A3-Associated Myalgia/Myositis: a Sporadic Case Found in a Season with a Low Level of Its Activity in Yamagata, Japan in 2017. <i>Japanese Journal of Infectious Diseases</i> , 2019, 72, 71-72.	1.2	3
13	Longitudinal Epidemiology of Viral Infectious Diseases Combining Virus Isolation, Antigenic Analysis, and Phylogenetic Analysis as Well as Seroepidemiology in Yamagata, Japan, between 1999 and 2018. <i>Japanese Journal of Infectious Diseases</i> , 2019, 72, 211-223.	1.2	10
14	Parechovirus A3 (PeV-A3)-associated myalgia/myositis occurs irrespective of its genetic cluster: a longitudinal molecular epidemiology of PeV-A3 in Yamagata, Japan between 2003 and 2016. <i>Journal of Medical Microbiology</i> , 2019, 68, 424-428.	1.8	6
15	Detection of Saffold viruses from children with acute respiratory infections in Yamagata, Japan, between 2008 and 2015. <i>Journal of Medical Virology</i> , 2018, 90, 34-40.	5.0	8
16	Clinical characteristics of children infected with enterovirus D68 in an outpatient clinic and the association with bronchial asthma. <i>Infectious Diseases</i> , 2018, 50, 303-312.	2.8	18
17	Trends of Human Coronaviruses in Yamagata, Japan in 2015â€“2016 Focusing on the OC43 Outbreak of June 2016. <i>Japanese Journal of Infectious Diseases</i> , 2018, 71, 167-169.	1.2	7
18	VP1 Amino Acid Residue 145 of Enterovirus 71 Is a Key Residue for Its Receptor Attachment and Resistance to Neutralizing Antibody during Cynomolgus Monkey Infection. <i>Journal of Virology</i> , 2018, 92, .	3.4	48

#	ARTICLE	IF	CITATIONS
19	The Largest Measles Outbreak, Including 38 Modified Measles and 22 Typical Measles Cases in Its Elimination Era in Yamagata, Japan, 2017. Japanese Journal of Infectious Diseases, 2018, 71, 413-418.	1.2	39
20	Neutralizing Epitopes and Residues Mediating the Potential Antigenic Drift of the Hemagglutinin-Esterase Protein of Influenza C Virus. Viruses, 2018, 10, 417.	3.3	12
21	First Isolation of Human Parechovirus Type 4 in Yamagata, Japan. Japanese Journal of Infectious Diseases, 2017, 70, 689-690.	1.2	5
22	Genetic Lineage and Reassortment of Influenza C Viruses Circulating between 1947 and 2014. Journal of Virology, 2016, 90, 8251-8265.	3.4	42
23	Seroepidemiology of human parechovirus types 1, 3, and 6 in Yamagata, Japan, in 2014. Microbiology and Immunology, 2016, 60, 854-858.	1.4	29
24	Chronological changes of mumps virus genotypes in Japan between 1999–2013. Infectious Diseases, 2016, 48, 524-529.	2.8	5
25	An Outbreak of Human Coronavirus OC43 during the 2014–2015 Influenza Season in Yamagata, Japan. Japanese Journal of Infectious Diseases, 2015, 68, 442-445.	1.2	12
26	Detection of the Human Coronavirus 229E, HKU1, NL63, and OC43 between 2010 and 2013 in Yamagata, Japan. Japanese Journal of Infectious Diseases, 2015, 68, 138-141.	1.2	77
27	The Dominant Antigenic Group of Influenza C Infections Changed from C/Sao Paulo/378/82-Lineage to C/Kanagawa/1/76-Lineage in Yamagata, Japan, in 2014. Japanese Journal of Infectious Diseases, 2015, 68, 166-168.	1.2	10
28	Characteristics of <i>Mycoplasma pneumoniae</i> infection identified on culture in a pediatric clinic. Pediatrics International, 2015, 57, 247-252.	0.5	9
29	Isolation of Saffold Virus Type 2 from Children with Acute Respiratory Infections by Using the RD-18S-Niigata Cell Line. Japanese Journal of Infectious Diseases, 2015, 68, 438-441.	1.2	6
30	Molecular epidemiology of enterovirus 71 strains isolated from children in Yamagata, Japan, between 1990 and 2013. Journal of Medical Microbiology, 2014, 63, 1356-1362.	1.8	26
31	Epidemiological information regarding the periodic epidemics of influenza C virus in Japan (1996–2013) and the seroprevalence of antibodies to different antigenic groups. Journal of Clinical Virology, 2014, 61, 87-93.	3.1	32
32	Epitope Mapping of the Hemagglutinin Molecule of A/(H1N1)pdm09 Influenza Virus by Using Monoclonal Antibody Escape Mutants. Journal of Virology, 2014, 88, 12364-12373.	3.4	61
33	Molecular evolution of the haemagglutinin–neuraminidase gene in human parainfluenza virus type 3 isolates from children with acute respiratory illness in Yamagata prefecture, Japan. Journal of Medical Microbiology, 2014, 63, 570-577.	1.8	26
34	Epidemic myalgia associated with human parechovirus type 3 infection among adults occurs during an outbreak among children: Findings from Yamagata, Japan, in 2011. Journal of Clinical Virology, 2013, 58, 188-193.	3.1	38
35	Molecular epidemiology of Coxsackievirus A16 strains isolated from children in Yamagata, Japan between 1988 and 2011. Microbiology and Immunology, 2013, 57, 400-405.	1.4	11
36	Seroepidemiology of Saffold cardiovirus (SAFV) genotype 3 in Japan. Journal of Infection, 2013, 66, 191-193.	3.3	13

#	ARTICLE	IF	CITATIONS
37	An Outbreak of Parainfluenza Virus Type 4 Infections among Children with Acute Respiratory Infections during the 2011 [^] –2012 Winter Season in Yamagata, Japan. <i>Japanese Journal of Infectious Diseases</i> , 2013, 66, 76-78.	1.2	15
38	Detection and quantification of influenza C virus in pediatric respiratory specimens by real-time PCR and comparison with infectious viral counts. <i>Journal of Clinical Virology</i> , 2012, 54, 130-134.	3.1	25
39	Epidemiology of parainfluenza virus types 1, 2 and 3 infections based on virus isolation between 2002 and 2011 in Yamagata, Japan. <i>Microbiology and Immunology</i> , 2012, 56, 855-858.	1.4	35
40	Acute respiratory infections due to enterovirus 68 in Yamagata, Japan between 2005 and 2010. <i>Microbiology and Immunology</i> , 2012, 56, 139-143.	1.4	80
41	Epidemic Myalgia in Adults Associated with Human Parechovirus Type 3 Infection, Yamagata, Japan, 2008. <i>Emerging Infectious Diseases</i> , 2012, 18, 1787-1793.	4.3	65
42	The impact of Saffold cardiovirus in patients with acute respiratory infections in Yamagata, Japan. <i>Scandinavian Journal of Infectious Diseases</i> , 2011, 43, 669-671.	1.5	11
43	Saffold Cardiovirus Infection in Children Associated With Respiratory Disease and Its Similarity to Coxsackievirus Infection. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 680-683.	2.0	23
44	Detailed genetic analysis of hemagglutinin-neuraminidase glycoprotein gene in human parainfluenza virus type 1 isolates from patients with acute respiratory infection between 2002 and 2009 in Yamagata prefecture, Japan. <i>Virology Journal</i> , 2011, 8, 533.	3.4	26
45	Development and evaluation of a whole virus-based enzyme-linked immunosorbent assay for the detection of human metapneumovirus antibodies in human sera. <i>Journal of Virological Methods</i> , 2010, 164, 24-29.	2.1	14
46	Comparison of virus isolation using the Vero E6 cell line with real-time RT-PCR assay for the detection of human metapneumovirus. <i>BMC Infectious Diseases</i> , 2010, 10, 170.	2.9	15
47	Endemicity of human metapneumovirus subgenogroups A2 and B2 in Yamagata, Japan, between 2004 and 2009. <i>Microbiology and Immunology</i> , 2010, 54, 634-638.	1.4	12
48	Sequence and phylogenetic analyses of Saffold cardiovirus from children with exudative tonsillitis in Yamagata, Japan. <i>Scandinavian Journal of Infectious Diseases</i> , 2010, 42, 950-952.	1.5	33
49	A two-year survey of the oseltamivir-resistant influenza A(H1N1) virus in Yamagata, Japan and the clinical effectiveness of oseltamivir and zanamivir. <i>Virology Journal</i> , 2010, 7, 53.	3.4	59
50	Phylogenetic and cluster analysis of human rhinovirus species A (HRV-A) isolated from children with acute respiratory infections in Yamagata, Japan. <i>Virus Research</i> , 2010, 147, 265-274.	2.2	23
51	Sequencing and Phylogenetic Analyses of Saffold Cardiovirus (SAFV) Genotype 3 Isolates from Children with Upper Respiratory Infection in Gunma, Japan. <i>Japanese Journal of Infectious Diseases</i> , 2010, 63, 378-380.	1.2	19
52	Evaluation of a New Rapid Antigen Test Using Immunochromatography for Detection of Human Metapneumovirus in Comparison with Real-Time PCR Assay. <i>Journal of Clinical Microbiology</i> , 2009, 47, 2981-2984.	3.9	31
53	Stability of the seven hexon hypervariable region sequences of adenovirus types 1–6 isolated in Yamagata, Japan between 1988 and 2007. <i>Virus Research</i> , 2009, 140, 32-39.	2.2	21
54	Clinical impact of human metapneumovirus genotypes and genotype-specific seroprevalence in Yamagata, Japan. <i>Journal of Medical Virology</i> , 2008, 80, 1084-1089.	5.0	40

#	ARTICLE	IF	CITATIONS
55	Analysis of monthly isolation of respiratory viruses from children by cell culture using a microplate method: a two-year study from 2004 to 2005 in Yamagata, Japan. Japanese Journal of Infectious Diseases, 2008, 61, 196-201.	1.2	39
56	A Nationwide Epidemic of Influenza C Virus Infection in Japan in 2004. Journal of Clinical Microbiology, 2007, 45, 783-788.	3.9	54
57	Clinical Features of Influenza C Virus Infection in Children. Journal of Infectious Diseases, 2006, 193, 1229-1235.	4.0	142
58	A Slow Spread of Adenovirus Type 7 Infection after Its Re-emergence in Yamagata, Japan, in 1995. Microbiology and Immunology, 2006, 50, 553-558.	1.4	5
59	An outbreak of measles virus infection due to a genotype D9 at a junior high school in Yamagata, Japan in 2004. Japanese Journal of Infectious Diseases, 2005, 58, 98-100.	1.2	14
60	Re-emergence of echovirus type 13 infections in 2002 in Yamagata, Japan. Journal of Infection, 2003, 47, 243-247.	3.3	9
61	Enterovirus isolation from children with acute respiratory infections and presumptive identification by a modified microplate method. International Journal of Infectious Diseases, 2003, 7, 138-142.	3.3	24
62	A Rare Appearance of Influenza A(H1N2) as a Reassortant in a Community Such as Yamagata Where A(H1N1) and A(H3N2) Co-circulate. Microbiology and Immunology, 2003, 47, 359-361.	1.4	15
63	Characterization of antigenically unique influenza C virus strains isolated in Yamagata and Sendai Cities, Japan, during 1992-1993. Journal of General Virology, 2000, 81, 1447-1452.	2.9	30
64	Nucleotide sequence of thymidine kinase gene of sequential acyclovir-resistant herpes simplex virus type 1 isolates recovered from a child with Wiskott-Aldrich syndrome: Evidence for reactivation of acyclovir-resistant herpes simplex virus. Journal of Medical Virology, 1999, 58, 387-393.	5.0	38
65	PCR-RFLP Analysis of Cytomegalovirus Infections Associated with Bone Marrow Transplantation in Japanese Children. Microbiology and Immunology, 1999, 43, 359-364.	1.4	4
66	Interspecies transmission of influenza C virus between humans and pigs. Virus Research, 1997, 48, 71-79.	2.2	69
67	Longitudinal Investigation of Epidemiologic Feature of Adenovirus Infections in Acute Respiratory Illnesses among Children in Yamagata, Japan(1986-1991).. Tohoku Journal of Experimental Medicine, 1995, 175, 185-193.	1.2	18
68	Six-year longitudinal analysis of adenovirus type 3 genome types isolated in Yamagata, Japan. Journal of Medical Virology, 1994, 42, 198-202.	5.0	19