Andrew Copas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1901416/publications.pdf

Version: 2024-02-01

311 papers

16,985 citations

61 h-index 20358 116 g-index

324 all docs

324 docs citations

times ranked

324

17812 citing authors

#	Article	IF	CITATIONS
1	Initial Impacts of COVID-19 on Sex Life and Relationship Quality in Steady Relationships in Britain: Findings from a Large, Quasi-representative Survey (Natsal-COVID). Journal of Sex Research, 2023, 60, 1-12.	2.5	13
2	Estimands in cluster-randomized trials: choosing analyses that answer the right question. International Journal of Epidemiology, 2023, 52, 107-118.	1.9	28
3	Risk for development of active tuberculosis in patients with chronic airway disease—a systematic review of evidence. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2022, 116, 390-398.	1.8	3
4	Salivary Testosterone and Sexual Function and Behavior in Men and Women: Findings from the Third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Journal of Sex Research, 2022, 59, 135-149.	2.5	4
5	Prevalence and duration of detectable SARS-CoV-2 nucleocapsid antibodies in staff and residents of long-term care facilities over the first year of the pandemic (VIVALDI study): prospective cohort study in England. The Lancet Healthy Longevity, 2022, 3, e13-e21.	4.6	85
6	Effectiveness of conditional cash transfers (Afya credits incentive) to retain women in the continuum of care during pregnancy, birth and the postnatal period in Kenya: a cluster-randomised trial. BMJ Open, 2022, 12, e055921.	1.9	6
7	Initial impacts of the COVID-19 pandemic on sexual and reproductive health service use and unmet need in Britain: findings from a quasi-representative survey (Natsal-COVID). Lancet Public Health, The, 2022, 7, e36-e47.	10.0	39
8	Intimate physical contact between people from different households during the COVID-19 pandemic: a mixed-methods study from a large, quasi-representative survey (Natsal-COVID). BMJ Open, 2022, 12, e055284.	1.9	15
9	Impacts of COVID-19 on sexual behaviour in Britain: findings from a large, quasi-representative survey (Natsal-COVID). Sexually Transmitted Infections, 2022, 98, 469-477.	1.9	34
10	Economic evaluation of a conditional cash transfer to retain women in the continuum of care during pregnancy, birth and the postnatal period in Kenya. PLOS Global Public Health, 2022, 2, e0000128.	1.6	1
11	Comprehensive Anaemia Programme and Personalized Therapies (CAPPT): protocol for a cluster-randomised controlled trial testing the effect women's groups, home counselling and iron supplementation on haemoglobin in pregnancy in southern Nepal. Trials, 2022, 23, 183.	1.6	2
12	A feasibility study evaluating the uptake, effectiveness and acceptability of routine screening of pregnant migrants for latent tuberculosis infection in antenatal care: a research protocol. BMJ Open, 2022, 12, e058734.	1.9	0
13	Severe Acute Respiratory Syndrome Coronavirus 2 Anti-Spike Antibody Levels Following Second Dose of ChAdOx1 nCov-19 or BNT162b2 Vaccine in Residents of Long-term Care Facilities in England (VIVALDI). Journal of Infectious Diseases, 2022, 226, 1877-1881.	4.0	5
14	Protocol for the COG-UK hospital-onset COVID-19 infection (HOCI) multicentre interventional clinical study: evaluating the efficacy of rapid genome sequencing of SARS-CoV-2 in limiting the spread of COVID-19 in UK NHS hospitals. BMJ Open, 2022, 12, e052514.	1.9	12
15	Effectiveness of BNT162b2 and ChAdOx-1 vaccines in residents of long-term care facilities in England using a time-varying proportional hazards model. Age and Ageing, 2022, 51, .	1.6	6
16	Recruitment and implementation challenges were common in stepped-wedge cluster randomized trials: Results from a methodological review. Journal of Clinical Epidemiology, 2022, 148, 93-103.	5.0	6
17	Outcomes of SARS-CoV-2 omicron infection in residents of long-term care facilities in England (VIVALDI): a prospective, cohort study. The Lancet Healthy Longevity, 2022, 3, e347-e355.	4.6	39
18	Evaluation of the Growth Assessment Protocol (GAP) for antenatal detection of small for gestational age: The DESiGN cluster randomised trial. PLoS Medicine, 2022, 19, e1004004.	8.4	14

#	Article	IF	CITATIONS
19	Antibody and cellular immune responses following dual COVID-19 vaccination within infection-naive residents of long-term care facilities: an observational cohort study. The Lancet Healthy Longevity, 2022, 3, e461-e469.	4.6	17
20	Duration of vaccine effectiveness against SARS-CoV-2 infection, hospitalisation, and death in residents and staff of long-term care facilities in England (VIVALDI): a prospective cohort study. The Lancet Healthy Longevity, 2022, 3, e470-e480.	4.6	22
21	Trends and predictors of linkage to HIV outpatient care following diagnosis in the era of expanded testing in England, Wales and Northern Ireland: Results of a national cohort study. HIV Medicine, 2021, 22, 491-501.	2.2	2
22	Optimal design of cluster randomised trials with continuous recruitment and prospective baseline period. Clinical Trials, 2021, 18, 147-157.	1.6	2
23	Using electronic patient records to assess the effect of a complex antenatal intervention in a cluster randomised controlled trial—data management experience from the DESiGN Trial team. Trials, 2021, 22, 195.	1.6	8
24	Community participatory learning and action cycle groups to reduce type 2 diabetes in Bangladesh (D:Clare trial): study protocol for a stepped-wedge cluster randomised controlled trial. Trials, 2021, 22, 235.	1.6	5
25	Vaccine effectiveness of the first dose of ChAdOx1 nCoV-19 and BNT162b2 against SARS-CoV-2 infection in residents of long-term care facilities in England (VIVALDI): a prospective cohort study. Lancet Infectious Diseases, The, 2021, 21, 1529-1538.	9.1	146
26	Incidence of SARS-CoV-2 infection according to baseline antibody status in staff and residents of 100 long-term care facilities (VIVALDI): a prospective cohort study. The Lancet Healthy Longevity, 2021, 2, e362-e370.	4.6	60
27	Optimal design of cluster randomized trials allowing unequal allocation of clusters and unequal cluster size between arms. Statistics in Medicine, 2021, 40, 5474-5486.	1.6	3
28	Completeness of reporting and risks of overstating impact in cluster randomised trials: a systematic review. The Lancet Global Health, 2021, 9, e1163-e1168.	6.3	6
29	Methodology of Natsal-COVID Wave 1: a large, quasi-representative survey with qualitative follow-up measuring the impact of COVID-19 on sexual and reproductive health in Britain. Wellcome Open Research, 2021, 6, 209.	1.8	12
30	SARS-CoV-2 lineage B.1.1.7 is associated with greater disease severity among hospitalised women but not men: multicentre cohort study. BMJ Open Respiratory Research, 2021, 8, e001029.	3.0	22
31	Profile of humoral and cellular immune responses to single doses of BNT162b2 or ChAdOx1 nCoV-19 vaccines in residents and staff within residential care homes (VIVALDI): an observational study. The Lancet Healthy Longevity, 2021, 2, e544-e553.	4.6	43
32	The Alpha variant was not associated with excess nosocomial SARS-CoV-2 infection in a multi-centre UK hospital study. Journal of Infection, 2021, 83, 693-700.	3.3	11
33	Testing approaches to sharing trial results with participants: The Show RESPECT cluster randomised, factorial, mixed methods trial. PLoS Medicine, 2021, 18, e1003798.	8.4	7
34	Effectiveness of participatory women's groups scaled up by the public health system to improve birth outcomes in Jharkhand, eastern India: a pragmatic cluster non-randomised controlled trial. BMJ Global Health, 2021, 6, e005066.	4.7	9
35	Measuring the impact of COVID-19 on sexual and reproductive health in the UK: web-panel surveys with qualitative follow-up. Lancet, The, 2021, 398, S46.	13.7	0
36	Changes in COVID-19 outbreak severity and duration in long-term care facilities following vaccine introduction, England, November 2020 to June 2021. Eurosurveillance, 2021, 26, .	7.0	5

#	Article	IF	CITATIONS
37	Cluster randomised trials with different numbers of measurements at baseline and endline: Sample size and optimal allocation. Clinical Trials, 2020, 17, 69-76.	1.6	7
38	Discovery and validation of a personalized risk predictor for incident tuberculosis in low transmission settings. Nature Medicine, 2020, 26, 1941-1949.	30.7	58
39	An interactive website for informed contraception choice: randomised evaluation of <i>Contraception Choices</i> . Digital Health, 2020, 6, 205520762093643.	1.8	11
40	Effect of weighting for sampling and non-response on estimates of STI prevalence in the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2020, 96, 481-484.	1.9	3
41	An evaluation of whether propensity score adjustment can remove the self-selection bias inherent to web panel surveys addressing sensitive health behaviours. BMC Medical Research Methodology, 2020, 20, 251.	3.1	8
42	Sample size and power calculations for open cohort longitudinal cluster randomized trials. Statistics in Medicine, 2020, 39, 1871-1883.	1.6	24
43	Accelerated partner therapy (APT) partner notification for people with <i>Chlamydia trachomatis </i> protocol for the Limiting Undetected Sexually Transmitted infections to RedUce Morbidity (LUSTRUM) APT cross-over cluster randomised controlled trial. BMJ Open, 2020, 10, e034806.	1.9	18
44	Handling an uncertain control group event risk in non-inferiority trials: non-inferiority frontiers and the power-stabilising transformation. Trials, 2020, 21, 145.	1.6	16
45	Concise whole blood transcriptional signatures for incipient tuberculosis: a systematic review and patient-level pooled meta-analysis. Lancet Respiratory Medicine, the, 2020, 8, 395-406.	10.7	128
46	Community youth teams facilitating participatory adolescent groups, youth leadership activities and livelihood promotion to improve school attendance, dietary diversity and mental health among adolescent girls in rural eastern India: protocol for a cluster-randomised controlled trial. Trials, 2020, 21, 52.	1.6	8
47	Study Protocol: Understanding SARS-Cov-2 infection, immunity and its duration in care home residents and staff in England (VIVALDI). Wellcome Open Research, 2020, 5, 232.	1.8	23
48	Patterns of sexualised recreational drug use and its association with risk behaviours and sexual health outcomes in men who have sex with men in London, UK: a comparison of cross-sectional studies conducted in 2013 and 2016. Sexually Transmitted Infections, 2020, 96, 197-203.	1.9	19
49	Study Protocol: Understanding SARS-Cov-2 infection, immunity and its duration in care home residents and staff in England (VIVALDI). Wellcome Open Research, 2020, 5, 232.	1.8	21
50	Imiquimod versus podophyllotoxin, with and without human papillomavirus vaccine, for anogenital warts: the HIPvac factorial RCT. Health Technology Assessment, 2020, 24, 1-86.	2.8	16
51	An interactive website to aid young women's choice of contraception: feasibility and efficacy RCT. Health Technology Assessment, 2020, 24, 1-44.	2.8	3
52	Why Do Men Report More Opposite-Sex Sexual Partners Than Women? Analysis of the Gender Discrepancy in a British National Probability Survey. Journal of Sex Research, 2019, 56, 1-8.	2.5	54
53	A latent variable modelling approach for the pooled analysis of individual participant data on the association between depression and chlamydia infection in adolescence and young adulthood in the UK. Journal of the Royal Statistical Society Series A: Statistics in Society, 2019, 182, 101-130.	1.1	1
54	Mortality and recovery following moderate and severe acute malnutrition in children aged 6–18 months in rural Jharkhand and Odisha, eastern India: A cohort study. PLoS Medicine, 2019, 16, e1002934.	8.4	15

#	Article	IF	CITATIONS
55	Can phenotypic data complement our understanding of antimycobacterial effects for drug combinations?. Journal of Antimicrobial Chemotherapy, 2019, 74, 3530-3536.	3.0	2
56	Stepped wedge trials with continuous recruitment require new ways of thinking. Journal of Clinical Epidemiology, 2019, 116, 161-166.	5.0	21
57	The DESiGN trial (DEtection of Small for Gestational age Neonate), evaluating the effect of the Growth Assessment Protocol (GAP): study protocol for a randomised controlled trial. Trials, 2019, 20, 154.	1.6	16
58	Conditional cash transfers to retain rural Kenyan women in the continuum of care during pregnancy, birth and the postnatal period: protocol for a cluster randomized controlled trial. Trials, 2019, 20, 152.	1.6	7
59	Collecting and exploiting data to understand a nation's sexual health needs: Implications for the British National Surveys of Sexual Attitudes and Lifestyles (Natsal). Sexually Transmitted Infections, 2019, 95, 159-161.	1.9	3
60	Cost-effectiveness of conditional cash transfers to retain women in the continuum of care during pregnancy, birth and the postnatal period: protocol for an economic evaluation of the Afya trial in Kenya. BMJ Open, 2019, 9, e032161.	1.9	4
61	Community interventions to prevent violence against women and girls in informal settlements in Mumbai: the SNEHA-TARA pragmatic cluster randomised controlled trial. Trials, 2019, 20, 743.	1.6	29
62	Sexual mixing in opposite-sex partnerships in Britain and its implications for STI risk: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). International Journal of Epidemiology, 2019, 48, 228-242.	1.9	6
63	IMPACT study on intervening with a manualised package to achieve treatment adherence in people with tuberculosis: protocol paper for a mixed-methods study, including a pilot randomised controlled trial. BMJ Open, 2019, 9, e032760.	1.9	7
64	Sexual risk reduction interventions for patients attending sexual health clinics: a mixed-methods feasibility study. Health Technology Assessment, 2019, 23, 1-122.	2.8	10
65	Prospective observational study to evaluate the performance of the BioSure HIV Self-Test in the hands of lay users. Sexually Transmitted Infections, 2018, 94, 169-173.	1.9	10
66	Predictors of <scp>CD</scp> 4 cell recovery following initiation of antiretroviral therapy among <scp>HIV</scp> â€1 positive patients with wellâ€estimated dates of seroconversion. HIV Medicine, 2018, 19, 184-194.	2.2	41
67	Predicting STI Diagnoses Amongst MSM and Young People Attending Sexual Health Clinics in England: Triage Algorithm Development and Validation Using Routine Clinical Data. EClinicalMedicine, 2018, 4-5, 43-51.	7.1	7
68	Human papillomavirus infection: protocol for a randomised controlled trial of imiquimod cream (5%) versus podophyllotoxin cream (0.15%), in combination with quadrivalent human papillomavirus or control vaccination in the treatment and prevention of recurrence of anogenital warts (HIPvac) Tj ETQq0 0 0 rgBT $^{\circ}$	$^{31}_{ m Overlock}$	18 Tf 50 21
69	Reporting of stepped wedge cluster randomised trials: extension of the CONSORT 2010 statement with explanation and elaboration. BMJ: British Medical Journal, 2018, 363, k1614.	2.3	235
70	Reassessing pregnancy intention and its relation to maternal, perinatal and neonatal outcomes in a low-income setting: A cohort study. PLoS ONE, 2018, 13, e0205487.	2.5	19
71	Superiority and non-inferiority: two sides of the same coin?. Trials, 2018, 19, 499.	1.6	38
72	HIV testing history and access to treatment among migrants living with HIV in Europe. Journal of the International AIDS Society, 2018, 21, e25123.	3.0	27

#	Article	IF	CITATIONS
73	Impact on birth weight and child growth of Participatory Learning and Action women's groups with and without transfers of food or cash during pregnancy: Findings of the low birth weight South Asia cluster-randomised controlled trial (LBWSAT) in Nepal. PLoS ONE, 2018, 13, e0194064.	2.5	52
74	Participatory Women's Groups with Cash Transfers Can Increase Dietary Diversity and Micronutrient Adequacy during Pregnancy, whereas Women's Groups with Food Transfers Can Increase Equity in Intrahousehold Energy Allocation. Journal of Nutrition, 2018, 148, 1472-1483.	2.9	38
75	Linkage to HIV care following diagnosis in the WHO European Region: A systematic review and meta-analysis, 2006-2017. PLoS ONE, 2018, 13, e0192403.	2.5	25
76	Where do we diagnose HIV infection? Monitoring new diagnoses made in nontraditional settings in England, Wales and Northern Ireland. HIV Medicine, 2018, 19, 465-474.	2.2	5
77	Young people, partner abuse and sexual health: indicators of increased risk. Journal of Gender-Based Violence, 2018, 2, 311-338.	1.1	2
78	Defining linkage to care following human immunodeficiency virus (HIV) diagnosis for public health monitoring in Europe. Eurosurveillance, $2018, 23, .$	7.0	11
79	ls "Sexual Competence―at First Heterosexual Intercourse Associated With Subsequent Sexual Health Status?. Journal of Sex Research, 2017, 54, 91-104.	2.5	36
80	Mortality and causes of death in people diagnosed with HIV in the era of highly active antiretroviral therapy compared with the general population: an analysis of a national observational cohort. Lancet Public Health, The, 2017, 2, e35-e46.	10.0	268
81	Pregnancy Intention and Pregnancy Outcome: Systematic Review and Meta-Analysis. Maternal and Child Health Journal, 2017, 21, 670-704.	1.5	117
82	Randomized controlled trial of the tolerability and completion of maraviroc compared with Kaletra® in combination with Truvada® for HIV post-exposure prophylaxis (MiPEP Trial). Journal of Antimicrobial Chemotherapy, 2017, 72, 1760-1768.	3.0	8
83	The eSexual Health Clinic system for management, prevention, and control of sexually transmitted infections: exploratory studies in people testing for Chlamydia trachomatis. Lancet Public Health, The, 2017, 2, e182-e190.	10.0	50
84	Ethnic variations in sexual behaviours and sexual health markers: findings from the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet Public Health, The, 2017, 2, e458-e472.	10.0	37
85	Effect of participatory women's groups and counselling through home visits on children's linear growth in rural eastern India (CARING trial): a cluster-randomised controlled trial. The Lancet Global Health, 2017, 5, e1004-e1016.	6.3	85
86	Effect of non-monetary incentives on uptake of couples' counselling and testing among clients attending mobile HIV services in rural Zimbabwe: a cluster-randomised trial. The Lancet Global Health, 2017, 5, e907-e915.	6.3	30
87	The optimal design of stepped wedge trials with equal allocation to sequences and a comparison to other trial designs. Clinical Trials, 2017, 14, 639-647.	1.6	24
88	London Measure of Unplanned Pregnancy: guidance for its use as an outcome measure. Patient Related Outcome Measures, 2017, Volume 8, 43-56.	1.2	55
89	Distribution of Salivary Testosterone in Men and Women in a British General Population-Based Sample: The Third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Journal of the Endocrine Society, 2017, 1, 14-25.	0.2	23
90	Factors Associated With Access to HIV Testing and Primary Care Among Migrants Living in Europe: Cross-Sectional Survey. JMIR Public Health and Surveillance, 2017, 3, e84.	2.6	19

#	Article	IF	Citations
91	Early virological response to HIV treatment: can we predict who is likely to experience subsequent treatment failure? Results from an observational cohort study, London, UK. Journal of the International AIDS Society, 2017, 20, 21567.	3.0	0
92	Virological efficacy of PI monotherapy for HIV-1 in clinical practice. Journal of Antimicrobial Chemotherapy, 2016, 71, 3228-3234.	3.0	12
93	Protocol of the Low Birth Weight South Asia Trial (LBWSAT), a cluster-randomised controlled trial testing impact on birth weight and infant nutrition of Participatory Learning and Action through women's groups, with and without unconditional transfers of fortified food or cash during pregnancy in Nepal. BMC Pregnancy and Childbirth. 2016. 16. 320.	2.4	32
94	Oral Human Papillomavirus Infection in Men Who Have Sex with Men: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0157976.	2.5	47
95	A comparison of multiple-imputation methods for handling missing data in repeated measurements observational studies. Journal of the Royal Statistical Society Series A: Statistics in Society, 2016, 179, 683-706.	1.1	32
96	Men who have sex with men in Great Britain: comparing methods and estimates from probability and convenience sample surveys. Sexually Transmitted Infections, 2016, 92, 455-463.	1.9	80
97	Sexual behaviours, HIV testing, and the proportion of men at risk of transmitting and acquiring HIV in London, UK, 2000–13: a serial cross-sectional study. Lancet HIV,the, 2016, 3, e431-e440.	4.7	45
98	Salivary Testosterone Levels and Health Status in Men and Women in the British General Population: Findings from the Third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3939-3951.	3.6	28
99	How successful was the English teenage pregnancy strategy? – Authors' reply. Lancet, The, 2016, 388, 2604-2605.	13.7	1
100	Protocol for the economic evaluation of a community-based intervention to improve growth among children under two in rural India (CARING trial): TableÂ1. BMJ Open, 2016, 6, e012046.	1.9	3
101	Combined models for pre- and post-treatment longitudinal biomarker data: an application to CD4 counts in HIV-patients. BMC Medical Research Methodology, 2016, 16, 121.	3.1	5
102	Changes in conceptions in women younger than 18 years and the circumstances of young mothers in England in 2000–12: an observational study. Lancet, The, 2016, 388, 586-595.	13.7	43
103	Is chlamydia screening and testing in Britain reaching young adults at risk of infection? Findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2016, 92, 218-227.	1.9	35
104	Cohort Profile: The Flu Watch Study. International Journal of Epidemiology, 2016, 46, dyv370.	1.9	22
105	Fractional Brownian motion and multivariateâ€t models for longitudinal biomedical data, with application to CD4 counts in HIVâ€positive patients. Statistics in Medicine, 2016, 35, 1514-1532.	1.6	16
106	The "3 in 1―Study: Pooling Self-Taken Pharyngeal, Urethral, and Rectal Samples into a Single Sample for Analysis for Detection of Neisseria gonorrhoeae and Chlamydia trachomatis in Men Who Have Sex with Men. Journal of Clinical Microbiology, 2016, 54, 650-656.	3.9	46
107	Estimating the Prevalence of Sexual Function Problems: The Impact of Morbidity Criteria. Journal of Sex Research, 2016, 53, 955-967.	2.5	93
108	Medicated sex in Britain: evidence from the third National Survey of Sexual Attitudes and Lifestyles. Sexually Transmitted Infections, 2016, 92, 32-38.	1.9	14

#	Article	IF	CITATIONS
109	Using the Web to Collect Data on Sensitive Behaviours: A Study Looking at Mode Effects on the British National Survey of Sexual Attitudes and Lifestyles. PLoS ONE, 2016, 11, e0147983.	2.5	78
110	HIV Incidence Estimates Using the Limiting Antigen Avidity EIA Assay at Testing Sites in Kiev City, Ukraine: 2013-2014. PLoS ONE, 2016, 11, e0157179.	2.5	10
111	Prevalence and Determinants of Unintended Pregnancy in Mchinji District, Malawi; Using a Conceptual Hierarchy to Inform Analysis. PLoS ONE, 2016, 11, e0165621.	2.5	48
112	Advancing Migrant Access to Health Services in Europe (AMASE): Protocol for a Cross-sectional Study. JMIR Research Protocols, 2016, 5, e74.	1.0	16
113	The Ballseye programme: a mixed-methods programme of research in traditional sexual health and alternative community settings to improve the sexual health of men in the UK. Programme Grants for Applied Research, 2016, 4, 1-142.	1.0	6
114	Sample size calculation for a stepped wedge trial. Trials, 2015, 16, 354.	1.6	114
115	How important is randomisation in a stepped wedge trial?. Trials, 2015, 16, 359.	1.6	20
116	Analysis and reporting of stepped wedge randomised controlled trials: synthesis and critical appraisal of published studies, 2010 to 2014. Trials, 2015, 16, 358.	1.6	79
117	Stepped wedge randomised controlled trials: systematic review of studies published between 2010 and 2014. Trials, 2015, 16, 353.	1.6	113
118	Five questions to consider before conducting a stepped wedge trial. Trials, 2015, 16, 350.	1.6	52
119	Designing a stepped wedge trial: three main designs, carry-over effects and randomisation approaches. Trials, 2015, 16, 352.	1.6	176
120	Associations between source of information about sex and sexual health outcomes in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). BMJ Open, 2015, 5, e007837-e007837.	1.9	37
121	Using Observational Data to Estimate the Effect of Hand Washing and Clean Delivery Kit Use by Birth Attendants on Maternal Deaths after Home Deliveries in Rural Bangladesh, India and Nepal. PLoS ONE, 2015, 10, e0136152.	2.5	7
122	Factors Associated with HIV Prevalence and HIV Testing in Sierra Leone: Findings from the 2008 Demographic Health Survey. PLoS ONE, 2015, 10, e0137055.	2.5	18
123	The SPORTSMART study: a pilot randomised controlled trial of sexually transmitted infection screening interventions targeting men in football club settings. Sexually Transmitted Infections, 2015, 91, 106-110.	1.9	7
124	Developing and testing accelerated partner therapy for partner notification for people with genital <i>Chlamydia trachomatis</i> diagnosed in primary care: a pilot randomised controlled trial. Sexually Transmitted Infections, 2015, 91, 548-554.	1.9	29
125	Exploring the costs and outcomes of sexually transmitted infection (STI) screening interventions targeting men in football club settings: preliminary cost-consequence analysis of the <i>SPORTSMART </i> i) pilot randomised controlled trial. Sexually Transmitted Infections, 2015, 91, 100-105.	1.9	5
126	The effect of participatory women's groups on infant feeding and child health knowledge, behaviour and outcomes in rural Bangladesh: a controlled before-and-after study. Journal of Epidemiology and Community Health, 2015, 69, 374-381.	3.7	29

#	Article	IF	Citations
127	Performance evaluation of automated urine microscopy as a rapid, non-invasive approach for the diagnosis of non-gonococcal urethritis. Sexually Transmitted Infections, 2015, 91, 165-170.	1.9	12
128	Reporting and methodological quality of sample size calculations in cluster randomized trials could be improved: a review. Journal of Clinical Epidemiology, 2015, 68, 716-723.	5.0	38
129	High-Risk Human Papillomavirus (HPV) Infection and Cervical Cancer Prevention in Britain: Evidence of Differential Uptake of Interventions from a Probability Survey. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 842-853.	2.5	26
130	Outcomes From Treating Tuberculosis With Rifampicin or Rifabutin in HIV-Infected Persons Also Receiving Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 68, e84-e87.	2.1	8
131	Natural T Cell–mediated Protection against Seasonal and Pandemic Influenza. Results of the Flu Watch Cohort Study. American Journal of Respiratory and Critical Care Medicine, 2015, 191, 1422-1431.	5.6	229
132	Participatory women's groups and counselling through home visits to improve child growth in rural eastern India: protocol for a cluster randomised controlled trial. BMC Public Health, 2015, 15, 384.	2.9	18
133	Patterns of sexual mixing with respect to social, health and sexual characteristics among heterosexual couples in England: analyses of probability sample survey data. Epidemiology and Infection, 2015, 143, 1500-1510.	2.1	20
134	Methods for sample size determination in cluster randomized trials. International Journal of Epidemiology, 2015, 44, 1051-1067.	1.9	255
135	Should Tyrosine Kinase Inhibitors Be Considered for Advanced Non–Small-Cell Lung Cancer Patients With Wild Type EGFR? Two Systematic Reviews and Meta-Analyses of Randomized Trials. Clinical Lung Cancer, 2015, 16, 173-182.e4.	2.6	20
136	Epidemiology of <i>Mycoplasma genitalium</i> in British men and women aged 16–44 years: evidence from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). International Journal of Epidemiology, 2015, 44, 1982-1994.	1.9	117
137	Assessing End of Phase 2 Decision Criteria. Statistics in Biopharmaceutical Research, 2015, 7, 230-237.	0.8	2
138	Examining the potential public health benefit of offering STI testing to men in amateur football clubs: evidence from cross-sectional surveys. BMC Public Health, 2015, 15, 676.	2.9	3
139	Acute kidney injury among HIV-infected patients admitted to the intensive care unit. International Journal of STD and AIDS, 2015, 26, 915-921.	1.1	16
140	Stopping and switching contraceptive methods: findings from Contessa, a prospective longitudinal study of women of reproductive age in England. Contraception, 2015, 91, 57-66.	1.5	40
141	Asking about Sex in General Health Surveys: Comparing the Methods and Findings of the 2010 Health Survey for England with Those of the Third National Survey of Sexual Attitudes and Lifestyles. PLoS ONE, 2015, 10, e0135203.	2.5	10
142	HIV Testing and Diagnosis Rates in Kiev, Ukraine: April 2013 - March 2014. PLoS ONE, 2015, 10, e0137062.	2.5	14
143	The relative clinical effectiveness and cost-effectiveness of three contrasting approaches to partner notification for curable sexually transmitted infections: a cluster randomised trial in primary care. Health Technology Assessment, 2015, 19, 1-116.	2.8	7
144	How Do Women Prepare for Pregnancy? Preconception Experiences of Women Attending Antenatal Services and Views of Health Professionals. PLoS ONE, 2014, 9, e103085.	2.5	132

#	Article	IF	CITATIONS
145	Systematic Review and Meta-Analysis of L1-VLP-Based Human Papillomavirus Vaccine Efficacy against Anogenital Pre-Cancer in Women with Evidence of Prior HPV Exposure. PLoS ONE, 2014, 9, e90348.	2.5	16
146	Consistency in reporting sensitive sexual behaviours in Britain: change in reporting bias in the second and third National Surveys of Sexual Attitudes and Lifestyles (Natsal-2 and Natsal-3): TableÂ1. Sexually Transmitted Infections, 2014, 90, 90-93.	1.9	17
147	Uptake of the HPV vaccination programme in England: a cross-sectional survey of young women attending sexual health services. Sexually Transmitted Infections, 2014, 90, 315-321.	1.9	16
148	Methodology of the third British National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Sexually Transmitted Infections, 2014, 90, 84-89.	1.9	160
149	Review of methods for handling confounding by cluster and informative cluster size in clustered data. Statistics in Medicine, 2014, 33, 5371-5387.	1.6	60
150	Methods for observedâ€eluster inference when cluster size is informative: A review and clarifications. Biometrics, 2014, 70, 449-456.	1.4	44
151	A Quantitative Process for Enhancing End of Phase 2 Decisions. Statistics in Biopharmaceutical Research, 2014, 6, 67-77.	0.8	17
152	Implementation and Operational Research. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, e134-e141.	2.1	4
153	Optimal CD4 Count for Initiating HIV Treatment. Epidemiology, 2014, 25, 194-202.	2.7	5
154	Comparative community burden and severity of seasonal and pandemic influenza: results of the Flu Watch cohort study. Lancet Respiratory Medicine, the, 2014, 2, 445-454.	10.7	341
155	High Percentage of Recent HIV Infection Leading to Onward Transmission in Odessa, Ukraine Associated with Young Adults. AIDS and Behavior, 2014, 18, 411-418.	2.7	2
156	A Declining CD4 Count and Diagnosis of HIV-Associated Hodgkin Lymphoma: Do Prior Clinical Symptoms and Laboratory Abnormalities Aid Diagnosis?. PLoS ONE, 2014, 9, e87442.	2.5	5
157	Nonprobability Web Surveys to Measure Sexual Behaviors and Attitudes in the General Population: A Comparison With a Probability Sample Interview Survey. Journal of Medical Internet Research, 2014, 16, e276.	4.3	53
158	Prevalence, risk factors, and uptake of interventions for sexually transmitted infections in Britain: findings from the National Surveys of Sexual Attitudes and Lifestyles (Natsal). Lancet, The, 2013, 382, 1795-1806.	13.7	306
159	Sexual function in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1817-1829.	13.7	407
160	Changes in sexual attitudes and lifestyles in Britain through the life course and over time: findings from the National Surveys of Sexual Attitudes and Lifestyles (Natsal). Lancet, The, 2013, 382, 1781-1794.	13.7	594
161	How well do volunteer web panel surveys measure sensitive behaviours in the general population, and can they be improved? A comparison with the third British National Survey of Sexual Attitudes & Lifestyles (Natsal-3). Lancet, The, 2013, 382, S34.	13.7	2
162	Lifetime prevalence, associated factors, and circumstances of non-volitional sex in women and men in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1845-1855.	13.7	103

#	Article	IF	Citations
163	Two urine-based sexually transmitted infection screening interventions targeting young men in football club settings (SPORTSMART): a pilot randomised controlled trial. Lancet, The, 2013, 382, S38.	13.7	O
164	Maternal infection and risk of intrapartum death: a population based observational study in South Asia. BMC Pregnancy and Childbirth, 2013, 13, 245.	2.4	6
165	Understanding pregnancy planning in a low-income country setting: validation of the London measure of unplanned pregnancy in Malawi. BMC Pregnancy and Childbirth, 2013, 13, 200.	2.4	57
166	Hepatitis <scp>C</scp> in men who have sex with men in <scp>L</scp> ondon – a community survey. HIV Medicine, 2013, 14, 578-580.	2.2	31
167	Repeat cross-sectional survey of sexual behaviour and partnerships of HIV-positive MSM attending a HIV clinic in London, UK: implications for HIV prevention among MSM. Lancet, The, 2013, 382, S101.	13.7	0
168	The prevalence of unplanned pregnancy and associated factors in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1807-1816.	13.7	342
169	Who would use PrEP? Factors associated with intention to use among MSM in London: a community survey. Sexually Transmitted Infections, 2013, 89, 207-211.	1.9	77
170	Randomized trial of the effect of tailored versus standard use of the combined oral contraceptive pill on continuation rates at 1 year. Contraception, 2013, 88, 523-531.	1.5	23
171	Associations between health and sexual lifestyles in Britain: findings from the third National Survey of Sexual Attitudes and Lifestyles (Natsal-3). Lancet, The, 2013, 382, 1830-1844.	13.7	145
172	Women's groups practising participatory learning and action to improve maternal and newborn health in low-resource settings: a systematic review and meta-analysis. Lancet, The, 2013, 381, 1736-1746.	13.7	477
173	Inadequate reporting of sample size calculations in cluster randomised trials: a review. Trials, 2013, 14, .	1.6	0
174	Avascular necrosis in HIV patients: a case–control study. International Journal of STD and AIDS, 2013, 24, 799-803.	1.1	9
175	Respondent Driven Sampling: Determinants of Recruitment and a Method to Improve Point Estimation. PLoS ONE, 2013, 8, e78402.	2.5	27
176	A Systematic Review of the Screening Accuracy of the HIV Dementia Scale and International HIV Dementia Scale. PLoS ONE, 2013, 8, e61826.	2.5	65
177	Enhancing Psychosocial Support for HIV Positive Adolescents in Harare, Zimbabwe. PLoS ONE, 2013, 8, e70254.	2.5	119
178	The Sexunzipped Trial: Optimizing the Design of Online Randomized Controlled Trials. Journal of Medical Internet Research, 2013, 15, e278.	4.3	47
179	An examination of a method for marginal inference when the cluster size is informative. Statistica Sinica, $2013, , .$	0.3	1
180	Trends in attendances to genitourinary medicine services by older women. International Journal of STD and AIDS, 2012, 23, 595-596.	1.1	11

#	Article	IF	CITATIONS
181	Can we improve partner notification rates through expedited partner therapy in the UK? Findings from an exploratory trial of Accelerated Partner Therapy (APT). Sexually Transmitted Infections, 2012, 88, 21-26.	1.9	41
182	Evaluation of PIMA point-of-care CD4 testing in a large UK HIV service. Sexually Transmitted Infections, 2012, 88, 413-417.	1.9	33
183	Evaluation of Respondent-driven Sampling. Epidemiology, 2012, 23, 138-147.	2.7	229
184	Determinants of long-acting reversible contraceptive (LARC) use by adolescent girls and young women. European Journal of Contraception and Reproductive Health Care, 2012, 17, 298-306.	1.5	38
185	Combining Multiple Imputation and Inverseâ€Probability Weighting. Biometrics, 2012, 68, 129-137.	1.4	208
186	HIV and STI Prevalence and Determinants among Male Migrant Workers in India. PLoS ONE, 2012, 7, e43576.	2. 5	13
187	Predictors of maternal psychological distress in rural India: A cross-sectional community-based study. Journal of Affective Disorders, 2012, 138, 277-286.	4.1	43
188	Change over time (2007–2009) in HIV preventive behaviours, evidence from two serial populationâ€based surveys in rural Zimbabwe. Tropical Medicine and International Health, 2012, 17, 827-835.	2.3	2
189	Positive Attitudes to Pediatric HIV Testing: Findings from a Nationally Representative Survey from Zimbabwe. PLoS ONE, 2012, 7, e53213.	2.5	20
190	The effect of HIV infection on time off work in a large cohort of gold miners with known dates of seroconversion. Occupational and Environmental Medicine, 2011, 68, 647-652.	2.8	10
191	A synthesis of convenience survey and other data to estimate undiagnosed HIV infection among men who have sex with men in England and Wales. International Journal of Epidemiology, 2011, 40, 1358-1366.	1.9	7
192	Survival of HIV-infected patients admitted to the intensive care unit in the era of highly active antiretroviral therapy. International Journal of STD and AIDS, 2011, 22, 498-504.	1.1	37
193	A critical review of methods for the assessment of patient-level interactions in individual participant data meta-analysis of randomized trials, and guidance for practitioners. Journal of Clinical Epidemiology, 2011, 64, 949-967.	5.0	150
194	Comparison of Teenagers' Early Same-Sex and Heterosexual Behavior: UK Data From the SHARE and RIPPLE Studies. Journal of Adolescent Health, 2011, 48, 27-35.	2.5	30
195	Risk factors for fatality in HIV-infected patients with dideoxynucleoside-induced severe hyperlactataemia or lactic acidosis. Antiviral Therapy, 2011, 16, 219-226.	1.0	10
196	Quantifying, displaying and accounting for heterogeneity in the meta-analysis of RCTs using standard and generalised Qstatistics. BMC Medical Research Methodology, 2011, 11, 41.	3.1	384
197	Evaluation of the role of location and distance in recruitment in respondent-driven sampling. International Journal of Health Geographics, 2011, 10, 56.	2.5	29
198	A review of methodology for sample size calculations in cluster randomised trials. Trials, 2011, 12, .	1.6	0

#	Article	IF	CITATIONS
199	Individual patient data metaâ€analysis of timeâ€toâ€event outcomes: oneâ€stage versus twoâ€stage approaches for estimating the hazard ratio under a random effects model. Research Synthesis Methods, 2011, 2, 150-162.	8.7	47
200	Contraceptive practices, sexual and reproductive health needs of HIV-positive and negative female sex workers in Goa, India. Sexually Transmitted Infections, 2011, 87, 58-64.	1.9	48
201	A prognostic scoring tool for identification of patients at high and low risk of death from HIV-associated Pneumocystis jirovecii pneumonia. International Journal of STD and AIDS, 2011, 22, 628-634.	1.1	24
202	Immunosuppression among HIVâ€1â€positive patients attending for care: experience from two large HIV centres in the United Kingdom. HIV Medicine, 2010, 11, 114-120.	2.2	10
203	Discordant responses on starting highly active antiretroviral therapy: suboptimal CD4 increases despite early viral suppression in the UK Collaborative HIV Cohort (UK CHIC) Study [*] . HIV Medicine, 2010, 11, 152-160.	2.2	43
204	Prognostic value of C-reactive protein in HIV-infected patients with <i>Pneumocystis jirovecii</i> pneumonia. International Journal of STD and AIDS, 2010, 21, 288-292.	1.1	25
205	Devising a female sex work typology using data from Karnataka, India. International Journal of Epidemiology, 2010, 39, 439-448.	1.9	56
206	Seasonal variation in mortality of Pneumocystis jirovecii pneumonia in HIV-infected patients. International Journal of STD and AIDS, 2010, 21, 497-503.	1.1	9
207	A randomised controlled trial of computer-assisted interviewing in sexual health clinics. Sexually Transmitted Infections, 2010, 86, 310-314.	1.9	51
208	Tenofovir-Linked Hyperparathyroidism Is Independently Associated With the Presence of Vitamin D Deficiency. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 496-499.	2.1	85
209	Bias from the use of generalized estimating equations to analyze incomplete longitudinal binary data. Journal of Applied Statistics, 2010, 37, 911-922.	1.3	7
210	Who has sex with whom? Characteristics of heterosexual partnerships reported in a national probability survey and implications for STI risk. International Journal of Epidemiology, 2009, 38, 206-214.	1.9	68
211	The burden and determinants of HIV and sexually transmitted infections in a population-based sample of female sex workers in Goa, India. Sexually Transmitted Infections, 2009, 85, 50-59.	1.9	55
212	How do UK medical graduates rate their knowledge and skills in sexual health and HIV medicine? A national survey. International Journal of STD and AIDS, 2009, 20, 324-329.	1.1	9
213	Doubly robust generalized estimating equations for longitudinal data. Statistics in Medicine, 2009, 28, 937-955.	1.6	46
214	Modelling the association between patient characteristics and the change over time in a disease measure using observational cohort data. Statistics in Medicine, 2009, 28, 3260-3275.	1.6	16
215	Tenofovirâ€associated renal and bone toxicity. HIV Medicine, 2009, 10, 482-487.	2.2	275
216	Suicidal Behavior Among Female Sex Workers in Goa, India: The Silent Epidemic. American Journal of Public Health, 2009, 99, 1239-1246.	2.7	76

#	Article	IF	Citations
217	Recent Heterosexual Partnerships and Patterns of Condom Use. Epidemiology, 2009, 20, 44-51.	2.7	12
218	A Study Comparing Sexually Transmitted Infections and HIV Among Ex-Red-Light District and Non-Red-Light District Sex Workers After the Demolition of Baina Red-Light District. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 52, 253-257.	2.1	21
219	What is the risk of mortality following diagnosis of multidrug-resistant HIV-1?. Journal of Antimicrobial Chemotherapy, 2008, 61, 705-713.	3.0	24
220	Is vaginal microscopy an essential tool for the management of women presenting with vaginal discharge?. International Journal of STD and AIDS, 2008, 19, 859-860.	1.1	4
221	Evaluation of a home-delivery service for HIV-infected patients attending an inner London HIV treatment centre. International Journal of STD and AIDS, 2008, 19, 533-535.	1.1	7
222	Preferred options for receiving sexual health screening results: a population and patient survey. International Journal of STD and AIDS, 2008, 19, 184-187.	1.1	17
223	Early Predictors of Mortality from Pneumocystis jirovecii Pneumonia in HIV-Infected Patients: 1985-2006. Clinical Infectious Diseases, 2008, 46, 625-633.	5.8	171
224	Changes in the provision of post-exposure prophylaxis for HIV after sexual exposure following introduction of guidelines and publicity campaigns. International Journal of STD and AIDS, 2008, 19, 241-242.	1.1	17
225	The Long-Term Effects of a Peer-Led Sex Education Programme (RIPPLE): A Cluster Randomised Trial in Schools in England. PLoS Medicine, 2008, 5, e224.	8.4	86
226	Optimizing information technology to improve sexual health-care delivery: public and patient preferences. International Journal of STD and AIDS, 2007, 18, 440-445.	1.1	4
227	Cytomegalovirus viral load testing of blood using quantitative polymerase chain reaction in acutely unwell HIV-1-positive patients lacks diagnostic utility. International Journal of STD and AIDS, 2007, 18, 321-323.	1.1	9
228	The use of chaperones for intimate examinations: the patient perspective based on an anonymous questionnaire. International Journal of STD and AIDS, 2007, 18, 667-671.	1.1	7
229	The utility of screening for parasitic infections in HIV-1-infected Africans with eosinophilia in London. International Journal of STD and AIDS, 2007, 18, 626-629.	1.1	15
230	Sex partner acquisition while overseas: results from a British national probability survey. Sexually Transmitted Infections, 2007, 83, 517-522.	1.9	53
231	Survival of HIV-infected patients in the intensive care unit in the era of highly active antiretroviral therapy. Thorax, 2007, 62, 964-968.	5.6	99
232	Does the UK government's teenage pregnancy strategy deal with the correct risk factors? Findings from a secondary analysis of data from a randomised trial of sex education and their implications for policy. Journal of Epidemiology and Community Health, 2007, 61, 20-27.	3.7	35
233	The clinical manifestations of anorectal infection with lymphogranuloma venereum (LGV) versus non-LGV strains of Chlamydia trachomatis: a case–control study in homosexual men. International Journal of STD and AIDS, 2007, 18, 472-475.	1,1	32
234	Chlamydia trachomatis and Neisseria gonorrhoeae infection and the sexual behaviour of men who have sex with men. Sexually Transmitted Infections, 2007, 83, 106-112.	1.9	73

#	Article	IF	CITATIONS
235	Women Who Report Having Sex With Women: British National Probability Data on Prevalence, Sexual Behaviors, and Health Outcomes. American Journal of Public Health, 2007, 97, 1126-1133.	2.7	108
236	Climate and genotypes of Pneumocystis jirovecii. Clinical Microbiology and Infection, 2007, 13, 445-448.	6.0	26
237	Ethnic variations in sexual activity and contraceptive use: national cross-sectional survey. Contraception, 2006, 74, 224-233.	1.5	30
238	Erratum to "Ethnic variations in sexual activity and contraceptive use: national cross-sectional survey―[Contraception 74 (2006) 224–233]. Contraception, 2006, 74, 498.	1.5	0
239	First Sexual Partnerships—Age Differences and Their Significance. Journal of Adolescent Health, 2006, 39, 87-95.	2.5	27
240	A comparison of the population diagnosed with chlamydia in primary care with that diagnosed in sexual health clinics: Implications for a national screening programme. Public Health, 2006, 120, 984-988.	2.9	22
241	Monocyte derived dendritic cells from HIV-1 infected individuals partially reconstitute CD4 T-cell responses. Aids, 2006, 20, 171-180.	2.2	8
242	Refocusing health promotion for syphilis prevention: results of a case-control study of men who have sex with men on England's south coast. Sexually Transmitted Infections, 2006, 82, 80-83.	1.9	19
243	Who uses condoms with whom? Evidence from national probability sample surveys. Sexually Transmitted Infections, 2006, 82, 467-473.	1.9	23
244	Estimating adult HIV prevalence in the UK in 2003: the direct method of estimation. Sexually Transmitted Infections, 2006, 82, iii78-iii86.	1.9	16
245	Factors associated with heterosexual transmission of HIV to individuals without a major risk within England, Wales, and Northern Ireland: a comparison with national probability surveys. Sexually Transmitted Infections, 2006, 82, 15-20.	1.9	9
246	Public involvement in modernising genitourinary medicine clinics: using general public and patient opinion to influence models of service delivery. Sexually Transmitted Infections, 2006, 82, 484-488.	1.9	12
247	Influence of family type and parenting behaviours on teenage sexual behaviour and conceptions. Journal of Epidemiology and Community Health, 2006, 60, 502-506.	3.7	41
248	Men who have sex with men: a comparison of a probability sample survey and a community based study. Sexually Transmitted Infections, 2006, 82, 86-87.	1.9	36
249	Learning About Sex: Results From Natsal 2000. Health Education and Behavior, 2006, 33, 802-811.	2.5	30
250	Behavioural predictors of subsequent hepatitis C diagnosis in a UK clinic sample of HIV positive men who have sex with men. Sexually Transmitted Infections, 2006, 82, 298-300.	1.9	73
251	Improved survival for HIV infected patients with severe Pneumocystis jirovecii pneumonia is independent of highly active antiretroviral therapy. Thorax, 2006, 61, 716-721.	5.6	93
252	Chlamydia trachomatis Testing in the Second British National Survey of Sexual Attitudes and Lifestyles: Respondent Uptake and Treatment Outcomes. Sexually Transmitted Diseases, 2005, 32, 387-394.	1.7	24

#	Article	IF	Citations
253	Investigating the relationship between HIV testing and risk behaviour in Britain: National Survey of Sexual Attitudes and Lifestyles 2000. Aids, 2005, 19, 77-84.	2.2	49
254	Determinants of HIV drug resistance mutations in plasma virus after treatment interruption. Aids, 2005, 19, 2174-2175.	2.2	13
255	Effect of HIV Infection and Antiretroviral Therapy on Hepatitis B Virus (HBV)–Specific T Cell Responses in Patients Who Have Resolved HBV Infection. Journal of Infectious Diseases, 2005, 191, 1169-1179.	4.0	43
256	Genotypic variation in Pneumocystis jirovecii isolates in Britain. Thorax, 2005, 60, 679-682.	5.6	48
257	Who pays for sex? An analysis of the increasing prevalence of female commercial sex contacts among men in Britain. Sexually Transmitted Infections, 2005, 81, 467-471.	1.9	76
258	Factors associated with HIV testing among black Africans in Britain. Sexually Transmitted Infections, 2005, 81, 494-500.	1.9	25
259	Changes in the circumstances of young mothers in Britain: 1990 to 2000. Journal of Epidemiology and Community Health, 2005, 59, 828-833.	3.7	15
260	The effect of dislike of school on risk of teenage pregnancy: testing of hypotheses using longitudinal data from a randomised trial of sex education. Journal of Epidemiology and Community Health, 2005, 59, 223-230.	3.7	58
261	Who reports sexual function problems? Empirical evidence from Britain's 2000 National Survey of Sexual Attitudes and Lifestyles. Sexually Transmitted Infections, 2005, 81, 394-399.	1.9	52
262	The effects of urethritis on seminal plasma HIV-1 RNA loads in homosexual men not receiving antiretroviral therapy. Sexually Transmitted Infections, 2005, 81, 120-123.	1.9	49
263	The effects of early syphilis on CD4 counts and HIV-1 RNA viral loads in blood and semen. Sexually Transmitted Infections, 2005, 81, 380-385.	1.9	45
264	Reported Sexually Transmitted Disease Clinic Attendance and Sexually Transmitted Infections in Britain: Prevalence, Risk Factors, and Proportionate Population Burden. Journal of Infectious Diseases, 2005, 191, S127-S138.	4.0	80
265	Ethnic variations in sexual behaviour in Great Britain and risk of sexually transmitted infections: a probability survey. Lancet, The, 2005, 365, 1246-1255.	13.7	158
266	Polymorph count for predicting non-gonococcal urethral infection: a model using Chlamydia trachomatis diagnosed by ligase chain reaction. Sexually Transmitted Infections, 2004, 80, 198-200.	1.9	23
267	The sensitivity of estimates of the change in population behaviour to realistic changes in bias in repeated surveys. Journal of the Royal Statistical Society Series A: Statistics in Society, 2004, 167, 579-595.	1.1	1
268	Pupil-led sex education in England (RIPPLE study): cluster-randomised intervention trial. Lancet, The, 2004, 364, 338-346.	13.7	166
269	Increasing prevalence of male homosexual partnerships and practices in Britain 1990–2000. Aids, 2004, 18, 1453-1458.	2.2	84
270	Short- and long-term effects of highly active antiretroviral therapy on Kaposi sarcoma-associated herpesvirus immune responses and viraemia. Aids, 2004, 18, 485-493.	2.2	95

#	Article	IF	Citations
271	The impact of pump-priming funding on genitourinary medicine and modernization of services. International Journal of STD and AIDS, 2004, 15, 653-657.	1.1	2
272	A school-based randomized controlled trial of peer-led sex education in England. Contemporary Clinical Trials, 2003, 24, 643-657.	1.9	23
273	Overcoming subjectivity in assessing facial lipoatrophy: is there a role for three-dimensional laser scans?. HIV Medicine, 2003, 4, 325-331.	2.2	26
274	Effect of social exclusion on the risk of teenage pregnancy: development of hypotheses using baseline data from a randomised trial of sex education. Journal of Epidemiology and Community Health, 2003, 57, 871-876.	3.7	35
275	Chlamydia testing before termination of pregnancy. Sexually Transmitted Infections, 2003, 79, 352-352.	1.9	1
276	Is use of antiretroviral therapy among homosexual men associated with increased risk of transmission of HIV infection?. Sexually Transmitted Infections, 2003, 79, 7-10.	1.9	67
277	Poor sensitivity and consistency of microscopy in the diagnosis of low grade non-gonococcal urethritis. Sexually Transmitted Infections, 2003, 79, 487-490.	1.9	36
278	Drug-resistant HIV-1 in the semen of men receiving antiretroviral therapy with acute sexually transmitted infections. Antiviral Therapy, 2003, 8, 479-83.	1.0	6
279	Drug-Resistant HIV-1 in the Semen of Men Receiving Antiretroviral Therapy with Acute Sexually Transmitted Infections. Antiviral Therapy, 2003, 8, 479-483.	1.0	13
280	An evidence based approach to testing for antibody to herpes simplex virus type 2. Sexually Transmitted Infections, 2002, 78, 430-434.	1.9	12
281	HIV testing and high risk sexual behaviour among London's migrant African communities: a participatory research study. Sexually Transmitted Infections, 2002, 78, 241-245.	1.9	54
282	The effects of antiretroviral therapy on HIV-1 RNA loads in seminal plasma in HIV-positive patients with and without urethritis. Aids, 2002 , 16 , $219-225$.	2.2	71
283	Herpes simplex virus type 1 infection: a sexually transmitted infection of adolescence?. Sexually Transmitted Infections, 2002, 78, 346-348.	1.9	71
284	The accuracy of reported sensitive sexual behaviour in Britain: exploring the extent of change 1990-2000. Sexually Transmitted Infections, 2002, 78, 26-30.	1.9	81
285	Sexual behaviour in Britain: partnerships, practices, and HIV risk behaviours. Lancet, The, 2001, 358, 1835-1842.	13.7	716
286	Sexual behaviour in Britain: early heterosexual experience. Lancet, The, 2001, 358, 1843-1850.	13.7	544
287	Sexual behaviour in Britain: reported sexually transmitted infections and prevalent genital Chlamydia trachomatis infection. Lancet, The, 2001, 358, 1851-1854.	13.7	378
288	A cognitive behavioural intervention to reduce sexually transmitted infections among gay men: randomised trial. BMJ: British Medical Journal, 2001, 322, 1451-1456.	2.3	69

#	Article	IF	CITATIONS
289	Effect of computer-assisted self-interviews on reporting of sexual HIV risk behaviours in a general population sample: a methodological experiment. Aids, 2001, 15, 111-115.	2.2	111
290	Incorporating retrospective data into an analysis of time to illness. Biostatistics, 2001, 2, 1-12.	1.5	18
291	The acceptability of urinary LCR testing for Chlamydia trachomatis among participants in a probability sample survey of sexual attitudes and lifestyles. Sexually Transmitted Infections, 2001, 77, 194-198.	1.9	18
292	HIV transmission risk among sub-Saharan Africans in London travelling to their countries of origin. Aids, 2001, 15, 1442-1445.	2.2	48
293	Africans in London continue to present with advanced HIV disease in the era of highly active antiretroviral therapy. Aids, 2001, 15, 2453-2455.	2.2	60
294	Home screening for chlamydial genital infection: is it acceptable to young men and women?. Sexually Transmitted Infections, 2000, 76, 25-27.	1.9	55
295	Condoms and seat belts: the parallels and the lessons. Lancet, The, 2000, 355, 400-403.	13.7	126
296	Selective versus universal antenatal HIV testing: epidemiological and implementational factors in policy choice. Aids, 1999, 13, 271-278.	2.2	141
297	Dealing with nonâ€ignorable nonâ€response by using an â€~enthusiasmâ€toâ€respond' variable. Journal of th Royal Statistical Society Series A: Statistics in Society, 1998, 161, 385-396.	ne _{1.1}	21
298	Psychological factors associated with recurrent vaginal candidiasis: a preliminary study Sexually Transmitted Infections, 1998, 74, 334-338.	1.9	52
299	An evaluation of partner notification for HIV infection in genitourinary medicine clinics in England. Aids, 1998, 12, 95-102.	2.2	18
300	HIV partner notification policy and practice within GUM clinics in England: where are we now?. Sexually Transmitted Infections, 1997, 73, 49-53.	1.9	2
301	Assessing participation bias in a sexual behaviour survey. Aids, 1997, 11, 783-790.	2.2	35
302	Comparison of two methods of screening for genital chlamydial infection in women attending in general practice: cross sectional survey. BMJ: British Medical Journal, 1997, 315, 226-230.	2.3	61
303	Voluntary universal antenatal HIV testing. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 1129-1133.	2.3	16
304	A case control study of HIV seroconversion in gay men, 1988-1993: what are the current risk factors?. Sexually Transmitted Infections, 1996, 72, 193-196.	1.9	2
305	Detection of Kaposi sarcoma associated herpesvirus in peripheral blood of HIV-infected individuals and progression to Kaposi's sarcoma. Lancet, The, 1995, 346, 799-802.	13.7	860
306	Intimate Physical Contact between People from Different Households During the COVID-19 Pandemic: A Mixed-Methods Study from a Large, Quasi-Representative Survey (Natsal-Covid). SSRN Electronic Journal, 0, , .	0.4	1

ANDREW COPAS

#	Article	IF	CITATIONS
307	Profile of Humoral and Cellular Immune Responses to Single BNT162b2 or ChAdOx1 Vaccine in Residents and Staff Within Residential Care Homes (VIVALDI Study). SSRN Electronic Journal, 0, , .	0.4	4
308	Reduced Antibody and Cellular Immune Responses Following Dual COVID-19 Vaccination Within Infection-NaÃ-ve Residents of Long-Term Care Facilities. SSRN Electronic Journal, 0, , .	0.4	1
309	Methodology of Natsal-COVID Wave 1: a large, quasi-representative survey with qualitative follow-up measuring the impact of COVID-19 on sexual and reproductive health in Britain. Wellcome Open Research, 0, 6, 209.	1.8	4
310	Robust SARS-CoV-2-specific and heterologous immune responses in vaccine-na \tilde{A} ve residents of long-term care facilities who survive natural infection. Nature Aging, 0, , .	11.6	4
311	Methodology of Natsal-COVID Wave 2: A large, quasi-representative, longitudinal survey measuring the impact of COVID-19 on sexual and reproductive health in Britain. Wellcome Open Research, 0, 7, 166.	1.8	3