

Mehmet Hamdi Aahan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1905217/publications.pdf>

Version: 2024-02-01

22
papers

173
citations

1163117

8
h-index

1125743

13
g-index

22
all docs

22
docs citations

22
times ranked

198
citing authors

#	ARTICLE	IF	CITATIONS
1	Can MDCT Scan of the Temporal Bone Looking at Pneumatization Predict Surgical Vulnerability of the Facial Nerve?. <i>Ear, Nose and Throat Journal</i> , 2021, 100, 497-503.	0.8	1
2	Smell Regions in Patients with Vitamin D Deficiency: An MRI Evaluation. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2021, 82, 593-600.	0.8	4
3	Pancreas and kidney changes in type 2 diabetes patients: the role of diffusion-weighted imaging. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1289-1295.	0.9	2
4	Magnetic Resonance Imaging Evaluation of Distance Between Adenoid Tissue and Internal Carotid Artery in Children With Adenoid Hypertrophy. <i>Journal of Computer Assisted Tomography</i> , 2021, Publish Ahead of Print, 941-949.	0.9	0
5	A Comparison of Diagnostic Accuracy of Superior Semicircular Canal Dehiscence in MDCT and MRI, and Coexistence with Tegmen Tympani Dehiscence. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2021, 82, 476-483.	0.8	0
6	MRI evaluation of distance between tonsillary fossa and internal carotid artery in children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020, 137, 110209.	1.0	4
7	Evaluation of the medial rectus muscle and optic nerve using strain and shear wave elastography in Graves' patients. <i>Japanese Journal of Radiology</i> , 2020, 38, 1028-1035.	2.4	4
8	Does Mastoid Pneumatization Affect Facial Canal Dimensions and Distances of Facial Tympanic Segmentâ€“Scutum and Lateral Semicircular Canalâ€“Scutum?. <i>Journal of Computer Assisted Tomography</i> , 2020, 44, 380-385.	0.9	2
9	Carotid canal and optic canal at sphenoid sinus. <i>Neurosurgical Review</i> , 2019, 42, 519-529.	2.4	19
10	Sonoelastographic Evaluation of the Lower Lateral Nasal Cartilage Lateral Crus, Auricular Conchal Cartilage, and Costal Cartilage. <i>Facial Plastic Surgery</i> , 2019, 35, 678-686.	0.9	6
11	Olfactory Fossa and New Angle Measurements: Lateral Lamella-Cribriform Plate Angle. <i>Journal of Craniofacial Surgery</i> , 2019, 30, 1911-1914.	0.7	11
12	Evaluation of the Optic Nerve by Strain and Shear Wave Elastography in Patients With Migraine. <i>Journal of Ultrasound in Medicine</i> , 2019, 38, 1153-1161.	1.7	14
13	Is there a relationship between Onodi cell and optic canal?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1057-1064.	1.6	10
14	Cribriform Plate, Crista Galli, Olfactory Fossa and Septal Deviation. <i>Current Medical Imaging</i> , 2019, 15, 319-325.	0.8	4
15	Is there a relationship between the long head of the biceps tendon and rotator cuff pathology with the humeral head cysts?. <i>OrtadoÄŸu TÄ±p Dergisi</i> , 2019, 11, 58-62.	0.1	0
16	The Diagnostic Value of CT-guided Percutaneous Co-axial Trans-thoracic Biopsy (PCTTB) and Evaluation of the Pathologic Examination. <i>Current Medical Imaging</i> , 2019, 15, 479-488.	0.8	1
17	Ultrasound Elastography of the Median Nerve in Patients With Acromegaly: A Caseâ€“Control Study. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2371-2377.	1.7	13
18	Olfactory bulbus volume and olfactory sulcus depth in psychotic patients and patients with anxiety disorder/depression. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 3017-3024.	1.6	16

#	ARTICLE	IF	CITATIONS
19	Olfactory bulbus volume and olfactory sulcus depth in migraine patients: an MRI evaluation. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2005-2011.	1.6	15
20	Evaluation of tendinosis of the long head of the biceps tendon by strain and shear wave elastography. Medical Ultrasonography, 2018, 20, 192.	0.8	17
21	Vitreous Humor Diffusion Changes in Behçet's Disease and Multiple Sclerosis. Current Medical Imaging, 2018, 14, 933-937.	0.8	0
22	Evaluation of the optic nerve using strain and shear wave elastography in patients with multiple sclerosis and healthy subjects. Medical Ultrasonography, 2017, 19, 39.	0.8	30