
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1907568/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Connectomic analysis of Alzheimer's disease using percolation theory. Network Neuroscience, 2022, 6, 213-233.	2.6	6
2	Neurogenetics of alcohol use disorder a subset of reward deficiency syndrome: candidate genes to be or not to be?. , 2022, , 105-160.		0
3	Researching Mitigation of Alcohol Binge Drinking in Polydrug Abuse: KCNK13 and RASGRF2 Gene(s) Risk Polymorphisms Coupled with Genetic Addiction Risk Severity (GARS) Guiding Precision Pro-Dopamine Regulation. Journal of Personalized Medicine, 2022, 12, 1009.	2.5	6
4	Flexible metamaterial lens for magnetic field and signal-to-noise ratio improvements in 1.5 T and 3 T magnetic resonance imaging. , 2022, , .		1
5	Effects of repeated adolescent exposure to cannabis smoke on cognitive outcomes in adulthood. Journal of Psychopharmacology, 2021, 35, 848-863.	4.0	18
6	Adolescent nicotine treatment causes robust locomotor sensitization during adolescence but impedes the spontaneous acquisition of nicotine intake in adult female Wistar rats. Pharmacology Biochemistry and Behavior, 2021, 207, 173224.	2.9	10
7	Pain differences in neurite orientation dispersion and density imaging measures among community-dwelling older adults. Experimental Gerontology, 2021, 154, 111520.	2.8	3
8	Compensatory functional connectome changes in a rat model of traumatic brain injury. Brain Communications, 2021, 3, fcab244.	3.3	11
9	Neurovascular protection by adropin in experimental ischemic stroke through an endothelial nitric oxide synthase-dependent mechanism. Redox Biology, 2021, 48, 102197.	9.0	17
10	Relationship Between Nicotine Intake and Reward Function in Rats With Intermittent Short Versus Long Access to Nicotine. Nicotine and Tobacco Research, 2020, 22, 213-223.	2.6	10
11	Volumetric magnetic resonance and diffusion tensor imaging of C58/J mice: neural correlates of repetitive behavior. Brain Imaging and Behavior, 2020, 14, 2084-2096.	2.1	17
12	Diffusion magnetic resonance imaging-derived free water detects neurodegenerative pattern induced by interferon-13. Brain Structure and Function, 2020, 225, 427-439.	2.3	31
13	The role of BTBD9 in the cerebral cortex and the pathogenesis of restless legs syndrome. Experimental Neurology, 2020, 323, 113111.	4.1	15
14	Differential Effect of Repeated Lipopolysaccharide Treatment and Aging on Hippocampal Function and Biomarkers of Hippocampal Senescence. Molecular Neurobiology, 2020, 57, 4045-4059.	4.0	7
15	Exposure to smoke from high- but not low-nicotine cigarettes leads to signs of dependence in male rats and potentiates the effects of nicotine in female rats. Pharmacology Biochemistry and Behavior, 2020, 196, 172998.	2.9	12
16	Robustness of sex-differences in functional connectivity over time in middle-aged marmosets. Scientific Reports, 2020, 10, 16647.	3.3	6
17	Contextual experience modifies functional connectome indices of topological strength and efficiency. Scientific Reports, 2020, 10, 19843.	3.3	9
18	The Role of BTBD9 in the Cerebellum, Sleep-like Behaviors and the Restless Legs Syndrome. Neuroscience. 2020. 440. 85-96.	2.3	16

#	Article	IF	CITATIONS
19	Longitudinal Characterization and Biomarkers of Age and Sex Differences in the Decline of Spatial Memory. Frontiers in Aging Neuroscience, 2020, 12, 34.	3.4	23
20	Mechanism of Manganese Dysregulation of Dopamine Neuronal Activity. Journal of Neuroscience, 2020, 40, 5871-5891.	3.6	29
21	Magneto-plasmonic nanostars for image-guided and NIR-triggered drug delivery. Scientific Reports, 2020, 10, 10115.	3.3	49
22	Traffic-related particulate matter affects behavior, inflammation, and neural integrity in a developmental rodent model. Environmental Research, 2020, 183, 109242.	7.5	61
23	Intestine-specific deletion of metal transporter <i>Zip14 (Slc39a14)</i> causes brain manganese overload and locomotor defects of manganism. American Journal of Physiology - Renal Physiology, 2020, 318, G673-G681.	3.4	27
24	Amygdalar Plasticity in Airway Disease. FASEB Journal, 2020, 34, 1-1.	0.5	0
25	Su1605 – Alterations in Brain Functional Connectivity in an Animal Model of Colitis. Gastroenterology, 2019, 156, S-580.	1.3	Ο
26	Neurite orientation dispersion and density imaging reveals white matter and hippocampal microstructure changes produced by Interleukin-6 in the TgCRND8 mouse model of amyloidosis. NeuroImage, 2019, 202, 116138.	4.2	34
27	The psychoactive cathinone derivative pyrovalerone alters locomotor activity and decreases dopamine receptor expression in zebrafish (<i>Danio rerio</i>). Brain and Behavior, 2019, 9, e01420.	2.2	11
28	Free-water imaging of the hippocampus is a sensitive marker of Alzheimer's disease. NeuroImage: Clinical, 2019, 24, 101985.	2.7	35
29	Sex differences in the reward deficit and somatic signs associated with precipitated nicotine withdrawal in rats. Neuropharmacology, 2019, 160, 107756.	4.1	25
30	The effects of acute and repeated methylenedioxypyrovalerone (MDPV) administration on striatal transcriptome networks in male long evans rats. Neuroscience Letters, 2019, 712, 134499.	2.1	0
31	Effects in rats of adolescent exposure to cannabis smoke or THC on emotional behavior and cognitive function in adulthood. Psychopharmacology, 2019, 236, 2773-2784.	3.1	58
32	Sustained Captoprilâ€Induced Reduction in Blood Pressure Is Associated With Alterations in Gutâ€Brain Axis in the Spontaneously Hypertensive Rat. Journal of the American Heart Association, 2019, 8, e010721.	3.7	63
33	Oxytocin Receptors Are Expressed by Glutamatergic Prefrontal Cortical Neurons That Selectively Modulate Social Recognition. Journal of Neuroscience, 2019, 39, 3249-3263.	3.6	78
34	Pharmacokinetic and Pharmacodynamic Characterization of Tetrahydrocannabinol-Induced Cannabinoid Dependence After Chronic Passive Cannabis Smoke Exposure in Rats. Cannabis and Cannabinoid Research, 2019, 4, 240-254.	2.9	13
35	Impaired butyrate absorption in the proximal colon, low serum butyrate and diminished central effects of butyrate on blood pressure in spontaneously hypertensive rats. Acta Physiologica, 2019, 226, e13256.	3.8	69
36	Enhancing effects of acute exposure to cannabis smoke on working memory performance. Neurobiology of Learning and Memory, 2019, 157, 151-162.	1.9	21

#	Article	IF	CITATIONS
37	Neither biological nor symptomatology reductionism: A call for integration in psychopathology research. Behavioral and Brain Sciences, 2019, 42, e17.	0.7	1
38	Multiscale Imaging Reveals Aberrant Functional Connectome Organization and Elevated Dorsal Striatal <i>Arc</i> Expression in Advanced Age. ENeuro, 2019, 6, ENEURO.0047-19.2019.	1.9	12
39	The Role of BTBD9 in Striatum and Restless Legs Syndrome. ENeuro, 2019, 6, ENEURO.0277-19.2019.	1.9	31
40	Magnetic resonanceâ€based axonal microstructure measures are differentially modulated by interleukinâ€6 in amyloid expressing TgCRND8 mice. FASEB Journal, 2019, 33, .	0.5	0
41	Abstract 084: Gut Dysbiosis Impairs Serotonergic Gut-Brain Axis and Increases Blood Pressure. Hypertension, 2019, 74, .	2.7	0
42	Early life social stress and resting state functional connectivity in postpartum rat anterior cingulate circuits. Journal of Affective Disorders, 2018, 229, 213-223.	4.1	19
43	Cocaine differentially affects synaptic activity in memory and midbrain areas of female and male rats: an in vivo MEMRI study. Brain Imaging and Behavior, 2018, 12, 201-216.	2.1	10
44	MEMRI reveals altered activity in brain regions associated with anxiety, locomotion, and cardiovascular reactivity on the elevated plus maze in the WKY vs SHR rats. Brain Imaging and Behavior, 2018, 12, 1318-1331.	2.1	10
45	Hybrid magneto-plasmonic liposomes for multimodal image-guided and brain-targeted HIV treatment. Nanoscale, 2018, 10, 184-194.	5.6	61
46	Menthol enhances nicotine-induced locomotor sensitization and in vivo functional connectivity in adolescence. Journal of Psychopharmacology, 2018, 32, 332-343.	4.0	20
47	The Food and Drug Addiction Epidemic: Targeting Dopamine Homeostasis. Current Pharmaceutical Design, 2018, 23, 6050-6061.	1.9	40
48	Characterization of Brain Metabolism by Nuclear Magnetic Resonance. ChemPhysChem, 2018, 20, 216-230.	2.1	13
49	Multifunctional Nanotherapeutics for the Treatment of neuroAIDS in Drug Abusers. Scientific Reports, 2018, 8, 12991.	3.3	26
50	Self-administration of the synthetic cathinone MDPV enhances reward function via a nicotinic receptor dependent mechanism. Neuropharmacology, 2018, 137, 286-296.	4.1	10
51	Genetic addiction risk score GARS trade a predictor of vulnerability to opioid dependence. Frontiers in Bioscience - Elite, 2018, 10, 175-196.	1.8	92
52	Molecular role of dopamine in anhedonia linked to reward deficiency syndrome RDS and anti- reward systems. Frontiers in Bioscience - Scholar, 2018, 10, 309-325.	2.1	111
53	Simultaneous quantification of cannabinoids tetrahydrocannabinol, cannabidiol and CB1 receptor antagonist in rat plasma: An application to characterize pharmacokinetics after passive cannabis smoke inhalation and co-administration of rimonabant. Journal of Pharmaceutical and Biomedical Analysis. 2018. 160. 119-125.	2.8	23
54	Functional connectivity, behavioral and dopaminergic alterations 24 hours following acute exposure to synthetic bath salt drug methylenedioxypyrovalerone. Neuropharmacology, 2018, 137, 178-193.	4.1	27

#	Article	IF	CITATIONS
55	Systemic Inflammation Mediates Age-Related Cognitive Deficits. Frontiers in Aging Neuroscience, 2018, 10, 236.	3.4	82
56	Functional Connectivity of Chronic Cocaine Use Reveals Progressive Neuroadaptations in Neocortical, Striatal, and Limbic Networks. ENeuro, 2018, 5, ENEURO.0081-18.2018.	1.9	36
57	Inulin/FOSâ€rich diet alters gut microbiota, brain activity and cardiovascular responses in the SHR. FASEB Journal, 2018, 32, 921.6.	0.5	0
58	Abstract 077: Captopril-Induced Sustained Reduction in Blood Pressure is Associated With Alterations in Gut-Brain Axis in the Spontaneously Hypertensive Rats. Hypertension, 2018, 72, .	2.7	0
59	Analysis of Evidence for the Combination of Pro-dopamine Regulator (KB220PAM) and Naltrexone to Prevent Opioid Use Disorder Relapse. , 2018, 7, 564-579.		7
60	Hypothesizing Music Intervention Enhances Brain Functional Connectivity Involving Dopaminergic Recruitment: Common Neuro-correlates to Abusable Drugs. Molecular Neurobiology, 2017, 54, 3753-3758.	4.0	22
61	Targeting resolution of neuroinflammation after ischemic stroke with a lipoxin A ₄ analog: Protective mechanisms and longâ€term effects on neurological recovery. Brain and Behavior, 2017, 7, e00688.	2.2	47
62	Sustained Neurological Recovery After Stroke in Aged Rats Treated With a Novel Prostacyclin Analog. Stroke, 2017, 48, 1948-1956.	2.0	22
63	Metal Transporter <i>Zip14</i> (<i>Slc39a14</i>) Deletion in Mice Increases Manganese Deposition and Produces Neurotoxic Signatures and Diminished Motor Activity. Journal of Neuroscience, 2017, 37, 5996-6006.	3.6	87
64	Electroacupuncture Promotes Central Nervous System-Dependent Release of Mesenchymal Stem Cells. Stem Cells, 2017, 35, 1303-1315.	3.2	37
65	Cannabidiol for the Treatment of Drug-Resistant Epilepsy in Children: Current State of Research. Journal of Pediatric Neurology, 2017, 15, 143-150.	0.2	14
66	Hypothesizing That Neuropharmacological and Neuroimaging Studies of Glutaminergic-Dopaminergic Optimization Complex (KB220Z) Are Associated With "Dopamine Homeostasis―in Reward Deficiency Syndrome (RDS). Substance Use and Misuse, 2017, 52, 535-547.	1.4	62
67	High magnetic field fmri compliant carbon nanofiber neural probes. , 2017, , .		2
68	Forebrain knock-out of torsinA reduces striatal free-water and impairs whole-brain functional connectivity in a symptomatic mouse model of DYT1 dystonia. Neurobiology of Disease, 2017, 106, 124-132.	4.4	19
69	The sigma-1 receptor modulates methamphetamine dysregulation of dopamine neurotransmission. Nature Communications, 2017, 8, 2228.	12.8	92
70	A Single Angiotensin II Hypertensive Stimulus Is Associated with Prolonged Neuronal and Immune System Activation in Wistar-Kyoto Rats. Frontiers in Physiology, 2017, 8, 592.	2.8	38
71	Dopamine homeostasis brain functional connectivity in reward deficiency syndrome. Frontiers in Bioscience - Landmark, 2017, 22, 669-691.	3.0	88
72	In Vivo Tau Imaging for a Diagnostic Platform of Tauopathy Using the rTg4510 Mouse Line. Frontiers in Neurology, 2017, 8, 663.	2.4	10

#	Article	IF	CITATIONS
73	Neurogenetics of acute and chronic opiate opioid abstinence treating symptoms and the cause. Frontiers in Bioscience - Landmark, 2017, 22, 1247-1288.	3.0	12
74	Enhanced functional connectivity and volume between cognitive and reward centers of naÃ ⁻ ve rodent brain produced by pro-dopaminergic agent KB220Z. PLoS ONE, 2017, 12, e0174774.	2.5	92
75	Post-stroke angiotensin II type 2 receptor activation provides long-term neuroprotection in aged rats. PLoS ONE, 2017, 12, e0180738.	2.5	19
76	Lyme and dopaminergic function: Hypothesizing reduced reward deficiency symptomatology by regulating dopamine transmission. Journal of Systems and Integrative Neuroscience, 2017, 3, .	0.6	8
77	Improvement of long-term memory access with a pro-dopamine regulator in an elderly male: Are we targeting dopamine tone?. Journal of Systems and Integrative Neuroscience, 2017, 3, .	0.6	6
78	Pro-Dopamine Regulator - (KB220) to Balance Brain Reward Circuitry in Reward Deficiency Syndrome (RDS). , 2017, 03, .		12
79	Common Neurogenetic Diagnosis and Meso-Limbic Manipulation of Hypodopaminergic Function in Reward Deficiency Syndrome (RDS): Changing the Recovery Landscape. Current Neuropharmacology, 2017, 15, 184-194.	2.9	87
80	Invited Commentary: In a Genomic Era, Should We Promote Dopamine Homeostasis to Treat Opiate/ Opioid Abuse, Instead of Blocking Brain Dopamine Function?. Medical Research Archives, 2017, 5, .	0.2	0
81	Pro-Dopamine Regulator - (KB220) to Balance Brain Reward Circuitry in Reward Deficiency Syndrome (RDS). , 2017, 3, 3-13.		7
82	Behavioral Characterization of the Effects of Cannabis Smoke and Anandamide in Rats. PLoS ONE, 2016, 11, e0153327.	2.5	71
83	KB220Zâ"¢ a Pro-Dopamine Regulator Associated with the Protracted, Alleviation of Terrifying Lucid Dreams. Can We Infer Neuroplasticity-induced Changes in the Reward Circuit?. , 2016, 2, 3-13.		29
84	Preclinical Magnetic Resonance Imaging and Spectroscopy Studies of Memory, Aging, and Cognitive Decline. Frontiers in Aging Neuroscience, 2016, 8, 158.	3.4	27
85	Pilot clinical observations between food and drug seeking derived from fifty cases attending an eating disorder clinic. Journal of Behavioral Addictions, 2016, 5, 533-541.	3.7	12
86	The Psychoactive Designer Drug and Bath Salt Constituent MDPV Causes Widespread Disruption of Brain Functional Connectivity. Neuropsychopharmacology, 2016, 41, 2352-2365.	5.4	66
87	In vivo imaging reveals impaired connectivity across cortical and subcortical networks in a mouse model of DYT1 dystonia. Neurobiology of Disease, 2016, 95, 35-45.	4.4	29
88	Overexpression of CRF in the BNST diminishes dysphoria but not anxiety-like behavior in nicotine withdrawing rats. European Neuropsychopharmacology, 2016, 26, 1378-1389.	0.7	35
89	Depressed basal hypothalamic neuronal activity in type-1 diabetic mice is correlated with proinflammatory secretion of HMBG1. Neuroscience Letters, 2016, 615, 21-27.	2.1	11
90	Hypothesizing that, A Pro-Dopamine Regulator (KB220Z) Should Optimize, but Not Hyper-Activate the Activity of Trace Amine-Associated Receptor 1 (TAAR-1) and Induce Anti-Craving of Psychostimulants in the Long-Term. , 2016, 2, 14-21.		56

#	Article	IF	CITATIONS
91	Dopamine D2 gene expression interacts with environmental enrichment to impact lifespan and behavior. Oncotarget, 2016, 7, 19111-19123.	1.8	29
92	Neurobiology of KB220Z-Glutaminergic-Dopaminergic Optimization Complex [GDOC] as a Liquid Nano: Clinical Activation of Brain in a Highly Functional Clinician Improving Focus, Motivation and Overall Sensory Input Following Chronic Intake. Clinical Medical Reviews and Case Reports, 2016, 3, .	0.1	7
93	Hypothesizing that a Pro-Dopaminergic Regulator (KB220zâ,,¢ Liquid Variant) can Induce "Dopamine Homeostasis" and Provide Adjunctive Detoxification Benefits in Opiate/Opioid Dependence. Clinical Medical Reviews and Case Reports, 2016, 3, .	0.1	12
94	Abstract P156: Fiber-rich Diet Suppresses Lactobacillus And Increases Blood Pressure In The Shr Independently Of T-lymphocyte Immune Responses. Hypertension, 2016, 68, .	2.7	0
95	Neuronutrient Amino-Acid Therapy Protects Against Reward Deficiency Syndrome: Dopaminergic Key to Homeostasis and Neuroplasticity. Current Pharmaceutical Design, 2016, 22, 5837-5854.	1.9	11
96	Low-Resolution Electromagnetic Tomography (LORETA) of changed Brain Function Provoked by Pro-Dopamine Regulator (KB220z) in one Adult ADHD case. Open Journal of Clinical & Medical Case Reports, 2016, 2, .	1.0	11
97	A new day for an old emotion: studying fear learning using awake mouse functional magnetic resonance imaging (Commentary on <i>Harris etÂal</i> .). European Journal of Neuroscience, 2015, 42, 2123-2124.	2.6	1
98	Temporal MRI characterization, neurobiochemical and neurobehavioral changes in a mouse repetitive concussive head injury model. Scientific Reports, 2015, 5, 11178.	3.3	54
99	Putative dopamine agonist (KB220Z) attenuates lucid nightmares in PTSD patients: Role of enhanced brain reward functional connectivity and homeostasis redeeming joy. Journal of Behavioral Addictions, 2015, 4, 106-115.	3.7	39
100	Central neural activation following contact sensitivity peripheral immune challenge: evidence of brain–immune regulation through <scp>C</scp> fibres. Immunology, 2015, 146, 206-216.	4.4	7
101	Neurogenetics and gene therapy for reward deficiency syndrome: are we going to the Promised Land?. Expert Opinion on Biological Therapy, 2015, 15, 973-985.	3.1	23
102	Increased free water in the substantia nigra of Parkinson's disease: a single-site and multi-site study. Neurobiology of Aging, 2015, 36, 1097-1104.	3.1	133
103	Acute Nicotine Administration Increases BOLD fMRI Signal in Brain Regions Involved in Reward Signaling and Compulsive Drug Intake in Rats. International Journal of Neuropsychopharmacology, 2015, 18, pyu011-pyu011.	2.1	30
104	Neuroquantum Theories of Psychiatric Genetics: Can Physical Forces Induce Epigenetic Influence on Future Genomes?. NeuroQuantology, 2015, 13, .	0.2	1
105	Assessing contributions of nucleus accumbens shell subregions to reward-seeking behavior. Drug and Alcohol Dependence, 2015, 153, 369-373.	3.2	10
106	Neurogenetic and Epigenetic Correlates of Adolescent Predisposition to and Risk for Addictive Behaviors as a Function of Prefrontal Cortex Dysregulation. Journal of Child and Adolescent Psychopharmacology, 2015, 25, 286-292.	1.3	49
107	Clinically Combating Reward Deficiency Syndrome (RDS) with Dopamine Agonist Therapy as a Paradigm Shift: Dopamine for Dinner?. Molecular Neurobiology, 2015, 52, 1862-1869.	4.0	66
108	<i>rsfMRI</i> effects of KB220Zâ,,¢ on neural pathways in reward circuitry of abstinent genotyped heroin addicts. Postgraduate Medicine, 2015, 127, 232-241.	2.0	135

#	Article	IF	CITATIONS
109	Enhancing Brain Pregnenolone May Protect Cannabis Intoxication but Should Not Be Considered as an Anti-addiction Therapeutic: Hypothesizing Dopaminergic Blockade and Promoting Anti- Reward. Journal of Reward Deficiency Syndrome, 2015, 01, 20-23.	1.0	9
110	Using the Neuroadaptagen KB200zâ,,¢ to Ameliorate Terrifying, Lucid Nightmares in RDS Patients: the Role of Enhanced, Brain-Reward, Functional Connectivity and Dopaminergic Homeostasis. Journal of Reward Deficiency Syndrome, 2015, 01, 24-35.	1.0	31
111	Molecular Genetic Testing in Reward Deficiency Syndrome (RDS): Facts and Fiction. Journal of Reward Deficiency Syndrome, 2015, 01, 65-68.	1.0	16
112	Coupling Neurogenetics (GARSâ,,¢) and a Nutrigenomic Based Dopaminergic Agonist to Treat Reward Deficiency Syndrome (RDS): Targeting Polymorphic Reward Genes for Carbohydrate Addiction Algorithms. Journal of Reward Deficiency Syndrome, 2015, 1, 75-80.	1.0	17
113	Designer Drugs: A Synthetic Catastrophe. Journal of Reward Deficiency Syndrome, 2015, 1, 82-86.	1.0	10
114	Addiction Treatment in America: After Money or Aftercare?. Journal of Reward Deficiency Syndrome, 2015, 01, 87-94.	1.0	14
115	Dopamine in the Brain: Hypothesizing Surfeit or Deficit Links to Reward and Addiction. Journal of Reward Deficiency Syndrome, 2015, 01, 95-104.	1.0	83
116	Brain Reward Pathway Dysfunction in Maternal Depression and Addiction: A Present and Future Transgenerational Risk. Journal of Reward Deficiency Syndrome, 2015, 01, 105-116.	1.0	16
117	Hypothesizing Balancing Endorphinergic and Glutaminergic Systems to Treat and Prevent Relapse to Reward Deficiency Behaviors: Coupling D-Phenylalanine and N-Acetyl-L-Cysteine (NAC) as a Novel Therapeutic Modality. Clinical Medical Reviews and Case Reports, 2015, 2, .	0.1	11
118	Can Genetic Testing Provide Information to Develop Customized Nutrigenomic Solutions for Reward Deficiency Syndrome?. Clinical Medical Reviews and Case Reports, 2015, 2, .	0.1	4
119	Altered Inflammatory Response Is Associated With an Impaired Autonomic Input to the Bone Marrow in the Spontaneously Hypertensive Rat. Hypertension, 2014, 63, 542-550.	2.7	90
120	Functional Neural–Bone Marrow Pathways. Hypertension, 2014, 63, e129-39.	2.7	39
121	Cocaine-associated odor cue re-exposure increases blood oxygenation level dependent signal in memory and reward regions of the maternal rat brain. Drug and Alcohol Dependence, 2014, 134, 167-177.	3.2	14
122	Age-related decline in white matter integrity in a mouse model of tauopathy: an inÂvivo diffusion tensor magnetic resonance imaging study. Neurobiology of Aging, 2014, 35, 1364-1374.	3.1	58
123	Oxytocin and vasopressin modulation of the neural correlates of motivation and emotion: results from functional MRI studies in awake rats. Brain Research, 2014, 1580, 8-21.	2.2	22
124	Hatching the behavioral addiction egg: Reward Deficiency Solution System (RDSS)â,,¢ as a function of dopaminergic neurogenetics and brain functional connectivity linking all addictions under a common rubric. Journal of Behavioral Addictions, 2014, 3, 149-156.	3.7	119
125	In vivo functional brain mapping in a conditional mouse model of human tauopathy (taup301l) reveals reduced neural activity in memory formation structures. Molecular Neurodegeneration, 2013, 8, 9.	10.8	35
126	Hypothesizing that designer drugs containing cathinones ("bath saltsâ€) have profound neuro-inflammatory effects and dangerous neurotoxic response following human consumption. Medical Hypotheses, 2013, 81, 450-455.	1.5	20

#	Article	IF	CITATIONS
127	Behavioral effects of acclimatization to restraint protocol used for awake animal imaging. Journal of Neuroscience Methods, 2013, 217, 63-66.	2.5	28
128	Predator odor-evoked BOLD activation in the awake rat: Modulation by oxytocin and V1a vasopressin receptor antagonists. Brain Research, 2013, 1494, 70-83.	2.2	8
129	Neural processing of a cocaine-associated odor cue revealed by functional MRI in awake rats. Neuroscience Letters, 2013, 534, 160-165.	2.1	12
130	Small Animal Imaging as a Tool for Modeling CNS Disorders. , 2013, , 59-85.		1
131	Functional Magnetic Resonance Imaging in Awake Rats: Studies Relevant to Addiction and the Reward Circuitry. Neuromethods, 2013, , 351-374.	0.3	0
132	Effects of Cocaine on Maternal Behavior and Neurochemistry. Current Neuropharmacology, 2012, 10, 53-63.	2.9	17
133	Firing patterns of maternal rat prelimbic neurons during spontaneous contact with pups. Brain Research Bulletin, 2012, 88, 534-542.	3.0	8
134	Cocaine Sensitization Increases Kyphosis and Modulates Neural Activity in Adult Nulliparous Rats. Brain Sciences, 2012, 2, 667-683.	2.3	5
135	Gestational Valproate Alters BOLD Activation in Response to Complex Social and Primary Sensory Stimuli. PLoS ONE, 2012, 7, e37313.	2.5	28
136	In vivo MEMRI reveals persistent activation of the brain autonomic areas by an acute systemic angiotensin II injection. FASEB Journal, 2012, 26, lb801.	0.5	0
137	Functional magnetic resonance imaging in awake animals. Reviews in the Neurosciences, 2011, 22, 665-74.	2.9	51
138	Technical and Conceptual Considerations for Performing and Interpreting Functional MRI Studies in Awake Rats. Frontiers in Psychiatry, 2011, 2, 43.	2.6	39
139	BOLD signal response to cocaine varies with sexual receptivity in female rats. NeuroReport, 2011, 22, 19-22.	1.2	5
140	A Bold View of the Lactating Brain: Functional Magnetic Resonance Imaging Studies of Suckling in Awake Dams. Journal of Neuroendocrinology, 2011, 23, 1009-1019.	2.6	26
141	Increased BOLD activation to predator stressor in subiculum and midbrain of amphetamine-sensitized maternal rats. Brain Research, 2011, 1382, 118-127.	2.2	10
142	Prefrontal cell firing in male rats during approach towards sexually receptive female: Interactions with cocaine. Synapse, 2011, 65, 271-277.	1.2	6
143	Effects of Cocaine on Maternal Behavior and Neurochemistry. Current Neuropharmacology, 2011, 999, 1-11.	2.9	0
144	Effect of cocaine sensitization prior to pregnancy on maternal care and aggression in the rat. Psychopharmacology, 2010, 209, 127-135.	3.1	18

#	Article	IF	CITATIONS
145	Inactivation or inhibition of neuronal activity in the medial prefrontal cortex largely reduces pup retrieval and grouping in maternal rats. Brain Research, 2010, 1325, 77-88.	2.2	65
146	Central vasopressin V1a receptors modulate neural processing in mothers facing intruder threat to pups. Neuropharmacology, 2010, 58, 107-116.	4.1	64
147	Estradiol: A key biological substrate mediating the response to cocaine in female rats. Hormones and Behavior, 2010, 58, 33-43.	2.1	84
148	Oxytocin modulates unconditioned fear response in lactating dams: An fMRI study. Brain Research, 2009, 1302, 183-193.	2.2	37
149	Blood oxygen levelâ€dependent signal responses in corticolimbic â€~emotions' circuitry of lactating rats facing intruder threat to pups. European Journal of Neuroscience, 2009, 30, 934-945.	2.6	60
150	Cocaine-induced metabolic activation in cortico-limbic circuitry is increased after exposure to the histone deacetylase inhibitor, sodium butyrate. Neuroscience Letters, 2009, 465, 267-271.	2.1	19
151	Imaging the neural circuitry and chemical control of aggressive motivation. BMC Neuroscience, 2008, 9, 111.	1.9	106
152	Nursing stimulation is more than tactile sensation: It is a multisensory experience. Hormones and Behavior, 2008, 54, 330-339.	2.1	34
153	Imaging the Maternal Rat Brain. , 2008, , 61-74.		1
154	Development of cocaine sensitization before pregnancy affects subsequent maternal retrieval of pups and prefrontal cortical activity during nursing. Neuroscience, 2007, 148, 400-412.	2.3	63
155	Functional Magnetic Resonance Imaging in Conscious Animals: A New Tool in Behavioural Neuroscience Research. Journal of Neuroendocrinology, 2006, 18, 307-318.	2.6	55
156	Hemodynamic and metabolic changes induced by cocaine in anesthetized rat observed with multimodal functional MRI. Psychopharmacology, 2006, 185, 479-486.	3.1	54
157	The Neural Consequences of Repeated Cocaine Exposure Revealed by Functional MRI in Awake Rats. Neuropsychopharmacology, 2005, 30, 936-943.	5.4	96
158	Functional Magnetic Resonance Imaging Shows Oxytocin Activates Brain Regions Associated with Mother-Pup Bonding during Suckling. Journal of Neuroscience, 2005, 25, 11637-11644.	3.6	207
159	Estrogen Influences Cocaine-Induced Blood Oxygen Level-Dependent Signal Changes in Female Rats. Journal of Neuroscience, 2005, 25, 1132-1136.	3.6	32
160	Pup Suckling Is More Rewarding Than Cocaine: Evidence from Functional Magnetic Resonance Imaging and Three-Dimensional Computational Analysis. Journal of Neuroscience, 2005, 25, 149-156.	3.6	207
161	Cocaine alters GABAB-mediated G-protein activation in the ventral tegmental area of female rats: Modulation by estrogen. Synapse, 2004, 54, 30-36.	1.2	16
162	Estrogen-dependent alterations in D2/D3-induced G protein activation in cocaine-sensitized female rats. Journal of Neurochemistry, 2004, 86, 405-412.	3.9	53

#	Article	IF	CITATIONS
163	Imaging cocaine-induced changes in the mesocorticolimbic dopaminergic system of conscious rats. Journal of Neuroscience Methods, 2004, 139, 167-176.	2.5	70
164	Estrogen and opioids interact to modulate the locomotor response to cocaine in the female rat. Brain Research, 2002, 943, 151-161.	2.2	27