

# Enrico Garattini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1908767/publications.pdf>

Version: 2024-02-01

162  
papers

6,206  
citations

50566

48  
h-index

104191

69  
g-index

166  
all docs

166  
docs citations

166  
times ranked

5425  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Involvement of aldehyde oxidase in the metabolism of aromatic and aliphatic aldehyde-odorants in the mouse olfactory epithelium. <i>Archives of Biochemistry and Biophysics</i> , 2022, 715, 109099.                | 1.4 | 3         |
| 2  | Role of cardiolipins, mitochondria, and autophagy in the differentiation process activated by all-trans retinoic acid in acute promyelocytic leukemia. <i>Cell Death and Disease</i> , 2022, 13, 30.                | 2.7 | 3         |
| 3  | A DOCK1 Gene-Derived Circular RNA Is Highly Expressed in Luminal Mammary Tumours and Is Involved in the Epithelial Differentiation, Growth, and Motility of Breast Cancer Cells. <i>Cancers</i> , 2021, 13, 5325.   | 1.7 | 6         |
| 4  | OXER1 and RACK1-associated pathway: a promising drug target for breast cancer progression. <i>Oncogenesis</i> , 2020, 9, 105.   | 2.1 | 25        |
| 5  | Retinoic Acid Sensitivity of Triple-Negative Breast Cancer Cells Characterized by Constitutive Activation of the notch1 Pathway: The Role of Rar <sup>1</sup> . <i>Cancers</i> , 2020, 12, 3027.                    | 1.7 | 10        |
| 6  | Evolution, expression, and substrate specificities of aldehyde oxidase enzymes in eukaryotes. <i>Journal of Biological Chemistry</i> , 2020, 295, 5377-5389.  | 1.6 | 39        |
| 7  | All-Trans Retinoic Acid Stimulates Viral Mimicry, Interferon Responses and Antigen Presentation in Breast-Cancer Cells. <i>Cancers</i> , 2020, 12, 1169.  | 1.7 | 15        |
| 8  | Assessing Autophagy During Retinoid Treatment of Breast Cancer Cells. <i>Methods in Molecular Biology</i> , 2019, 2019, 237-256.  | 0.4 | 4         |
| 9  | Role of mitochondria and cardiolipins in growth inhibition of breast cancer cells by retinoic acid. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 436.                                    | 3.5 | 11        |
| 10 | The ATRA-21 gene-expression model predicts retinoid sensitivity in CEBPA double mutant, t(8;21) and inv(16) AML patients. <i>Blood Cancer Journal</i> , 2019, 9, 76.  | 2.8 | 2         |
| 11 | Aldehyde oxidase at the crossroad of metabolism and preclinical screening. <i>Drug Metabolism Reviews</i> , 2019, 51, 428-452.  | 1.5 | 11        |
| 12 | HER2-positive breast-cancer cell lines are sensitive to KDM5 inhibition: definition of a gene-expression model for the selection of sensitive cases. <i>Oncogene</i> , 2019, 38, 2675-2689.                         | 2.6 | 23        |
| 13 | S100A3 a partner protein regulating the stability/activity of RAR <sup>1</sup> and PML-RAR <sup>1</sup> in cellular models of breast/lung cancer and acute myeloid leukemia. <i>Oncogene</i> , 2019, 38, 2482-2500. | 2.6 | 18        |
| 14 | BET proteins regulate homologous recombination-mediated DNA repair: BRCAness and implications for cancer therapy. <i>International Journal of Cancer</i> , 2019, 144, 755-766.                                      | 2.3 | 54        |
| 15 | Inhibitory effects of drugs on the metabolic activity of mouse and human aldehyde oxidases and influence on drug-drug interactions. <i>Biochemical Pharmacology</i> , 2018, 154, 28-38.                             | 2.0 | 21        |
| 16 | Uncoupling FoxO3A mitochondrial and nuclear functions in cancer cells undergoing metabolic stress and chemotherapy. <i>Cell Death and Disease</i> , 2018, 9, 231.   | 2.7 | 33        |
| 17 | Critical overview on the structure and metabolism of human aldehyde oxidase and its role in pharmacokinetics. <i>Coordination Chemistry Reviews</i> , 2018, 368, 35-59.   | 9.5 | 21        |
| 18 | Xanthine Oxidoreductase and Aldehyde Oxidases. , 2018, , 208-232.   |     | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Massive NGS data analysis reveals hundreds of potential novel gene fusions in human cell lines. <i>CigaScience</i> , 2018, 7, .   | 3.3 | 6         |
| 20 | Structural basis for the role of mammalian aldehyde oxidases in the metabolism of drugs and xenobiotics. <i>Current Opinion in Chemical Biology</i> , 2017, 37, 39-47.                                | 2.8 | 33        |
| 21 | Network-guided modeling allows tumor-type independent prediction of sensitivity to all-trans-retinoic acid. <i>Annals of Oncology</i> , 2017, 28, 611-621.  | 0.6 | 31        |
| 22 | The autophagy scaffold protein ALFY is critical for the granulocytic differentiation of AML cells. <i>Scientific Reports</i> , 2017, 7, 12980.  | 1.6 | 15        |
| 23 | Generation of a new mouse model of glaucoma characterized by reduced expression of the AP-2 $\beta$ and AP-2 $\gamma$ proteins. <i>Scientific Reports</i> , 2017, 7, 11140.                           | 1.6 | 7         |
| 24 | Direct Comparison of the Enzymatic Characteristics and Superoxide Production of the Four Aldehyde Oxidase Enzymes Present in Mouse. <i>Drug Metabolism and Disposition</i> , 2017, 45, 947-955.       | 1.7 | 15        |
| 25 | RAR $\beta$ 2 and PML-RAR similarities in the control of basal and retinoic acid induced myeloid maturation of acute myeloid leukemia cells. <i>Oncotarget</i> , 2017, 8, 37041-37060.                | 0.8 | 8         |
| 26 | Mouse aldehyde-oxidase-4 controls diurnal rhythms, fat deposition and locomotor activity. <i>Scientific Reports</i> , 2016, 6, 30343.   | 1.6 | 15        |
| 27 | Structure and function of mammalian aldehyde oxidases. <i>Archives of Toxicology</i> , 2016, 90, 753-780.   | 1.9 | 95        |
| 28 | Association of <i>CFHR1</i> homozygous deletion with acute myelogenous leukemia in the European population. <i>Leukemia and Lymphoma</i> , 2016, 57, 1234-1237.                                       | 0.6 | 5         |
| 29 | Cellular and molecular determinants of all-trans retinoic acid sensitivity in breast cancer: Luminal phenotype and RAR $\beta$ expression. <i>EMBO Molecular Medicine</i> , 2015, 7, 950-972.         | 3.3 | 60        |
| 30 | Insights into the structural determinants of substrate specificity and activity in mouse aldehyde oxidases. <i>Journal of Biological Inorganic Chemistry</i> , 2015, 20, 209-217.                     | 1.1 | 19        |
| 31 | Is 'Bad Luck' an Important Determinant of Cancer Incidence and Does This Concept Apply to Kidney Tumors?. <i>Nephron</i> , 2015, 129, 219-222.  | 0.9 | 4         |
| 32 | All-trans-retinoic Acid Modulates the Plasticity and Inhibits the Motility of Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2015, 290, 17690-17709.                                   | 1.6 | 44        |
| 33 | Activation of RAR $\beta$ induces autophagy in SKBR3 breast cancer cells and depletion of key autophagy genes enhances ATRA toxicity. <i>Cell Death and Disease</i> , 2015, 6, e1861-e1861.           | 2.7 | 24        |
| 34 | Different Stability and Proteasome-Mediated Degradation Rate of SMN Protein Isoforms. <i>PLoS ONE</i> , 2015, 10, e0134163.   | 1.1 | 11        |
| 35 | MicroRNA networks regulated by all-trans retinoic acid and Lapatinib control the growth, survival and motility of breast cancer cells. <i>Oncotarget</i> , 2015, 6, 13176-13200.                      | 0.8 | 33        |
| 36 | The four aldehyde oxidases of <i>Drosophila melanogaster</i> have different gene expression patterns and enzyme substrate specificities. <i>Journal of Experimental Biology</i> , 2014, 217, 2201-11. | 0.8 | 28        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Retinoids and breast cancer: From basic studies to the clinic and back again. <i>Cancer Treatment Reviews</i> , 2014, 40, 739-749.   | 3.4 | 113       |
| 38 | Structure and evolution of vertebrate aldehyde oxidases: from gene duplication to gene suppression. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 1807-1830.   | 2.4 | 53        |
| 39 | New insights into the molecular mechanisms underlying sensitivity/resistance to the atypical retinoid ST1926 in acute myeloid leukaemia cells: The role of histone H2A.Z, cAMP-dependent protein kinase A and the proteasome. <i>European Journal of Cancer</i> , 2013, 49, 1491-1500. | 1.3 | 14        |
| 40 | Aldehyde oxidase and its importance in novel drug discovery: present and future challenges. <i>Expert Opinion on Drug Discovery</i> , 2013, 8, 641-654.  | 2.5 | 60        |
| 41 | The Impact of Single Nucleotide Polymorphisms on Human Aldehyde Oxidase. <i>Drug Metabolism and Disposition</i> , 2012, 40, 856-864.   | 1.7 | 88        |
| 42 | Human Axonal Survival of Motor Neuron (a-SMN) Protein Stimulates Axon Growth, Cell Motility, C-C Motif Ligand 2 (CCL2), and Insulin-like Growth Factor-1 (IGF1) Production. <i>Journal of Biological Chemistry</i> , 2012, 287, 25782-25794.   | 1.6 | 26        |
| 43 | The First Mammalian Aldehyde Oxidase Crystal Structure. <i>Journal of Biological Chemistry</i> , 2012, 287, 40690-40702.   | 1.6 | 83        |
| 44 | Retinoids and breast cancer: new clues to increase their activity and selectivity. <i>Breast Cancer Research</i> , 2012, 14, 111.  | 2.2 | 18        |
| 45 | Synergistic antitumor activity of lapatinib and retinoids on a novel subtype of breast cancer with coamplification of ERBB2 and RAR $\alpha$ . <i>Oncogene</i> , 2012, 31, 3431-3443.  | 2.6 | 51        |
| 46 | The role of aldehyde oxidase in drug metabolism. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012, 8, 487-503.   | 1.5 | 147       |
| 47 | p38 $\beta$ -MAPK interacts with and inhibits RAR $\alpha$ : suppression of the kinase enhances the therapeutic activity of retinoids in acute myeloid leukemia cells. <i>Leukemia</i> , 2012, 26, 1850-1861.  | 3.3 | 24        |
| 48 | Spinal muscular atrophy pathogenic mutations impair the axonogenic properties of axonal survival of motor neuron. <i>Journal of Neurochemistry</i> , 2012, 121, 465-474.   | 2.1 | 12        |
| 49 | Increasing recognition of the importance of aldehyde oxidase in drug development and discovery. <i>Drug Metabolism Reviews</i> , 2011, 43, 374-386.  | 1.5 | 99        |
| 50 | Characterization and Crystallization of Mouse Aldehyde Oxidase 3: From Mouse Liver to <i>Escherichia coli</i> Heterologous Protein Expression. <i>Drug Metabolism and Disposition</i> , 2011, 39, 1939-1945.   | 1.7 | 29        |
| 51 | Induction of miR-21 by Retinoic Acid in Estrogen Receptor-positive Breast Carcinoma Cells. <i>Journal of Biological Chemistry</i> , 2011, 286, 4027-4042.  | 1.6 | 82        |
| 52 | Antiproliferative and Differentiating Activities of a Novel Series of Histone Deacetylase Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2010, 1, 411-415.   | 1.3 | 73        |
| 53 | Site Directed Mutagenesis of Amino Acid Residues at the Active Site of Mouse Aldehyde Oxidase AOX1. <i>PLoS ONE</i> , 2009, 4, e5348.  | 1.1 | 40        |
| 54 | SUG-1 Plays Proteolytic and Non-proteolytic Roles in the Control of Retinoic Acid Target Genes via Its Interaction with SRC-3. <i>Journal of Biological Chemistry</i> , 2009, 284, 8127-8135.  | 1.6 | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Inhibition of the Peptidyl-Prolyl-Isomerase Pin1 Enhances the Responses of Acute Myeloid Leukemia Cells to Retinoic Acid via Stabilization of RAR $\alpha$ and PML-RAR $\alpha$ . <i>Cancer Research</i> , 2009, 69, 1016-1026.  | 0.4 | 57        |
| 56 | Role of the Molybdoflavoenzyme Aldehyde Oxidase Homolog 2 in the Biosynthesis of Retinoic Acid: Generation and Characterization of a Knockout Mouse. <i>Molecular and Cellular Biology</i> , 2009, 29, 357-377.  | 1.1 | 55        |
| 57 | The mammalian aldehyde oxidase gene family. <i>Human Genomics</i> , 2009, 4, 119-30.   | 1.4 | 98        |
| 58 | Mammalian aldehyde oxidases: genetics, evolution and biochemistry. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 1019-1048.  | 2.4 | 164       |
| 59 | Atypical retinoids ST1926 and CD437 are S-phase-specific agents causing DNA double-strand breaks: significance for the cytotoxic and antiproliferative activity. <i>Molecular Cancer Therapeutics</i> , 2008, 7, 2941-2954.  | 1.9 | 39        |
| 60 | Axonal-SMN (a-SMN), a protein isoform of the survival motor neuron gene, is specifically involved in axonogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 1959-1964.  | 3.3 | 70        |
| 61 | Retinoids as Differentiating Agents in Oncology: A Network of Interactions with Intracellular Pathways as the Basis for Rational Therapeutic Combinations. <i>Current Pharmaceutical Design</i> , 2007, 13, 1375-1400.   | 0.9 | 68        |
| 62 | Cytodifferentiation by Retinoids, a Novel Therapeutic Option in Oncology: Rational Combinations with Other Therapeutic Agents. <i>Vitamins and Hormones</i> , 2007, 75, 301-354.   | 0.7 | 24        |
| 63 | P38MAPK-dependent phosphorylation and degradation of SRC-3/AIB1 and RAR $\alpha$ -mediated transcription. <i>EMBO Journal</i> , 2006, 25, 739-751.   | 3.5 | 81        |
| 64 | Granulocytic maturation in cultures of acute myeloid leukemia is not always accompanied by increased apoptosis. <i>Leukemia Research</i> , 2006, 30, 519-520.  | 0.4 | 3         |
| 65 | Antitumor Activity of the Retinoid-Related Molecules (E)-3-(4-Hydroxy-3-adamantylbiphenyl-4-yl)acrylic Acid (ST1926) and 6-[3-(1-Adamantyl)-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) in F9 Teratocarcinoma: Role of Retinoic Acid Receptor $\beta$ and Retinoid-Independent Pathways. <i>Molecular Pharmacology</i> , 2006, 70, 909-924. | 1.0 | 39        |
| 66 | Avian and Canine Aldehyde Oxidases. <i>Journal of Biological Chemistry</i> , 2006, 281, 19748-19761.   | 1.6 | 56        |
| 67 | Identification of aldehyde oxidase 1 and aldehyde oxidase homologue 1 as dioxin-inducible genes. <i>Toxicology</i> , 2005, 207, 401-409.   | 2.0 | 31        |
| 68 | The pathogenesis of molybdenum cofactor deficiency, its delay by maternal clearance, and its expression pattern in microarray analysis. <i>Molecular Genetics and Metabolism</i> , 2005, 85, 12-20.  | 0.5 | 33        |
| 69 | Synthesis and Structure-Activity Relationships of a New Series of Retinoid-Related Biphenyl-4-ylacrylic Acids Endowed with Antiproliferative and Proapoptotic Activity. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4931-4946.   | 2.9 | 37        |
| 70 | Regulation and Biochemistry of Mouse Molybdo-flavoenzymes. <i>Journal of Biological Chemistry</i> , 2004, 279, 8668-8683.  | 1.6 | 39        |
| 71 | Atypical Retinoids: An Expanding Series of Anti-Leukemia and Anti-Cancer Agents Endowed with Selective Apoptotic Activity. <i>Journal of Chemotherapy</i> , 2004, 16, 70-73.   | 0.7 | 9         |
| 72 | The Aldehyde Oxidase Gene Cluster in Mice and Rats. <i>Journal of Biological Chemistry</i> , 2004, 279, 50482-50498.   | 1.6 | 56        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Phosphodiesterase IV Inhibition by Piclamilast Potentiates the Cytodifferentiating Action of Retinoids in Myeloid Leukemia Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 42026-42040.   | 1.6 | 35        |
| 74 | Induction of apoptosis and stress response in ovarian carcinoma cell lines treated with ST1926, an atypical retinoid. <i>Cell Death and Differentiation</i> , 2004, 11, 280-289.   | 5.0 | 54        |
| 75 | ST1926, a novel and orally active retinoid-related molecule inducing apoptosis in myeloid leukemia cells: modulation of intracellular calcium homeostasis. <i>Blood</i> , 2004, 103, 194-207.  | 0.6 | 67        |
| 76 | Retinoid Related Molecules an Emerging Class of Apoptotic Agents with Promising Therapeutic Potential in Oncology: Pharmacological Activity and Mechanisms of Action. <i>Current Pharmaceutical Design</i> , 2004, 10, 433-448.  | 0.9 | 61        |
| 77 | Mammalian molybdo-flavoenzymes, an expanding family of proteins: structure, genetics, regulation, function and pathophysiology. <i>Biochemical Journal</i> , 2003, 372, 15-32.   | 1.7 | 221       |
| 78 | The AF-1 and AF-2 Domains of RAR $\beta$ 2 and RXR $\alpha$ Cooperate for Triggering the Transactivation and the Degradation of RAR $\beta$ 2/RXR $\alpha$ Heterodimers. <i>Journal of Biological Chemistry</i> , 2003, 278, 34458-34466.                              | 1.6 | 40        |
| 79 | Down-regulation of the Phosphatidylinositol 3-Kinase/Akt Pathway Is Involved in Retinoic Acid-induced Phosphorylation, Degradation, and Transcriptional Activity of Retinoic Acid Receptor $\beta$ 2. <i>Journal of Biological Chemistry</i> , 2002, 277, 24859-24862. | 1.6 | 50        |
| 80 | Bis-indols: a novel class of molecules enhancing the cytodifferentiating properties of retinoids in myeloid leukemia cells. <i>Blood</i> , 2002, 100, 3719-3730.   | 0.6 | 30        |
| 81 | Phosphorylation by p38MAPK and recruitment of SLUG-1 are required for RA-induced RAR $\gamma$ degradation and transactivation. <i>EMBO Journal</i> , 2002, 21, 3760-3769.  | 3.5 | 136       |
| 82 | Cytodifferentiation: a novel approach to cancer treatment and prevention. <i>Current Opinion in Pharmacology</i> , 2001, 1, 358-363.   | 1.7 | 8         |
| 83 | Tyrosine kinase inhibitor STI571 potentiates the pharmacologic activity of retinoic acid in acute promyelocytic leukemia cells: effects on the degradation of RAR $\alpha$ and PML-RAR $\alpha$ . <i>Blood</i> , 2001, 97, 3234-3243.                                  | 0.6 | 61        |
| 84 | Purification of the Aldehyde Oxidase Homolog 1 (AOH1) Protein and Cloning of the AOH1 and Aldehyde Oxidase Homolog 2 (AOH2) Genes. <i>Journal of Biological Chemistry</i> , 2001, 276, 46347-46363.  | 1.6 | 43        |
| 85 | Retinoid-dependent growth inhibition, differentiation and apoptosis in acute promyelocytic leukemia cells. Expression and activation of caspases. <i>Cell Death and Differentiation</i> , 2000, 7, 447-460.  | 5.0 | 84        |
| 86 | Isolation and characterization of an acute promyelocytic leukemia cell line selectively resistant to the novel antileukemic and apoptogenic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid. <i>Blood</i> , 2000, 95, 2672-2682.                | 0.6 | 39        |
| 87 | Cloning of the cDNAs Coding for Two Novel Molybdo-flavoproteins Showing High Similarity with Aldehyde Oxidase and Xanthine Oxidoreductase. <i>Journal of Biological Chemistry</i> , 2000, 275, 30690-30700.  | 1.6 | 60        |
| 88 | Isolation and characterization of an acute promyelocytic leukemia cell line selectively resistant to the novel antileukemic and apoptogenic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid. <i>Blood</i> , 2000, 95, 2672-2682.                | 0.6 | 5         |
| 89 | The Novel Synthetic Retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) Causes Apoptosis in Acute Promyelocytic Leukemia Cells Through Rapid Activation of Caspases. <i>Blood</i> , 1999, 93, 1045-1061.                                    | 0.6 | 79        |
| 90 | Leucocyte alkaline phosphatase identifies terminally differentiated normal neutrophils and its lack in chronic myelogenous leukaemia is not dependent on p210 tyrosine kinase activity. <i>British Journal of Haematology</i> , 1999, 105, 163-172.                    | 1.2 | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | The mouse aldehyde oxidase gene: molecular cloning, chromosomal mapping and functional characterization of the 5' flanking region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1489, 207-222.                          | 2.4 | 15        |
| 92  | Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999, 341, 71-80.  | 1.7 | 56        |
| 93  | Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999, 341, 71.   | 1.7 | 21        |
| 94  | The Novel Synthetic Retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) Causes Apoptosis in Acute Promyelocytic Leukemia Cells Through Rapid Activation of Caspases. <i>Blood</i> , 1999, 93, 1045-1061.                | 0.6 | 11        |
| 95  | Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999, 341 ( Pt 1), 71-80.  | 1.7 | 12        |
| 96  | The novel synthetic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid (CD437) causes apoptosis in acute promyelocytic leukemia cells through rapid activation of caspases. <i>Blood</i> , 1999, 93, 1045-61.                  | 0.6 | 32        |
| 97  | Leucocyte alkaline phosphatase identifies terminally differentiated normal neutrophils and its lack in chronic myelogenous leukaemia is not dependent on p210 tyrosine kinase activity. <i>British Journal of Haematology</i> , 1999, 105, 163-72. | 1.2 | 4         |
| 98  | Isolation and characterization of the gene coding for human cytidine deaminase. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1443, 323-333.   | 2.4 | 30        |
| 99  | Cross-talk Between Retinoic Acid and Interferons: Molecular Mechanisms of Interaction in Acute Promyelocytic Leukemia Cells. <i>Leukemia and Lymphoma</i> , 1998, 30, 467-476.   | 0.6 | 13        |
| 100 | Isolation and characterization of the human aldehyde oxidase gene: conservation of intron/exon boundaries with the xanthine oxidoreductase gene indicates a common origin. <i>Biochemical Journal</i> , 1998, 332, 383-393.                        | 1.7 | 59        |
| 101 | Cancer Procoagulant and Tissue Factor Are Differently Modulated by All-trans-Retinoic Acid in Acute Promyelocytic Leukemia Cells. <i>Blood</i> , 1998, 92, 143-151.  | 0.6 | 117       |
| 102 | Flow Cytometry of Leukocyte Alkaline Phosphatase in Human Hematopoietic Cells. <i>Hamatologie Und Bluttransfusion</i> , 1998, , 62-67.   | 0.0 | 0         |
| 103 | Molecular mechanisms of retinoid action in acute promyelocytic leukemia (Review). <i>International Journal of Oncology</i> , 1997, 11, 397-414.  | 1.4 | 0         |
| 104 | Selective localization of mouse aldehyde oxidase mRNA in the choroid plexus and motor neurons. <i>NeuroReport</i> , 1997, 8, 2343-2349.  | 0.6 | 22        |
| 105 | The xanthine oxidoreductase gene: structure and regulation. <i>Biochemical Society Transactions</i> , 1997, 25, 791-796.   | 1.6 | 29        |
| 106 | Stat1 Is Induced and Activated by All-Trans Retinoic Acid in Acute Promyelocytic Leukemia Cells. <i>Blood</i> , 1997, 89, 1001-1012.   | 0.6 | 111       |
| 107 | Flow cytometry of leucocyte alkaline phosphatase in normal and pathologic leucocytes. <i>British Journal of Haematology</i> , 1997, 96, 815-822.   | 1.2 | 15        |
| 108 | Stat1 is induced and activated by all-trans retinoic acid in acute promyelocytic leukemia cells. <i>Blood</i> , 1997, 89, 1001-12.   | 0.6 | 37        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Retinoic acid and methylation cis-regulatory elements control the mouse tissue non-specific alkaline phosphatase gene expression. <i>Mechanisms of Development</i> , 1996, 57, 21-32.   | 1.7 | 26        |
| 110 | Recombinant Human Cytidine Deaminase: Expression, Purification, and Characterization. <i>Protein Expression and Purification</i> , 1996, 8, 247-253.  | 0.6 | 59        |
| 111 | Effects of 1,25-Dihydroxy Vitamin D3 on All-Trans Retinoic Acid Sensitive and Resistant Acute Promyelocytic Leukemia Cells. <i>Biochemical and Biophysical Research Communications</i> , 1996, 224, 50-56.  | 1.0 | 20        |
| 112 | AM580, a stable benzoic derivative of retinoic acid, has powerful and selective cyto-differentiating effects on acute promyelocytic leukemia cells. <i>Blood</i> , 1996, 87, 1520-1531.   | 0.6 | 69        |
| 113 | Expression of xanthine oxidoreductase in mouse mammary epithelium during pregnancy and lactation: regulation of gene expression by glucocorticoids and prolactin. <i>Biochemical Journal</i> , 1996, 319, 801-810.  | 1.7 | 44        |
| 114 | Interferons induce normal and aberrant retinoic-acid receptors type I± in acute promyelocytic leukemia cells: Potentiation of the induction of retinoid-dependent differentiation markers. , 1996, 68, 75-83.   |     | 22        |
| 115 | Leukocyte Alkaline Phosphatase a Specific Marker for the Post-Mitotic Neutrophilic Granulocyte: Regulation in Acute Promyelocytic Leukemia. <i>Leukemia and Lymphoma</i> , 1996, 23, 493-503.   | 0.6 | 24        |
| 116 | AM580, a stable benzoic derivative of retinoic acid, has powerful and selective cyto-differentiating effects on acute promyelocytic leukemia cells. <i>Blood</i> , 1996, 87, 1520-31.   | 0.6 | 25        |
| 117 | Tissue- and cell-specific expression of mouse xanthine oxidoreductase gene <i>in vivo</i> : regulation by bacterial lipopolysaccharide. <i>Biochemical Journal</i> , 1995, 306, 225-234.  | 1.7 | 77        |
| 118 | Determination of the retinobenzoic acid derivative Am580 in rat plasma by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1995, 667, 301-306.  | 1.7 | 4         |
| 119 | All-trans retinoic acid and cyclic adenosine monophosphate cooperate in the expression of leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1995, 85, 3619-3635.   | 0.6 | 50        |
| 120 | Purification, cDNA Cloning, and Tissue Distribution of Bovine Liver Aldehyde Oxidase. <i>Journal of Biological Chemistry</i> , 1995, 270, 31037-31045.  | 1.6 | 96        |
| 121 | Tyrosine Kinases but Not cAMP-Dependent Protein Kinase Mediate the Induction of Leukocyte Alkaline Phosphatase by Granulocyte-Colony-Stimulating Factor and Retinoic Acid in Acute Promyelocytic Leukemia Cells. <i>Biochemical and Biophysical Research Communications</i> , 1995, 208, 846-854. | 1.0 | 14        |
| 122 | All-trans retinoic acid and cyclic adenosine monophosphate cooperate in the expression of leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1995, 85, 3619-35.   | 0.6 | 11        |
| 123 | Effects of dexamethasone on pro-inflammatory cytokine expression, cell growth and maturation during granulocytic differentiation of acute promyelocytic leukemia cells. <i>European Cytokine Network</i> , 1995, 6, 157-65.   | 1.1 | 18        |
| 124 | Retinoic acid and granulocyte colony-stimulating factor synergistically induce leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1994, 83, 1909-1921.  | 0.6 | 72        |
| 125 | 3T3 NIH murine fibroblasts and B78 murine melanoma cells expressing the Escherichia coli N3-methyladenine-DNA glycosylase I do not become resistant to alkylating agents. <i>Carcinogenesis</i> , 1994, 15, 533-537.  | 1.3 | 19        |
| 126 | Assignment of the Human Cytidine Deaminase (CDA) Gene to Chromosome 1 Band p35-p36.2. <i>Genomics</i> , 1994, 22, 661-662.  | 1.3 | 12        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Chromosomal Mapping, Isolation, and Characterization of the Mouse Xanthine Dehydrogenase Gene. <i>Genomics</i> , 1994, 23, 390-402.   | 1.3 | 55        |
| 128 | Molybdenum(VI) salts convert the xanthine oxidoreductase apoprotein into the active enzyme in mouse L929 fibroblastic cells*. <i>Biochemical Journal</i> , 1994, 298, 69-77.  | 1.7 | 30        |
| 129 | Retinoic acid and granulocyte colony-stimulating factor synergistically induce leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1994, 83, 1909-21.  | 0.6 | 14        |
| 130 | Progesterone Induced Expression of Alkaline Phosphatase Is Associated with a Secretory Phenotype in T47D Breast Cancer Cells. <i>Biochemical and Biophysical Research Communications</i> , 1993, 192, 1066-1072.              | 1.0 | 25        |
| 131 | Effects of Synthetic Retinoids and Retinoic Acid Isomers on the Expression of Alkaline Phosphatase in F9 Teratocarcinoma Cells. <i>Biochemical and Biophysical Research Communications</i> , 1993, 196, 252-259.              | 1.0 | 40        |
| 132 | Expression of luteinizing hormone-releasing hormone mRNA in the human prostatic cancer cell line LNCaP.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1993, 76, 797-800.   | 1.8 | 57        |
| 133 | Retinoic acid and cyclic AMP synergistically induce the expression of liver/bone/kidney-type alkaline phosphatase gene in L929 fibroblastic cells. <i>Biochemical Journal</i> , 1993, 296, 67-77.                             | 1.7 | 21        |
| 134 | Molecular cloning of a cDNA coding for mouse liver xanthine dehydrogenase. Regulation of its transcript by interferons in vivo. <i>Biochemical Journal</i> , 1992, 283, 863-870.  | 1.7 | 130       |
| 135 | Interferons induce xanthine dehydrogenase gene expression in L929 cells. <i>Biochemical Journal</i> , 1992, 285, 1001-1008.   | 1.7 | 57        |
| 136 | Expression of E. coli tag gene encoding 3-methyladenine glycosylase I in NIH-3T3 murine fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1992, 185, 41-46.   | 1.0 | 5         |
| 137 | Regulation of the 202 gene expression by interferons in L929 cells. <i>Biochemical and Biophysical Research Communications</i> , 1992, 187, 628-634.  | 1.0 | 7         |
| 138 | Inhibition of melanogenesis by BMY-28565, a novel compound depressing tyrosinase activity in B16 melanoma cells. <i>Biochemical Pharmacology</i> , 1992, 43, 183-189.   | 2.0 | 19        |
| 139 | Characterization of a second promoter for the mouse liver/bone/kidney-type alkaline phosphatase gene: Cell and tissue specific expression. <i>Biochemical and Biophysical Research Communications</i> , 1991, 179, 1352-1360. | 1.0 | 42        |
| 140 | Retinoic acid induces liver/bone/kidney-type alkaline phosphatase gene expression in F9 teratocarcinoma cells. <i>Biochemical Journal</i> , 1991, 274, 673-678.   | 1.7 | 30        |
| 141 | Isolation and characterization of the mouse liver/bone/kidney-type alkaline phosphatase gene. <i>Biochemical Journal</i> , 1990, 268, 641-648.  | 1.7 | 70        |
| 142 | Purification and characterization of mouse liver xanthine oxidase. <i>Archives of Biochemistry and Biophysics</i> , 1990, 279, 237-241.   | 1.4 | 28        |
| 143 | Expression of leukocyte alkaline phosphatase gene in normal and leukemic cells: regulation of the transcript by granulocyte colony- stimulating factor. <i>Blood</i> , 1990, 76, 2565-2571.                                   | 0.6 | 47        |
| 144 | Expression of leukocyte alkaline phosphatase gene in normal and leukemic cells: regulation of the transcript by granulocyte colony-stimulating factor. <i>Blood</i> , 1990, 76, 2565-71.                                      | 0.6 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Differences in the expression of alkaline phosphatase mRNA in chronic myelogenous leukemia and paroxysmal nocturnal hemoglobinuria polymorphonuclear leukocytes. <i>Blood</i> , 1989, 73, 1113-1115.  | 0.6 | 38        |
| 146 | Isolation and characterization of variant cDNAs encoding mouse tyrosinase. <i>Biochemical and Biophysical Research Communications</i> , 1989, 159, 848-853.   | 1.0 | 36        |
| 147 | Cloning and sequencing of human intestinal alkaline phosphatase cDNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 695-698.   | 3.3 | 142       |
| 148 | Cloning and sequencing of bovine kidney alkaline phosphatase cDNA. <i>Gene</i> , 1987, 59, 41-46.   | 1.0 | 42        |
| 149 | Human liver alkaline phosphatase, purification and partial sequencing: Homology with the placental isozyme. <i>Archives of Biochemistry and Biophysics</i> , 1986, 245, 331-337.  | 1.4 | 26        |
| 150 | Human placental alkaline phosphatase in liver and intestine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 6080-6084.  | 3.3 | 22        |
| 151 | Perinatal Development of Cytochrome P-450, Cytochrome C Reductase, Aryl Hydrocarbon Hydroxylase, Styrene Monooxygenase, and Styrene Epoxide Hydrolase in Rabbit Liver Microsomes and Nuclei. <i>Developmental Pharmacology and Therapeutics</i> , 1985, 8, 232-242. | 0.2 | 6         |
| 152 | Purification and partial sequencing of bovine liver alkaline phosphatase. <i>Archives of Biochemistry and Biophysics</i> , 1985, 241, 380-385.  | 1.4 | 15        |
| 153 | Biochemical studies on the ability of pentamethylmelamine to interact in vivo with DNA and proteins in a sensitive murine ovarian reticular cell sarcoma. <i>Biochemical Pharmacology</i> , 1984, 33, 2715-2722.  | 2.0 | 2         |
| 154 | Distribution, metabolism, and irreversible binding of hexamethylmelamine in mice bearing ovarian carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 1983, 11, 51-5.   | 1.1 | 14        |
| 155 | Intact rat liver nuclei catalyze adriamycin irreversible interactions with dna and nuclear proteins. <i>Toxicology Letters</i> , 1983, 17, 343-348.   | 0.4 | 6         |
| 156 | In vivo and in vitro irreversible binding of hexamethylmelamine to liver and ovarian tumor macromolecules of mice. <i>Biochemical Pharmacology</i> , 1981, 30, 1151-1154.   | 2.0 | 13        |
| 157 | Induction of nuclear styrene monooxygenase and epoxide hydrolase in rat liver. <i>Experientia</i> , 1981, 37, 230-231.  | 1.2 | 2         |
| 158 | Nuclear metabolism. II. Further studies on epoxide hydrolase activity. <i>Chemico-Biological Interactions</i> , 1981, 35, 311-318.  | 1.7 | 11        |
| 159 | Improved gas chromatographic method for measuring phenylethylene glycol. <i>Journal of Chromatography A</i> , 1980, 188, 400-404.   | 1.8 | 20        |
| 160 | Is nuclear styrene monooxygenase activity a microsomal artifact?. <i>Chemico-Biological Interactions</i> , 1980, 31, 341-346.   | 1.7 | 9         |
| 161 | Nuclear metabolism. I. Determination of styrene monooxygenase activity in rat liver nuclei. <i>Chemico-Biological Interactions</i> , 1980, 29, 189-195.   | 1.7 | 11        |
| 162 | Lipid-sensors, enigmatic-orphan and orphan nuclear receptors as therapeutic targets in breast-cancer. <i>Oncotarget</i> , 0, 7, 42661-42682.  | 0.8 | 24        |