

# Kevin H Mayo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/191077/publications.pdf>

Version: 2024-02-01

126  
papers

5,997  
citations

66343

42  
h-index

82547

72  
g-index

129  
all docs

129  
docs citations

129  
times ranked

5577  
citing authors

#	ARTICLE	IF	CITATIONS
1	Galectin-1 is essential in tumor angiogenesis and is a target for antiangiogenesis therapy. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 15975-15980.	7.1	424
2	Disrupting functional interactions between platelet chemokines inhibits atherosclerosis in hyperlipidemic mice. Nature Medicine, 2009, 15, 97-103.	30.7	404
3	Scheduling of Radiation with Angiogenesis Inhibitors Anginex and Avastin Improves Therapeutic Outcome via Vessel Normalization. Clinical Cancer Research, 2007, 13, 3395-3402.	7.0	270
4	Anti-angiogenesis therapy can overcome endothelial cell energy and promote leukocyte-endothelium interactions and infiltration in tumors. FASEB Journal, 2006, 20, 621-630.	0.5	237
5	Chemokines from a Structural Perspective. International Journal of Molecular Sciences, 2017, 18, 2088.	4.1	161
6	Anginex, a designed peptide that inhibits angiogenesis. Biochemical Journal, 2001, 354, 233-242.	3.7	158
7	Epigenetic Regulation of Tumor Endothelial Cell Energy: Silencing of Intercellular Adhesion Molecule-1 by Histone Modifications. Cancer Research, 2006, 66, 10770-10777.	0.9	139
8	Chemokine interactome mapping enables tailored intervention in acute and chronic inflammation. Science Translational Medicine, 2017, 9, .	12.4	121
9	Structure and Dynamics of Peptide Amphiphiles Incorporating Triple-Helical Proteinlike Molecular Architecture. Biochemistry, 1999, 38, 1659-1668.	2.5	115
10	Antitumor Agent Calixarene 0118 Targets Human Galectin-1 as an Allosteric Inhibitor of Carbohydrate Binding. Journal of Medicinal Chemistry, 2012, 55, 5121-5129.	6.4	113
11	Anginex, a designed peptide that inhibits angiogenesis. Biochemical Journal, 2001, 354, 233.	3.7	109
12	Platelet factor 4 promotes adhesion of hematopoietic progenitor cells and binds IL-8: novel mechanisms for modulation of hematopoiesis. Blood, 2003, 101, 4687-4694.	1.4	103
13	Human platelet factor 4 monomer-dimer-tetramer equilibria investigated by proton NMR spectroscopy. Biochemistry, 1989, 28, 9469-9478.	2.5	102
14	Design of Nonpeptidic Topomimetics of Antiangiogenic Proteins With Antitumor Activities. Journal of the National Cancer Institute, 2006, 98, 932-936.	6.3	102
15	The designer antiangiogenic peptide anginex targets tumor endothelial cells and inhibits tumor growth in animal models. FASEB Journal, 2002, 16, 1991-1993.	0.5	96
16	Lactose Binding to Galectin-1 Modulates Structural Dynamics, Increases Conformational Entropy, and Occurs with Apparent Negative Cooperativity. Journal of Molecular Biology, 2010, 397, 1209-1230.	4.2	95
17	A recipe for designing water-soluble, $\beta$ -sheet-forming peptides. Protein Science, 1996, 5, 1301-1315.	7.6	87
18	Platelet Factor 4 and Interleukin-8 CXC Chemokine Heterodimer Formation Modulates Function at the Quaternary Structural Level. Journal of Biological Chemistry, 2005, 280, 4948-4958.	3.4	86

#	ARTICLE	IF	CITATIONS
19	The designed angiostatic peptide anginex synergistically improves chemotherapy and antiangiogenesis therapy with angiostatin. <i>Cancer Research</i> , 2003, 63, 382-5.	0.9	85
20	The $\alpha$ -galactomannan Davanat binds galectin-1 at a site different from the conventional galectin carbohydrate binding domain. <i>Glycobiology</i> , 2009, 19, 1034-1045.	2.5	84
21	Galectins as Molecular Targets for Therapeutic Intervention. <i>International Journal of Molecular Sciences</i> , 2018, 19, 905.	4.1	83
22	Anginex synergizes with radiation therapy to inhibit tumor growth by radiosensitizing endothelial cells. <i>International Journal of Cancer</i> , 2005, 115, 312-319.	5.1	81
23	Acylation of SC4 dodecapeptide increases bactericidal potency against Gram-positive bacteria, including drug-resistant strains. <i>Biochemical Journal</i> , 2004, 378, 93-103.	3.7	75
24	Heparin Dodecasaccharide Binding to Platelet Factor-4 and Growth-related Protein-1. <i>Journal of Biological Chemistry</i> , 1999, 274, 25317-25329.	3.4	71
25	Angiogenesis inhibitors overcome tumor induced endothelial cell anergy. , 1999, 80, 315-319.		67
26	Intra- and intermolecular interactions of human galectin-3: assessment by full-assignment-based NMR. <i>Glycobiology</i> , 2016, 26, 888-903.	2.5	66
27	Anti-tumor activity of the novel angiogenesis inhibitor anginex. <i>Cancer Letters</i> , 2003, 194, 55-66.	7.2	65
28	CXC and CC Chemokines Form Mixed Heterodimers. <i>Journal of Biological Chemistry</i> , 2008, 283, 24155-24166.	3.4	65
29	Enhancement of T-cell-Mediated Antitumor Response: Angiostatic Adjuvant to Immunotherapy against Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 3134-3145.	7.0	64
30	A Pulsed-Field Gradient NMR Study of Bovine Pancreatic Trypsin Inhibitor Self-Association. <i>Biochemistry</i> , 1997, 36, 3383-3388.	2.5	63
31	Chemokines and galectins form heterodimers to modulate inflammation. <i>EMBO Reports</i> , 2020, 21, e47852.	4.5	63
32	NMR solution structure of the 32-kDa platelet factor 4 ELR-motif N-terminal chimera: a symmetric tetramer. <i>Biochemistry</i> , 1995, 34, 11399-11409.	2.5	62
33	Design of a Partial Peptide Mimetic of Anginex with Antiangiogenic and Anticancer Activity. <i>Journal of Biological Chemistry</i> , 2003, 278, 45746-45752.	3.4	62
34	Binding of polysaccharides to human galectin-3 at a noncanonical site in its carbohydrate recognition domain. <i>Glycobiology</i> , 2016, 26, 88-99.	2.5	59
35	NMR Structure of a de Novo Designed, Peptide 33mer with Two Distinct, Compact $\beta^2$ -Sheet Folds. <i>Biochemistry</i> , 1997, 36, 5245-5250.	2.5	58
36	Cell adhesion promoting peptide GVKGDKGNPGWPGAP from the collagen type IV triple helix: cis/trans proline-induced multiple proton NMR conformations and evidence for a KG/PG multiple turn repeat motif in the all-trans proline state. <i>Biochemistry</i> , 1991, 30, 8251-8267.	2.5	57

#	ARTICLE	IF	CITATIONS
37	Topomimetics of Amphipathic $\beta$ -Sheet and Helix-Forming Bactericidal Peptides Neutralize Lipopolysaccharide Endotoxins. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7754-7765.	6.4	56
38	The carbohydrate-binding domain on galectin-1 is more extensive for a complex glycan than for simple saccharides: implications for galectin-glycan interactions at the cell surface. <i>Biochemical Journal</i> , 2009, 421, 211-221.	3.7	55
39	$\beta$ -Sheet is the bioactive conformation of the anti-angiogenic anginex peptide. <i>Biochemical Journal</i> , 2003, 373, 281-288.	3.7	51
40	Injectable hydrogel-loaded nano-hydroxyapatite that improves bone regeneration and alveolar ridge promotion. <i>Materials Science and Engineering C</i> , 2020, 116, 111158.	7.3	51
41	Residues in <i>Methylosinus trichosporium</i> OB3b Methane Monooxygenase Component B Involved in Molecular Interactions with Reduced- and Oxidized-Hydroxylase Component: A Role for the N-Terminus. <i>Biochemistry</i> , 2001, 40, 9539-9551.	2.5	49
42	Ovarian tumor growth regression using a combination of vascular targeting agents anginex or topomimetic 0118 and the chemotherapeutic irifolven. <i>Cancer Letters</i> , 2008, 265, 270-280.	7.2	48
43	Polycationic calixarene PTX013, a potent cytotoxic agent against tumors and drug resistant cancer. <i>Investigational New Drugs</i> , 2013, 31, 1142-1150.	2.6	44
44	Structural aspects of binding of $\beta$ -linked digalactosides to human galectin-1. <i>Glycobiology</i> , 2011, 21, 1627-1641.	2.5	43
45	Lactose binding to human galectin-7 (p53-induced gene 1) induces long-range effects through the protein resulting in increased dimer stability and evidence for positive cooperativity. <i>Glycobiology</i> , 2013, 23, 508-523.	2.5	42
46	Designed $\beta$ -sheet-forming peptide 33mers with potent human bactericidal/permeability increasing protein-like bactericidal and endotoxin neutralizing activities. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1998, 1425, 81-92.	2.4	40
47	Inhibiting Tumor Growth by Targeting Tumor Vasculature with Galectin-1 Antagonist Anginex Conjugated to the Cytotoxic Acylfulvene, 6-Hydroxylpropylacylfulvene. <i>Bioconjugate Chemistry</i> , 2010, 21, 20-27.	3.6	40
48	A Journey in Structure-Based Drug Discovery: From Designed Peptides to Protein Surface Topomimetics as Antibiotic and Antiangiogenic Agents. <i>Accounts of Chemical Research</i> , 2007, 40, 1057-1065.	15.6	39
49	Novel analogs of antitumor agent calixarene 0118: Synthesis, cytotoxicity, click labeling with 2-[ $^{18}$ F]fluoroethylazide, and <i>in vivo</i> evaluation. <i>European Journal of Medicinal Chemistry</i> , 2015, 89, 279-295.	5.5	38
50	NMR and x-ray studies of collagen model peptides. <i>Biopolymers</i> , 1996, 40, 359-370.	2.4	37
51	Macromolecular assemblies of complex polysaccharides with galectin-3 and their synergistic effects on function. <i>Biochemical Journal</i> , 2017, 474, 3849-3868.	3.7	37
52	Structure-Based Optimization of Angiostatic Agent 6DBF7, an Allosteric Antagonist of Galectin-1. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 344, 589-599.	2.5	36
53	Treatment of B-cell precursor acute lymphoblastic leukemia with the Galectin-1 inhibitor PTX008. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 67.	8.6	36
54	Pectic polysaccharides from <i>Radix Sophorae Tonkinensis</i> exhibit significant antioxidant effects. <i>Carbohydrate Polymers</i> , 2021, 262, 117925.	10.2	34

#	ARTICLE	IF	CITATIONS
55	Antiangiogenesis therapy using a novel angiogenesis inhibitor, anginex, following radiation causes tumor growth delay. <i>International Journal of Clinical Oncology</i> , 2007, 12, 42-47.	2.2	33
56	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N backbone and side-chain chemical shift assignments for the 29 kDa human galectin-1 protein dimer. <i>Biomolecular NMR Assignments</i> , 2008, 2, 203-205.	0.8	32
57	Adhesion/growth-regulatory galectins tested in combination: evidence for formation of hybrids as heterodimers. <i>Biochemical Journal</i> , 2018, 475, 1003-1018.	3.7	32
58	Carbon-13 nuclear magnetic resonance relaxation-derived $\psi_1$ , $\psi_2$ bond rotational energy barriers and rotational restrictions for glycine <sup>13</sup> C- $\alpha$ -methylenes in a GXX-repeat hexadecapeptide. <i>Biochemistry</i> , 1993, 32, 10580-10590.	2.5	31
59	Human platelet factor 4 subunit association/dissociation thermodynamics and kinetics. <i>Biochemistry</i> , 1991, 30, 6402-6411.	2.5	30
60	Structural features for $\beta$ -galactomannan binding to galectin-1. <i>Glycobiology</i> , 2012, 22, 543-551.	2.5	30
61	Low-affinity platelet factor 4 proton NMR derived aggregate equilibria indicate a physiologic preference for monomers over dimers and tetramers. <i>Biochemistry</i> , 1991, 30, 925-934.	2.5	28
62	Structural significance of galectin design: impairment of homodimer stability by linker insertion and partial reversion by ligand presence. <i>Protein Engineering, Design and Selection</i> , 2015, 28, 199-210.	2.1	28
63	Structure-function relationships in novel peptide dodecamers with broad-spectrum bactericidal and endotoxin-neutralizing activities. <i>Biochemical Journal</i> , 2000, 349, 717-728.	3.7	27
64	A folding pathway for $\beta$ -peptide 33mer: From unfolded monomers and $\beta$ -sheet sandwich dimers to well-structured tetramers. <i>Protein Science</i> , 1998, 7, 358-368.	7.6	26
65	Using pulse field gradient NMR diffusion measurements to define molecular size distributions in glycan preparations. <i>Carbohydrate Research</i> , 2009, 344, 1205-1212.	2.3	25
66	Tumour thermotolerance, a physiological phenomenon involving vessel normalisation. <i>International Journal of Hyperthermia</i> , 2011, 27, 42-52.	2.5	24
67	Peptides derived from human galectin-3 N-terminal tail interact with its carbohydrate recognition domain in a phosphorylation-dependent manner. <i>Biochemical and Biophysical Research Communications</i> , 2014, 443, 126-131.	2.1	24
68	Preparation of individual galactan oligomers, their prebiotic effects, and use in estimating galactan chain length in pectin-derived polysaccharides. <i>Carbohydrate Polymers</i> , 2018, 199, 526-533.	10.2	24
69	Galectin-3 N-terminal tail prolines modulate cell activity and glycan-mediated oligomerization/phase separation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	24
70	A new regulatory mechanism for Raf kinase activation, retinoic acid-bound Crabp1. <i>Scientific Reports</i> , 2019, 9, 10929.	3.3	23
71	Using the Model Free Approach to Analyze NMR Relaxation Data in Cases of Anisotropic Molecular Diffusion. <i>Journal of Physical Chemistry B</i> , 1999, 103, 6829-6834.	2.6	22
72	<sup>15</sup> NH Backbone Dynamics of Protein GB1: Comparison of Order Parameters and Correlation Times Derived Using Various Model-Free Approaches. <i>Journal of Physical Chemistry B</i> , 2003, 107, 2602-2609.	2.6	22

#	ARTICLE	IF	CITATIONS
73	An improved conjugate vaccine technology; induction of antibody responses to the tumor vasculature. <i>Vaccine</i> , 2018, 36, 3054-3060.	3.8	21
74	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N backbone and side-chain chemical shift assignments for the 36 proline-containing, full length 29 kDa human chimera-type galectin-3. <i>Biomolecular NMR Assignments</i> , 2015, 9, 59-63.	0.8	20
75	What is the Sugar Code?. <i>ChemBioChem</i> , 2022, 23, .	2.6	20
76	Novel polysaccharide binding to the N-terminal tail of galectin-3 is likely modulated by proline isomerization. <i>Glycobiology</i> , 2017, 27, 1038-1051.	2.5	19
77	Motional dynamics of residues in a $\beta^2$ -hairpin peptide measured by <sup>13</sup> C-NMR relaxation. <i>Protein Science</i> , 1998, 7, 720-729.	7.6	18
78	Conformational Exchange on the Microsecond Time Scale in $\beta^1$ -Helix and $\beta^2$ -Hairpin Peptides Measured by <sup>13</sup> C NMR Transverse Relaxation. <i>Biochemistry</i> , 2001, 40, 2844-2853.	2.5	18
79	Structure-function studies of galectin-14, an important effector molecule in embryology. <i>FEBS Journal</i> , 2021, 288, 1041-1055.	4.7	18
80	NMR structure and dynamics of monomeric neutrophil-activating peptide 2. <i>Biochemical Journal</i> , 1999, 338, 591-598.	3.7	17
81	Emodin inhibits aggregation of amyloid $\beta^2$ peptide 1-42 and improves cognitive deficits in Alzheimer's disease transgenic mice. <i>Journal of Neurochemistry</i> , 2021, 157, 1992-2007.	3.9	17
82	Human galectin-16 has a pseudo ligand binding site and plays a role in regulating c-Rel-mediated lymphocyte activity. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021, 1865, 129755.	2.4	17
83	Backbone and side-chain dynamics of residues in a partially folded $\beta^2$ -sheet peptide from platelet factor-4. <i>Protein Science</i> , 1997, 6, 355-363.	7.6	16
84	Comparison of <sup>13</sup> C- <sup>1</sup> H and <sup>15</sup> NH backbone dynamics in protein GB1. <i>Protein Science</i> , 2003, 12, 914-922.	7.6	16
85	Defining the Potential of Aglycone Modifications for Affinity/Selectivity Enhancement against Medically Relevant Lectins: Synthesis, Activity Screening, and HSQC-Based NMR Analysis. <i>ChemBioChem</i> , 2015, 16, 126-139.	2.6	16
86	Probing Functional Heteromeric Chemokine Protein-Protein Interactions through Conformation-Assisted Oxime Ligation. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14963-14966.	13.8	16
87	Understanding Galectin Structure-Function Relationships to Design Effective Antagonists. , 0, , 33-69.		15
88	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N backbone and side-chain chemical shift assignments for the 31 kDa human galectin-7 (p53-induced gene 1) homodimer, a pro-apoptotic lectin. <i>Biomolecular NMR Assignments</i> , 2012, 6, 127-129.	0.8	15
89	NMR-based insight into galectin-3 binding to endothelial cell adhesion molecule CD146: Evidence for noncanonical interactions with the lectin's CRD $\beta^2$ -sandwich F-face. <i>Glycobiology</i> , 2019, 29, 608-618.	2.5	15
90	SUMO3 modification by PIAS1 modulates androgen receptor cellular distribution and stability. <i>Cell Communication and Signaling</i> , 2019, 17, 153.	6.5	15

#	ARTICLE	IF	CITATIONS
91	Structural insight into the binding of human galectins to corneal keratan sulfate, its desulfated form and related saccharides. <i>Scientific Reports</i> , 2020, 10, 15708.	3.3	15
92	Measuring protein self-diffusion in protein-protein mixtures using a pulsed gradient spin-echo technique with WATERGATE and isotope filtering. <i>Journal of Magnetic Resonance</i> , 2004, 166, 129-133.	2.1	14
93	Structure and antioxidant activity of six mushroom-derived heterogalactans. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 1439-1449.	7.5	14
94	Repression of Multiple Myeloma Growth and Preservation of Bone with Combined Radiotherapy and Anti-angiogenic Agent. <i>Radiation Research</i> , 2010, 173, 809-817.	1.5	13
95	Co-crystal Structure of <i>Thermosynechococcus elongatus</i> Sucrose Phosphate Synthase With UDP and Sucrose-6-Phosphate Provides Insight Into Its Mechanism of Action Involving an Oxocarbenium Ion and the Glycosidic Bond. <i>Frontiers in Microbiology</i> , 2020, 11, 1050.	3.5	13
96	The marriage of chemokines and galectins as functional heterodimers. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 8073-8095.	5.4	13
97	Targeting platelet-derived CXCL12 impedes arterial thrombosis. <i>Blood</i> , 2022, 139, 2691-2705.	1.4	13
98	Galectin-3 binds selectively to the terminal, non-reducing end of $\beta(1\rightarrow4)$ -galactans, with overall affinity increasing with chain length. <i>Glycobiology</i> , 2019, 29, 74-84.	2.5	12
99	RGD induces conformational transition in purified platelet integrin GPIIb/IIIa-SDS system yielding multiple binding states for fibrinogen $\beta^3$ -chain C-terminal peptide. <i>FEBS Letters</i> , 1996, 378, 79-82.	2.8	11
100	Internal motional amplitudes and correlated bond rotations in an $\alpha$ -helical peptide derived from $^{13}\text{C}$ and $^{15}\text{N}$ NMR relaxation. <i>Protein Science</i> , 2000, 9, 2118-2127.	7.6	11
101	Galectin-13/placental protein 13: redox-active disulfides as switches for regulating structure, function and cellular distribution. <i>Glycobiology</i> , 2020, 30, 120-129.	2.5	11
102	Pro4 prolyl peptide bond isomerization in human galectin-7 modulates the monomer-dimer equilibrium to affect function. <i>Biochemical Journal</i> , 2020, 477, 3147-3165.	3.7	11
103	Alcohol-induced protein folding transitions in platelet factor 4: The O-state. <i>Biochemistry</i> , 1993, 32, 8661-8671.	2.5	10
104	Resetting the ligand binding site of placental protein 13/galectin-13 recovers its ability to bind lactose. <i>Bioscience Reports</i> , 2018, 38, .	2.4	10
105	Comparative study of water-soluble polysaccharides isolated from leaves and roots of <i>Isatis indigotica</i> Fort.. <i>International Journal of Biological Macromolecules</i> , 2022, 206, 642-652.	7.5	10
106	Comparative study on the structures of intra- and extra-cellular polysaccharides from <i>Penicillium oxalicum</i> and their inhibitory effects on galectins. <i>International Journal of Biological Macromolecules</i> , 2021, 181, 793-800.	7.5	9
107	Probing structure-activity relationships in bactericidal peptide $\beta$ 2-pep-25. <i>Biochemical Journal</i> , 2008, 414, 143-150.	3.7	8
108	Bacterial membrane disrupting dodecapeptide SC4 improves survival of mice challenged with <i>Pseudomonas aeruginosa</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 3454-3457.	2.4	8

#	ARTICLE	IF	CITATIONS
109	Targeting the CRD Face of Human Galectin-3 and Allosterically Modulating Glycan Binding by Angiostatic PTX008 and a Structurally Optimized Derivative. <i>ChemMedChem</i> , 2021, 16, 713-723.	3.2	8
110	Topsy-turvy binding of negatively charged homogalacturonan oligosaccharides to galectin-3. <i>Glycobiology</i> , 2021, 31, 341-350.	2.5	7
111	From Carbohydrate to Peptidomimetic Inhibitors of Galectins. <i>ACS Symposium Series</i> , 2012, , 61-77.	0.5	6
112	Biochemical Characterization of Two Rhamnogalacturonan Lyases From <i>Bacteroides ovatus</i> ATCC 8483 With Preference for RG-I Substrates. <i>Frontiers in Microbiology</i> , 2021, 12, 799875.	3.5	6
113	Folding of $\beta$ -pep-4 $\beta$ -sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface. <i>Biochemical Journal</i> , 2001, 357, 739-747.	3.7	5
114	Actin binding to galectin-13/placental protein-13 occurs independently of the galectin canonical ligand-binding site. <i>Glycobiology</i> , 2021, 31, 1219-1229.	2.5	5
115	Determining Methyl-Esterification Patterns in Plant-Derived Homogalacturonan Pectins. <i>Frontiers in Nutrition</i> , 0, 9, .	3.7	5
116	Hybrid ligands with calixarene and thiodigalactoside groups: galectin binding and cytotoxicity. <i>Organic Chemistry Frontiers</i> , 2019, 6, 2981-2990.	4.5	4
117	Synthesis of [ <sup>18</sup> F]anginex with high specific activity [ <sup>18</sup> F]fluorobenzaldehyde for targeting angiogenic activity in solid tumors. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2011, 54, 708-713.	1.0	3
118	Characterizing ligand-induced conformational changes in clinically relevant galectin-1 by HN/H <sub>2</sub> O (D <sub>2</sub> O) exchange. <i>Biochimie</i> , 2021, 187, 48-56.	2.6	3
119	Evaluation of <sup>111</sup> In-labeled Anginex as Potential SPECT Tracer for Imaging of Tumor Angiogenesis. <i>Anticancer Research</i> , 2015, 35, 5945-54.	1.1	3
120	Galactofuranose side chains in galactomannans from <i>Penicillium</i> spp. modulate galectin-8-mediated bioactivity. <i>Carbohydrate Polymers</i> , 2022, 292, 119677.	10.2	3
121	Quarternary structure amplification of protein folding differences observed in "native"™ platelet factor-4. <i>FEBS Letters</i> , 1995, 357, 301-304.	2.8	2
122	Stability and Conformational Analysis of Tc-RC160 and Re-RC160:Â Experimental and Theoretical Analysis of the Influence of Metal Complexation on the Structural Requisites for Activity. <i>The Journal of Physical Chemistry</i> , 1996, 100, 14630-14636.	2.9	2
123	Protein lysine-Î¼ alkylation and <i>O</i>-phosphorylation mediated by DTT-generated reactive oxygen species. <i>Protein Science</i> , 2013, 22, 327-346.	7.6	2
124	Simulating cellular galectin networks by mixing galectins in vitro reveals synergistic activity. <i>Biochemistry and Biophysics Reports</i> , 2021, 28, 101116.	1.3	2
125	A traditional Chinese Medicine, YXQN, Reduces Amyloid-induced Cytotoxicity by Inhibiting AÎ²42 Aggregation and Fibril Formation. <i>Current Pharmaceutical Design</i> , 2020, 26, 780-789.	1.9	2
126	Environmental Scanning Electron Microscopy of the Dehydration of Gel Materials. <i>Microscopy and Microanalysis</i> , 2001, 7, 792-793.	0.4	0