

Liduo Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/191084/publications.pdf>

Version: 2024-02-01

129
papers

13,173
citations

26630

56
h-index

22166

113
g-index

130
all docs

130
docs citations

130
times ranked

14819
citing authors

#	ARTICLE	IF	CITATIONS
1	MAPbI ₃ Photodetectors with 4.7 MHz Bandwidth and Their Application in Organic Optocouplers. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 815-821.	4.6	5
2	Critical Role of Organoamines in the Irreversible Degradation of a Metal Halide Perovskite Precursor Colloid: Mechanism and Inhibiting Strategy. <i>ACS Energy Letters</i> , 2022, 7, 481-489.	17.4	26
3	Interpenetrating interfaces for efficient perovskite solar cells with high operational stability and mechanical robustness. <i>Nature Communications</i> , 2021, 12, 973.	12.8	189
4	Printable CsPbBr ₃ perovskite quantum dot ink for coffee ring-free fluorescent microarrays using inkjet printing. <i>Nanoscale</i> , 2020, 12, 2569-2577.	5.6	73
5	Stabilizing Perovskite Light-Emitting Diodes by Incorporation of Binary Alkali Cations. <i>Advanced Materials</i> , 2020, 32, e1907786.	21.0	64
6	RbF modified FTO electrode enable energy-level matching for efficient electron transport layer-free perovskite solar cells. <i>Chemical Engineering Journal</i> , 2020, 394, 125024.	12.7	23
7	Tailoring electrical property of the low-temperature processed SnO ₂ for high-performance perovskite solar cells. <i>Science China Materials</i> , 2019, 62, 173-180.	6.3	13
8	Molecularly Designed Zinc (II) Phthalocyanine Derivative as Dopant-Free Hole-Transporting Material of Planar Perovskite Solar Cell with Preferential Face-on Orientation. <i>Solar Rrl</i> , 2019, 3, 1970113.	5.8	1
9	Molecularly Designed Zinc (II) Phthalocyanine Derivative as Dopant-Free Hole-Transporting Material of Planar Perovskite Solar Cell with Preferential Face-on Orientation. <i>Solar Rrl</i> , 2019, 3, 1900182.	5.8	21
10	Improved SnO ₂ Electron Transport Layers Solution-Deposited at Near Room Temperature for Rigid or Flexible Perovskite Solar Cells with High Efficiencies. <i>Advanced Energy Materials</i> , 2019, 9, 1900834.	19.5	100
11	Marangoni Effect-Controlled Growth of Oriented Film for High Performance C ₈ -BTBT Transistors. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801736.	3.7	27
12	Improved Efficiency and Stability of Pb/Sn Binary Perovskite Solar Cells Fabricated by Galvanic Displacement Reaction. <i>Advanced Energy Materials</i> , 2019, 9, 1802774.	19.5	67
13	P3HT/Phthalocyanine Nanocomposites as Efficient Hole-Transporting Materials for Perovskite Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1800264.	5.8	47
14	A self-powered and high-voltage-isolated organic optical communication system based on triboelectric nanogenerators and solar cells. <i>Nano Energy</i> , 2019, 56, 391-399.	16.0	34
15	Oxygen doping in nickel oxide for highly efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4721-4728.	10.3	57
16	CH ₃ NH ₃ PbI _{3-x} Eu _x I ₃ mixed halide perovskite for hybrid solar cells: the impact of divalent europium doping on efficiency and stability. <i>RSC Advances</i> , 2018, 8, 11095-11101.	3.6	45
17	The role of interface between electron transport layer and perovskite in halogen migration and stabilizing perovskite solar cells with Cs ₄ SnO ₄ . <i>Journal of Materials Chemistry A</i> , 2018, 6, 23797-23804.	10.3	19
18	Efficient and stable emission of warm-white light from lead-free halide double perovskites. <i>Nature</i> , 2018, 563, 541-545.	27.8	1,451

#	ARTICLE	IF	CITATIONS
19	Electric Bias Induced Degradation in Organic-Inorganic Hybrid Perovskite Light-Emitting Diodes. <i>Scientific Reports</i> , 2018, 8, 15799.	3.3	26
20	Room-temperature solution-processed amorphous NbO _x as an electron transport layer in high-efficiency photovoltaics. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17882-17888.	10.3	19
21	Cs ₂ PbCl ₂ , All-Inorganic Two-Dimensional Ruddlesden-Popper Mixed Halide Perovskite with Optoelectronic Response. <i>Journal of the American Chemical Society</i> , 2018, 140, 11085-11090.	13.7	167
22	Inorganic CsPb _{1-x} Sn _x IBr ₂ for Efficient Wide-Bandgap Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1800525.	19.5	192
23	A Droplet-Reactor System Capable of Automation for the Continuous and Scalable Production of Noble-Metal Nanocrystals. <i>Nano Letters</i> , 2018, 18, 3879-3884.	9.1	48
24	Efficient and UV-stable perovskite solar cells enabled by side chain-engineered polymeric hole-transporting layers. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12999-13004.	10.3	43
25	Air-Stable Direct Bandgap Perovskite Semiconductors: All-Inorganic Tin-Based Heteroleptic Halides A _x SnCl _y I _z (A = Cs, Rb). <i>Chemistry of Materials</i> , 2018, 30, 4847-4856.	6.7	65
26	Direct Evidence of Ion Diffusion for the Silver-Electrode-Induced Thermal Degradation of Inverted Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1602922.	19.5	277
27	An Origami Perovskite Photodetector with Spatial Recognition Ability. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 10921-10928.	8.0	49
28	Enhancement of thermal stability for perovskite solar cells through cesium doping. <i>RSC Advances</i> , 2017, 7, 17473-17479.	3.6	178
29	Improved performance of pure formamidinium lead iodide perovskite light-emitting diodes by moisture treatment. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11121-11127.	5.5	8
30	Energetically favored formation of SnO ₂ nanocrystals as electron transfer layer in perovskite solar cells with high efficiency exceeding 19%. <i>Nano Energy</i> , 2017, 40, 336-344.	16.0	160
31	Enhanced efficiency and stability of inverted perovskite solar cells by interfacial engineering with alkyl bisphosphonic molecules. <i>RSC Advances</i> , 2017, 7, 42105-42112.	3.6	13
32	Enhanced Moisture Stability of Cesium-Containing Compositional Perovskites by a Feasible Interfacial Engineering. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700598.	3.7	65
33	Rational design of SnO ₂ -based electron transport layer in mesoscopic perovskite solar cells: more kinetically favorable than traditional double-layer architecture. <i>Science China Materials</i> , 2017, 60, 963-976.	6.3	13
34	Mixed Cation FA _x PEA _{1-x} PbI ₃ with Enhanced Phase and Ambient Stability toward High-Performance Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1601307.	19.5	298
35	Aquointermediate Assisted Highly Orientated Perovskite Thin Films toward Thermally Stable and Efficient Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1601433.	19.5	34
36	Stable π/π' phase junction of formamidinium lead iodide perovskites for enhanced near-infrared emission. <i>Chemical Science</i> , 2017, 8, 800-805.	7.4	199

#	ARTICLE	IF	CITATIONS
37	A self-powered photodetector based on a $\text{CH}_3\text{NH}_3\text{PbI}_3$ single crystal with asymmetric electrodes. <i>CrystEngComm</i> , 2016, 18, 4405-4411.	2.6	95
38	Synthesis of Pt–Ni Octahedra in Continuous-Flow Droplet Reactors for the Scalable Production of Highly Active Catalysts toward Oxygen Reduction. <i>Nano Letters</i> , 2016, 16, 3850-3857.	9.1	86
39	High quality perovskite thin films induced by crystal seeds with lead monoxide interfacial engineering. <i>Journal of Materials Chemistry A</i> , 2016, 4, 16913-16919.	10.3	8
40	Efficient n-type dopants with extremely low doping ratios for high performance inverted perovskite solar cells. <i>Energy and Environmental Science</i> , 2016, 9, 3424-3428.	30.8	94
41	$[\text{Ir}(\text{ppy})_2\text{pyim}]\text{PF}_6$ dielectric mixed with PMMA for area emission transistors. <i>RSC Advances</i> , 2016, 6, 94010-94013.	3.6	0
42	Progress of interface engineering in perovskite solar cells. <i>Science China Materials</i> , 2016, 59, 728-742.	6.3	43
43	Additive-assisted construction of all-inorganic CsSnI_2 mesoscopic perovskite solar cells with superior thermal stability up to 473 K. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17104-17110.	10.3	250
44	Solution-Processed Graphene Composite Films as Freestanding Platinum-Free Counter Electrodes for Bendable Dye Sensitized Solar Cells. <i>Chinese Journal of Chemistry</i> , 2016, 34, 59-66.	4.9	8
45	High Performance of Perovskite Solar Cells via Catalytic Treatment in Two-Step Process: The Case of Solvent Engineering. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 30107-30115.	8.0	28
46	High-stability organic red-light photodetector for narrowband applications. <i>Laser and Photonics Reviews</i> , 2016, 10, 473-480.	8.7	69
47	A self-powered organolead halide perovskite single crystal photodetector driven by a DVD-based triboelectric nanogenerator. <i>Journal of Materials Chemistry C</i> , 2016, 4, 630-636.	5.5	87
48	Effect of cesium chloride modification on the film morphology and UV-induced stability of planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 11688-11695.	10.3	103
49	Enhanced UV-light stability of planar heterojunction perovskite solar cells with caesium bromide interface modification. <i>Energy and Environmental Science</i> , 2016, 9, 490-498.	30.8	535
50	High-Performance Planar-Type Photodetector on (100) Facet of MAPbI_3 Single Crystal. <i>Scientific Reports</i> , 2015, 5, 16563.	3.3	270
51	High performance organic-inorganic perovskite-optocoupler based on low-voltage and fast response perovskite compound photodetector. <i>Scientific Reports</i> , 2015, 5, 7902.	3.3	104
52	Enhanced performance in hybrid perovskite solar cell by modification with spinel lithium titanate. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8882-8889.	10.3	19
53	Multifunctional MgO Layer in Perovskite Solar Cells. <i>ChemPhysChem</i> , 2015, 16, 1727-1732.	2.1	70
54	Morphology-controlled $\text{CH}_3\text{NH}_3\text{PbI}_3$ films by hexane-assisted one-step solution deposition for hybrid perovskite mesoscopic solar cells with high reproductivity. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22839-22845.	10.3	55

#	ARTICLE	IF	CITATIONS
55	Enhanced optoelectronic quality of perovskite thin films with hypophosphorous acid for planar heterojunction solar cells. <i>Nature Communications</i> , 2015, 6, 10030.	12.8	620
56	Review of recent progress in chemical stability of perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8970-8980.	10.3	1,609
57	Towards High Efficiency and Low Roll-off Orange Electrophosphorescent Devices by Fine Tuning Singlet and Triplet Energies of Bipolar Hosts Based on Indolocarbazole/1, 3, 5-triazine Hybrids. <i>Advanced Functional Materials</i> , 2014, 24, 3551-3561.	14.9	117
58	Study on the stability of CH ₃ NH ₃ PbI ₃ films and the effect of post-modification by aluminum oxide in all-solid-state hybrid solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 705-710.	10.3	963
59	Cesium carbonate as a surface modification material for organic-inorganic hybrid perovskite solar cells with enhanced performance. <i>RSC Advances</i> , 2014, 4, 60131-60134.	3.6	31
60	A multifunctional ionic iridium complex for field-effect and light-emitting devices. <i>RSC Advances</i> , 2014, 4, 51294-51297.	3.6	4
61	Programmable and Erasable Pentacene/Ta ₂ O ₅ Phototransistor Memory With Improved Retention Time. <i>IEEE Electron Device Letters</i> , 2014, 35, 741-743.	3.9	3
62	Graphene oxide as dual functional interface modifier for improving wettability and retarding recombination in hybrid perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20105-20111.	10.3	194
63	A ZnO nanorod/nanoparticle hierarchical structure synthesized through a facile in situ method for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4765-4770.	10.3	25
64	A flexible blue light sensitive organic photodiode with high properties for the applications in low-voltage control circuit and flexion sensors. <i>Laser and Photonics Reviews</i> , 2014, 8, 316-323.	8.7	22
65	Multifunctional perovskite capping layers in hybrid solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 14973.	10.3	57
66	Mg doping in nanosheet-based spherical structured ZnO photoanode for quasi-solid dye-sensitized solar cells. <i>RSC Advances</i> , 2014, 4, 21294-21300.	3.6	21
67	Molecular Understanding of the Chemical Stability of Organic Materials for OLEDs: A Comparative Study on Sulfonyl, Phosphine-Oxide, and Carbonyl-Containing Host Materials. <i>Journal of Physical Chemistry C</i> , 2014, 118, 7569-7578.	3.1	142
68	Montmorillonite as bifunctional buffer layer material for hybrid perovskite solar cells with protection from corrosion and retarding recombination. <i>Journal of Materials Chemistry A</i> , 2014, 2, 13587-13592.	10.3	277
69	Multifunctional Interface Modification of Energy Relay Dye in Quasi-solid Dye-sensitized Solar Cells. <i>Scientific Reports</i> , 2014, 4, 5570.	3.3	12
70	Post modification of perovskite sensitized solar cells by aluminum oxide for enhanced performance. <i>Journal of Materials Chemistry A</i> , 2013, 1, 11735.	10.3	96
71	Bipolar charge transport property of N,N'-dicarbazolyl-1,4-dimethene-benzene: A study of the short range order model. <i>Science Bulletin</i> , 2013, 58, 79-83.	1.7	3
72	High-efficiency near-infrared organic light-emitting devices based on an iridium complex with negligible efficiency roll-off. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6446.	5.5	87

#	ARTICLE	IF	CITATIONS
73	White light emission from an exciplex based on a phosphine oxide type electron transport compound in a bilayer device structure. <i>RSC Advances</i> , 2013, 3, 21453.	3.6	29
74	A ZnO nanorod layer with a superior light-scattering effect for dye-sensitized solar cells. <i>RSC Advances</i> , 2013, 3, 18537.	3.6	23
75	Ambipolar Transporting 1,2-Benzanthracene Derivative with Efficient Green Excimer Emission for Single-Layer Organic Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2013, 1, 167-172.	7.3	16
76	Oriented mesoporous TiO ₂ film as photoanode for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 8023.	10.3	4
77	Low-Temperature Evaporable Re ₂ O ₇ : An Efficient p-Dopant for OLEDs. <i>Journal of Physical Chemistry C</i> , 2013, 117, 13763-13769.	3.1	18
78	High-Performance Organic Optocouplers Based on an Organic Photodiode With High Blue Light Sensitivity. <i>IEEE Electron Device Letters</i> , 2013, 34, 1295-1297.	3.9	9
79	Small molecular phosphorescent organic light-emitting diodes using a spin-coated hole blocking layer. <i>Applied Physics Letters</i> , 2012, 100, .	3.3	19
80	Achilles Heels of Phosphine Oxide Materials for OLEDs: Chemical Stability and Degradation Mechanism of a Bipolar Phosphine Oxide/Carbazole Hybrid Host Material. <i>Journal of Physical Chemistry C</i> , 2012, 116, 19451-19457.	3.1	79
81	Star-shaped dendritic hosts based on carbazole moieties for highly efficient blue phosphorescent OLEDs. <i>Journal of Materials Chemistry</i> , 2012, 22, 12016.	6.7	56
82	High performance low-voltage organic phototransistors: interface modification and the tuning of electrical, photosensitive and memory properties. <i>Journal of Materials Chemistry</i> , 2012, 22, 11836.	6.7	99
83	Inorganic iodide ligands in ex situ PbS quantum dot sensitized solar cells with I ⁻ /I ₃ ⁻ electrolytes. <i>Journal of Materials Chemistry</i> , 2012, 22, 16914.	6.7	34
84	Experimental and theoretical study of the charge transport property of 4,4'-N,N'-dicarbazole-biphenyl. <i>Science China Chemistry</i> , 2012, 55, 2428-2432.	8.2	12
85	Impacts of Sn precursors on solution-processed amorphous zinc-tin oxide films and their transistors. <i>RSC Advances</i> , 2012, 2, 5307.	3.6	66
86	Constructing nanorod-nanoparticles hierarchical structure at low temperature as photoanodes for dye-sensitized solar cells: combining relatively fast electron transport and high dye-loading together. <i>Journal of Materials Chemistry</i> , 2011, 21, 19389.	6.7	26
87	Controlled synthesis of ZnO spindles and fabrication of composite photoanodes at low temperature for quasi-solid state dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 3183.	6.7	7
88	Efficient solution-processed phosphor-sensitized single-emitting-layer white organic light-emitting devices: fabrication, characteristics, and transient analysis of energy transfer. <i>Journal of Materials Chemistry</i> , 2011, 21, 5312.	6.7	20
89	A Comparison Study of the Organic Small Molecular Thin Films Prepared by Solution Process and Vacuum Deposition: Roughness, Hydrophilicity, Absorption, Photoluminescence, Density, Mobility, and Electroluminescence. <i>Journal of Physical Chemistry C</i> , 2011, 115, 14278-14284.	3.1	47
90	High-triplet-energy tri-carbazole derivatives as host materials for efficient solution-processed blue phosphorescent devices. <i>Journal of Materials Chemistry</i> , 2011, 21, 4918.	6.7	122

#	ARTICLE	IF	CITATIONS
91	Preparation and properties of solution-processed zinc tin oxide films from a new organic precursor. Science China Chemistry, 2011, 54, 651-655.	8.2	3
92	Organic optocouplers. Science China Chemistry, 2011, 54, 1017-1026.	8.2	18
93	A Pyridine-Containing Anthracene Derivative with High Electron and Hole Mobilities for Highly Efficient and Stable Fluorescent Organic Light-Emitting Diodes. Advanced Functional Materials, 2011, 21, 1881-1886.	14.9	93
94	Controlling the Recombination Zone of White Organic Light-Emitting Diodes with Extremely Long Lifetimes. Advanced Functional Materials, 2011, 21, 3540-3545.	14.9	94
95	Efficient blue-green and white organic light-emitting diodes with a small-molecule host and cationic iridium complexes as dopants. Applied Physics A: Materials Science and Processing, 2010, 100, 1035-1040.	2.3	21
96	Recent progress in interface modification for dye-sensitized solar cells. Science China Chemistry, 2010, 53, 1669-1678.	8.2	19
97	Transparent organic light-emitting diodes based on Cs ₂ CO ₃ :Ag/Ag composite cathode. Science Bulletin, 2010, 55, 1479-1482.	1.7	3
98	Solution processable small molecules for organic light-emitting diodes. Journal of Materials Chemistry, 2010, 20, 6392.	6.7	555
99	Novel star-shaped host materials for highly efficient solution-processed phosphorescent organic light-emitting diodes. Journal of Materials Chemistry, 2010, 20, 6131.	6.7	71
100	Study on the Electron Injection Mechanism of Thermally Decomposable Cs ₂ CO ₃ . Japanese Journal of Applied Physics, 2009, 48, 102302.	1.5	11
101	High-Performance Organic Optocouplers Based on a Photosensitive Interfacial C ₆₀ /NPB Heterojunction. Advanced Materials, 2009, 21, 2501-2504.	21.0	29
102	Preparation and spectral characteristics of anthracene/tetracene mixed crystals. Science in China Series B: Chemistry, 2009, 52, 181-187.	0.8	10
103	Synthesis and characterization of nano/micro-structured crystalline germanium dioxide with novel morphology. Science Bulletin, 2009, 54, 2810-2813.	9.0	7
104	Thermally Decomposable Lithium Nitride as an Electron Injection Material for Highly Efficient and Stable OLEDs. Journal of Physical Chemistry C, 2009, 113, 13386-13390.	3.1	22
105	High-efficiency orange to near-infrared emissions from bis-cyclometalated iridium complexes with phenyl-benzoquinoline isomers as ligands. Journal of Materials Chemistry, 2009, 19, 6573.	6.7	76
106	Comparison between P25 and anatase-based TiO ₂ quasi-solid state dye sensitized solar cells. Science Bulletin, 2008, 53, 954-957.	9.0	4
107	New hybrid encapsulation for flexible organic light-emitting devices on plastic substrates. Science Bulletin, 2008, 53, 958-960.	9.0	2
108	Nanotube-Silicon Heterojunction Solar Cells. Advanced Materials, 2008, 20, 4594-4598.	21.0	210

#	ARTICLE	IF	CITATIONS
109	Organic cesium salt as an efficient electron injection material for organic light-emitting diodes. Applied Physics Letters, 2008, 93, 183302.	3.3	18
110	Nanocomposite Thin Film Based on Ytterbium Fluoride and <i>N,N</i> -Bis(1-naphthyl)- <i>N,N</i> -diphenyl-1,1'-biphenyl-4,4'-diamine and Its Application in Organic Light Emitting Diodes as Hole Transport Layer. Journal of Physical Chemistry C, 2008, 112, 11985-11990.	3.1	10
111	A new type of light-emitting naphtho[2,3-c][1,2,5]thiadiazole derivatives: synthesis, photophysical characterization and transporting properties. Journal of Materials Chemistry, 2008, 18, 806.	6.7	41
112	Lithium cobalt oxide as electron injection material for high performance organic light-emitting diodes. Applied Physics Letters, 2008, 92, 073301.	3.3	11
113	BaCO ₃ Modification of TiO ₂ Electrodes in Quasi-Solid-State Dye-Sensitized Solar Cells: Performance Improvement and Possible Mechanism. Journal of Physical Chemistry C, 2007, 111, 8075-8079.	3.1	56
114	Organic photocouplers consisting of organic light-emitting diodes and organic photoresistors. Applied Physics Letters, 2006, 88, 051110.	3.3	23
115	Phototransistor Properties of Pentacene Organic Transistors with Poly(methyl methacrylate) Dielectric Layer. Japanese Journal of Applied Physics, 2006, 45, L96-L98.	1.5	14
116	Dependency of organic phototransistor properties on the dielectric layers. Applied Physics Letters, 2006, 89, 072108.	3.3	58
117	Charge tunneling injection through a thin teflon film between the electrodes and organic semiconductor layer: Relation to morphology of the teflon film. Physical Review B, 2006, 74, .	3.2	22
118	P-141: High-Efficiency and Long Lifetime Electrophosphorescent Organic Light-Emitting Diodes with Improved Hole-Electron Balance by using Alternate Multilayer Structures. Digest of Technical Papers SID International Symposium, 2005, 36, 838.	0.3	1
119	Research on the adhesive ability between ITO anode and PET substrate improved by polyimide buffer layer. Science Bulletin, 2005, 50, 505-508.	1.7	7
120	Low-voltage pentacene thin-film transistors with Ta ₂ O ₅ gate insulators and their reversible light-induced threshold voltage shift. Applied Physics Letters, 2005, 86, 132101.	3.3	63
121	Blue phosphorescent dye as sensitizer and emitter for white organic light-emitting diodes. Applied Physics Letters, 2004, 85, 5403-5405.	3.3	66
122	Highly-efficient blue electroluminescence based on two emitter isomers. Applied Physics Letters, 2004, 84, 1513-1515.	3.3	81
123	Fabrication and spectra characteristics of high efficiency white organic light-emitting diodes with single emitting layer. Science Bulletin, 2004, 49, 2133-2136.	1.7	0
124	Preparation and characteristics of flexible all-organic thin-film field-effect transistor. Science Bulletin, 2003, 48, 1554-1557.	1.7	1
125	H ₂ O effect on the stability of organic thin-film field-effect transistors. Applied Physics Letters, 2003, 83, 1644-1646.	3.3	237
126	Bright single-active layer small-molecular organic light-emitting diodes with a polytetrafluoroethylene barrier. Applied Physics Letters, 2003, 82, 155-157.	3.3	58

#	ARTICLE	IF	CITATIONS
127	45.4: Dimers of Organic Metal Complexes Based on Tridentate Schiff-Base Ligand for Organic Electroluminescence. Digest of Technical Papers SID International Symposium, 2003, 34, 1298.	0.3	0
128	Pure red electroluminescence from a host material of binuclear gallium complex. Applied Physics Letters, 2002, 81, 4913-4915.	3.3	40
129	Organic light-emitting diodes with improved hole-electron balance by using copper phthalocyanine/aromatic diamine multiple quantum wells. Applied Physics Letters, 2002, 80, 2628-2630.	3.3	109