

Eder Oliveira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1913004/publications.pdf>

Version: 2024-02-01

128
papers

2,319
citations

236925
25
h-index

302126
39
g-index

132
all docs

132
docs citations

132
times ranked

2331
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenotypic diversity and alternative methods for characterization and prediction of pulp yield in passion fruit (<i>Passiflora</i> spp.) germplasm. <i>Scientia Horticulturae</i> , 2022, 292, 110573.	3.6	8
2	Genome-wide association study of cassava starch paste properties. <i>PLoS ONE</i> , 2022, 17, e0262888.	2.5	3
3	Image-based phenotyping of cassava roots for diversity studies and carotenoids prediction. <i>PLoS ONE</i> , 2022, 17, e0263326.	2.5	9
4	Genome-wide association study and selection for field resistance to cassava root rot disease and productive traits. <i>PLoS ONE</i> , 2022, 17, e0270020.	2.5	3
5	Large-scale genome-wide association study, using historical data, identifies conserved genetic architecture of cyanogenic glucoside content in cassava (<i>< i>Manihot esculenta</i></i> Crantz) root. <i>Plant Journal</i> , 2021, 105, 754-770.	5.7	26
6	Field assessment of a second generation backcross (BC1— <i>< i>Passiflora edulis</i></i>) of passion fruit for agronomic performance and resistance to CABMV. <i>Plant Breeding</i> , 2021, 140, 150-166.	1.9	6
7	Evaluation of resistance to bacterial blight in Brazilian cassava germoplasm and disease-yield relationships. <i>Tropical Plant Pathology</i> , 2021, 46, 324.	1.5	1
8	Comprehensive genotyping of a Brazilian cassava (<i>Manihot esculenta</i> Crantz) germplasm bank: insights into diversification and domestication. <i>Theoretical and Applied Genetics</i> , 2021, 134, 1343-1362.	3.6	15
9	Genome-wide association study of drought tolerance in cassava. <i>Euphytica</i> , 2021, 217, 1.	1.2	9
10	Distribution of resistance of cassava genotypes to dry, soft and black root diseases and correlation to yield parameters. <i>Journal of Phytopathology</i> , 2021, 169, 350-359.	1.0	2
11	Genetic parameters and path analysis for root yield of cassava under drought and early harvest. <i>Crop Breeding and Applied Biotechnology</i> , 2021, 21, .	0.4	2
12	Reproductive barriers in cassava: Factors and implications for genetic improvement. <i>PLoS ONE</i> , 2021, 16, e0260576.	2.5	8
13	Can Cross-Country Genomic Predictions Be a Reasonable Strategy to Support Germplasm Exchange? A Case Study With Hydrogen Cyanide in Cassava. <i>Frontiers in Plant Science</i> , 2021, 12, 742638.	3.6	1
14	First report of cassava torrado-like virus, cassava polero-like virus and cassava new alphaflexivirus associated with cassava frogskin disease in Brazil. <i>Journal of Plant Pathology</i> , 2020, 102, 247-247.	1.2	4
15	Genetic and physiological analysis of early drought response in <i>Manihot esculenta</i> and its wild relative. <i>Acta Physiologiae Plantarum</i> , 2020, 42, 1.	2.1	4
16	Growth, physiological, anatomical and nutritional responses of two phenotypically distinct passion fruit species (<i>Passiflora</i> L.) and their hybrid under saline conditions. <i>Scientia Horticulturae</i> , 2020, 263, 109037.	3.6	17
17	Early diagnosis of cassava frog skin disease in powdered tissue samples using near-infrared spectroscopy. <i>European Journal of Plant Pathology</i> , 2020, 156, 547-558.	1.7	4
18	Genome-wide association studies for waxy starch in cassava. <i>Euphytica</i> , 2020, 216, 1.	1.2	13

#	ARTICLE	IF	CITATIONS
19	A novel seed treatment-based multiplication approach for cassava planting material. PLoS ONE, 2020, 15, e0229943.	2.5	6
20	Phenological diversity of flowering and fruiting in cassava germplasm. Scientia Horticulturae, 2020, 265, 109253.	3.6	15
21	Identification of waxy cassava genotypes using fourierâ€transform nearâ€infrared spectroscopy. Crop Science, 2020, 60, 883-895.	1.8	3
22	Identification and validation of mutation points associated with waxy phenotype in cassava. BMC Plant Biology, 2020, 20, 164.	3.6	4
23	BRS Novo Horizonte - a new cassava variety for industrial use. Crop Breeding and Applied Biotechnology, 2020, 20, .	0.4	2
24	A leaf bud technique for rapid propagation of cassava (<i>Manihot esculenta</i> Crantz). Scientia Agricola, 2020, 77, .	1.2	2
25	Genomic selection for productive traits in biparental cassava breeding populations. PLoS ONE, 2019, 14, e0220245.	2.5	11
26	Seedlings of cassava varieties are responsive to organic fertilization. Semina: Ciencias Agrarias, 2019, 40, 2151.	0.3	2
27	Cassava yield traits predicted by genomic selection methods. PLoS ONE, 2019, 14, e0224920.	2.5	33
28	Genetic parameters, path analysis and indirect selection of agronomic traits of cassava germplasm. Anais Da Academia Brasileira De Ciencias, 2019, 91, e20180387.	0.8	10
29	Early prediction models for cassava root yield in different water regimes. Field Crops Research, 2019, 239, 149-158.	5.1	13
30	Triple categorical regression for genomic selection: application to cassava breeding. Scientia Agricola, 2019, 76, 368-375.	1.2	5
31	Identification of duplicates in cassava germplasm banks based on single-nucleotide polymorphisms (SNPs). Scientia Agricola, 2019, 76, 328-336.	1.2	18
32	Prediction models and selection of agronomic and physiological traits for tolerance to water deficit in cassava. Euphytica, 2019, 215, 1.	1.2	7
33	Identification of <i>Passiflora</i> spp. genotypes resistant to Cowpea aphid-borne mosaic virus and leaf anatomical response under controlled conditions. Scientia Horticulturae, 2018, 231, 166-178.	3.6	18
34	Floral development stage and its implications for the reproductive success of <i>Passiflora</i> L.. Scientia Horticulturae, 2018, 238, 333-342.	3.6	16
35	Methodologies for selecting cassava with resistance to dry and black root rot under controlled conditions. Bragantia, 2018, 77, 440-451.	1.3	4
36	Genetic diversity of <scp><i>Manihot esculenta</i></scp> Crantz germplasm based on singleâ€nucleotide polymorphism markers. Annals of Applied Biology, 2018, 173, 271-284.	2.5	18

#	ARTICLE	IF	CITATIONS
37	Morphological variation of starch granules in S1 cassava progenies. <i>Euphytica</i> , 2018, 214, 1.	1.2	2
38	Grafting as a strategy to increase flowering of cassava. <i>Scientia Horticulturae</i> , 2018, 240, 544-551.	3.6	31
39	Genetic parameters and selection gains in early clonal evaluation trials: implications for cassava breeding. <i>Euphytica</i> , 2018, 214, 1.	1.2	3
40	Modelling growth characteristics and aggressiveness of <i>Neoscytalidium hyalinum</i> and <i>Fusarium solani</i> associated with black and dry root rot diseases on cassava. <i>Tropical Plant Pathology</i> , 2018, 43, 422-432.	1.5	9
41	Accelerated solvent extraction of phenolic compounds exploiting a Box-Behnken design and quantification of five flavonoids by HPLC-DAD in Passiflora species. <i>Microchemical Journal</i> , 2017, 132, 28-35.	4.5	97
42	Inbreeding depression for severity caused by leaf diseases in cassava. <i>Euphytica</i> , 2017, 213, 1.	1.2	3
43	Evaluation of cassava germplasm for drought tolerance under field conditions. <i>Euphytica</i> , 2017, 213, 1.	1.2	30
44	Selection of cassava accessions with multiple resistance to pathogens associated with root rot disease. <i>Euphytica</i> , 2017, 213, 1.	1.2	2
45	Survey of fungi associated with cassava root rot from different producing regions in Brazil. <i>Scientia Agricola</i> , 2017, 74, 60-67.	1.2	11
46	Cleaning cassava genotypes infected with cassava frogskin disease via in vitro shoot tip culture. <i>Genetics and Molecular Research</i> , 2017, 16, .	0.2	9
47	Phenotypic diversity of starch granules in cassava germplasm. <i>Genetics and Molecular Research</i> , 2017, 16, .	0.2	19
48	GROWTH, FRUIT SET, AND FUSARIOSES REACTION OF YELLOW PASSION FRUIT GRAFTED ONTO Passiflora spp.. <i>Revista Brasileira De Fruticultura</i> , 2016, 38, .	0.5	5
49	Variation in cassava germplasm for tolerance to post-harvest physiological deterioration. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.2	4
50	Evaluation of intraspecific hybrids of yellow passion fruit in organic farming. <i>African Journal of Agricultural Research Vol Pp</i> , 2016, 11, 2129-2138.	0.5	12
51	New accuracy estimators for genomic selection with application in a cassava (<i>Manihot esculenta</i>) breeding program. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.2	6
52	Polymorphism of starch pathway genes in cassava. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.2	8
53	Inducing autotetraploids in cassava using oryzalin and colchicine and their in vitro morphophysiological effects. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.2	4
54	Crop losses in Brazilian cassava varieties induced by the Cassava common mosaic virus. <i>Scientia Agricola</i> , 2016, 73, 520-524.	1.2	14

#	ARTICLE	IF	CITATIONS
55	Dissimilarity based on morphological characterization and evaluation of pollen viability and in vitro germination in <i>Passiflora</i> hybrids and backcrosses. <i>Acta Horticulturae</i> , 2016, , 401-408.	0.2	6
56	Molecular markers for conservation genetic resources of four <i>Passiflora</i> species. <i>Scientia Horticulturae</i> , 2016, 212, 251-261.	3.6	5
57	Inbreeding depression in cassava for productive traits. <i>Euphytica</i> , 2016, 209, 137-145.	1.2	25
58	Sources of resistance to cassava root rot caused by <i>Fusarium</i> spp.: a genotypic approach. <i>Euphytica</i> , 2016, 209, 237-251.	1.2	11
59	Selection of cassava varieties for biomass and protein production in semiarid areas from Bahia. <i>Bioscience Journal</i> , 2016, 32, 661-669.	0.4	6
60	Porta-enxertos e fixadores de enxerto para enxertia hipocotiledonar de maracujazeiro azedo. <i>Ciencia Rural</i> , 2016, 46, 30-35.	0.5	5
61	Genetic parameters, adaptability and stability to selection of yellow passion fruit hybrids. <i>Crop Breeding and Applied Biotechnology</i> , 2016, 16, 321-329.	0.4	10
62	Non-hierarchical clustering of <i>Manihot esculenta</i> Crantz germplasm based on quantitative traits. <i>Revista Ciencia Agronomica</i> , 2016, 47, 548-555.	0.3	6
63	First report of <i>Phytophthora melonis</i> causing cassava wilt and root rot in Bahia State, Brazil. <i>Summa Phytopathologica</i> , 2016, 42, 107-107.	0.1	2
64	Molecular-assisted selection for resistance to cassava mosaic disease in <i>Manihot esculenta</i> Crantz. <i>Scientia Agricola</i> , 2015, 72, 520-527.	1.2	12
65	Procedures for evaluating the tolerance of cassava genotypes to postharvest physiological deterioration. <i>Pesquisa Agropecuaria Brasileira</i> , 2015, 50, 562-570.	0.9	7
66	Genetic parameters for drought-tolerance in cassava. <i>Pesquisa Agropecuaria Brasileira</i> , 2015, 50, 233-241.	0.9	37
67	Genotypic variation of traits related to quality of cassava roots using affinity propagation algorithm. <i>Scientia Agricola</i> , 2015, 72, 53-61.	1.2	15
68	Development of a diagrammatic scale for the evaluation of postharvest physiological deterioration in cassava roots. <i>Pesquisa Agropecuaria Brasileira</i> , 2015, 50, 658-668.	0.9	4
69	Development and validation of minisatellite markers for <i>Carica papaya</i> . <i>Biologia Plantarum</i> , 2015, 59, 686-694.	1.9	4
70	Characterization and selection of passion fruit (yellow and purple) accessions based on molecular markers and disease reactions for use in breeding programs. <i>Euphytica</i> , 2015, 202, 345-359.	1.2	20
71	Development of TRAP (Target Region Amplification Polymorphism) as New Tool for Molecular Genetic Analysis in Cassava. <i>Plant Molecular Biology Reporter</i> , 2015, 33, 1953-1966.	1.8	4
72	Reproductive biology and pollen-pistil interactions in <i>Passiflora</i> species with ornamental potential. <i>Scientia Horticulturae</i> , 2015, 197, 339-349.	3.6	21

#	ARTICLE	IF	CITATIONS
73	Informativeness of minisatellite and microsatellite markers for genetic analysis in papaya. <i>Genetica</i> , 2015, 143, 613-631.	1.1	2
74	Classification of cassava genotypes based on qualitative and quantitative data. <i>Genetics and Molecular Research</i> , 2015, 14, 906-924.	0.2	15
75	Physiological characteristics, total root and shoot production in accessions of <i>Manihot esculenta</i> under water stress condition. <i>Revista Brasileira De Geografia Fisica</i> , 2015, 8, 685-696.	0.1	2
76	Development of a cassava core collection based on single nucleotide polymorphism markers. <i>Genetics and Molecular Research</i> , 2014, 13, 6472-6485.	0.2	15
77	Adaptability and stability analysis of the juice yield of yellow passion fruit varieties. <i>Genetics and Molecular Research</i> , 2014, 13, 6512-6527.	0.2	7
78	AMMI analysis of the adaptability and yield stability of yellow passion fruit varieties. <i>Scientia Agricola</i> , 2014, 71, 139-145.	1.2	64
79	Diversidade genética de espécies do gênero Passiflora com o uso da estratégia Ward-MLM. <i>Revista Brasileira De Fruticultura</i> , 2014, 36, 381-390.	0.5	15
80	Genetic variability assessment in the genus Passiflora by SSR marker. <i>Chilean Journal of Agricultural Research</i> , 2014, 74, 355-360.	1.1	14
81	Potential of SNP markers for the characterization of Brazilian cassava germplasm. <i>Theoretical and Applied Genetics</i> , 2014, 127, 1423-1440.	3.6	34
82	First Report of a 16SrIII-L Phytoplasma Associated with Frogskin Disease in Cassava (< i>Manihot) Tj ETQq0 0 0 rgBT_{1.4}/Overlock₁₁ Tf 50 3		
83	Selection of the most informative morphoagronomic descriptors for cassava germplasm. <i>Pesquisa Agropecuaria Brasileira</i> , 2014, 49, 891-900.	0.9	3
84	Genetic parameters and prediction of genotypic values for root quality traits in cassava using REML/BLUP. <i>Genetics and Molecular Research</i> , 2014, 13, 6683-6700.	0.2	54
85	Microsatellite markers of genetic diversity and population structure of <i>Carica papaya</i> . <i>Annals of Applied Biology</i> , 2013, 163, 298-310.	2.5	13
86	Development of interspecific hybrids of cassava and paternity analysis with molecular markers. <i>Journal of Agricultural Science</i> , 2013, 151, 849-861.	1.3	4
87	In vitro pollen germination and pollen viability in passion fruit (<i>Passiflora</i> spp.). <i>Revista Brasileira De Fruticultura</i> , 2013, 35, 1116-1126.	0.5	24
88	Identification of passion fruit genotypes resistant to <i>Fusarium oxysporum</i> f. sp. <i>passiflorae</i> . <i>Tropical Plant Pathology</i> , 2013, 38, 236-242.	1.5	30
89	Severidade de doenças em maracujazeiro para identificação de fontes de resistência em condições de campo. <i>Revista Brasileira De Fruticultura</i> , 2013, 35, 485-492.	0.5	35
90	Use of morpho-agronomic traits and DNA profiling for classification of genetic diversity in papaya. <i>Genetics and Molecular Research</i> , 2013, 12, 6646-6663.	0.2	7

#	ARTICLE	IF	CITATIONS
91	Morphology and viability of pollen grains from passion fruit species (<i>Passiflora</i> spp.). <i>Acta Botanica Brasilica</i> , 2013, 27, 779-787.	0.8	12
92	Cross-species amplification of microsatellite loci developed for <i>Passiflora edulis</i> Sims. in related <i>Passiflora</i> Species. <i>Brazilian Archives of Biology and Technology</i> , 2013, 56, 785-792.	0.5	15
93	Resistance to Fusarium dry root rot disease in cassava accessions. <i>Pesquisa Agropecuaria Brasileira</i> , 2013, 48, 1414-1417.	0.9	16
94	Avaliação agronômica de parentais e híbridos de maracujazeiro-amarelo. <i>Revista Brasileira De Fruticultura</i> , 2013, 35, 191-198.	0.5	9
95	Molecular fingerprinting of <i>Fusarium oxysporum</i> f. sp. <i>passiflorae</i> isolates using AFLP markers. <i>Scientia Agricola</i> , 2013, 70, 108-115.	1.2	19
96	Development and characterization of microsatellite markers for the wild South American <i>Passiflora cincinnata</i> (Passifloraceae). <i>American Journal of Botany</i> , 2012, 99, e170-2.	1.7	23
97	Genome-wide selection in cassava. <i>Euphytica</i> , 2012, 187, 263-276.	1.2	94
98	Definition of morpho-agronomic descriptors for the characterization of yellow passion fruit. <i>Scientia Horticulturae</i> , 2012, 145, 17-22.	3.6	15
99	Genetic diversity and marker-assisted inbreeding in papaya. <i>Scientia Horticulturae</i> , 2012, 147, 20-28.	3.6	9
100	Effect of selection on genetic variability in yellow passion fruit. <i>Crop Breeding and Applied Biotechnology</i> , 2012, 12, 253-260.	0.4	17
101	Phenotypic and molecular selection of yellow passion fruit progenies in the second cycle of recurrent selection. <i>Crop Breeding and Applied Biotechnology</i> , 2012, 12, 17-24.	0.4	12
102	Selection of morpho-agronomic descriptors for characterization of papaya cultivars. <i>Euphytica</i> , 2012, 185, 253-265.	1.2	32
103	Formação de populações base para seleção recorrente em maracujazeiro-amarelo com uso de índices de seleção. <i>Pesquisa Agropecuaria Brasileira</i> , 2012, 47, 393-401.	0.9	12
104	Plant selection in F2 segregating populations of papaya from commercial hybrids. <i>Crop Breeding and Applied Biotechnology</i> , 2012, 12, 191-198.	0.4	26
105	Avaliação de genótipos de mamoeiro com uso de descritores agronômicos e estimativa de parâmetros genéticos. <i>Pesquisa Agropecuaria Brasileira</i> , 2011, 46, 1471-1479.	0.9	28
106	Estimativas de correlações genotípicas e fenotípicas em germoplasma de maracujazeiro. <i>Bragantia</i> , 2011, 70, 255-261.	1.3	13
107	Molecular characterization of papaya genotypes using AFLP markers. <i>Revista Brasileira De Fruticultura</i> , 2011, 33, 849-858.	0.5	11
108	ISSR Markers as a Tool for the Assessment of Genetic Diversity in <i>Passiflora</i> . <i>Biochemical Genetics</i> , 2011, 49, 540-554.	1.7	51

#	ARTICLE	IF	CITATIONS
109	Diversidade genética em seleção recorrente de maracujazeiro-amarelo detectada por marcadores microsatélites. Pesquisa Agropecuária Brasileira, 2011, 46, 51-57.	0.9	21
110	Avaliação de recursos genéticos de maracujazeiro-amarelo. Pesquisa Agropecuária Brasileira, 2011, 46, 1013-1020.	0.9	27
111	Variabilidade genética entre acessos de Umbu-Cajazeira mediante análise de marcadores ISSR. Revista Brasileira De Fruticultura, 2011, 33, 868-876.	0.5	17
112	Correlações genéticas e análise de trilha para número de frutos comerciais por planta em mamoeiro. Pesquisa Agropecuária Brasileira, 2010, 45, 855-862.	0.9	40
113	Polymorphism of Microsatellite Markers in Papaya (<i>Carica papaya L.</i>). Plant Molecular Biology Reporter, 2010, 28, 519-530.	1.8	35
114	Polymorphic microsatellite marker set for <i>Carica papaya L.</i> and its use in molecular-assisted selection. Euphytica, 2010, 173, 279-287.	1.2	38
115	High Levels of Hybridization between Molecular Forms of <i>Anopheles gambiae</i> from Guinea Bissau. Journal of Medical Entomology, 2008, 45, 1057-1063.	1.8	64
116	Seleção em progêneres de maracujazeiro-amarelo com base em Índices multivariados. Pesquisa Agropecuária Brasileira, 2008, 43, 1543-1549.	0.9	38
117	Identificação de microsatélites para o mamoeiro por meio da exploração do banco de dados de DNA. Revista Brasileira De Fruticultura, 2008, 30, 841-845.	0.5	7
118	An Integrated Molecular Map of Yellow Passion Fruit Based on Simultaneous Maximum-likelihood Estimation of Linkage and Linkage Phases. Journal of the American Society for Horticultural Science, 2008, 133, 35-41.	1.0	44
119	Marcadores moleculares na predição do sexo em plantas de mamoeiro. Pesquisa Agropecuária Brasileira, 2007, 42, 1747-1754.	0.9	11
120	Genetic characterization of anthracnose resistance genes Co-4 3 and Co-9 in common bean cultivar tlalnepantla 64 (PI 207262). Euphytica, 2007, 154, 1-8.	1.2	40
121	Origin, evolution and genome distribution of microsatellites. Genetics and Molecular Biology, 2006, 29, 294-307.	1.3	263
122	Adaptabilidade e estabilidade de genótipos de amendoim de porte rasteiro. Pesquisa Agropecuária Brasileira, 2006, 41, 1253-1260.	0.9	13
123	Development and characterization of microsatellite markers from the yellow passion fruit (<i>Passiflora edulis f. flavicarpa</i>). Molecular Ecology Notes, 2005, 5, 331-333.	1.7	38
124	Isolation and characterization of microsatellite markers from the sweet passion fruit (<i>Passiflora</i>) Tj ETQqO 0 O rgBT /Overlock 1.7 32	1.0	14
125	Molecular marker-assisted selection for development of common bean lines resistant to angular leaf spot. Plant Breeding, 2005, 124, 572-575.	1.9	22
126	Methodological approaches to assess passion fruit resistance (<i>Passiflora spp.</i>) to passionfruit woodiness disease. Bioscience Journal, 0, , 1441-1451.	0.4	5

#	ARTICLE	IF	CITATIONS
127	Agronomic performance of cassava genotypes from the in vitro shoot tip culture submitted to clonal cleaning. Bioscience Journal, 0, , 1144-1154.	0.4	0
128	Functionality of cassava genotypes for waxy starch. Pesquisa Agropecuaria Brasileira, 0, 56, .	0.9	3