

Erich Kleinpeter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1913132/publications.pdf>

Version: 2024-02-01

57
papers

1,342
citations

304743

22
h-index

361022

35
g-index

59
all docs

59
docs citations

59
times ranked

899
citing authors

#	ARTICLE	IF	CITATIONS
1	A low-temperature dynamic ¹ H, ¹³ C, and ⁷⁷ Se NMR study of 2,2-dimethylselenodicyclohexanol. <i>Magnetic Resonance in Chemistry</i> , 2022, 60, 165-171.	1.9	1
2	Cyclazines: Structure and Aromaticity or Antiaromaticity on the Magnetic Criterion. <i>European Journal of Organic Chemistry</i> , 2022, 2022, .	2.4	2
3	Dative or coordinative carbon-boron bond in boron trapped N-heterocyclic carbenes (NHCs)? An answer given on the magnetic criterion. <i>Tetrahedron</i> , 2021, 80, 131787.	1.9	2
4	Intramolecular carbene stabilization via 3c,2e bonding on basis of the magnetic criterion. <i>Tetrahedron</i> , 2021, 95, 132357.	1.9	1
5	Quantification of σ -Acceptor and π -Donor Stabilization in σ -O, σ -S and Hal Analogues of σ -N-Heterocyclic Carbenes (NHCs) on the Magnetic Criterion. <i>Journal of Physical Chemistry A</i> , 2021, 125, 7235-7245.	2.5	2
6	At the Experimental Limit of the NMR Conformational Analysis: ²⁹ Si and ¹³ C NMR Study of the Conformational Equilibrium of 1-Phenyl-1-tert-butylsilacyclohexane. <i>Organic Letters</i> , 2021, 23, 405-409.	4.6	0
7	The ¹³ C chemical shift and the anisotropy effect of the carbene electron-deficient centre: Simple means to characterize the electron distribution of carbenes. <i>Magnetic Resonance in Chemistry</i> , 2020, 58, 280-292.	1.9	9
8	Synthesis and Conformational Analysis of Naphthoxazine-Fused Phenanthrene Derivatives. <i>Molecules</i> , 2020, 25, 2524.	3.8	2
9	Bent Allenes or Di-1,3-betaines? An Answer Given on the Magnetic Criterion. <i>Journal of Physical Chemistry A</i> , 2020, 124, 3180-3190.	2.5	7
10	Benzyne: an acetylene- or cumulene-like electronic structure?. <i>Tetrahedron</i> , 2019, 75, 4663-4668.	1.9	7
11	1-Methylthio-1-phenyl-1-silacyclohexane: Synthesis, conformational preferences in gas and solution by GED, NMR and theoretical calculations. <i>Tetrahedron</i> , 2019, 75, 130677.	1.9	3
12	Is the term "Carbene" justified for remote N-heterocyclic carbenes (r-NHCs) and abnormal N-heterocyclic carbenes (aNHCs/MICs)?. <i>Tetrahedron</i> , 2019, 75, 1548-1554.	1.9	10
13	Very low-temperature dynamic ²⁹ Si NMR study of the conformational equilibrium of (1,1-dimethylphenyl-1,1-dimethylsilacyclohexyl)disiloxane. <i>Magnetic Resonance in Chemistry</i> , 2019, 57, 317-319. ^{1.9}	1.9	3
14	Benzenium Ion: Aromatic as the σ -Complex or Antiaromatic as the π -Complex Being Somewhat Similar to the Cyclopentadienyl Cation. <i>Journal of Physical Chemistry A</i> , 2019, 123, 4443-4451.	2.5	12
15	Metal-Free Regioselective Monocyanation of Hydroxy-, Alkoxy-, and Benzyloxyarenes by Potassium Thiocyanate and Silica Sulfuric Acid as a Cyanating Agent. <i>Journal of Organic Chemistry</i> , 2019, 84, 1748-1756.	3.2	31
16	Stable Carbenes or Betaines?. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 3114-3121.	2.4	10
17	Synthesis of 3-fluoro-3-methyl-3-silatetrahydropyran and its conformational preferences in gas and solution by GED, NMR and theoretical calculations. <i>Tetrahedron</i> , 2018, 74, 1859-1867.	1.9	6
18	Synthesis, conformational preferences in gas and solution, and molecular gear rotation in 1-(dimethylamino)-1-phenyl-1-silacyclohexane by gas phase electron diffraction (GED), LT NMR and theoretical calculations. <i>Tetrahedron</i> , 2018, 74, 4299-4307.	1.9	8

#	ARTICLE	IF	CITATIONS
19	Molecular Structure and Conformational Analysis of 1-Phenyl-1-X-1-Silacyclohexanes (X = F, Cl) by Electron Diffraction, Low-Temperature NMR, and Quantum Chemical Calculations. <i>Journal of Organic Chemistry</i> , 2017, 82, 461-470.	3.2	10
20	Conformational Preferences of the Phenyl Group in 1-Phenyl-1-X-1-silacyclo-hexanes (X = MeO, HO) and 3-Phenyl-3-X-3-silatetrahydropyrans (X = HO, H) by Low Temperature ¹³ C NMR Spectroscopy and Theoretical Calculations. <i>Journal of Organic Chemistry</i> , 2017, 82, 13414-13422.	3.2	10
21	Twisted C=C Double Bonds with Very Low Rotational Barriers in Dioxanediones and Isoxazolones Determined by Low-Temperature Dynamic NMR Spectroscopy and Computational Chemistry. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 4985-4990.	2.4	5
22	Y-aromaticity – existing: yes or no? An answer given on the magnetic criterion (TSNMRS). <i>Tetrahedron</i> , 2016, 72, 1675-1685.	1.9	5
23	Characterization and quantification of quasi-aromaticity by spatial magnetic properties (TSNMRS). <i>Tetrahedron</i> , 2015, 71, 5275-5284.	1.9	5
24	Anisotropy Effect of Three-Membered Rings in ¹ H NMR Spectra: Quantification by TSNMRS and Assignment of the Stereochemistry. <i>Journal of Physical Chemistry A</i> , 2015, 119, 4268-4276.	2.5	7
25	Chiral Dopants Derived from Ephedrine/Pseudoephedrine: Structure and Medium Effects on the Helical Twisting Power. <i>Molecular Crystals and Liquid Crystals</i> , 2015, 608, 14-24.	0.9	3
26	Molecular structure and conformational analysis of 3-methyl-3-phenyl-3-silatetrahydropyran. Gas-phase electron diffraction, low-temperature NMR and quantum chemical calculations. <i>Tetrahedron</i> , 2015, 71, 3810-3818.	1.9	20
27	Synthesis and Conformational Analysis of 3-Methyl-3-silatetrahydropyran by GED, FTIR, NMR, and Theoretical Calculations: Comparative Analysis of 1-Hetero-3-methyl-3-silacyclohexanes. <i>Journal of Organic Chemistry</i> , 2015, 80, 12492-12500.	3.2	14
28	Quantification and Visualization of the Anisotropy Effect in NMR Spectroscopy by Through-Space NMR Shieldings. <i>Annual Reports on NMR Spectroscopy</i> , 2014, 82, 115-166.	1.5	16
29	(Anti)aromaticity of dehydroannulenes of various ring size proved by the ring current effect in ¹ H NMR spectra. <i>Tetrahedron</i> , 2013, 69, 1481-1488.	1.9	11
30	Push-pull allenes-conjugation, (anti)aromaticity and quantification of the push-pull character. <i>Tetrahedron</i> , 2013, 69, 2436-2445.	1.9	10
31	Silacyclohexanes and silaheterocyclohexanes – why are they so different from other heterocyclohexanes?. <i>Tetrahedron</i> , 2013, 69, 5927-5936.	1.9	30
32	Synthesis of primary thiocarbamates by silica sulfuric acid as effective reagent under solid-state and solution conditions. <i>Journal of Molecular Structure</i> , 2012, 1024, 156-162.	3.6	31
33	Antiaromaticity Proved by the Anisotropic Effect in ¹ H NMR Spectra. <i>Journal of Physical Chemistry A</i> , 2012, 116, 5674-5680.	2.5	30
34	Conformational preferences of Si-Ph,H and Si-Ph,Me silacyclohexanes and 1,3-thiasilacyclohexanes. Additivity of conformational energies in 1,1-disubstituted heterocyclohexanes. <i>Tetrahedron</i> , 2012, 68, 114-125.	1.9	34
35	Chelatoaromaticity – existing: yes or no? An answer given by spatial magnetic properties (through) Tj ETQq1 1 0.784314 rgBT /Overbo	2.8	30
36	The anisotropic effect of functional groups in ¹ H NMR spectra is the molecular response property of spatial nucleus independent chemical shifts (NICS) – Conformational equilibria of exo/endo-tetrahydrodicyclopentadiene derivatives. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 1098-1111.	2.8	33

#	ARTICLE	IF	CITATIONS
37	Conformational analysis of 3-methylsilathiane and 3-fluoro-3-methylsilathiane. <i>Journal of Physical Organic Chemistry</i> , 2011, 24, 320-326.	1.9	25
38	The anisotropic effect of functional groups in ¹ H NMR spectra is the molecular response property of spatial NICS—the frozen conformational equilibria of 9-arylfluorenes. <i>Tetrahedron</i> , 2011, 67, 5740-5743.	1.9	22
39	Conformational analysis of 3,3-dimethylsilathiane, 2,3,3-trimethylsilathiane and 2-trimethylsilyl-3,3-dimethylsilathiane—preferred conformers, barriers to ring inversion and substituent effects. <i>Journal of Physical Organic Chemistry</i> , 2010, 23, 859-865.	1.9	15
40	Visualization of homoaromaticity in cations, neutral molecules and anions by spatial magnetic properties (through space NMR shieldings)—an ¹ H/ ¹³ C NMR chemical shift study. <i>Tetrahedron</i> , 2009, 65, 5350-5360.	1.9	32
41	Quantification of the Push~Pull Effect in Substituted Alkynes. Evaluation of $\Delta\langle i \rangle M \langle i \rangle$ Substituent Effects in Terms of $\Delta\%C$ Bond Length Variation. <i>Journal of Physical Chemistry A</i> , 2009, 113, 6774-6778.	2.5	16
42	Quantification of the (anti)aromaticity of fulvenes subject to ring size. <i>Tetrahedron Letters</i> , 2008, 49, 2776-2781.	1.4	32
43	Synthesis and Conformational Analysis of Tetrahydroisoquinoline—Fused 1,3,2-Oxazaphospholidines and 1,2,3-Oxathiazolidines. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 1464-1472.	2.4	8
44	Push~Pull vs Captodative Aromaticity. <i>Journal of Physical Chemistry A</i> , 2008, 112, 10895-10903.	2.5	25
45	Endohedral and External Through-Space Shieldings of the Fullerenes C ₅₀ , C ₆₀ , C ₆₀ ⁶⁺ , C ₇₀ , and C ₇₀ ⁶⁺ Visualization of (Anti)Aromaticity and Their Effects on the Chemical Shifts of Encapsulated Nuclei. <i>Journal of Organic Chemistry</i> , 2008, 73, 1498-1507.	3.2	79
46	Quantification of the (Anti)Aromaticity of Fulvalenes Subjected to π -Electron Cross-Delocalization. <i>Journal of Organic Chemistry</i> , 2008, 73, 56-65.	3.2	32
47	Visualization of through space NMR shieldings of aromatic and anti-aromatic molecules and a simple means to compare and estimate aromaticity. <i>Computational and Theoretical Chemistry</i> , 2007, 811, 45-60.	1.5	127
48	Hyperconjugation and the Increasing Bulk of OCOCX ₃ Substituents in Trans-1,4-Disubstituted Cyclohexanes Destabilize the Diequatorial Conformer. <i>Journal of Organic Chemistry</i> , 2006, 71, 4393-4399.	3.2	20
49	Quantification of the Push~Pull Effect in Tolanes and a Reevaluation of the Factors Affecting the ¹³ C Chemical Shifts of the Carbon Atoms of the $\text{C}\equiv\text{C}$ Triple Bond. <i>Journal of Organic Chemistry</i> , 2006, 71, 3869-3875.	3.2	58
50	Study of the Substituent-Influenced Anomeric Effect in the Ring-Chain Tautomerism of 1-Alkyl-3-aryl-naphth[1,2-e][1,3]oxazines. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 4670-4675.	2.4	8
51	Tautomerism, regioisomerism, and cyclization reactions of acridinyl thiosemicarbazides. <i>Journal of Heterocyclic Chemistry</i> , 2006, 43, 633-643.	2.6	16
52	Quantification of the push~pull effect in substituted alkenes. <i>Tetrahedron Letters</i> , 2005, 46, 5995-5997.	1.4	48
53	The Interplay of Thio(seleno)amide/Vinyllogous Thio(seleno)amide—Resonance—and the Anisotropic Effect of Thiocarbonyl and Selenocarbonyl Functional Groups. <i>Journal of Organic Chemistry</i> , 2005, 70, 6592-6602.	3.2	42
54	Conformational Analysis of Saturated Heterocyclic Six-Membered Rings. <i>Advances in Heterocyclic Chemistry</i> , 2004, 86, 41-127.	1.7	77

#	ARTICLE	IF	CITATIONS
55	Separation of Anisotropic and Steric Substituent Effects—Nuclear Chemical Shielding Analysis of H-4 and C-4 in Phenanthrene and 11-Ethynylphenanthrene. <i>Journal of the American Chemical Society</i> , 2004, 126, 2231-2236.	13.7	55
56	Electronic State of Push—Pull Alkenes: An Experimental Dynamic NMR and Theoretical ab Initio MO Study. <i>Journal of Organic Chemistry</i> , 2004, 69, 4317-4329.	3.2	131
57	Ab initio calculation of the anisotropy effect of multiple bonds and the ring current effect of arenes—application in conformational and configurational analysis. <i>Perkin Transactions II RSC</i> , 2001, , 1893-1898.	1.1	48