

Debra Anderson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1915050/publications.pdf>

Version: 2024-02-01

97
papers

2,504
citations

201674

27
h-index

223800

46
g-index

100
all docs

100
docs citations

100
times ranked

3184
citing authors

#	ARTICLE	IF	CITATIONS
1	Age at natural menopause and risk of incident cardiovascular disease: a pooled analysis of individual patient data. <i>Lancet Public Health</i> , The, 2019, 4, e553-e564.	10.0	252
2	“Yarning” as a Method for Community-Based Health Research With Indigenous Women: The Indigenous Women’s Wellness Research Program. <i>Health Care for Women International</i> , 2014, 35, 1216-1226.	1.1	215
3	Menopause in Australia and Japan: effects of country of residence on menopausal status and menopausal symptoms. <i>Climacteric</i> , 2004, 7, 165-174.	2.4	140
4	Early menarche, nulliparity and the risk for premature and early natural menopause. <i>Human Reproduction</i> , 2017, 32, 679-686.	0.9	122
5	The relationship between abdominal obesity and depression in the general population: A systematic review and meta-analysis. <i>Obesity Research and Clinical Practice</i> , 2011, 5, e267-e278.	1.8	103
6	Cross-cultural menopausal experience: Comparison of Australian and Taiwanese women. <i>Australian Journal of Cancer Nursing</i> , 2003, 5, 77-84.	1.6	92
7	Overview of methods used in cross-cultural comparisons of menopausal symptoms and their determinants: Guidelines for Strengthening the Reporting of Menopause and Aging (STROMA) studies. <i>Maturitas</i> , 2011, 70, 99-109.	2.4	84
8	Relationships between intensity, duration, cumulative dose, and timing of smoking with age at menopause: A pooled analysis of individual data from 17 observational studies. <i>PLoS Medicine</i> , 2018, 15, e1002704.	8.4	81
9	The relationship between exercise, Body Mass Index and menopausal symptoms in midlife Australian women. <i>International Journal of Nursing Practice</i> , 2006, 12, 28-34.	1.7	74
10	Self-Critical Perfectionism, Acculturative Stress, and Depression Among International Students. <i>Counseling Psychologist</i> , 2012, 40, 575-600.	1.2	63
11	The Health of Women and Girls Determines the Health and Well-Being of Our Modern World: A White Paper From the International Council on Women’s Health Issues. <i>Health Care for Women International</i> , 2011, 32, 870-886.	1.1	56
12	Methods used in cross-cultural comparisons of vasomotor symptoms and their determinants. <i>Maturitas</i> , 2011, 70, 110-119.	2.4	49
13	InterLACE: A new International Collaboration for a Life Course Approach to Women’s Reproductive Health and Chronic Disease Events. <i>Maturitas</i> , 2013, 74, 235-240.	2.4	43
14	Women’s perceptions and beliefs about the use of complementary and alternative medicines during menopause. <i>Complementary Therapies in Medicine</i> , 2008, 16, 163-168.	2.7	40
15	International student perspectives on graduate advising relationships.. <i>Journal of Counseling Psychology</i> , 2009, 56, 376-391.	2.0	40
16	Relationship between menopausal symptoms and menopausal status in Australian and Japanese women: Preliminary analysis. <i>Australian Journal of Cancer Nursing</i> , 2004, 6, 173-180.	1.6	39
17	A Longitudinal Study of the Relationship Between Lifestyle and Mental Health Among Midlife and Older Women in Australia: Findings From the Healthy Aging of Women Study. <i>Health Care for Women International</i> , 2010, 31, 1082-1096.	1.1	35
18	The InterLACE study: Design, data harmonization and characteristics across 20 studies on women’s health. <i>Maturitas</i> , 2016, 92, 176-185.	2.4	34

#	ARTICLE	IF	CITATIONS
19	Relationship between psychosocial factors and health behaviours for women experiencing menopause. <i>International Journal of Nursing Practice</i> , 2002, 8, 265-273.	1.7	32
20	Associations between the use of complementary and alternative medications and demographic, health and lifestyle factors in mid-life Australian women. <i>Climacteric</i> , 2005, 8, 271-278.	2.4	32
21	The Shaping of Midlife Women's Views of Health and Health Behaviors. <i>Qualitative Health Research</i> , 2010, 20, 966-976.	2.1	30
22	Prevalence and Correlates of Sleep Disturbance in Postmenopausal Women: The Australian Healthy Aging of Women (HOW) Study. <i>Journal of Women's Health</i> , 2014, 23, 151-158.	3.3	30
23	Decreasing menopausal symptoms in women undertaking a web-based multi-modal lifestyle intervention: The Women's Wellness Program. <i>Maturitas</i> , 2015, 81, 69-75.	2.4	30
24	Younger and older women's concerns about menopause after breast cancer. <i>European Journal of Cancer Care</i> , 2011, 20, 785-794.	1.5	29
25	Associations between perception of wellness and health-related quality of life, comorbidities, modifiable lifestyle factors and demographics in older Australians. <i>Australasian Journal on Ageing</i> , 2012, 31, 22-27.	0.9	29
26	A longitudinal study of the impact of chronic psychological stress on health-related quality of life and clinical biomarkers: protocol for the Australian Healthy Aging of Women Study. <i>BMC Public Health</i> , 2014, 14, 9.	2.9	29
27	The Vietnamese version of the Perceived Stress Scale (PSS-10): Translation equivalence and psychometric properties among older women. <i>BMC Psychiatry</i> , 2017, 17, 53.	2.6	29
28	Life stress and symptoms of anxiety and depression in women after cancer: The mediating effect of stress appraisal and coping. <i>Psycho-Oncology</i> , 2018, 27, 1787-1794.	2.3	29
29	Stress, Lifestyle, and Quality of Life in Midlife and Older Australian Women: Results From the Stress and the Health of Women Study. <i>Women's Health Issues</i> , 2014, 24, e43-e52.	2.0	28
30	The role of sleep difficulties in the vasomotor menopausal symptoms and depressed mood relationships: an international pooled analysis of eight studies in the InterLACE consortium. <i>Psychological Medicine</i> , 2018, 48, 2550-2561.	4.5	27
31	The use of complementary and alternative medications by menopausal women in South East Queensland. <i>Women's Health Issues</i> , 2004, 14, 165-171.	2.0	26
32	The Effects of a Multimodal Intervention Trial to Promote Lifestyle Factors Associated With the Prevention of Cardiovascular Disease in Menopausal and Postmenopausal Australian Women. <i>Health Care for Women International</i> , 2006, 27, 238-253.	1.1	26
33	Factors predicting barriers to exercise in midlife Australian women. <i>Maturitas</i> , 2016, 87, 61-66.	2.4	26
34	Cross-cultural comparisons of health-related quality of life in Australian and Japanese midlife women. <i>Menopause</i> , 2007, 14, 697-707.	2.0	25
35	Predicting intentions and behaviours in populations with or at-risk of diabetes: A systematic review. <i>Preventive Medicine Reports</i> , 2015, 2, 270-282.	1.8	25
36	Measuring acculturative stress with the SAFE: Evidence for longitudinal measurement invariance and associations with life satisfaction. <i>Personality and Individual Differences</i> , 2016, 89, 217-222.	2.9	23

#	ARTICLE	IF	CITATIONS
37	The Women's wellness after cancer program: a multisite, single-blinded, randomised controlled trial protocol. <i>BMC Cancer</i> , 2017, 17, 98.	2.6	22
38	Lifestyle interventions for improving health and health behaviours in women with type 2 diabetes: A systematic review of the literature 2011-2017. <i>Maturitas</i> , 2018, 111, 1-14.	2.4	21
39	Interventions for reducing and/or controlling domestic violence among pregnant women in low- and middle-income countries: a systematic review. <i>Systematic Reviews</i> , 2019, 8, 79.	5.3	20
40	Immigration Distress and Associated Factors Among Vietnamese Women in Transnational Marriages in Taiwan. <i>Kaohsiung Journal of Medical Sciences</i> , 2010, 26, 647-657.	1.9	17
41	The "caring experience": Testing the psychometric properties of the caring efficacy scale. <i>International Journal of Nursing Practice</i> , 2015, 21, 904-912.	1.7	17
42	Menopausal symptom clusters and their correlates in women with and without a history of breast cancer: a pooled data analysis from the Women's Wellness Research Program. <i>Menopause</i> , 2017, 24, 624-634.	2.0	17
43	The Association Between Web-Based or Face-to-Face Lifestyle Interventions on the Perceived Benefits and Barriers to Exercise in Midlife Women: Three-Arm Equivalency Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e10963.	4.3	17
44	Modeling factors that influence exercise and dietary change among midlife Australian women: Results from the Healthy Aging of Women Study. <i>Maturitas</i> , 2010, 67, 151-158.	2.4	15
45	Patient reported adherence to hypertension treatment: A revalidation study. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, 150-156.	0.9	15
46	Factors associated with self-management among Vietnamese adults with type 2 diabetes. <i>Nursing Open</i> , 2018, 5, 507-516.	2.4	15
47	Methods used in cross-cultural comparisons of somatic symptoms and their determinants. <i>Maturitas</i> , 2011, 70, 127-134.	2.4	14
48	Methods used in cross-cultural comparisons of sexual symptoms and their determinants. <i>Maturitas</i> , 2011, 70, 135-140.	2.4	14
49	The relationship between culture, attitude, social networks and quality of life in midlife Australian and Taiwanese citizens. <i>Maturitas</i> , 2007, 58, 285-295.	2.4	12
50	Perspectives on a Decolonizing Approach to Research About Indigenous Women's Health: The Indigenous Women's Wellness Study. <i>AlterNative</i> , 2013, 9, 204-216.	1.5	12
51	Methods used in cross-cultural comparisons of psychological symptoms and their determinants. <i>Maturitas</i> , 2011, 70, 120-126.	2.4	11
52	How life stressors influence modifiable lifestyle factors, depressive symptoms, and physical and mental health among Vietnamese older women?. <i>BMC Psychiatry</i> , 2017, 17, 232.	2.6	11
53	Examining relationships between socio-demographics and self-efficacy among registered nurses in Australia. <i>Collegian</i> , 2018, 25, 57-63.	1.3	11
54	Sustainability of a Multimodal Intervention to Promote Lifestyle Factors Associated With the Prevention of Cardiovascular Disease in Midlife Australian Women: A 5-year Follow-Up. <i>Health Care for Women International</i> , 2009, 30, 1111-1130.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Testing the psychometric properties of the <sc>B</sc>risbane <sc>P</sc>actice <sc>E</sc>nvironment <sc>M</sc>easure using <sc>E</sc>xploreory <sc>F</sc>actor <sc>A</sc>nalysis and <sc>C</sc>onfirmatory <sc>F</sc>actor <sc>A</sc>nalysis in an <sc>A</sc>ustralian registered nurse population. International Journal of Nursing Practice, 2015, 21, 94-101.	1.7	10
56	Antenatal-Based Pilot Psychosocial Intervention to Enhance Mental Health of Pregnant Women Experiencing Domestic and Family Violence in Nepal. Journal of Interpersonal Violence, 2020, , 088626052094815.	2.0	10
57	The Relationship between Country of Residence, Gender and the Quality of Life in Australian and Taiwanese Midlife Residents. Social Indicators Research, 2006, 79, 25-49.	2.7	8
58	Predictors of mental health in post-menopausal women: Results from the Australian healthy aging of women study. Maturitas, 2013, 76, 377-383.	2.4	8
59	â€˜We donâ€™t see because we donâ€™t askâ€™: Qualitative exploration of service usersâ€™ and health professionalsâ€™ views regarding a psychosocial intervention targeting pregnant women experiencing domestic and family violence. PLoS ONE, 2020, 15, e0230069.	2.5	8
60	Improving health-related quality of life in women with breast, blood, and gynaecological Cancer with an eHealth-enabled 12-week lifestyle intervention: the womenâ€™s wellness after Cancer program randomised controlled trial. BMC Cancer, 2022, 22, .	2.6	8
61	Examination of socio-demographics and job satisfaction in Australian registered nurses. Collegian, 2013, 20, 161-169.	1.3	7
62	Predictors of mental health in midlife and older Australian women: A multilevel investigation. Health Care for Women International, 2016, 37, 1263-1276.	1.1	7
63	Deconstructing type 2 diabetes selfâ€management of Australian Pacific Islander women: Using a community participatory research and talanoa approach. Health and Social Care in the Community, 2022, 30, 1988-1999.	1.6	7
64	Does Evening Removal of Urinary Catheters Shorten Hospital Stay Among General Hospital Patients?. Journal of Wound, Ostomy and Continence Nursing, 2006, 33, 156-163.	1.0	6
65	Exposure to stress across the life course and its association with anxiety and depressive symptoms: Results from the Australian Womenâ€™s Wellness After Cancer Program (WWACP). Maturitas, 2017, 105, 107-112.	2.4	6
66	Vietnamese Version of Diabetes Selfâ€Management Instrument: Development and Psychometric Testing. Research in Nursing and Health, 2017, 40, 177-184.	1.6	6
67	Domestic and Family Violence and its Association with Mental Health Among Pregnant Women Attending Antenatal Care in a Tertiary Hospital of Eastern Nepal. Journal of Nepal Health Research Council, 2021, 19, 115-121.	0.8	6
68	Selfâ€efficacy and social support as mediators of mental health among abused women. Australian Journal of Cancer Nursing, 2022, 24, 458-468.	1.6	6
69	VIOLENCE AGAINST WOMEN: AN EDUCATION PROGRAM FOR RURAL COMMUNITY HEALTH WORKERS. Australian Journal of Rural Health, 1997, 5, 17-21.	1.5	5
70	EVALUATION OF A SELF-PACED EDUCATION PACKAGE ON VIOLENCE AGAINST WOMEN FOR RURAL COMMUNITY-BASED HEALTH WORKERS. Australian Journal of Rural Health, 1999, 7, 5-12.	1.5	5
71	A cross-cultural comparison of health-related quality of life and its associated factors among older women in Vietnam and Australia. BMC Research Notes, 2018, 11, 174.	1.4	5
72	International feasibility study for the Womenâ€™s Wellness with Type 2 Diabetes Programme (WWDP): An eHealth enabled 12-week intervention programme for midlife women with type 2 diabetes. Diabetes Research and Clinical Practice, 2021, 171, 108541.	2.8	5

#	ARTICLE	IF	CITATIONS
73	Interventions for domestic violence among pregnant women in low- and middle-income countries: a systematic review protocol. <i>Systematic Reviews</i> , 2017, 6, 254.	5.3	4
74	Soy intake and vasomotor menopausal symptoms among midlife women: a pooled analysis of five studies from the InterLACE consortium. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1501-1511.	2.9	4
75	Translation and psychometric properties of the Chinese version of the Leeds Attitudes to Concordance II scale. <i>BMC Medical Informatics and Decision Making</i> , 2015, 15, 60.	3.0	3
76	Does exercise alleviate menopausal symptoms in women?. <i>Maturitas</i> , 2015, 80, 1-2.	2.4	3
77	Survivorship Care Plans: Health Actions Taken and Satisfaction After Use. <i>Oncology Nursing Forum</i> , 2019, 46, 585-594.	1.2	3
78	Physical activity and cognitive changes in younger women after breast cancer treatment. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 122-125.	1.6	3
79	Women's Wellness with Type 2 Diabetes Program (WWDP): Qualitative findings from the UK and Australian feasibility study. <i>Diabetes Research and Clinical Practice</i> , 2021, 172, 108654.	2.8	3
80	Alcohol and Breast Cancer. <i>Cancer Nursing</i> , 2022, 45, 87-95.	1.5	3
81	Screening for distress in women with gynaecological cancer: Adaptation of the distress thermometer for gynaecological oncology patients. <i>European Journal of Cancer Care</i> , 2021, 30, e13486.	1.5	3
82	Counselling-based psychosocial intervention to improve the mental health of abused pregnant women: a protocol for randomised controlled feasibility trial in a tertiary hospital in eastern Nepal. <i>BMJ Open</i> , 2019, 9, e027436.	1.9	3
83	Can dance-based aquatic exercise improve functionality in obese women with knee osteoarthritis?. <i>Menopause</i> , 2017, 24, 724-725.	2.0	2
84	Understanding cancer-related distress and supportive care needs in women with gynaecological cancer: a thematic analysis. <i>Maturitas</i> , 2019, 124, 145.	2.4	1
85	Yoga and acupuncture versus 'cosham' treatments for menopausal hot flashes: how do they compare?. <i>Menopause</i> , 2019, 26, 337.	2.0	1
86	Promoting healthy lifestyle changes to improve health-related quality of life in women after cancer: results from the Australian women's wellness after cancer program (WWACP). <i>Maturitas</i> , 2019, 124, 149.	2.4	1
87	Development and Validation of an Information Booklet Aimed at Promoting Mental Health for Pregnant Women with a History of Abuse. <i>Journal of Nepal Health Research Council</i> , 2020, 17, 456-462.	0.8	1
88	Physical activity and menopausal symptoms in women who have received menopause-inducing cancer treatments: results from the Women's Wellness After Cancer Program. <i>Menopause</i> , 2021, 28, 142-149.	2.0	1
89	A Rural Health Education, Training and Research Network for Queensland. <i>Australian Journal of Rural Health</i> , 1993, 1, 29-34.	1.5	0
90	The road to freedom: Ending violence against women. <i>Women's Health Issues</i> , 1997, 7, 99-108.	2.0	0

#	ARTICLE	IF	CITATIONS
91	Do high levels of physical activity favor favorable cardiovascular risk factors regardless of sleep?. Menopause, 2012, 19, 384.	2.0	0
92	Women's health: local and global matters of great significance. Medical Journal of Australia, 2016, 205, 356-357.	1.7	0
93	260Smoking, body mass index, and risk of vasomotor symptoms: a pooled analysis of eight studies. International Journal of Epidemiology, 2021, 50, .	1.9	0
94	Feasibility of a multiple health behavior change program for premenstrual symptoms in university students: A study protocol. European Journal of Integrative Medicine, 2021, 48, 101399.	1.7	0
95	Indigenous Women's Wellness Project. Australian Nursing Journal, 2011, 19, 37.	0.0	0
96	Determining the psychometric properties of the Greene Climacteric Scale (GCS) in women previously treated for breast cancer: A pooled analysis of data from the Women's Wellness after Cancer Programs. Maturitas, 2022, 161, 65-71.	2.4	0
97	The Development of the Women's Wellness Program for Irritable Bowel Syndrome. , 2022, 9, .		0